

Attachment IV

2.18 Definitions - R

Ramp Capacity: The amount of change in the Desired Net Interchange that generation located in the NYCA can support at any given time. Ramp capacity may be calculated for all Interfaces between the NYCA and neighboring Control Areas as a whole or for any individual Interface between the NYCA and an adjoining Control Area.

RCRR TCC: A zone-to-zone TCC created when a Transmission Owner with a RCRR exercises its right to convert the RCRR into a TCC pursuant to Section 19.5.4 of Attachment M of the ISO OATT.

Reactive Power (MVar): The product of voltage and the out-of-phase component of alternating current. Reactive Power, usually measured in MVar, is produced by capacitors (synchronous condensers), Qualified Non-Generator Voltage Support Resources, and over-excited Generators and absorbed by reactors or under-excited Generators and other inductive devices including the inductive portion of Loads.

Real Power Losses: The loss of Energy, resulting from transporting power over the NYS Transmission System, between the Point of Injection and Point of Withdrawal of that Energy.

Real-Time Bid: A Bid submitted into the Real-Time Commitment before the close of the Real-Time Scheduling Window. A Real-Time Bid shall also include a CTS Interface Bid.

Real-Time Commitment (“RTC”): A multi-period security constrained unit commitment and dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves and Regulation Service on a least as-bid production cost basis over a two hour and fifteen minute optimization period. The optimization evaluates the next ten points in time separated by fifteen minute intervals. Each RTC run within an hour shall have a designation indicating the time at which its results are posted; “RTC₀₀,” “RTC₁₅,” “RTC₃₀,” and “RTC₄₅” post on the hour, and at fifteen, thirty, and forty-five minutes after the hour, respectively. Each RTC run will produce binding commitment instructions for the periods beginning fifteen and thirty minutes after its scheduled posting time and will produce advisory commitment guidance for the remainder of the optimization period. RTC₁₅ will also establish hourly External Transaction schedules, while all RTC runs may establish 15 minute External Transaction schedules at Variably Scheduled Proxy Generator Buses. Additional information about RTC’s functions is provided in Section 4.4.2 of this ISO Services Tariff.

Real-Time Dispatch (“RTD”): A multi-period security constrained dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves, and Regulation Service on a least-as-bid production cost basis over a fifty, fifty-five or sixty-minute period (depending on when each RTD run occurs within an hour). The Real-Time Dispatch dispatches, but does not commit, Resources, except that RTD may commit, for pricing purposes, Resources meeting Minimum Generation Levels and capable of starting in ten minutes. RTD may also establish 5 minute External Transaction schedules at Dynamically Scheduled Proxy Generator Buses. Real-Time Dispatch runs will normally occur every five minutes. Additional information about RTD’s functions is provided in Section 4.4.3 of this ISO Services Tariff. Throughout this ISO

Services Tariff the term “RTD” will normally be used to refer to both the Real-Time Dispatch and to the specialized Real-Time Dispatch Corrective Action Mode software.

Real-Time Dispatch–Corrective Action Mode (“RTD-CAM”): A specialized version of the Real-Time Dispatch software that will be activated when it is needed to address unanticipated system conditions. RTD-CAM is described in Section 4.4.4 of this ISO Services Tariff.

Real-Time LBMP: The LBMPs established through the ISO Administered Real-Time Market.

Real-Time Market: The ISO Administered Markets for Energy and Ancillary Services resulting from the operation of the RTC and RTD.

Real-Time Minimum Run Qualified Gas Turbine: One or more gas turbines, offered in the Real-Time Market, which, because of their physical operating characteristics, may qualify for a minimum run time of two hours in the Real-Time Market. Characteristics that qualify gas turbines for this treatment are established by ISO Procedures and include using waste heat from the gas turbine-generated electricity to make steam for the generation of additional electricity via a steam turbine.

Real-Time Scheduled Energy: The quantity of Energy that a Supplier is directed to inject or withdraw in real-time by the ISO. Injections are indicated by positive Base Point Signals and withdrawals are indicated by negative Base Point Signals. Unless otherwise directed by the ISO, Dispatchable Supplier’s Real-Time Scheduled Energy is equal to its RTD Base Point Signal, or, if it is providing Regulation Service, to its AGC Base Point Signal, and an ISO Committed Fixed or Self-Committed Fixed Supplier’s Real-Time Scheduled Energy is equal to its bid output level in real-time.

Real-Time Scheduling Window: The period of time within which the ISO accepts offers and bids to sell and purchase Energy and Ancillary Services in the Real-Time Market for a given hour which period closes seventy-five (75) minutes before the start of that hour, or eighty-five (85) minutes before the start of that hour for Bids to schedule External Transactions at the Proxy Generator Buses associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, the Linden VFT Scheduled Line, or the HTP Scheduled Line.

Reconfiguration Auction: The monthly auction administered by the ISO in which Market Participants may purchase and sell one-month TCCs.

Reference Bus: The location on the NYS Transmission System relative to which all mathematical quantities, including Shift Factors and penalty factors relating to physical operation, will be calculated. The NYPA Marcy 345 kV transmission substation is designated as the Reference Bus.

Reference Month: For purposes of the Net Benefits Test, the calendar month that is twelve months prior to the Study Month.

Regulation Capacity: The Energy or Demand Reduction capability, measured in MW, that a Regulation Service provider offers and/or which it is scheduled to provide for Regulation Service.

Regulation Capacity Market Price: The price for Regulation Capacity determined by the ISO pursuant to section 15.3 of this Services Tariff.

Regulation Capacity Response Rate: The Regulation Capacity a Resource is capable of providing over five minutes, measured in MW/minute which shall not exceed the lowest normal energy response rate provided for the Resource and which must be sufficient to permit that Resource to provide the Regulation Capacity (in MW) offered within a five-minute RTD interval. Reference to a Regulation response rate shall be a reference to the Regulation Capacity Response Rate.

Regulation Movement: The absolute value of the change in Energy or Demand Reduction over a six second interval, measured in MW, that a Regulation Service provider is instructed to deliver for the purpose of providing Regulation Service.

Regulation Movement Market Price: The price for Regulation Movement as determined by the ISO pursuant to section 15.3 of this Services Tariff.

Regulation Movement Multiplier: A factor with the value of thirteen (13), used with the Regulation Movement Bids, to schedule Regulation Service providers in both the Day-Ahead and Real-Time Energy markets. The ISO calculates the Regulation Movement Multiplier based on the historical relationship between the number of MW of Regulation Capacity that the ISO seeks to maintain in each hour and the number of Regulation Movement MW instructed by AGC in each hour.

Regulation Movement Response Rate: The amount of Regulation Movement a Regulation Service provider is capable of delivering in six seconds which shall not be less than, but can be equal to or greater than, the Regulation Capacity Response Rate equivalent.

Regulation Service: The Ancillary Service defined by the Commission as “frequency regulation” and that is instructed as Regulation Capacity in the Day-Ahead Market and as Regulation Capacity and Regulation Movement in the Real-Time Market as is further described in Section 15.3 of the Services Tariff. Day-Ahead and Real-Time Bids to provide Regulation Service shall include a Bid for Regulation Capacity and a Bid for Regulation Movement. The Regulation Service requirement or target level shall be for MW of Regulation Capacity.

Regulation Service Demand Curve: A series of quantity/price points that defines the maximum Shadow Price for Regulation Service corresponding to each possible quantity of Resources that the ISO’s software may schedule to satisfy the ISO’s Regulation Service constraint. A single Regulation Service Demand Curve will apply to both the Day-Ahead Market and the Real-Time Market for Regulation Service. The Shadow Price for Regulation Service shall be used to calculate Regulation Service payments under Rate Schedule 3 of this ISO Services Tariff.

Regulation Revenue Adjustment Charge (“RRAC”): A charge that will be assessed against certain Generators that are providing Regulation Service under Section 15.3.6 of Rate Schedule 3 to this ISO Services Tariff.

Regulation Revenue Adjustment Payment (“RRAP”): A payment that will be made to certain Generators that are providing Regulation Service under Section 15.3.6 of Rate Schedule 3 to this ISO Services Tariff.

Reliability Rules: Those rules, standards, procedures and protocols developed and promulgated by the NYSRC, including Local Reliability Rules, in accordance with NERC, NPCC, FERC, PSC and NRC standards, rules and regulations and other criteria and pursuant to the NYSRC Agreement.

Repair Plan: A work plan, set of actions, and time frame for such actions, that is necessary to repair a Generator and return it to service as described in Section 5.18.1 of this Services Tariff.

Required System Capability: Generation capability required to meet an LSE’s peak Load plus Installed Capacity Reserve obligation as defined in the Reliability Rules.

Reserve Performance Index: An index created by the ISO for the purpose of calculating the Day Ahead Margin Assurance Payment pursuant to Attachment J of this Services Tariff made to Demand Side Resources scheduled to provide Operating Reserves in the Day-Ahead Market.

Residual Adjustment: The adjustment made to ISO costs that are recovered through Schedule 1 of the OATT. The Residual Adjustment is calculated pursuant to Schedule 1 of the OATT.

Residual Capacity Reservation Right (“RCRR”): A megawatt of transmission Capacity from one Load Zone to an electrically contiguous Load Zone, each of which is internal to the NYCA, that may be converted into an RCRR TCC by a Transmission Owner allocated the RCRR pursuant to Section 19.5 of Attachment M of the ISO OATT.

Residual Transmission Capacity: The transmission capacity determined by the ISO before, during and after the Centralized TCC Auction which is conceptually equal to the following:

$$\text{Residual Transmission Capacity} = \text{TTC} - \text{TRM} - \text{CBM} - \text{GTR} - \text{GTCC} - \text{ETCNL}$$

The TCCs associated with Residual Transmission Capacity cannot be accurately determined until the Centralized TCC Auction is conducted.

TTC is the Total Transfer Capability that can only be determined after the Residual Transmission Capacity is known.

GTR is the transmission capacity associated with Grandfathered Rights.

GTCC is the transmission capacity associated with Grandfathered TCCs.

ETCNL is the transmission capacity associated with Existing Transmission Capacity for Native Load.

TRM is the Transmission Reliability Margin.

CBM is the Capacity Benefit Margin.

Resource: An Energy Limited Resource, Generator, Installed Capacity Marketer, Special Case Resource, Intermittent Power Resource, Limited Control Run of River Hydro Resource,

municipally-owned generation, System Resource, Demand Side Resource or Control Area System Resource.

Responsible Interface Party (“RIP”): A Customer that is authorized by the ISO to be the Installed Capacity Supplier for one or more Special Case Resources and that agrees to certain notification and other requirements as set forth in this Services Tariff and in the ISO Procedures.

Rest of State: The set of all non-Locality NYCA LBMP Load Zones. As of the 2014/2015 Capability Year, Rest of State includes all NYCA LBMP Load Zones other than LBMP Load Zones G, H, I, J and K.

Retired: A Generator that has permanently ceased operating on or after May 1, 2015 either: i) pursuant to applicable notice; or ii) as a result of the expiration of its Mothball Outage or of its ICAP Ineligible Forced Outage.

RMR Agreement: shall have the meaning specified in Section 1.18 of the ISO’s Open Access Transmission Tariff.

RMR Avoidable Costs: shall have the meaning specified in Section 1.18 of the ISO’s Open Access Transmission Tariff.

RMR Generator: shall have the meaning specified in Section 1.18 of the ISO’s Open Access Transmission Tariff.

Rolling RTC: The RTC run that is used to schedule a given 15-minute External Transaction. The Rolling RTC may be an RTC00, RTC15, RTC30 or RTC45 run.

5.12 Requirements Applicable to Installed Capacity Suppliers

5.12.1 Installed Capacity Supplier Qualification Requirements

In order to qualify as an Installed Capacity Supplier in the NYCA, each generator and merchant transmission facility interconnected to the New York State Transmission System must, commencing with the 2009 Summer Capability Period, have elected Capacity Resource Interconnection Service and been found deliverable, or must have been grandfathered as deliverable, pursuant to the applicable provisions of Attachment X, Attachment Z and Attachment S to the ISO OATT. Even if a Generator has otherwise satisfied the requirements to participate in the ISO's Installed Capacity market, a Generator in Inactive Reserves, an ICAP Ineligible Forced Outage, a Mothball Outage, or that is Retired is ineligible to participate in the ISO's Installed Capacity market. In addition, to qualify as an Installed Capacity Supplier in the NYCA, Energy Limited Resources, Generators, Installed Capacity Marketers, Intermittent Power Resources, Limited Control Run-of-River Hydro Resources and System Resources rated 1 MW or greater, other than External System Resources and Control Area System Resources which have agreed to certain Curtailment conditions as set forth in the last paragraph of Section 5.12.1 below, Responsible Interface Parties, existing municipally-owned generation, Energy Limited Resources, and Intermittent Power Resources, to the extent those entities are subject to the requirements of Section 5.12.11 of this Tariff, shall:

5.12.1.1 provide information reasonably requested by the ISO including the name and location of Generators, and System Resources;

5.12.1.2 in accordance with the ISO Procedures, perform DMNC tests and submit the results to the ISO, or provide to the ISO appropriate historical production data;

5.12.1.3 abide by the ISO Generator maintenance coordination procedures;

- 5.12.1.4 provide the expected return date from any outages (including partial outages) to the ISO;
- 5.12.1.5 in accordance with the ISO Procedures,
 - 5.12.1.5.1 provide documentation demonstrating that it will not use the same Unforced Capacity for more than one (1) buyer at the same time, and
 - 5.12.1.5.2 in the event that the Installed Capacity Supplier supplies more Unforced Capacity than it is qualified to supply in any specific month (*i.e.*, is short on Capacity), documentation that it has procured sufficient Unforced Capacity to cover this shortfall.
- 5.12.1.6 except for Installed Capacity Marketers and Intermittent Power Resources that depend upon wind or solar as their fuel, Bid into the Day-Ahead Market, unless the Energy Limited Resource, Generator, Limited Control Run-of-River Hydro Resource or System Resource is unable to do so due to an outage as defined in the ISO Procedures or due to temperature related de-ratings. Generators may also enter into the MIS an upper operating limit that would define the operating limit under normal system conditions. The circumstances under which the ISO will direct a Generator to exceed its upper operating limit are described in the ISO Procedures;
- 5.12.1.7 provide Operating Data in accordance with Section 5.12.5 of this Tariff;
- 5.12.1.8 provide notice to the ISO, prior to the commencement of the Annual Transmission Reliability Assessment on March 1, of any transfers of deliverability rights to be carried out pursuant to Sections 25.9.4 - 25.9.6 of Attachment S to the ISO OATT;

- 5.12.1.9 comply with the ISO Procedures;
- 5.12.1.10 when the ISO issues a Supplemental Resource Evaluation request (an SRE), Bid into the in-day market unless the entity has a bid pending in the Real-Time Market when the SRE request is made or is unable to bid in response to the SRE request due to an outage as defined in the ISO Procedures, or due to other operational issues, or due to temperature related deratings; and
- 5.12.1.11 Installed Capacity Suppliers located East of Central-East shall Bid in the Day-Ahead and Real-Time Markets all Capacity available for supplying 10-Minute Non-Synchronized Reserve (unless the Generator is unable to meet its commitment because of an outage as defined in the ISO Procedures), except for the Generators described in Subsections 5.12.1.11.1, 5.12.1.11.2 and 5.12.1.11.3 below:
- 5.12.1.11.1 Generators providing Energy under contracts executed and effective on or before November 18, 1999 (including PURPA contracts) in which the power purchasers do not control the operation of the supply source but would be responsible for penalties for being off-schedule, with the exception of Generators under must-take PURPA contracts executed and effective on or before November 18, 1999, who have not provided telemetering to their local TO and historically have not been eligible to participate in the NYPP market, which will continue to be treated as TO Load modifiers under the ISO-administered markets;
- 5.12.1.11.2 Existing topping turbine Generators and extraction turbine Generators producing Energy resulting from the supply of steam to the district steam system located in New York City (LBMP Zone J) in operation on or before November

18, 1999 and/or topping or extraction turbine Generators used in replacing or repowering steam supplies from such units (in accordance with good engineering and economic design) that cannot follow schedules, up to a maximum total of 499 MW of such units; and

5.12.1.11.3 Units that have demonstrated to the ISO that they are subject to environmental, contractual or other legal or physical requirements that would otherwise preclude them from providing 10-Minute NSR.

The ISO shall inform each potential Installed Capacity Supplier that is required to submit DMNC data of its approved DMNC ratings for the Summer Capability Period and the Winter Capability Period in accordance with the ISO Procedures.

Requirements to qualify as Installed Capacity Suppliers for External System Resources and Control Area System Resources located in External Control Areas that have agreed not to Curtail the Energy associated with such Installed Capacity or to afford it the same Curtailment priority that it affords its own Control Area Load shall be established in the ISO Procedures.

External Installed Capacity not associated with UDRs, including capacity associated with External CRIS Rights, Grandfathered External Installed Capacity Agreements listed in Attachment E of the ISO Installed Capacity Manual, the Existing Transmission Capacity for Native Load listed for New York State Electric & Gas Corporation in Table 3 of Attachment L to the ISO OATT, Import Rights, and External System Resources, is only qualified to satisfy a NYCA Minimum Unforced Capacity Requirement and is not eligible to satisfy a Locational Minimum Installed Capacity Requirement.

Not later than 30 days prior to each ICAP Spot Market Auction, each Market Participant that may make offers to sell Unforced Capacity in such auction shall submit information to the

ISO, in accordance with ISO Procedures and in the format specified by the ISO that identifies each Affiliated Entity, as that term is defined in Section 23.2.1 of Attachment H of the Services Tariff, of the Market Party or with which the Market Party is an Affiliated Entity. The names of entities that are Affiliated Entities shall not be treated as Confidential Information, but such treatment may be requested for the existence of an Affiliated Entity relationship. The information submitted to the ISO shall identify the nature of the Affiliated Entity relationship by the applicable category specified in the definition of “Affiliated Entity” in Section 23.2.1 of Attachment H of the Services Tariff.

5.12.2 Additional Provisions Applicable to External Installed Capacity Suppliers

Terms in this Section 5.12.2 not defined in the Services Tariff have the meaning set forth in the OATT.

5.12.2.1 Provisions Addressing the Applicable External Control Area

External Generators, External System Resources, and Control Area System Resources qualify as Installed Capacity Suppliers if they demonstrate to the satisfaction of the NYISO that the Installed Capacity Equivalent of their Unforced Capacity is deliverable to the NYCA or, in the case of an entity using a UDR to meet a Locational Minimum Installed Capacity Requirement, to the NYCA interface associated with that UDR transmission facility and will not be recalled or curtailed by an External Control Area to satisfy its own Control Area Loads, or, in the case of Control Area System Resources, if they demonstrate that the External Control Area will afford the NYCA Load the same curtailment priority that they afford their own Control Area Native Load Customers. The amount of Unforced Capacity that may be supplied by such entities qualifying pursuant to the alternative criteria may be reduced by the ISO, pursuant to ISO Procedures, to reflect the possibility of curtailment. External Installed Capacity associated with

Import Rights or UDRs is subject to the same deliverability requirements applied to Internal Installed Capacity Suppliers associated with UDRs.

5.12.2.2 Additional Provisions Addressing Internal Deliverability and Import Rights

In addition to the provisions contained in Section 5.12.2.1 above, External Installed Capacity not associated with UDRs or External CRIS Rights will be subject to the deliverability test in Section 25.7.8 and 25.7.9 of Attachment S to the ISO OATT. The deliverability of External Installed Capacity not associated with UDRs or External CRIS Rights will be evaluated annually as a part of the process that sets import rights for the upcoming Capability Year, to determine the amount of External Installed Capacity that can be imported to the New York Control Area across any individual External Interface and across all of those External Interfaces, taken together. The External Installed Capacity deliverability test will be performed using the ISO's forecast, for the upcoming Capability Year, of New York Control Area CRIS resources, transmission facilities, and load. Under this process (i) Grandfathered External Installed Capacity Agreements listed in Attachment E of the ISO Installed Capacity Manual, and (ii) the Existing Transmission Capacity for Native Load listed for New York State Electric & Gas Corporation in Table 3 of Attachment L to the ISO OATT, will be considered deliverable within the Rest of State. Additionally, 1090 MW of imports made over the Quebec (via Chateauguay) Interface will be considered to be deliverable until the end of the 2010 Summer Capability Period.

The import limit set for External Installed Capacity not associated with UDRs or External CRIS Rights will be set no higher than the amount of imports deliverable into Rest of State that (i) would not increase the LOLE as determined in the upcoming Capability Year IRM consistent with Section 2.7 of the NYISO Installed Capacity Manual, "Limitations on Unforced Capacity

Flow in External Control Areas,” (ii) are deliverable within the Rest of State Capacity Region when evaluated with the New York Control Area CRIS resources and External CRIS Rights forecast for the upcoming Capability Year, and (iii) would not degrade the transfer capability of any Other Interface by more than the threshold identified in Section 25.7.9 of Attachment S to the ISO OATT. Import limits set for External Installed Capacity will reflect the modeling of awarded External CRIS rights, but the awarded External CRIS rights will not be adjusted as part of import limit-setting process. Procedures for qualifying selling, and delivery of External Installed Capacity are detailed in the Installed Capacity Manual.

Until the grandfathered import rights over the Quebec (via Chateauguay) Interface expire at the end of the 2010 Summer Capability Period, the 1090 MW of grandfathered import rights will be made available on a first-come, first-served basis pursuant to ISO Procedures. Any of the grandfathered import rights over the Quebec (via Chateauguay) Interface not utilized for a Capability Period will be made available to other external resources for that Capability Period, pursuant to ISO Procedures, to the extent the unutilized amount is determined to be deliverable.

Additionally, any of the Existing Transmission Capacity for Native Load listed for New York State Electric & Gas Corporation not utilized by New York State Electric & Gas Corporation for a Capability Period will be made available to other external resources for that Capability Period, pursuant to ISO procedures, to the extent the unutilized amount is determined to be deliverable within the Rest of State Capacity Region.

LSEs with External Installed Capacity as of the effective date of this Tariff will be entitled to designate External Installed Capacity at the same NYCA Interface with another Control Area, in the same amounts in effect on the effective date of this Tariff. To the extent such External Installed Capacity corresponds to Existing Transmission Capacity for Native Load

as reflected in Table 3 of Attachment L to the ISO OATT, these External Installed Capacity rights will continue without term and shall be allocated to the LSE's retail access customers in accordance with the LSE's retail access program on file with the PSC and subject to any necessary filings with the Commission. External Installed Capacity rights existing as of September 17, 1999 that do not correspond to Table 3 of Attachment L to the ISO OATT shall survive for the term of the relevant External Installed Capacity contract or until the relevant External Generator is retired.

5.12.2.3 One-Time Conversion of Grandfathered Quebec (via Chateauguay) Interface Rights.

An entity can request to convert a specified number of MW, up to 1090 MW over the Quebec External Interface (via Chateauguay), into External CRIS Rights by making either a Contract Commitment or Non-Contract Commitment that satisfies the requirements of Section 25.7.11.1 of Attachment S to the ISO OATT. The converted number of MW will not be subject to further evaluation for deliverability within a Class Year Deliverability Study under Attachment S to the ISO OATT, as long as the External CRIS Rights are in effect.

5.12.2.3.1 The External CRIS Rights awarded under this conversion process will first become effective for the 2010-2011 Winter Capability Period.

5.12.2.3.2 Requests to convert these grandfathered rights must be received by the NYISO on or before 5:00 pm Eastern Time on February 1, 2010, with the following information: (a) a statement that the entity is electing to convert by satisfying the requirements of a Contract Commitment or a Non-Contract Commitment in accordance with Section 25.7.11.1 of Attachment S to the ISO OATT; (b) the length of the commitment in years; (c) for the Summer Capability Period, the requested number of MW; (d) for the Winter Capability Period, the

Specified Winter Months, if any, and the requested number of MW; and (e) a minimum number of MW the entity will accept if granted (“Specified Minimum”) for the Summer Capability Period and for all Specified Winter Months, if any.

5.12.2.3.3 An entity cannot submit one or more requests to convert in the aggregate more than 1090 MW in any single month.

5.12.2.3.4 If requests to convert that satisfy all other requirements stated herein are equal to or less than the 1090 MW limit, all requesting entities will be awarded the requested number of MW of External CRIS Rights. If conversion requests exceed the 1090 MW limit, the NYISO will prorate the allocation based on the weighted average of the requested MW times the length of the contract/commitment (*i.e.*, number of Summer Capability Periods) in accordance with the following formula:

$$\begin{aligned} & \text{Rights allocated to entity } i \\ &= 1090 \\ & \quad * (MW_i * \text{contract/commitment length}_i) \\ & \quad / \sum_j (MW_j * \text{contract/commitment length}_j) \end{aligned}$$

$j = 1, \dots, \#$ entities requesting import rights

In the formula, contract/commitment length means the lesser of the requested contract/commitment length and twenty (20) years. The NYISO will perform separate calculations for the Summer and Winter Capability Periods. The NYISO will determine whether the prorated allocated number of MW for any requesting entity is less than the entity’s Specified Minimum. If any allocation is less, the NYISO will remove such request(s) and recalculate the prorated allocations among the remaining requesting entities using the above formula. This process

will continue until the prorated allocation meets or exceeds the specified minimum for all remaining requests.

- 5.12.2.3.5 Any portion of the previously grandfathered 1090 MW not converted through this process will no longer be grandfathered from deliverability. Previously grandfathered rights converted to External CRIS Rights but then terminated will no longer be grandfathered from deliverability.

5.12.2.4 Offer Cap Applicable to Certain External CRIS Rights

Notwithstanding any other capacity mitigation measures or obligations that may apply, the offers of External Installed Capacity submitted pursuant to a Non-Contract Commitment, as described in Section 25.7.11.1.2 of Attachment S of the ISO OATT, will be subject to an offer cap in each month of the Summer Capability Period and for all Specified Winter Months. This offer cap will be determined as the higher of:

- 5.12.2.4.1 1.1 times the price corresponding to all available Unforced Capacity determined from the NYCA ICAP Demand Curve for that Period; and
- 5.12.2.4.2 The most recent auction clearing price (a) in the External market supplying the External Installed Capacity, if any, and if none, then the most recent auction clearing price in an External market to which the capacity may be wheeled, less (b) any transmission reservation costs in the External market associated with providing the Installed Capacity, in accordance with ISO Procedures.

5.12.3 Installed Capacity Supplier Outage Scheduling Requirements

All Installed Capacity Suppliers, except for Control Area System Resources and Responsible Interface Parties, that intend to supply Unforced Capacity to the NYCA shall submit

a confidential notification to the ISO of their proposed outage schedules in accordance with the ISO Procedures. Transmission Owners will be notified of these and subsequently revised outage schedules. Based upon a reliability assessment, if Operating Reserve deficiencies are projected to occur in certain weeks for the upcoming calendar year, the ISO will request voluntary rescheduling of outages. In the case of Generators actually supplying Unforced Capacity to the NYCA, if voluntary rescheduling is ineffective, the ISO will invoke forced rescheduling of their outages to ensure that projected Operating Reserves over the upcoming year are adequate.

A Generator that refuses a forced rescheduling of its outages for any unit shall be prevented from supplying Unforced Capacity in the NYCA with that unit during any month where it undertakes such outages. The rescheduling process is described in the ISO Procedures.

A Generator that intends to supply Unforced Capacity in a given month that did not qualify as an Installed Capacity Supplier prior to the beginning of the Capability Period must notify the ISO in accordance with the ISO Procedures so that it may be subject to forced rescheduling of its proposed outages in order to qualify as an Installed Capacity Supplier. A Supplier that refuses the ISO's forced rescheduling of its proposed outages shall not qualify as an Installed Capacity Supplier for that unit for any month during which it schedules or conducts an outage.

Outage schedules for External System Resources and Control Area System Resources shall be coordinated by the External Control Area and the ISO in accordance with the ISO Procedures.

5.12.4 Required Certification for Installed Capacity

- (a) Each Installed Capacity Supplier must confirm to the ISO, in accordance with ISO Procedures that the Unforced Capacity it has certified has not been sold for

use in an External Control Area.

- (b) Each Installed Capacity Supplier holding rights to UDRs from an External Control Area must confirm to the ISO, in accordance with ISO Procedures, that it will not use as self-supply or offer, and has not sold, Installed Capacity associated with the quantity of MW for which it has not made its one time capability adjustment year election pursuant to Section 5.11.4.
- (c) On and after the execution of an RMR Agreement, and for the duration of its term, an RMR Generator shall not enter into any new agreement or extend any other agreement that impairs or otherwise diminishes its ability to comply with its obligation under an RMR Agreement, or that limits its ability to provide Energy, Capacity, or Ancillary Services directly to the ISO Administered Markets.

5.12.5 Operating Data Reporting Requirements

To qualify as Installed Capacity Suppliers in the NYCA, Resources shall submit to the ISO Operating Data in accordance with this Section 5.12.5 and the ISO Procedures. Resources that do not submit Operating Data in accordance with the following subsections and the ISO Procedures may be subject to the sanctions provided in Section 5.12.12.1 of this Tariff.

Resources that were not in operation on January 1, 2000 shall submit Operating Data to the ISO no later than one month after such Resources commence commercial operation, and in accordance with the ISO Procedures and the following subsections as applicable.

5.12.5.1 Generators, System Resources, Energy Limited Resources, Responsible Interface Parties, Intermittent Power Resources, Limited Control Run-of-River Hydro Resources and Municipally Owned Generation

To qualify as Installed Capacity Suppliers in the NYCA, Generators, External Generators, System Resources, External System Resources, Energy Limited Resources,

Responsible Interface Parties, Intermittent Power Resources, Limited Control Run-of-River Hydro Resources and municipally owned generation or the purchasers of Unforced Capacity associated with those Resources shall submit GADS Data, data equivalent to GADS Data, or other Operating Data to the ISO in accordance with the ISO Procedures. Prior to the successful implementation of a software modification that allows gas turbines to submit multiple bid points, these units shall not be considered to be forced out for any hours that the unit was available at its base load capability in accordance with the ISO Procedures. This section shall also apply to any Installed Capacity Supplier, External or Internal, using UDRs to meet Locational Minimum Installed Capacity Requirements.

5.12.5.2 Control Area System Resources

To qualify as Installed Capacity Suppliers in the NYCA, Control Area System Resources, or the purchasers of Unforced Capacity associated with those Resources, shall submit CARL Data and actual system failure occurrences data to the ISO each month in accordance with the ISO Procedures.

5.12.5.3 Transmission Projects Granted Unforced Capacity Deliverability Rights

An owner of a transmission project that receives UDRs must, among other obligations, submit outage data or other operational information in accordance with the ISO procedures to allow the ISO to determine the number of UDRs associated with the transmission facility.

5.12.6 Operating Data Default Value and Collection

5.12.6.1 UCAP Calculations

The ISO shall calculate for each Resource the amount of Unforced Capacity that each Installed Capacity Supplier is qualified to supply in the NYCA in accordance with formulae

provided in the ISO Procedures.

The amount of Unforced Capacity that each Generator, System Resource, Energy Limited Resource, Special Case Resource, and municipally-owned generation is authorized to supply in the NYCA shall be based on the ISO's calculations of individual Equivalent Demand Forced Outage Rates. The amount of Unforced Capacity that each Control Area System Resource is authorized to supply in the NYCA shall be based on the ISO's calculation of each Control Area System Resource's availability. The amount of Unforced Capacity that each Intermittent Power Resource is authorized to supply in the NYCA shall be based on the NYISO's calculation of the amount of capacity that the Intermittent Power Resource can reliably provide during system peak Load hours in accordance with ISO Procedures. Except as provided in Section 5.12.6.1.1 of this Services Tariff, this calculation shall not include hours in any month that the Intermittent Power Resource was in an outage state that started on or after May 1, 2015 and that precluded its eligibility to participate in the Installed Capacity market. The amount of Unforced Capacity that each Limited Control Run-of-River Hydro Resource is authorized to provide in the NYCA shall be determined separately for Summer and Winter Capability Periods as the rolling average of the hourly net Energy provided by each such Resource during the 20 highest NYCA integrated real-time load hours in each of the five previous Summer or Winter Capability Periods, as appropriate, stated in megawatts. Except as provided in Section 5.12.6.1.1 of this Services Tariff, for a Limited Control Run-of-River Hydro Resource in an outage state that started on or after May 1, 2015 and that precluded its eligibility to participate in the Installed Capacity market during one of the 20 highest NYCA integrated real-time load hours in any one of the five previous Summer or Winter Capability Periods, the ISO shall replace that Winter or Summer Capability Period, as appropriate, with the next most recent Winter or Summer

Capability Period such that the rolling average of the hourly net Energy provided by each such Resource shall be calculated from the 20 highest NYCA integrated real-time load hours in the five most recent prior Summer or Winter Capability Periods in which the Resource was not in an outage state that precluded its eligibility to participate in the Installed Capacity market on one of the 20 highest NYCA integrated real-time load hours in that Capability Period.

The ISO shall calculate separate Summer and Winter Capability Period Unforced Capacity values for each Generator, System Resource, Special Case Resource, Energy Limited Resource, and municipally owned generation and update them periodically using a twelve-month calculation in accordance with formulae provided in the ISO Procedures; provided, however, except as provided in Section 5.12.6.1.1 of this Services Tariff, for a Generator in an outage state that started on or after May 1, 2015 and that precluded its eligibility to participate in the Installed Capacity market at any time during any month from which GADS or other operating data would otherwise be used to calculate an individual Equivalent Demand Forced Outage Rate, the ISO shall replace such month's GADS or other operating data with GADS or other operating data from the most recent prior month in which the Generator was not in an outage state that precluded its eligibility to participate in the Installed Capacity market.

The ISO shall calculate separate Summer and Winter Capability Period Unforced Capacity values for Intermittent Power Resources and update them seasonally as described in ISO Procedures.

5.12.6.1.1 Exceptions

A Generator returning to the Energy market after taking an outage that precluded its participation in the Installed Capacity market and which returns with modifications to its operating characteristics determined by the ISO to be material and which, therefore, requires the

submission of a new Interconnection Request will receive, as the initial derating factor for calculation of the Generator's Unforced Capacity upon its return to service, the derating factor it would have received as a newly connecting unit in lieu of a derating factor developed from unit-specific data. A Generator returning to the Energy market after taking an outage that precluded its participation in the Installed Capacity market and which, upon its return, uses as its primary fuel a fuel not previously used at the facility for any purpose other than for ignition purposes will receive, as the initial derating factor for calculation of the Generator's Unforced Capacity upon its return to service, the NERC class average derating factor in lieu of a derating factor developed from unit-specific data even if the modifications to allow use of a new primary fuel are not material and do not require the submission of a new Interconnection Request.

This Section 5.12.6.1.1 shall apply to a Generator returning to the Energy market after taking an outage that started on or after May 1, 2015 and that precluded its participation in the Installed Capacity market.

5.12.6.2 Default Unforced Capacity

In its calculation of Unforced Capacity, the ISO shall deem a Resource to be completely forced out for each month for which the Resource has not submitted its Operating Data in accordance with Section 5.12.5 of this Tariff and the ISO Procedures. A Resource that has been deemed completely forced out for a particular month may submit new Operating Data, for that month, to the ISO at any time. The ISO will use such new Operating Data when calculating, in a timely manner in accordance with the ISO Procedures, a Unforced Capacity value for the Resource.

Upon a showing of extraordinary circumstances, the ISO retains the discretion to accept at any time Operating Data which have not been submitted in a timely manner, or which do not

fully conform with the ISO Procedures.

5.12.6.3 Exception for Certain Equipment Failures

When a Generator, Special Case Resource, Energy Limited Resource, or System Resource is forced into an outage by an equipment failure that involves equipment located on the high voltage side of the electric network beyond the step-up transformer, and including such step-up transformer, the outage will not be counted for purposes of calculating that Resource's Equivalent Demand Forced Outage Rate.

5.12.7 Availability Requirements

Subsequent to qualifying, each Installed Capacity Supplier shall, except as noted in Section 5.12.11 of this Tariff, on a daily basis: (i) schedule a Bilateral Transaction; (ii) Bid Energy in each hour of the Day-Ahead Market in accordance with the applicable provisions of Section 5.12.1 of this Tariff; or (iii) notify the ISO of any outages. An RMR Generator can only schedule a Bilateral Transaction to the extent expressly authorized in its RMR Agreement. The total amount of Energy that an Installed Capacity Supplier schedules, bids, or declares to be unavailable on a given day must equal or exceed the Installed Capacity Equivalent of the Unforced Capacity it supplies.

5.12.8 Unforced Capacity Sales

Each Installed Capacity Supplier will, after satisfying the deliverability requirements set forth in the applicable provisions of Attachment X, Attachment Z and Attachment S to the ISO OATT, be authorized to supply an amount of Unforced Capacity during each Obligation Procurement Period, based on separate seasonal Unforced Capacity calculations performed by the ISO for the Summer and Winter Capability Periods. Unforced Capacity may be sold in

six-month strips, or in monthly, or multi-monthly segments.

External Unforced Capacity (except External Installed Capacity associated with UDRs) may only be offered into Capability Period Auctions or Monthly Auctions for the Rest of State, and ICAP Spot Market Auctions for the NYCA, and may not be offered into a Locality for an ICAP Auction. Bilateral Transactions which certify External Unforced Capacity using Import Rights may not be used to satisfy a Locational Minimum Unforced Capacity Requirement.

UCAP from an RMR Generator may only be offered into the ICAP Spot Market Auction, except and only to the extent that the RMR Agreement expressly permits the RMR Generator's UCAP to be certified in a Bilateral Transaction.

If an Energy Limited Resource's, Generator's, System Resource's or Control Area System Resource's DMNC rating is determined to have increased during an Obligation Procurement Period, pursuant to testing procedures described in the ISO Procedures, the amount of Unforced Capacity that it shall be authorized to supply in that or future Obligation Procurement Periods shall also be increased on a prospective basis in accordance with the schedule set forth in the ISO Procedures provided that it first has satisfied the deliverability requirements set forth in the applicable provisions of Attachment X, Attachment Z and Attachment S to the ISO OATT.

New Generators and Generators that have increased their Capacity since the previous Summer Capability Period due to changes in their generating equipment may, after satisfying the deliverability requirements set forth in the applicable provisions of Attachment X, Attachment Z and Attachment S to the ISO OATT, qualify to supply Unforced Capacity on a foregoing basis during the Summer Capability Period based upon a DMNC test that is performed and reported to the ISO after March 1 and prior to the beginning of the Summer Capability Period DMNC Test

Period. The Generator will be required to verify the claimed DMNC rating by performing an additional test during the Summer DMNC Test Period. Any shortfall between the amount of Unforced Capacity supplied by the Generator for the Summer Capability Period and the amount verified during the Summer DMNC Test Period will be subject to deficiency charges pursuant to Section 5.14.2 of this Tariff. The deficiency charges will be applied to no more than the difference between the Generator's previous Summer Capability Period Unforced Capacity and the amount of Unforced Capacity equivalent the Generator supplied for the Summer Capability Period.

New Generators and Generators that have increased their Capacity since the previous Winter Capability Period due to changes in their generating equipment may, after satisfying the deliverability requirements set forth in the applicable provisions of Attachment X, Attachment Z and Attachment S to the ISO OATT, qualify to supply Unforced Capacity on a foregoing basis during the Winter Capability Period based upon a DMNC test that is performed and reported to the ISO after September 1 and prior to the beginning of the Winter Capability Period DMNC Test Period. The Generator will be required to verify the claimed DMNC rating by performing an additional test during the Winter Capability Period DMNC Test Period. Any shortfall between the amount of Unforced Capacity certified by the Generator for the Winter Capability Period and the amount verified during the Winter Capability Period DMNC Test Period will be subject to deficiency charges pursuant to Section 5.14.2 of this Tariff. The deficiency charges will be applied to no more than the difference between the Generator's previous Winter Capability Period Unforced Capacity and the amount of Unforced Capacity equivalent the Generator supplied for the Winter Capability Period.

Any Installed Capacity Supplier, except as noted in Section 5.12.11 of this ISO Services

Tariff, which fails on a daily basis to schedule, Bid, or declare to be unavailable in the Day-Ahead Market an amount of Unforced Capacity, expressed in terms of Installed Capacity Equivalent, that it certified for that day, rounded down to the nearest whole MW, is subject to sanctions pursuant to Section 5.12.12.2 of this Tariff. If an entity other than the owner of an Energy Limited Resource, Generator, System Resource, or Control Area System Resource that is providing Unforced Capacity is responsible for fulfilling bidding, scheduling, and notification requirements, the owner and that entity must designate to the ISO which of them will be responsible for complying with the scheduling, bidding, and notification requirements. The designated bidding and scheduling entity shall be subject to sanctions pursuant to Section 5.12.12.2 of this ISO Services Tariff.

5.12.9 Sales of Unforced Capacity by System Resources

Installed Capacity Suppliers offering to supply Unforced Capacity associated with Internal System Resources shall submit for each of their Resources the Operating Data and DMNC testing data or historical data described in Sections 5.12.1 and 5.12.5 of this ISO Services Tariff in accordance with the ISO Procedures. Such Installed Capacity Suppliers will be allowed to supply the amount of Unforced Capacity that the ISO determines pursuant to the ISO Procedures to reflect the appropriate Equivalent Demand Forced Outage Rate. Installed Capacity Suppliers offering to sell the Unforced Capacity associated with System Resources may only aggregate Resources in accordance with the ISO Procedures.

5.12.10 Curtailment of External Transactions In-Hour

All Unforced Capacity that is not out of service, or scheduled to serve the Internal NYCA Load in the Day-Ahead Market may be scheduled to supply Energy for use in External Transactions provided, however, that such External Transactions shall be subject to Curtailment

within the hour, consistent with ISO Procedures. Such Curtailment shall not exceed the Installed Capacity Equivalent committed to the NYCA.

5.12.11 Responsible Interface Parties, Municipally-Owned Generation, Energy Limited Resources and Intermittent Power Resources

5.12.11.1 Responsible Interface Parties

Responsible Interface Parties may qualify as Installed Capacity Suppliers, without having to comply with the daily bidding, scheduling, and notification requirements set forth in Section 5.12.7 of this Tariff, if their Special Case Resources are available to operate at the direction of the ISO in order to reduce Load from the NYS Transmission System and/or the distribution system for a minimum of four (4) consecutive hours each day, except for those subject to operating limitations established by environmental permits, which will not be required to operate in excess of two (2) hours and which will be derated by the ISO pursuant to ISO Procedures to account for the Load serving equivalence of the hours actually available, following notice of the potential need to operate twenty-one (21) hours in advance if notification is provided by 3:00 P.M. ET, or twenty-four (24) hours in advance otherwise, and a notification to operate two (2) hours ahead. In order for a Responsible Interface Party to enroll an SCR that uses an eligible Local Generator, any amount of generation that can reduce Load from the NYS Transmission System and/or distribution system at the direction of the ISO that was produced by the Local Generator during the hour coincident with the NYCA or Locality peaks, upon which the LSE Unforced Capacity Obligation of the LSE that serves that SCR is based, must be accounted for when the LSE's Unforced Capacity Obligation for the upcoming Capability Year is established. Responsible Interface Parties must provide this generator data in accordance with ISO Procedures so that the ISO can adjust upwards the LSE Unforced Capacity Obligation to prevent double-counting.

Responsible Interface Parties supplying Unforced Capacity cannot offer the Demand Reduction associated with such Unforced Capacity in the Emergency Demand Response Program. A Resource with sufficient metering to distinguish MWs of Demand Reduction may participate as a Special Case Resource and in the Emergency Demand Response Program provided that the same MWs are not committed both as Unforced Capacity and to the Emergency Demand Response Program.

The ISO will have discretion, pursuant to ISO Procedures, to exempt Local Generators that are incapable of starting in two (2) hours from the requirement to operate on two (2) hours notification. Local Generators that can be operated to reduce Load from the NYS Transmission System and/or distribution system at the direction of the ISO and Loads capable of being interrupted upon demand, that are not available on certain hours or days will be derated by the ISO, pursuant to ISO Procedures, to reflect the Load serving equivalence of the hours they are actually available.

Responsible Interface Parties must submit a Minimum Payment Nomination, in accordance with ISO Procedures. The ISO may request Special Case Resource performance from less than the total number of Special Case Resources within the NYCA or a Load Zone in accordance with ISO Procedures.

Local Generators that can be operated to reduce Load from the NYS Transmission System and/or distribution system at the direction of the ISO and Loads capable of being interrupted upon demand will be required to comply with verification and validation procedures set forth in the ISO Procedures. Such procedures will not require metering other than interval billing meters on customer Load or testing other than DMNC or sustained disconnect, as appropriate, unless agreed to by the customer, except that Special Case Resources not called to

supply Energy in a Capability Period will be required to run a test once every Capability Period in accordance with the ISO Procedures.

Unforced Capacity supplied in a Bilateral Transaction by a Special Case Resource pursuant to this subsection may only be resold if the purchasing entity or the Installed Capacity Marketer has agreed to become a Responsible Interface Party and comply with the ISO notification requirements for Special Case Resources. LSEs and Installed Capacity Marketers may become Responsible Interface Parties and aggregate Special Case Resources and sell the Unforced Capacity associated with them in an ISO-administered auction if they comply with ISO notification requirements for Special Case Resources.

Responsible Interface Parties that were requested to reduce Load in any month shall submit performance data to the NYISO, within 75 days of each called event or test, in accordance with ISO Procedures. Failure by a Responsible Interface Party to submit performance data for any Special Case Resources required to respond to the event or test within the 75-day limit will result in zero performance attributed to those Special Case Resources for purposes of satisfying the Special Case Resource's capacity obligation as well as for determining energy payments. All performance data are subject to audit by the NYISO and its market monitoring unit. If the ISO determines that it has made an erroneous payment to a Responsible Interface Party, the ISO shall have the right to recover it either by reducing other payments to that Responsible Interface Parties or by resolving the issue pursuant to other provisions of this Services Tariff or other lawful means.

Provided the Responsible Interface Party supplies evidence of such reductions in 75 days, the ISO shall pay the Responsible Interface Party that, through their Special Case Resources, caused a verified Load reduction in response to (i) an ISO request to perform due to a forecast

reserve shortage (ii) an ISO declared Major Emergency State, (iii) an ISO request to perform made in response to a request for assistance for Load relief purposes or as a result of a Local Reliability Rule, or (iv) a test called by the ISO, for such Load reduction, in accordance with ISO Procedures. Subject to performance evidence and verification, in the case of a response pursuant to clauses (i), (ii), or (iii) of this subsection, Suppliers that schedule Responsible Interface Parties shall be paid the zonal Real-Time LBMP for the period of requested performance or four (4) hours, whichever is greater, in accordance with ISO Procedures; provided, however, Special Case Resource Capacity shall settle Demand Reductions, in the interval and for the capacity for which Special Case Resource Capacity has been scheduled Day-Ahead to provide Operating Reserves, Regulation Service or Energy, as being provided by a Supplier of Operating Reserves, Regulation Service or Energy.

In the event that a Responsible Interface Party's Minimum Payment Nomination for a Special Case Resource, for the number of hours of requested performance or the minimum four (4) hour period, whichever is greater, exceeds the LBMP revenue received, the Special Case Resource will be eligible for a Bid Production Cost Guarantee to make up the difference, in accordance with Section 4.23 of this Services Tariff and ISO Procedures; provided, however, the ISO shall set to zero the Minimum Payment Nomination for Special Case Resource Capacity in each interval in which such Capacity was scheduled Day-Ahead to provide Operating Reserves, Regulation Service or Energy. Subject to performance evidence and verification, in the case of a response pursuant to clause (iv) of this subsection, payment for participation in tests called by the ISO shall be equal to the zonal Real Time LBMP for the MWh of Energy reduced within the test period.

Transmission Owners that require assistance from enrolled Local Generators larger than

100 kW and Loads capable of being interrupted upon demand for Load relief purposes or as a result of a Local Reliability Rule, shall direct their requests for assistance to the ISO for implementation consistent with the terms of this section. Within Load Zone J, participation in response to an ISO request to perform made as a result of a request for assistance from a Transmission Owner for less than the total number of Special Case Resources, for Load relief purposes or as a result of a Local Reliability Rule, in accordance with ISO Procedures, shall be voluntary and the responsiveness of the Special Case Resource shall not be taken into account for performance measurement.

5.12.11.1.1 Special Case Resource Average Coincident Load

The ISO must receive from the Responsible Interface Party that enrolls a Special Case Resource, the applicable metered Load data required to calculate an ACL for that SCR as provided below and in accordance with ISO Procedures. The ACL shall be computed using the metered Load for the applicable Capability Period SCR Load Zone Peak Hours that indicates the Load consumed by each SCR that is supplied by the NYS Transmission System and/or distribution system and is exclusive of any generation produced by a Local Generator, other behind-the-meter generator, or other supply source located behind the SCR's meter, that served some of the SCR's Load.

Beginning with the Winter 2011-2012 Capability Period and thereafter, the ISO shall use the average of the highest twenty (20) one-hour peak Loads of the SCR taken from the Load data reported for the Capability Period SCR Load Zone Peak Hours during the Prior Equivalent Capability Period, and taking into account the resource's reported verified Load reduction in a Transmission Owner's demand response program in hours coincident with any of these hours, to create a SCR ACL baseline. In addition, beginning with the Summer 2014 Capability Period, the

resource's verified Load reduction in either of the ISO's economic demand response programs (the Day Ahead Demand Response Program and the Demand Side Ancillary Services Program) in hours coincident with any of the applicable Capability Period SCR Load Zone Peak Hours will be taken into account when creating the SCR ACL. For the Day Ahead Demand Response Program, the verified Load reduction that occurred in response to a DADRP schedule shall be added to the Capability Period SCR Load Zone Peak Hour for which the reduction in response to a DADRP schedule occurred. For the Demand Side Ancillary Services Program, the Load value to be used in calculating the ACL for each hour during the Capability Period SCR Load Zone Peak Hours in which a non-zero Base Point Signal the ISO provides to the resource, shall be the greater of (a) the DSASP Baseline MW value in the interval immediately preceding the first non-zero Base Point Signal in the Capability Period SCR Load Zone Peak Hour and (b) the metered Load of the resource as reported by the RIP for the Capability Period SCR Load Zone Peak Hour. When the non-zero Base Point Signal dispatch of a DSASP resource begins in one hour and continues into consecutive hours, and the consecutive hour is identified as being a Capability Period SCR Load Zone Peak Hour, the DSASP Baseline MW value in effect at the beginning of the dispatch of the non-zero Base Point Signal shall be the MW value used for purposes of determining the applicable Load value for that Capability Period SCR Load Zone Peak Hour, in accordance with the preceding sentence. The ISO will post to its website the Capability Period SCR Load Zone Peak Hours for each zone ninety (90) days prior to the beginning of the Capability Period for which the ACL will be in effect.

In the SCR enrollment file uploaded by the RIP each month within the Capability Period, among other required information, the RIP shall provide the SCR's metered Load values for the applicable Capability Period SCR Load Zone Peak Hours necessary to compute the ACL for

each SCR.

The exception to this requirement to report the required metered Load data for the ACL, when enrolling a SCR prior to the Summer 2014 Capability Period, is if (i) the SCR has not previously been enrolled with the ISO and (ii) never had interval metering Load data for each month in the Prior Equivalent Capability Period needed to compute the SCR's ACL. Beginning with the Summer 2014 Capability Period, the exception to this requirement to report the required metered Load data for the ACL, is dependent upon one or more of the eligibility conditions for SCR enrollment with a Provisional ACL provided in Section 5.12.11.1.2 of this Services Tariff and ISO Procedures. For SCRs that meet the criteria to enroll with a Provisional ACL, the ISO must receive from the RIP a Provisional ACL as provided in Section 5.12.11.1.2 of this Services Tariff and in accordance with ISO Procedures.

Beginning with the Summer 2014 Capability Period, in addition to the requirement for RIPs to report each SCR's metered Load values that occurred during the Capability Period SCR Load Zone Peak Hours, in accordance with this Services Tariff and ISO Procedures during the enrollment process, any qualifying increase in a SCR's Load that will be supplied by the NYS Transmission System and/or distribution system may be reported as an Incremental ACL, subject to the limitations and verification reporting requirements provided in Section 5.12.11.1.5 of this Services Tariff and in accordance with ISO Procedures. Incremental ACL values must be reported using the required enrollment file that may be uploaded by the RIP during each month's enrollment period. RIPs may not report Incremental ACL values for any SCRs that are enrolled in the Capability Period with a Provisional ACL.

A reduction in a SCR's Load that is supplied by the NYS Transmission System and/or distribution system and meets the criteria for a SCR Change of Status must be reported as a SCR

Change of Status as provided by Section 5.12.11.1.3 of this Services Tariff and in accordance with ISO Procedures.

The ACL is the basis for the upper limit of ICAP, except in circumstances when the SCR has reported a SCR Change of Status or reported an Incremental ACL pursuant to Sections 5.12.11.1.3 and 5.12.11.1.5 of this Services Tariff. The basis for the upper limit of ICAP for a SCR that has experienced a SCR Change of Status or reported an Incremental ACL shall be the Net ACL.

5.12.11.1.2 Use of a Provisional Average Coincident Load

Prior to the Summer 2014 Capability Period, as provided in Section 5.12.11.1.1 of this Services Tariff, if a new Special Case Resource has not previously been enrolled with the ISO and never had interval billing meter data from the Prior Equivalent Capability Period, its Installed Capacity value shall be its Provisional Average Coincident Load for the Capability Period for which the new SCR is enrolled. The Provisional ACL may be applicable to a new SCR for a maximum of three (3) consecutive Capability Periods, beginning with the Capability Period in which the SCR is first enrolled.

Beginning with the Summer 2014 Capability Period, a SCR may be enrolled using a Provisional ACL in lieu of an ACL when one of the following conditions has been determined by the ISO to apply: (i) the SCR has not previously been enrolled with the ISO for the seasonal Capability Period for which the SCR enrollment with a Provisional ACL is intended, (ii) the SCR was enrolled with a Provisional ACL in the Prior Equivalent Capability Period and was required to report fewer than twenty (20) hours of metered Load verification data that correspond with the Capability Period SCR Load Zone Peak Hours based on the meter installation date of the SCR, (iii) the RIP attempting to enroll the SCR with a Provisional ACL is not the same RIP

that enrolled the SCR in the Prior Equivalent Capability Period and interval billing meter data for the SCR from the Prior Equivalent Capability Period is not obtainable by the enrolling RIP and not available to be provided to the enrolling RIP by the ISO. The Provisional ACL may be applicable to a SCR for a maximum of three (3) consecutive Capability Periods when enrolled with the same RIP, beginning with the Capability Period in which the SCR is first enrolled by the RIP.

A SCR enrolled in the Capability Period with a Provisional ACL may not be enrolled by another RIP for the remainder of the Capability Period and the Provisional ACL value shall apply to the resource for the entire Capability Period for which the value is established.

The Provisional ACL is the RIP's forecast of the SCR's ACL and shall be the basis for the upper limit of ICAP for which the RIP may enroll the SCR during the Capability Period.

Any SCR enrolled with a Provisional ACL shall be subject to actual in-period verification. A Verified ACL shall be calculated by the ISO using the top twenty (20) one-hour peak Loads reported for the SCR from the Capability Period SCR Load Zone Peak Hours that are applicable to verify the Provisional ACL in accordance with ISO Procedures and taking into account the resource's reported verified Load reductions in a Transmission Owner's demand response program that are coincident with any of the applicable Capability Period SCR Load Zone Peak Hours. In addition, beginning with the Summer 2014 Capability Period, the resource's verified Load reduction in either of the ISO's economic demand response programs (the Day Ahead Demand Response Program and the Demand Side Ancillary Services Program) in hours coincident with any of the applicable Capability Period SCR Load Zone Peak Hours will be taken into account when creating the SCR Verified ACL. For the Day Ahead Demand Response Program, the verified Load reduction that occurred in response to a DADRP schedule

shall be added to the Capability Period SCR Load Zone Peak Hour for which the reduction in response to a DADRP schedule occurred. For the Demand Side Ancillary Services Program, the Load value to be used in calculating the Verified ACL for each hour during the Capability Period SCR Load Zone Peak Hours in which a non-zero Base Point Signal the ISO provides to the resource, shall be the greater of (a) the DSASP Baseline MW value in the interval immediately preceding the first non-zero Base Point Signal in the Capability Period SCR Load Zone Peak Hour and (b) the metered Load of the resource as reported by the RIP for the Capability Period SCR Load Zone Peak Hour. When the non-zero Base Point Signal dispatch of a DSASP resource begins in one hour and continues into consecutive hours, and the consecutive hour is identified as being a Capability Period SCR Load Zone Peak Hour, the DSASP Baseline MW value in effect at the beginning of the dispatch of the non-zero Base Point Signal shall be the MW value used for purposes of determining the applicable Load value for that Capability Period SCR Load Zone Peak Hour, in accordance with the preceding sentence.

Following the Capability Period for which a resource with a Provisional ACL was enrolled, the RIP shall provide to the ISO the metered Load data required to compute the Verified ACL of the resource. The ISO shall compare the Provisional ACL to the Verified ACL to determine, after applying the applicable performance factor, whether the UCAP of the SCR had been oversold and whether a shortfall has occurred as provided under Section 5.14.2 of this Services Tariff. If the RIP fails to provide verification data required to compute the Verified ACL of the resource enrolled with a Provisional ACL by the deadline: (a) the Verified ACL of the resource shall be set to zero for each Capability Period in which the resource with a Provisional ACL was enrolled and verification data was not reported, and (b) the RIP may be subject to penalties in accordance with this Services Tariff.

5.12.11.1.3 Reporting a SCR Change of Load or SCR Change of Status

5.12.11.1.3.1 SCR Change of Load

The Responsible Interface Party shall report any SCR Change of Load in accordance with ISO Procedures. The RIP is required to document the SCR Change of Load and when the total Load reduction for SCRs that have a SCR Change of Load within the same Load Zone is greater than or equal to 5 MWs, the RIP shall report the SCR Change of Load for each SCR in accordance with ISO Procedures.

5.12.11.1.3.2 SCR Change of Status

The Responsible Interface Party shall report any SCR Change of Status in accordance with ISO Procedures. The ISO shall adjust the reported ACL of the SCR for a reported SCR Change of Status to the Net ACL, for all prospective months to which the SCR Change of Status is applicable. When a SCR Change of Status is reported under clause (i), (ii) or (iii) within the definition of a Qualified Change of Status Condition and the SCR has sold capacity, the SCR shall be evaluated for a potential shortfall under Section 5.14.2 of this Services Tariff. Failure by the RIP to report a SCR Change of Status shall be evaluated as a potential shortfall under Section 5.14.2 of this Service Tariff and evaluated for failure to report under Section 5.12.12.2 of this Services Tariff.

Beginning with the Summer 2014 Capability Period, SCRs that were required to perform in the first performance test in the Capability Period in accordance with ISO Procedures and that subsequently report or change a reported SCR Change of Status value after the first performance test in the Capability Period shall be required to demonstrate the performance of the resource against the Net ACL value in the second performance test in the Capability Period. The exceptions to this provision occur when a SCR's eligible Installed Capacity is set to zero

throughout the period of the SCR Change of Status, when a SCR's eligible Installed Capacity is decreased by at least the same kW value as the reported SCR Change of Status, or if a SCR Change of Status is reported, and prior to the second performance test, the SCR returns to the full applicable ACL enrolled prior to the SCR Change of Status. Performance in both performance tests shall be used in calculation of the resource's performance factors and all associated performance factors, deficiencies and penalties. If the RIP fails to report the performance for a resource that was required to perform in the second performance test in the Capability Period: (a) the resource will be assigned a performance of zero (0) for the test hour, and (b) the RIP shall be evaluated for failure to report under Section 5.12.12.2 of this Services Tariff.

5.12.11.1.4 Average Coincident Load of an SCR Aggregation

The ISO shall compute the Average Coincident Load of an SCR Aggregation each month in accordance with ISO Procedures.

5.12.11.1.5 Use of an Incremental Average Coincident Load

Beginning with the Summer 2014 Capability Period, a Responsible Interface Party may report any qualifying increase to a Special Case Resource's Average Coincident Load as Incremental Average Coincident Load in the RIP enrollment file upload and in accordance with this Services Tariff and ISO Procedures.

For SCRs with a total Load increase equal to or greater than twenty (20) percent and less than thirty (30) percent of the applicable ACL, the RIP may enroll the SCR with an Incremental ACL provided that the eligible Installed Capacity does not increase from the prior enrollment months within the same Capability Period and prior to enrollment with an Incremental ACL. If the SCR is enrolled with an Incremental ACL and it is the first month of the SCR's enrollment in the applicable Capability Period, the enrolled eligible Installed Capacity value shall not exceed

the maximum eligible Installed Capacity of the SCR from the Prior Equivalent Capability Period. When no enrollment exists for the SCR in the Prior Equivalent Capability Period and it is the first month of the SCR's enrollment in the applicable Capability Period, the enrolled eligible Installed Capacity of the SCR shall not exceed the ACL calculated from the Capability Period SCR Load Zone Peak Hours. For SCRs with a total Load increase equal to or greater than thirty (30) percent of the applicable ACL, the RIP may enroll the SCR with an Incremental ACL and an increase to the SCR's eligible Installed Capacity and is required to test as described in this section of the Service Tariff.

The ISO shall adjust the ACL of the SCR for an Incremental ACL for all months for which the Incremental ACL is reported by the RIP. For resources reporting an Incremental ACL, the Net ACL shall equal the enrolled ACL plus the reported Incremental ACL less any applicable SCR Change of Status and shall be the basis for the upper limit of ICAP for which the RIP may enroll the SCR during the Capability Period.

An Incremental ACL is a discrete change to the SCR operations that is expected to result in an increase to the Load that the SCR will consume from the NYS Transmission System and/or distribution system. It is not available to account for random fluctuations in Load, such as those caused by weather or other seasonal Load variations. Therefore, the ACL of a SCR may only be increased once per Capability Period and the amount of the increase enrolled must remain the same for all months for which the Incremental ACL is reported. A SCR enrolled in the Capability Period with an Incremental ACL may not be enrolled by another RIP for the remainder of the Capability Period. A SCR enrolled in the Capability Period with a Provisional ACL is not eligible to enroll with an Incremental ACL.

Following the Capability Period for which a SCR has been enrolled with an Incremental

ACL, the RIP shall provide the hourly metered Load verification data that corresponds to the Monthly SCR Load Zone Peak Hours identified by the ISO for all months in which an Incremental ACL value was reported for the SCR. For each month for which verification data was required to be reported, the ISO shall calculate a Monthly ACL that will be used in the calculation of a Verified ACL. The Monthly ACL shall equal the average of the SCR's top twenty (20) one-hour metered Load values that correspond with the applicable Monthly SCR Load Zone Peak Hours, and taking into account (i) the resource's reported verified Load reduction in a Transmission Owner's demand response program in hours coincident with any of these hours and (ii) the resource's verified Load reduction in either of the ISO's economic demand response programs (the Day Ahead Demand Response Program and the Demand Side Ancillary Services Program) in hours coincident with any of these hours. For the Day Ahead Demand Response Program, the verified Load reduction that occurred in response to a DADRP schedule shall be added to the Monthly SCR Load Zone Peak Hour for which the reduction in response to a DADRP schedule occurred. For the Demand Side Ancillary Services Program, the Load value to be used in calculating the Monthly ACL for each hour during the Monthly SCR Load Zone Peak Hours in which a non-zero Base Point Signal the ISO provides to the resource, shall be the greater of (a) the DSASP Baseline MW value in the interval immediately preceding the first non-zero Base Point Signal in the Monthly SCR Load Zone Peak Hour and (b) the metered Load of the resource as reported by the RIP for the Monthly SCR Load Zone Peak Hour. When the non-zero Base Point Signal dispatch of a DSASP resource begins in one hour and continues into consecutive hours, and the consecutive hour is identified as being a Monthly SCR Load Zone Peak Hour, the DSASP Baseline MW value in effect at the beginning of the dispatch of the non-zero Base Point Signal shall be the MW value used for purposes of determining the

applicable Load value for that Monthly SCR Load Zone Peak Hour, in accordance with the preceding sentence. The Verified ACL shall be the average of the two (2) highest Monthly ACLs during the Capability Period in which the SCR was enrolled with an Incremental ACL within the same Capability Period.

For any month in which verification data for the Incremental ACL is required but not timely submitted to the ISO in accordance with ISO procedures, the ISO shall set the metered Load values to zero. When a Monthly ACL is set to zero, the Verified ACL will be calculated as the average of: a) the two (2) highest Monthly ACLs during the Capability Period in which the SCR was enrolled with an Incremental ACL within the same Capability Period; plus b) the Monthly ACLs for all months in which the SCR was enrolled within the same Capability Period with an Incremental ACL in the Capability Period in which the RIP failed to provide the minimum verification data required. In addition, a RIP may be subject to a penalty for each month for which verification data was required and not reported in accordance with this Services Tariff.

For each SCR that is enrolled with an Incremental ACL, the ISO shall compare the Net ACL calculated from the resource enrollment (ACL plus Incremental ACL less any applicable SCR Change of Status) to the Verified ACL calculated for the SCR to determine if the RIP's use of an Incremental ACL may have resulted in a shortfall pursuant to Section 5.14.2.

A Special Case Resource that was required to perform in the first performance test in the Capability Period in accordance with ISO Procedures and was subsequently enrolled using an Incremental ACL and an increase in the amount of Installed Capacity that the SCR is eligible to sell, shall be required to demonstrate performance against the maximum amount of eligible Installed Capacity reported for the SCR in the second performance test in the Capability Period.

Performance in this test shall be measured from the Net ACL. Performance in both performance tests shall be used in calculation of the resource's performance factor and all associated performance factors, deficiencies and penalties. If the RIP fails to report the performance for a resource that was required to perform in the second performance test in the Capability Period: (a) the resource will be assigned a performance of zero (0) for the test hour, and (b) the RIP shall be evaluated for failure to report under Section 5.12.12.2 of this Services Tariff.

5.12.11.2 Existing Municipally-Owned Generation

A municipal utility that owns existing generation in excess of its Unforced Capacity requirement, net of NYPA-provided Capacity may, consistent with the deliverability requirements set forth in Attachment X and Attachment S to the ISO OATT, offer the excess Capacity for sale as Installed Capacity provided that it is willing to operate the generation at the ISO's request, and provided that the Energy produced is deliverable to the New York State Power System. Such a municipal utility shall not be required to comply with the requirement of Section 5.12.7 of this Tariff that an Installed Capacity Supplier bid into the Energy market or enter into Bilateral Transactions. Municipal utilities shall, however, be required to submit their typical physical operating parameters, such as their start-up times, to the ISO. This subsection is only applicable to municipally-owned generation in service or under construction as of December 31, 1999.

5.12.11.3 Energy Limited Resources

An Energy Limited Resource may, consistent with the deliverability requirements set forth in Attachment X and Attachment S to the ISO OATT, qualify as an Installed Capacity Supplier if it Bids its Installed Capacity Equivalent into the Day-Ahead Market each day and if it is able to provide the Energy equivalent of the Unforced Capacity for at least four (4)

consecutive hours each day. Energy Limited Resources shall also Bid a Normal Upper Operating Limit or Emergency Upper Operating Limit, as applicable, designating their desired operating limits. Energy Limited Resources that are not scheduled in the Day-Ahead Market to operate at a level above their bid-in upper operating limit, may be scheduled in the RTC, or may be called in real-time pursuant to a manual intervention by ISO dispatchers, who will account for the fact that Energy Limited Resource may not be capable of responding.

5.12.11.4 Intermittent Power Resources

Intermittent Power Resources that depend upon wind or solar as their fuel may qualify as Installed Capacity Suppliers, without having to comply with the daily bidding and scheduling requirements set forth in Section 5.12.7 of this Tariff, and may, consistent with the deliverability requirements set forth in Attachment X and Attachment S to the ISO OATT, claim up to their nameplate Capacity as Installed Capacity. To qualify as Installed Capacity Suppliers, such Intermittent Power Resources shall comply with the requirements of Section 5.12.1 and the outage notification requirements of 5.12.7 of this Tariff.

5.12.12 Sanctions Applicable to Installed Capacity Suppliers and Transmission Owners

Pursuant to this section, the ISO may impose financial sanctions on Installed Capacity Suppliers and Transmission Owners that fail to comply with certain provisions of this Tariff. The ISO shall notify Installed Capacity Suppliers and Transmission Owners prior to imposing any sanction and shall afford them a reasonable opportunity to demonstrate that they should not be sanctioned and/or to offer mitigating reasons why they should be subject to a lesser sanction. The ISO may impose a sanction lower than the maximum amounts allowed by this section at its sole discretion. Installed Capacity Suppliers and Transmission Owners may challenge any

sanction imposed by the ISO pursuant to the ISO Dispute Resolution Procedures.

Any sanctions collected by the ISO pursuant to this section will be applied to reduce the Rate Schedule 1 charge under this Tariff.

5.12.12.1 Sanctions for Failing to Provide Required Information

If (i) an Installed Capacity Supplier fails to provide the information required by Sections 5.12.1.1, 5.12.1.2, 5.12.1.3, 5.12.1.4, 5.12.1.7 or 5.12.1.8 of this Tariff in a timely fashion, or (ii) a Supplier of Unforced Capacity from External System Resources located in an External Control Area or from a Control Area System Resource that has agreed not to Curtail the Energy associated with such Installed Capacity, or to afford it the same Curtailment priority that it affords its own Control Area Load, fails to provide the information required for certification as an Installed Capacity Supplier established in the ISO Procedures, the ISO may take the following actions: On the first day that required information is late, the ISO shall notify the Installed Capacity Supplier that required information is past due and that it reserves the right to impose financial sanctions if the information is not provided by the end of the following day. Starting on the third day that the required information is late, the ISO may impose a daily financial sanction of up to the higher of \$500 or \$5 per MW of Installed Capacity that the Generator, System Resource, or Control Area System Resource in question is capable of providing. Starting on the tenth day that the required information is late, the ISO may impose a daily financial sanction of up to the higher of \$1000 or \$10 per MW of Installed Capacity that the Generator, System Resource, or Control Area System Resource in question is capable of providing.

If an Installed Capacity Supplier fails to provide the information required by Subsection 5.12.1.5 of this Tariff in a timely fashion, the ISO may take the following actions: On the first calendar day that required information is late, the ISO shall notify the Installed Capacity Supplier

that required information is past due and that it reserves the right to impose financial sanctions if the information is not provided by the end of that first calendar day. Starting on the second calendar day that the required information is late, the ISO may impose a daily financial sanction up to the higher of \$500 or \$5 per MW of Installed Capacity that the Generator, System Resource, or Control Area System Resource in question is capable of providing.

If a TO fails to provide the information required by Subsection 5.11.3 of this Tariff in a timely fashion, the ISO may take the following actions: On the first day that required information is late, the ISO shall notify the TO that required information is past due and that it reserves the right to impose financial sanctions if the information is not provided by the end of the following day. Starting on the third day that the required information is late, the ISO may impose a daily financial sanction up to \$5,000 a day. Starting on the tenth day that required information is late, the ISO may impose a daily financial sanction up to \$10,000.

5.12.12.2 Sanctions for Failing to Comply with Scheduling, Bidding, and Notification Requirements

On any day in which an Installed Capacity Supplier fails to comply with the scheduling, bidding, or notification requirements of Sections 5.12.1.6 or 5.12.1.10, or with Section 5.12.7 of this Tariff, or in which a Supplier of Installed Capacity from External System Resources or Control Area System Resources located in an External Control Area that has agreed not to Curtail the Energy associated with such Installed Capacity, or to afford it the same Curtailment priority that it affords its own Control Area Load, fails to comply with scheduling, bidding, or notification requirements for certification as an Installed Capacity Supplier established in the ISO Procedures, the ISO may impose a financial sanction up to the product of a deficiency charge (pro-rated on a daily basis) and the maximum number of MWs that the Installed Capacity Supplier failed to schedule or Bid in any hour in that day provided, however, that no financial

sanction shall apply to any Installed Capacity Supplier who demonstrates that the Energy it schedules, bids, or declares to be unavailable on any day is not less than the Installed Capacity that it supplies for that day rounded down to the nearest whole MW. The deficiency charge may be up to one and one-half times the applicable Market-Clearing Price of Unforced Capacity determined in the ICAP Spot Market Auction corresponding to where the Installed Capacity Supplier's capacity cleared, and for each month in which the Installed Capacity Supplier is determined not to have complied with the foregoing requirements.

In addition, if an Installed Capacity Supplier fails to comply with the scheduling, bidding, or notification requirements of Sections 5.12.1.6 or 5.12.1.10, or with Section 5.12.7 of this Tariff, or if an Installed Capacity Supplier of Unforced Capacity from External System Resources or from a Control Area System Resource located in an External Control Area that has agreed not to curtail the Energy associated with such Unforced Capacity, or to afford it the same curtailment priority that it affords its own Control Area Load, fails to comply with the scheduling, bidding, or notification requirements for certification as an Installed Capacity Supplier established in the ISO Procedures during an hour in which the ISO curtails Transactions associated with NYCA Installed Capacity Suppliers, the ISO may impose an additional financial sanction equal to the product of the number of MWs the Installed Capacity Supplier failed to schedule during that hour and the corresponding Real-Time LBMP at the applicable Proxy Generator Bus.

If the Installed Capacity Supplier is a Responsible Interface Party that enrolled a SCR with an Incremental ACL in accordance with this Services Tariff, and also reported an increase to the Installed Capacity the SCR has eligible to sell after the first performance test in the Capability Period, the ISO may impose an additional financial sanction due to the failure of the

RIP to report the required performance of the SCR against the Net ACL value in the second performance test in the Capability Period. This sanction shall be the value of the reported increase in the eligible Installed Capacity associated with the SCR that was sold by the RIP in each month of the Capability Period, during which the reported increase was in effect, multiplied by up to one and one-half times the applicable Market-Clearing Price of Unforced Capacity determined in the ICAP Spot Market Auction for each such month.

If the Installed Capacity Supplier is a Responsible Interface Party, and the Average Coincident Load of the Special Case Resource has been decreased after the first performance test in the Capability Period, due to a SCR Change of Status in accordance with this Services Tariff and ISO Procedures, the ISO may impose an additional financial sanction resulting from the failure of the RIP to report the required performance of the SCR against the Net ACL value of the SCR when the SCR was required to perform in the second performance test in the Capability Period in accordance with Section 5.12.11.1.3.2 of this Services Tariff. This sanction shall be the value of the Unforced Capacity equivalent of the SCR Change of Status MW reported for the SCR during the months for which the SCR was enrolled with a SCR Change of Status and was required to demonstrate in the second performance test as specified in Section 5.12.11.1.3.2 of this Services Tariff, multiplied by up to one and one-half times the applicable Market-Clearing Price of Unforced Capacity determined in the ICAP Spot Market Auction for each such month.

If a RIP fails to provide the information required by Section 5.12.11.1.3 of this Services Tariff in accordance with the ISO Procedures for reporting a Qualified Change of Status Condition, and the ISO determines that a SCR Change of Status occurred within a Capability Period, the ISO may impose a financial sanction equal to the difference, if positive, between the enrolled ACL and the maximum one hour metered Load for the month multiplied by up to one-

half times the applicable Market-Clearing Price of Unforced Capacity determined in the ICAP Spot Market Auction for each month the Installed Capacity Supplier is deemed to have a shortfall in addition to the corresponding shortfall penalty as provided in Section 5.14.2.

For each month in which a RIP fails to report required verification data and the applicable ACL value is set to zero in accordance with Section 5.12.11 of this Services Tariff, the ISO shall have the right to recover any energy payments made to the RIP for performance of the SCR by reducing other payments or other lawful means.

5.16 New Capacity Zone Study and Procedures

Capitalized terms used in this Section 5.16 and not defined in this Services Tariff shall have the meaning set forth in the Open Access Transmission Tariff.

The ISO shall conduct the New Capacity Zone study in accordance with this Section (“NCZ Study”) and provide a written report of the results to stakeholders on or before January 15 in each ICAP Demand Curve Reset Filing Year.

5.16.1 NCZ Study Methodology.

5.16.1.1 The NCZ Study, developed in accordance with ISO Procedures, will test, under summer peak system conditions, using the following assumptions and methodology:

5.16.1.1.1 The following assumptions will be applied: (i) transmission facilities (other than existing merchant transmission projects) identified as existing in the ISO’s Load and Capacity Data report most recently published prior to the NCZ Study Start Date; (ii) all firm plans for changes to transmission facilities by Transmission Owners in the ISO’s Load and Capacity Data report most recently published prior to the NCZ Study Start Date scheduled to be in-service prior to the NCZ Study Capability Period; (iii) planned generation projects or Merchant Transmission Facilities that have accepted either (a) Deliverable MW or (b) a System Deliverability Upgrade cost allocation and provided cash or posted required security pursuant to OATT Attachment S, which for (a) and (b) is from a Class Year Final Decision Round that occurs prior to the NCZ Study Start Date (subject to Section 5.16.1.1.2); (iv) System Upgrade Facilities and System Deliverability Upgrades associated with planned projects identified in (iii) above,

except that System Deliverability Upgrades where construction of the System Deliverability Upgrade has been deferred pursuant to OATT Attachment S Sections 25.7.12.2 and 25.7.12.3 will only be included if construction of the System Deliverability Upgrades has been triggered under OATT Attachment S Section 25.7.12.3; (v) all transmission retirements and derates identified in the ISO's Load and Capacity Data report most recently published prior to the NCZ Study Start Date and scheduled to occur prior to the NCZ Study Capability Period; (vi) all existing Generators with CRIS identified in, and all projects with Unforced Capacity Deliverability Rights on the date of, the ISO's Load and Capacity Data report most recently published prior to the NCZ Study Start Date; and all CRIS rights from resources considered "CRIS-inactive" as defined in OATT Attachment S Section 25.9.3.1 unless the ability to transfer those rights has expired without completing a transfer as permitted under OATT Attachment S Section 25.9.4 or 25.9.5 as of the NCZ Study Start Date; and (vii) any transfer of CRIS rights pursuant to OATT Attachment S not identified in the Load and Capacity Data report most recently published prior to the NCZ Study Start Date but is completed and the transferee is operational prior to the NCZ Study Start Date.

5.16.1.1.2 Planned generation and Merchant Transmission Facilities identified pursuant to Section 5.16.1.1.1 will be excluded and not recognized in the NCZ Study if (a) the Commission has accepted the cancellation or termination of a rate schedule consisting of an Interconnection Agreement (absent the filing of another Interconnection Agreement for the project), or (b) for projects that either do not

have an executed Interconnection Agreement or have an executed Interconnection Agreement that is (i) not required to be filed with the Commission or (ii) is required to be filed but has not yet been filed, the ISO receives written notice from the project that it is withdrawing from the interconnection queue and/or a Notice of Termination under the interconnection agreement.

5.16.1.1.3 The Load forecast used will be the NCZ Study Capability Period peak demand forecast contained in the ISO's Load and Capacity Data report most recently published prior to the NCZ Study Start Date.

5.16.1.1.4 The base case conditioning steps contained in OATT Attachment S Sections 25.7.8.2.3 (excluding and not recognizing MW of CRIS requested by Developers other than CRIS identified in Section 5.16.1.1.1 (iii)), 25.7.8.2.4, 25.7.8.2.5, 25.7.8.2.10, and 25.7.8.2.11, will be applied to the above inputs and assumptions.

5.16.1.1.5 The ISO will perform the NCZ Study by applying to the above inputs and assumptions the methodology contained in OATT Attachment S Sections 25.7.8.2.6, 25.7.8.2.7, 25.7.8.2.8, 25.7.8.2.9, 25.7.8.2.12, and 25.7.8.2.13 to Highways. Deliverability will be determined through a shift from generation to generation within each Capacity Region that contains Highways. Each such Capacity Region will be tested on an individual basis.

5.16.1.2 On or before October 1 of the year prior to an ICAP Demand Curve Reset Filing Year, the ISO will review the inputs and assumptions for the NCZ Study with stakeholders and provide an opportunity for stakeholders to comment.

5.16.1.3 The ISO shall provide an opportunity for the Market Monitoring Unit to review and comment on the NCZ Study consistent with Services Tariff Attachment O Section 30.4.6.3.2.

5.16.2 New Capacity Zone Boundary

The ISO shall identify the boundary of a New Capacity Zone if there is a constrained Highway interface into one or more Load Zones. The boundary of the New Capacity Zone may encompass a single constrained Load Zone or group of Load Zones including one or more constrained Load Zones on the constrained side of the Highway. In determining the New Capacity Zone boundary, the ISO shall consider the extent to which incremental Capacity in individual constrained Load Zones could impact the reliability and security of constrained Load Zones, taking into account interface capability between constrained Load Zones.

5.16.3 Indicative NCZ Locational Minimum Installed Capacity Requirement

For each Load Zone or groups of Load Zones identified in the NCZ Study as having a constrained Highway Interface, on or before March 1 of each ICAP Demand Curve Reset Filing Year, the ISO shall determine Indicative NCZ Locational Minimum Installed Capacity Requirement. The ISO shall provide an opportunity to stakeholders to review and comment on the Indicative NCZ Locational Minimum Installed Capacity Requirement. This Indicative NCZ Locational Minimum Installed Capacity Requirement will be used solely for establishing revised ICAP Demand Curves in accordance with 5.14.1.2.

5.16.4 NCZ Report

On or before March 31 of an ICAP Demand Curve Reset Filing Year,

- (a) If the NCZ Study identifies a constrained Highway Interface, the ISO shall file for Commission review proposed tariff revisions necessary to establish and recognize the New Capacity Zone or Zones, and shall include in the filing a report of the results of the NCZ Study. If the ISO proposes that a New Capacity Zone that is comprised of a group of Load Zones instead of a single Load Zone, the ISO shall include in the filing the basis for its determination, consistent with Section 5.16.2.
- (b) If the NCZ Study does not identify a constrained Highway interface, the ISO shall file with the Commission the ISO's determination that the NCZ Study did not indicate that any New Capacity Zone is required pursuant to this process, along with a report of the results of the NCZ Study.

The ISO shall provide an opportunity for the Market Monitoring Unit to review and comment on the NCZ Study and any proposed tariff revisions, consistent with Services Tariff Attachment O Section 30.4.6.3.2.

5.18 Generator Outages and Generator Obligations While in These Outages

This Section 5.18 shall apply to a Generator in any outage state that started on or after May 1, 2015.

A Market Participant with a Generator in the NYCA that is in any outage state shall report this status to the ISO pursuant to ISO Procedures.

5.18.1 Forced Outages and Commenced Repair Determinations

5.18.1.1 A Market Participant with a Generator in a Forced Outage shall keep the ISO informed as to progress of its Generator's repairs pursuant to ISO Procedures. A Market Participant may keep its Generator in a Forced Outage beyond the last day of the month which contains the 180th day of its Forced Outage only if it has Commenced Repair of its Generator. A Market Participant that anticipates its Generator will not be able to return to the Energy market before the last day of the month which contains the 180th day of its Forced Outage and which desires to remain eligible to be in the Installed Capacity market beyond the 180th day shall provide a Repair Plan to the ISO by the 120th day of the Forced Outage.

5.18.1.2 A Repair Plan shall include a work plan, with milestones, or set of necessary actions, and shall provide the time it is expected to take to complete each task and describe the repair of the Generator's equipment related to electric production, fuel or station power supply or transmission interconnection, as appropriate, that was either affected by the Forced Outage or otherwise makes the unit available for the Energy market. The Repair Plan's milestones shall include, in appropriate circumstances: damage assessments, engineering assessments,

initial cost estimates, purchase orders, inspection reports, initial safety assessments, hazardous material abatement plans, and labor mobilization plans.

The Repair Plan shall include the date the Market Participant expects the Generator to be repaired and available for the Energy market (return date) which return date: i) shall be reasonable, ii) may be provided as a good faith estimate, and iii) shall be updated to the extent new information becomes available. The return date or good faith estimate of a return date that a Market Participant provides for its Generator shall be reasonable if it is comparable to the return date that would be included in a Credible Repair Plan pursuant to Section 5.18.1.5 of this Services Tariff.

5.18.1.3 Market Participants requesting that the NYISO determine, pursuant to Services Tariff Section 23.4.5.6.2, that their Generator has experienced a Catastrophic Failure, or that Exceptional Circumstances will delay the submission of data necessary for the ISO to perform an audit and review pursuant to Section 23.4.5.6.2, shall submit their requests, with necessary supporting data, to the NYISO by the 120th day of the Forced Outage if they desire the determination to be issued by the 160th day of the Forced Outage of their Generator.

5.18.1.4 A Market Participant has Commenced Repair of its Generator if it: i) has decided to pursue the repair of its Generator, and based on the ISO's technical/engineering evaluation, ii) has a Repair Plan for the Generator that is consistent with a Credible Repair Plan, and iii) has made appropriate progress in pursuing the repair of its Generator when measured against the milestones of a Credible Repair Plan.

5.18.1.5 For purposes of the determinations required by Section 5.18.1.3(ii) and (iii), and 5.18.1.6 of this Services Tariff, a Credible Repair Plan is the Repair Plan that would be expected from a supplier: i) with a generating facility that is reasonably the same as or similar to the type and vintage of the Generator; ii) intending to return its generating facility to service. A Credible Repair Plan for a Generator that suffered a Forced Outage is a Repair Plan that would also be expected from a supplier with a generating facility that suffered a forced outage that was reasonably the same as or comparable to the Forced Outage suffered by the Generator and which forced outage occurred under the same, or reasonably similar, circumstances as the Generator's. A Credible Repair Plan for a Generator in a Mothball Outage is a Repair Plan that would also be expected from a supplier pursuing a repair to its generating facility which repair is reasonably the same as or comparable to the repair being pursued by the Generator.

5.18.1.6 The determination that a Market Participant has Commenced Repair of its Generator in a Forced Outage shall be made by the ISO by the 160th day of the Forced Outage. If the Market Participant provides updated information after the 120th day of the Forced Outage and before the 180th day of its Generator's Forced Outage, the ISO will, as applicable, take such information into consideration to make its determination or it will update its previously issued determination to the extent practicable.

The determination that a Market Participant has Commenced Repair of its Generator in an ICAP Ineligible Forced Outage, which Market Participant has been determined by the ISO to have one or more Exceptional Circumstances that

delay the acquisition of necessary data for an audit and review for economic justification pursuant to Section 23.4.5.6.2 of this Services Tariff, shall be made by the ISO as soon as practicable following receipt of necessary data.

The determination that a Market Participant has Commenced Repair of its Generator in an ICAP Ineligible Forced Outage or Mothball Outage, which Market Participant is seeking to toll expiration of its outage and CRIS rights pursuant to Sections 5.18.2.3.2 or 5.18.3.3.2 of this Services Tariff, will be made by the ISO as soon as practicable following receipt of the necessary data.

5.18.1.7 If a Market Participant has not Commenced Repair of its Generator by the last day of the month which contains the 180th day of the Forced Outage, the Generator's Forced Outage shall expire on the last day of the month which contains the 180th day of the Forced Outage. The Forced Outage of a Generator that Commenced Repair but ceased or unreasonably delayed the Generator's repair shall terminate on the last day of the month containing the date that the Market Participant ceased or unreasonably delayed the repair. The ISO will determine a Market Participant has unreasonably delayed the repair of its Generator if such delay would not have been included in a Credible Repair Plan from a supplier experiencing the situation which caused the Market Participant to delay the repair of its Generator.

5.18.1.8 Upon the expiration or termination of a Generator's Forced Outage, the Generator shall be in an ICAP Ineligible Forced Outage unless the Generator has been Retired by the Market Participant.

5.18.2 ICAP Ineligible Forced Outage

5.18.2.1 A Market Participant may voluntarily reclassify its Generator from a Forced Outage to an ICAP Ineligible Forced Outage only if the Generator has been in a Forced Outage for at least sixty (60) days. A Generator that has been voluntarily reclassified from a Forced Outage to an ICAP Ineligible Forced Outage shall begin its ICAP Ineligible Forced Outage on the first day of the month following the month in which it was voluntarily reclassified to an ICAP Ineligible Forced Outage.

A Generator in an ICAP Ineligible Forced Outage as a result of the expiration or termination of its Forced Outage pursuant to Section 5.18.1.6 of this Services Tariff, shall begin its ICAP Ineligible Forced Outage on the day following the day the Generator's Forced Outage expired or terminated.

A Generator in an ICAP Ineligible Forced Outage as a result of substantial actions that have been taken, such as dismantling or disabling essential equipment, which actions are inconsistent with an intention to operate the Generator in the Energy market shall begin its ICAP Ineligible Forced Outage on the day following the day such actions began.

5.18.2.2 A Generator in an ICAP Ineligible Forced Outage is not eligible to participate in the Installed Capacity market and shall automatically cease to qualify to participate in the Installed Capacity market beginning with the first day of its ICAP Ineligible Forced Outage. The Generator shall no longer be ineligible to participate in the Installed Capacity market, by virtue of its ICAP Ineligible Forced Outage, as of the first day the Generator returns to operation and offers its Energy into the Day-Ahead Market without declaring an outage. The month for

which the Generator will first be eligible to participate in the Installed Capacity market will be based on the date the Generator returns to operation and offers its Energy into the Day-Ahead Market without declaring an outage and ISO Procedures.

5.18.2.3 ICAP Ineligible Force Outage Expiration

5.18.2.3.1 Except as provided in Section 5.18.2.3.2, a Generator's ICAP Ineligible Forced Outage shall expire if: i) its CRIS rights have expired; or ii) it did not have CRIS rights and has been in the ICAP Ineligible Forced Outage for 36 consecutive months. A Generator shall be Retired if its ICAP Ineligible Forced Outage expires.

5.18.2.3.2 If a Market Participant with a Generator in an ICAP Ineligible Forced Outage has Commenced Repair prior to when the ICAP Ineligible Forced Outage would expire pursuant to Section 5.18.2.3.1 and has provided a reasonable return date as that term is described in Section 5.18.1.2 of this Services Tariff that occurs after such expiration date, then the outage and the Generator's CRIS rights will be tolled until, and the ICAP Ineligible Forced Outage will expire on, the earlier of:

- i) 120 days from when the outage would have expired under Section 5.18.2.3.1; or
- ii) an ISO determination that the Market Participant has ceased or unreasonably delayed the repair of its Generator. The ISO will determine if a Market Participant has unreasonably delayed the repair of its Generator if such delay would not have been included in a Credible Repair Plan from a supplier experiencing the situation which caused the Market Participant to delay the repair of its Generator. The tolling of CRIS rights occurs under this Section 5.18.2.3.2

notwithstanding the three year period in which CRIS-inactive facilities may maintain CRIS rights pursuant to Section 25.9.3.1 of Attachment S to the OATT; provided, however, the expiration period for transfers of CRIS rights provided in Section 25.9.3.1 of Attachment S to the OATT shall not be tolled. A Market Participant seeking to toll its outage and CRIS rights pursuant to this Section 5.18.2.3.2 must submit a Repair Plan no later than 60 days prior to when the ICAP Ineligible Forced Outage would expire under Section 5.18.2.3.1.

5.18.2.4 A Market Participant with a Generator in an ICAP Ineligible Forced Outage that is notified by a Transmission Owner or the ISO that the return to service of its Generator could address a reliability issue shall provide an updated good faith estimate of the Generator's return date. A Market Participant with a Generator in an ICAP Ineligible Forced Outage shall make a timely return to service to resolve a reliability issue, in accordance with Section 5.18.4, as the term "timely return" is described in Section 5.18.4.2 of this Services Tariff. A Market Participant with a Generator in an ICAP Ineligible Forced Outage shall provide temporary use of its Generator's interconnection point in accordance with Section 5.18.5 of this Services Tariff when a transmission solution using the Generator's interconnection point has been selected as either the Gap Solution or to resolve a reliability issue arising on a non-New York State Bulk Power Transmission Facility during its outage. The Transmission Owner shall provide that power to the station remains available notwithstanding its temporary use of the Generator's interconnection point.

5.18.3 Mothball Outage

5.18.3.1 Prior to entering a Mothball Outage, the Generator must satisfy the prior notice requirement contained in Section 31.2.11.2.1 of Attachment Y to the ISO OATT, among other applicable requirements. A Generator in a Mothball Outage is not eligible to participate in the Installed Capacity market and shall automatically cease to qualify to participate in the Installed Capacity market beginning with the date the Generator begins its Mothball Outage. The Generator shall no longer be ineligible to participate in the Installed Capacity market, by virtue of its Mothball Outage, as of the first day the Generator returns to operation and offers its Energy into the Day-Ahead Market without declaring an outage. The month for which the Generator will first be eligible to participate in the Installed Capacity market will be based on the date the Generator returns to operation and offers its Energy into the Day-Ahead Market without declaring an outage and ISO Procedures.

5.18.3.2 As part of the Generator Deactivation Notice required prior to entering a Mothball Outage pursuant to Section 31.2.11.2.1 of Attachment Y to the ISO OATT, a Market Participant shall notify the ISO whether its Generator will be physically able to return within 180 days to resolve a reliability issue or it has good cause for an alternate period of time, stated in days, to return its Generator to service to resolve a reliability issue. The Market Participant shall establish good cause, to the satisfaction of the ISO, by providing empirical evidence demonstrating the need for the alternate period of time to return its Generator to service to resolve a reliability issue. The number of days within which a Generator in a Mothball Outage can be returned to service to resolve a reliability

issue will be shared with the applicable Transmission Owner(s).

5.18.3.3 Mothball Outage Expiration

5.18.3.3.1 Except as provided in Section 5.18.3.3.2, a Generator's Mothball Outage shall expire if: i) its CRIS rights have expired; or ii) it did not have CRIS rights and has been in the Mothball Outage for 36 consecutive months. A Generator shall be Retired if its Mothball Outage expires.

5.18.3.3.2 If a Market Participant with a Generator in a Mothball Outage has Commenced Repair prior to when the Mothball Outage would expire pursuant to Section 5.18.3.3.1 and has provided a reasonable return date as that term is described in Section 5.18.1.2 of this Services Tariff that occurs after such expiration date, then the outage and the Generator's CRIS rights will be tolled until, and the Mothball Outage will expire on, the earlier of: i) 120 days from when the outage would have expired under Section 5.18.3.3.1; or ii) an ISO determination that the Market Participant has ceased or unreasonably delayed the repair of its Generator. The ISO will determine if a Market Participant has unreasonably delayed the repair of its Generator if such delay would not have been included in a Credible Repair Plan from a supplier experiencing the situation which caused the Market Participant to delay the repair of its Generator. The tolling of CRIS rights occurs under this Section 5.18.3.3.2 notwithstanding the three year period in which CRIS-inactive facilities may maintain CRIS rights pursuant to Section 25.9.3.1 of Attachment S to the OATT; provided, however, the expiration period for transfers of CRIS rights provided in Section 25.9.3.1 of Attachment S to the OATT shall not be tolled. A Market Participant seeking to

toll its outage and CRIS rights pursuant to this Section 5.18.3.3.2 must submit a Repair Plan no later than 60 days prior to when the Mothball Outage would expire under Section 5.18.3.3.1.

5.18.3.4 A Market Participant with a Generator in a Mothball Outage shall timely return the Generator to service to resolve a reliability issue, in accordance with Section 5.18.4, as the term ‘timely return’ is described in Section 5.18.4.2 of this Services Tariff. A Market Participant with a Generator in a Mothball Outage shall provide temporary use of its Generator’s interconnection point, in accordance with Section 5.18.5 of this Services Tariff, when a transmission solution using the Generator’s interconnection point has been selected as either the Gap Solution or to resolve a reliability issue on a non-New York State Bulk Power Transmission Facility arising during the Generator’s outage. The Transmission Owner shall provide that power to the station remains available notwithstanding its temporary use of the Generator’s interconnection point.

5.18.4 Return to Service of Generators in a Mothball Outage or an ICAP Ineligible Forced Outage to Resolve a Reliability Issue

5.18.4.1 Following: i) notification to a Market Participant that the return to service of its Generator in a Mothball Outage or an ICAP Ineligible Forced Outage for a specified minimum time period has been identified as either a Gap Solution or to resolve a reliability issue on a non-New York State Bulk Power Transmission Facility arising during the Generator’s outage; and ii) an order establishing compensation for such return from the Federal Energy Regulatory Commission (“Compensation Order”), the Market Participant shall timely return the Generator to service, as the term “timely return” is defined in Section 5.18.4.2 of this

Services Tariff.

5.18.4.2 A Market Participant's return to service of its Generator in a Mothball Outage to resolve a reliability issue shall be deemed to be a timely return if such return to service was i) within 180 days from the date of the Compensation Order, ii) within the alternate period of time following the date of the Compensation Order pursuant to Section 5.18.3.2, or iii) by such other date agreed to by the parties.

A Market Participant's return to service of its Generator in an ICAP Ineligible Forced Outage to resolve a reliability issue shall be deemed to be a timely return if it is returned to service according to the date established by the Compensation Order; provided, however, the Market Participant will not be required to return the Generator to service before its estimated return date unless otherwise agreed.

5.18.4.2.1 A Generator's return to service shall not be untimely if the Generator provided the Transmission Owner with access to its interconnection point and is available for a timely return, and the Transmission Owner is unable to reconnect the Generator within the timeframes provided for a timely return to service, pursuant to Section 5.18.4.2 of this Services Tariff.

5.18.5 Temporary Use of Interconnection Point to Resolve a Reliability Issue

5.18.5.1 A Market Participant shall provide a Transmission Owner with temporary use of the interconnection point of its Generator in a Mothball Outage or ICAP Ineligible Forced Outage when a transmission solution using the Generator's interconnection point has been selected as either the Gap Solution or to resolve a

reliability issue arising on a non-New York State Bulk Power Transmission Facility during its outage.

5.18.5.2 A Market Participant that provided temporary use of the interconnection point of its Generator in a Mothball Outage or ICAP Ineligible Forced Outage pursuant to Section 5.18.5.1 of this Services Tariff shall be permitted to reconnect its Generator to the transmission system by submitting to the ISO a Notice of Intent to Return that provides the date it intends to return to service which submission shall be provided no later than six months before the expiration of its outage, unless otherwise agreed. A Market Participant that submitted a Notice of Intent to Return and that was not requested to return its Generator to service to resolve a reliability issue pursuant to Section 5.18.4.1 of this Services Tariff during its immediately previous Mothball Outage or ICAP Ineligible Forced Outage, shall be permitted to reconnect at no cost.

The Transmission Owner shall reconnect the Generator on or before the indicated return date using efforts that are timely, consistent with Good Utility Practice and that are otherwise substantially equivalent to those the Transmission Owner would use for its own purposes. The Transmission Owner shall report periodically to the ISO and the Generator on the progress of reconnecting such Generator and shall advise the ISO and the Generator promptly if it expects it will not be able to complete the reconnection of the Generator before its indicated return date.

If the Generator returning to service pursuant to this Section 5.18.5.2 of the Services Tariff is available to return but the Transmission Owner is unable to

reconnect the Generator before its outage expires, the outage expiration, and expiration of its CRIS rights, where applicable, will be tolled until the date the Transmission Owner reconnects the Generator notwithstanding the three year period in which CRIS-inactive facilities may maintain CRIS rights pursuant to Section 25.9.3.1 of Attachment S to the OATT; provided, however, the expiration period for transfers of CRIS rights provided in Section 25.9.3.1 of Attachment S to the OATT shall not be tolled.

5.18.6 Retired and Termination of Existing Interconnection Agreements

The classification of a Generator with an interconnection agreement other than a Small Generator Interconnection Agreement (SGIA) or Standard Large Generator Interconnection Agreement (LGIA) as Retired may be grounds for the termination of the interconnection agreement depending on the terms and conditions of the applicable agreement. Any termination of such an interconnection agreement will be effective on the filing with the Federal Energy Regulatory Commission of a notice of termination, which notice and proposed effective date have been accepted by the Federal Energy Regulatory Commission. Either party to the interconnection agreement may file the notice of termination, as appropriate. If and when termination of the interconnection agreement is effective, access to the Point of Interconnection of the Generator will be available on a non-discriminatory basis pursuant to the NYISO's applicable interconnection and transmission expansion processes and procedures. If the existing interconnection agreement is not terminated, the Retired Generator would retain its right to the specific point of interconnection as provided for in the interconnection agreement and access to this point would not be available for new projects.

The impact on a Generator with a LGIA or SGIA that has been classified as Retired is

described in OATT Sections 30 and 32 respectively.

15.2 Rate Schedule 2 - Payments for Supplying Voltage Support Service

This Rate Schedule applies to payments to Suppliers who provide Voltage Support Service to the ISO. Transmission Customers and Customers will purchase Voltage Support Service from the ISO under the ISO OATT.

Suppliers provide Voltage Support Service from eligible providers which are Generators with an Automatic Voltage Regulator (“Generators,” for the purpose of this Rate Schedule 2), synchronous condensers, and Qualified Non-Generator Voltage Support Resources. An RMR Generator operating under an RMR Agreement that provided Voltage Support Service at any time during the most recent twelve (12) months that it participated in the ISO Administered Markets must provide Voltage Support Service during the term of its RMR Agreement, unless it demonstrates to the ISO’s satisfaction that it is no longer capable of providing the service. The rate provided in this Rate Schedule shall be used to calculate payments to eligible Suppliers providing Voltage Support Service as applied on a technology-specific basis. The ISO shall calculate payments on an annual basis, and make payments monthly.

15.2.1 Responsibilities

The ISO shall coordinate the Voltage Support Service provided by Suppliers that qualify to provide such services as described in Section 15.2.1.1 of this Rate Schedule 2. The ISO shall also establish methods and procedures for Reactive Power (MVar) capability testing.

15.2.1.1 Suppliers

To qualify for payments, Suppliers of Voltage Support Service shall provide a Generator that has an AVR, or a Qualified Non-Generator Voltage Support Resource with, other than the Cross Sound Scheduled Line, an AVR, or a synchronous condenser, each of which must be

electrically located within the NYCA. All Suppliers of Voltage Support Service must successfully perform Reactive Power (MVar) capability testing in accordance with the ISO Procedures and prevailing industry standards. The ISO may direct Suppliers to operate their Generators, Qualified Non-Generator Voltage Support Resources, or synchronous condensers within these demonstrated reactive capability limits. Suppliers of Voltage Support Service will test their Generators, Qualified Non-Generator Voltage Support Resources, and synchronous condensers and provide these services in accordance with ISO Procedures.

Voltage Support Service includes the ability to produce or absorb Reactive Power within the Generators, Qualified Non-Generator Voltage Support Resource's or synchronous condensers tested reactive capability, and the ability to maintain a specific voltage level under both steady-state and post-contingency operating conditions subject to the limitations of the Generators, Qualified Non-Generator Voltage Support Resource's or synchronous condensers stated reactive capability. The requirement for a Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource to absorb Reactive Power may be set aside by the ISO with input from the Transmission Owner in whose Transmission District the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource is located, which input may include, at the Transmission Owner's option, an executive level review. To grant an exemption from the requirement that the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource be able to absorb Reactive Power, the ISO shall have determined that: 1) the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource is unable, due to transmission system configuration, to absorb Reactive Power; 2) the ability of the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource to produce Reactive Power is needed for system reliability; and 3) for

purposes of system reliability the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource does not need to have the ability to absorb Reactive Power.

An RMR Generator that is required to provide Voltage Support Service must timely perform the annual testing applicable to all Suppliers of Voltage Support Service described in this Section 15.2.1 and in ISO Procedures so that it remains continuously eligible to provide Voltage Support Service during the term of its RMR Agreement. If such an RMR Generator did not timely perform all of the annual testing required for it to provide Voltage Support Service prior to the start of the term of its RMR Agreement, then the ISO shall permit the RMR Generator to perform Reactive Power (MVAR) capability testing in accordance with the ISO Procedures upon entering the RMR Agreement and shall permit the RMR Generator to be a Qualified Supplier of Voltage Support Service.

15.2.2 Payments

Each month, Suppliers whose Generator(s) meet the requirements to supply Installed Capacity, as described in Article 5 of the ISO Services Tariff, and are under contract to supply Installed Capacity, shall receive one-twelfth (1/12th) of the annual payment calculated under Section 15.2.2.1 of this Rate Schedule for Voltage Support Service.

Each month, Suppliers whose Generators are not under contract to supply Installed Capacity, Suppliers with synchronous condensers, and, except as noted in the following paragraph, Qualified Non-Generator Voltage Support Resources shall receive one-twelfth (1/12th) of the annual payment calculated under Section 15.2.2.1 of this Rate Schedule, prorated by the number of hours that the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource operated in that month, as recorded by the ISO.

Each month, the Cross-Sound Scheduled Line shall receive one-twelfth (1/12th) of the annual payment calculated under Section 15.2.2.1 of this Rate Schedule, pro-rated by the number of hours that it is energized in that month, as recorded by the ISO.

15.2.2.1 Annual Payment for Voltage Support Service

For purposes of the calculation set forth in Section 15.2.2 of this Rate Schedule, the annual payment to Suppliers qualified and eligible to provide Voltage Support Service shall equal: (i) in the case of Generators and synchronous condensers the product of \$3919/MVAr and the tested MVAr capacity of the Generator or synchronous condenser; (ii) in the case of Qualified Non-Generator Voltage Support Suppliers, other than the Cross-Sound Scheduled Line, the product of \$3919/MVAr and its tested MVAr capacity as determined pursuant to the ISO Procedures; and (iii) in the case of the Cross-Sound Scheduled Line, the product of \$3919/MVAr and its tested Reactive Power (MVAr) capacity measured at maximum real power flow.

15.2.2.2 Lost Opportunity Costs

A Supplier of Voltage Support Service from a Generator that is being dispatched by the ISO shall also receive a payment for Lost Opportunity Costs ("LOC") when the ISO directs the Generator to reduce its real power (MW) output below its Economic Operating Point in order to allow the Generator to produce or absorb more Reactive Power (MVAr), unless the Supplier is already receiving a Day-Ahead Margin Assurance Payment for that reduction under Attachment J to this ISO Services Tariff. The Lost Opportunity Cost payment shall be calculated as the maximum of zero or the difference between: (i) the product of: (a) the appropriate MW of output reduction and (b) the Real-Time LBMP at the Generator bus; and (ii) the Generator's Energy Bid

for the reduced output of the Generator multiplied by the time duration of reduction in hours or fractions thereof.

The formula below describes the calculation of LOC as applied to each Generator supplying Voltage Support Service.

$$LOC_i = \max \left(\left(LBMP_{RT,i} * (EOP_i - \max(AEI_i, RTS_i, DAS_i)) - \int_{\max(AEI_i, RTS_i, DAS_i)}^{EOP_i} Bid \right), 0 \right) * \frac{S_i}{3600}$$

Where:

LOC_i = Lost Opportunity Cost for interval i

$LBMP_{RT,i}$ = Real-time LBMP for interval i

EOP_i = The Generator's Economic Operating Point for interval i

AEI_i = The Generator's Actual Energy Injection for the interval i

RTS_i = The Generator's Real-Time Energy Schedule for interval i


DAS_i = The Generator's Day-Ahead Schedule for the hour containing i

Bid_i = Generator's Bid curve in effect for interval i

$S_i/3600$ = The length of interval i , containing $S_i^{seconds}$ in units of hours

Figure 2.0(b) below graphically portrays the calculation of the LOC for a Generator which reduced its MW output to allow it to produce or absorb more Reactive Power (MVar).

Figure 2.0(b) - Incremental Bid Curve Used to Calculate LOC



15.2.2.3 Other Payments to Synchronous Condensers and Qualified Non-Generator Voltage Support Resources

If a synchronous condenser or Qualified Non-Generator Voltage Support Resource energizes in order to provide Voltage Support Service in response to a request from the ISO, the ISO shall compensate the facility for the cost of Energy it consumes to energize converters and other equipment necessary to provide that Voltage Support Service.

15.2.3 Failure to Perform by Suppliers

A Generator, synchronous condenser, or a Qualified Non-Generator Voltage Support Resource will have failed to provide voltage support if it:

- 15.2.3.1 when operating at real-power levels consistent with test conditions, fails within ten minutes to be within 5% (+/-) of the requested Reactive Power (MVar) level of production or absorption as requested by the ISO or applicable Transmission Owner unless it was prevented from doing so by transmission

system conditions and except when the Generator, synchronous condenser, or a Qualified Non-Generator Voltage Support Resource is requested not to produce or absorb Reactive Power in which case that Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource fails to provide Voltage Support if the absolute value of its level of Reactive Power production or absorption within ten minutes is greater than 5% multiplied by the sum of the absolute values of (a) that Generator's, synchronous condenser's, or Qualified Non-Generator Voltage Support Resource's maximum reactive power production level under test conditions and (b) that Generator, synchronous condenser, or a Qualified Non-Generator Voltage Support Resource's maximum reactive power absorption level under test conditions;

15.2.3.2 when operating at real-power levels consistent with test conditions, fails within ten minutes to be at 95% or greater of the Generator's, synchronous condenser's, or Qualified Non-Generator Voltage Support Resource's demonstrated Reactive Power capability (tested pursuant to ISO Procedures) in the appropriate lead or lag direction when requested to go to maximum lead or lag reactive capability by the ISO or applicable Transmission Owner unless it was prevented from doing so by transmission system conditions;

15.2.3.3 fails to provide Voltage Support Service in a Contingency, as defined by ISO Procedures;

15.2.3.4 fails to maintain its automatic voltage regulator (as appropriate) in service and in automatic voltage control mode, or fails to commence timely repairs to the automatic voltage regulator.

Suppliers of Voltage Support Service that fail to comply with the ISO Procedures will be assessed charges by the ISO in the manner described in Sections 15.2.4, 15.2.5, and 15.2.6 below.

15.2.4 Failure to Respond to ISO's Request for Steady-State Voltage Control

Failure: If a Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource fails to comply with the ISO's request for steady-state voltage control, the ISO shall withhold Voltage Support Service payments from the non-complying Supplier equivalent to the VSS Failure to Perform Penalty for that specific Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource for that month. The Supplier shall also be liable for any additional cost in procuring replacement Voltage Support Service including LOC incurred by the ISO as a direct result of the Supplier's non-performance.

The formula below describes the monthly VSS Failure to Perform Penalty (VFP)

$$VFP = (VSS \text{ payment for the month}) * (F/R)$$

Where:

F = number of failures in the month

R = number of times the Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource was called upon for Voltage Support in the month

Repeated Failures: In addition to the charges for failure, the non-complying Supplier will also be subject to the charges described in this paragraph. If a Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource fails to comply with fifty percent (50%) or more of the ISO's requests for two consecutive months, then the non-complying Supplier will no longer be eligible for Voltage Support Service payments for service provided by that Generator, synchronous condenser, or Qualified Non-Generator Voltage

Support Resource. The ISO may reinstate payments once the Supplier complies with the following conditions to the ISO's satisfaction:

15.2.4.1 the Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource must successfully perform a Reactive Power (MVar) capability test, and

15.2.4.2 the Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource must provide Voltage Support Service for thirty (30) consecutive days without any compliance failures. No payments for Voltage Support Service or LOC will be made to the Supplier on account of Voltage Support Service from such Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource during this period.

15.2.5 Failure to Provide Voltage Support Service When a Contingency Occurs on the NYS Power System

If a Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource fails to respond to a contingency, based on ISO review and analysis, the ISO shall withhold Voltage Support Service payments from the non-complying Supplier as follows:

Initial Failure: The ISO will withhold from the Supplier one-twelfth (1/12th) of the annual payment for the specific Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource (or an amount equal to the last month's voltage support payment made to it, if it is not an Installed Capacity provider).

Second Failure within the same thirty (30) day period: The ISO shall withhold from the Supplier one-fourth (1/4th) of the annual payment for the specific Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource (or an amount equal to the last three (3) months' voltage support payments made to it, if it is not an Installed Capacity provider).

In addition, the Supplier that is in violation shall be prohibited from receiving Voltage Support Service payments for the non-complying Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource until the Supplier complies with the following conditions to the ISO's satisfaction:

15.2.5.1 the Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource shall successfully perform a Reactive Power (MVar) capability test, and

15.2.5.2 the Supplier's Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource shall provide Voltage Support Service for thirty (30) consecutive days without any compliance failures. No payments for Voltage Support Service, or LOC shall be made to the Supplier on account of Voltage Support Service from such Generator, synchronous condenser, or Qualified Non-Generator Voltage Support Resource during this period.

15.2.6 Failure to Maintain an Automatic Voltage Regulator or Commence Timely Repairs

If a Supplier's Generator or Qualified Non-Generator Voltage Support Resource, other than the Cross Sound Scheduled Line, fails to maintain its automatic voltage regulator in operation and fails to commence timely repairs following a failure of the automatic voltage regulator within a 30-day period, the Generator or Qualified Non-Generator Voltage Support Resource will be disqualified as a supplier of Voltage Support Service.

The Supplier will not receive Voltage Support Service payments for the disqualified Generator or Qualified Non-Generator Voltage Support Resource until the Supplier complies with the following conditions:

- (1) the Supplier provides documentation to the NYISO of the completion of the repairs;
- (2) the Supplier's Generator or Qualified Non-Generator Voltage Support Resource successfully performs a Reactive Power (MVar) capability test, and;
- (3) the Supplier's Generator or Qualified Non-Generator Voltage Support Resource provides Voltage Support Service for thirty (30) consecutive days without any compliance failures. No payments for Voltage Support Service or LOC on account of Voltage Support Service from such Generator or Qualified Non-Generator Voltage Support Resource shall be made to the Supplier during this period.

15.2.7 Consistence with Cross-Sound Scheduled Line Protocols

Nothing in this Rate Schedule shall be construed to change existing protocols between the ISO and ISO New England, Inc. regarding the operation of the Cross-Sound Scheduled Line.

15.8 Rate Schedule 8 – Payments to RMR Generators

15.8.1 Payment to an RMR Generator Providing Service Pursuant to an RMR Agreement with an Availability and Performance Rate

The ISO shall make a payment each Billing Period to each RMR Generator providing service pursuant to an RMR Agreement with an Availability and Performance Rate that has been accepted for filing by the Commission, or the ISO may pay subject to refund pending Commission action. The payment shall equal:

$$\sum_{d \in P} (RMRAvoidCost_{g,d} + VarCost_{g,d})$$

Where:

d = the relevant market day;

P = the relevant Billing Period;

g = the relevant RMR Generator that is providing service under an Availability and Performance Rate established pursuant to the ISO Tariffs and an RMR Agreement between the ISO and the RMR Generator;

$RMRAvoidCost_{g,d}$ = RMR Avoidable Cost amount for RMR Generator g for day d that has been accepted for filing by the Commission, or as calculated by the ISO in accordance with Sections 31.2.11.8 and 31.2.11.17 of the OATT pending Commission action, shaped on a Capability Period basis;

$$VarCost_{g,d} = Energy_{g,d} + AncServices_{g,d} + VSS_{g,d} + RS_{g,d}$$

Where:

$Energy_{g,d}$ = the energy cost of RMR Generator g for day d . The cost of all energy MWhs that are scheduled and produced in real-time by RMR Generator g that do not exceed RMR Generator g 's Day-Ahead schedule shall be equal to the lesser of RMR Generator g 's Day-Ahead reference levels and RMR Generator g 's Day-Ahead Bids. The cost of all energy MWhs that are scheduled and produced in real-time (including Compensable Overgeneration, if any) that exceed RMR Generator g 's Day-Ahead schedule (if any) shall be equal to the lesser of RMR Generator g 's real-time reference levels and RMR Generator g 's real-time Bids;

$AncServices_{g,d}$ = the cost of Operating Reserves and Regulation Service for RMR Generator g for day d . The cost of all MWhs of Operating Reserves that are scheduled and of Regulation Service that are scheduled and provided in real-time by RMR Generator g that do not exceed RMR Generator g 's Day-Ahead schedule shall be equal to

the lesser of RMR Generator g 's Day-Ahead reference levels and RMR Generator g 's Day-Ahead Bids. The cost of all MWhs of Operating Reserves and Regulation Service that are scheduled and provided in real-time by RMR Generator g that exceed RMR Generator g 's Day-Ahead schedule (if any) shall be equal to the lesser of RMR Generator g 's real-time reference levels and RMR Generator g 's real-time Bids;

$VSS_{g,d}$ = the Voltage Support Service payment for RMR Generator g for day d pursuant to Rate Schedule 2 of the ISO Services Tariff;

$RS_{g,d}$ = the Restoration Services payment for RMR Generator g for day d pursuant to Rate Schedule 5 of the ISO Services Tariff.

15.8.2 Payment to an RMR Generator Providing Service Pursuant to an RMR Agreement with a Rate Other Than an Availability and Performance Rate

The ISO shall make a payment each Billing Period to each RMR Generator providing service pursuant to an RMR Agreement with a rate other than an Availability and Performance Rate that has been accepted for filing by the Commission, or the ISO may pay subject to refund pending Commission action. The payment shall equal:

$$\sum_{d \in P} (RMRCost_{g,d} + VarCost_{g,d})$$

Where:

g = the relevant RMR Generator that is providing service under a rate other than an Availability and Performance Rate;

$RMRCost_{g,d}$ = the costs RMR Generator g is authorized to recover for day d pursuant to a rate for RMR Generator g that has been accepted for filing by the Commission, or that RMR Generator g is recovering subject to refund pending Commission action, shaped on a Capability Period basis.

The definitions of the remaining variables in this equation are identical to the definitions for such variables set forth in Section 15.8.1 above.

15.8.3 Performance Incentive Payment

The ISO will pay on a monthly basis an RMR Generator that is providing service pursuant to an RMR Agreement with an Availability and Performance Rate any Performance

Incentive payment owed to that RMR Generator for its performance in that month in accordance with the following formulae.

PI_m = the amount of the Performance Incentive payment, calculated for each month m , and is a dollar value calculated as:

$$PI_m = \frac{1}{12} PI_{max} * \begin{cases} 50\%, & \text{for } LB_{PI} \leq PF_m < UB_{PI} \\ 80\%, & \text{for } UB_{PI} \leq PF_m < TL_{PI} \\ 100\%, & \text{for } TL_{PI} \leq PF_m \end{cases}$$

Where:

PI_{max} = the maximum annual Performance Incentive payment, calculated as 5% of the RMR Generator's *Non-CapEx Avoidable Costs*;

Non-CapEx Avoidable Costs = the RMR Avoidable Costs the RMR Generator is authorized to recover annually, pursuant to an Availability and Performance Rate that has been accepted for filing by the Commission, or that the RMR Generator is recovering subject to refund pending Commission action, less the Capital Expenditures included in such RMR Avoidable Costs;

LB_{PI} = the Bandwidth Lower Bound, a percentage defined as:

$$LB_{PI} = \begin{cases} 0.9 * BL_{PI}, & \text{if } BL_{PI} < 50\% \\ BL_{PI} - 5\%, & \text{if } BL_{PI} \geq 50\% \end{cases}$$

UB_{PI} = the Bandwidth Upper Bound, a percentage defined as:

$$UB_{PI} = BL_{PI} + \min \left\{ \frac{1}{3}(100\% - BL_{PI}), \max \left\{ 5\%, \frac{1}{10}(100\% - BL_{PI}) \right\} \right\}$$

TL_{PI} = the Target Limit, a percentage defined as:

$$TL_{PI} = BL_{PI} + \min \left\{ \frac{2}{3}(100\% - BL_{PI}), \max \left\{ 10\%, \frac{1}{5}(100\% - BL_{PI}) \right\} \right\}$$

Where:

BL_{PI} = the Baseline percentage determined for the RMR Generator's performance, as set forth in the RMR Generator's RMR Agreement.

PF_m = the RMR Performance Factor for month m , a percentage defined as:

$$PF_m = 100\% - \frac{\sum_{t=t_0}^T (\max\{PLU_t - Pr_t, 0\})}{\sum_{t=t_0}^T PLU_t}$$

Where:

t_0 = the first RTD interval of month m ;

T = the last RTD interval of month m ;

Pr_t = the Real-Time output of the RMR Generator over RTD interval t , in MW; and

PLU_t = the Penalty Limit for Under-Generation of the RMR Generator over RTD interval t , expressed in MW, calculated in accordance with the ISO's Billing and Accounting Manual.

15.8.4 Availability Incentive Payment

The ISO will pay on a Capability Period basis an RMR Generator that is providing service pursuant to an RMR Agreement with an Availability and Performance Rate for any Availability Incentive payment owed to that RMR Generator. The ISO will make the Availability Incentive payment in the Billing Period following the first month of the Capability Period for a payment earned for the previous Capability Period in accordance with the following formulae.

AI_{cp} = the amount of the Availability Incentive, calculated for each Capability Period cp , and is a dollar value calculated as:

$$AI_{cp} = \frac{1}{2} AI_{max} * \begin{cases} 50\%, & \text{for } LB_{AI,cp} \leq EAF_{cp} < UB_{AI,cp} \\ 80\%, & \text{for } UB_{AI,cp} \leq EAF_{cp} < TL_{AI,cp} \\ 100\%, & \text{for } TL_{AI,cp} \leq EAF_{cp} \end{cases}$$

Where:

AI_{max} = the maximum Availability Incentive payment, calculated as 20% of the RMR Generators *Non-CapEx Avoidable Costs*;

Non-CapEx Avoidable Costs = the RMR Avoidable Costs the RMR Generator is authorized to recover annually, pursuant to an Availability and Performance Rate that has been accepted for filing by the Commission, or that the RMR Generator is recovering subject to refund pending Commission action, less the Capital Expenditures included in such RMR Avoidable Costs;

$LB_{AI,cp}$ = the Bandwidth Lower Bound, a percentage defined as:

$$LB_{AI,cp} = \begin{cases} 0.9 * BL_{AI,cp}, & \text{if } BL_{AI,cp} < 50\% \\ BL_{AI,cp} - 5\%, & \text{if } BL_{AI,cp} \geq 50\% \end{cases}$$

$UB_{AI,cp}$ = the Bandwidth Upper Bound, a percentage defined as:

$$UB_{AI,cp} = BL_{AI,cp} + \min \left\{ \frac{1}{3}(100\% - BL_{AI,cp}), \max \left\{ 5\%, \frac{1}{10}(100\% - BL_{AI,cp}) \right\} \right\}$$

$TL_{AI,cp}$ = the Target Limit, a percentage defined as:

$$TL_{AI,cp} = BL_{AI,cp} + \min \left\{ \frac{2}{3}(100\% - BL_{AI,cp}), \max \left\{ 10\%, \frac{1}{5}(100\% - BL_{AI,cp}) \right\} \right\}$$

Where:

$BL_{AI,cp}$ = the Baseline percentage for Capability Period cp determined for the RMR Generator's availability, as set forth in the RMR Generator's RMR Agreement;

EAF_{cp} = the RMR Generator's equivalent availability factor for Capability Period cp , a percentage defined as:

$$EAF_{cp} = 100\% * \left(\frac{(AH - (DH_{EU} + DH_{EP} + DH_{ESE}))}{PH} \right)$$

Where:

AH = the RMR generator's available hours, calculated for Capability Period cp in accordance with ISO procedures;

PH = the RMR Generator's period hours, calculated for Capability Period cp in accordance with ISO procedures, as the number of hours that the RMR Generator was in an active state;

DH_{EU} = the RMR Generator's unplanned derated hours, calculated for Capability Period cp in accordance with ISO procedures, as the product of unplanned derated hours and size of reduction, divided by net maximum capacity;

DH_{EP} = the RMR Generator's planned derated hours, calculated for Capability Period cp in accordance with ISO procedures, as the product of planned derated hours and size of reduction, divided by net maximum capacity; and

DH_{ESE} = the RMR Generator's net maximum capacity, determined in accordance with ISO procedures, less net dependable capacity, determined in accordance with ISO procedures, multiplied by available hours in accordance with ISO procedures, and divided by net maximum capacity.

GADS Data used to calculate Availability Incentive payments, as it may be modified by the ISO, shall be subject to review, challenge, and correction in accordance with Section 7.4 of the ISO Services Tariff.

15.8.5 Limitation on Total Penalties, Sanctions and Deficiency Charges Assessed to RMR Generators Providing Service Pursuant to an RMR Agreement with an Availability and Performance Rate

An RMR Generator that is providing service pursuant to an RMR Agreement with an Availability and Performance Rate is subject to all of the penalties, sanctions, deficiency charges and any similar charges, except for under-generation penalties (collectively, for purposes of this paragraph, "penalties"), that may apply to Generators under the ISO Tariffs. *Provided, however*, that the total amount of penalties that can be assessed to an RMR Generator that is providing service pursuant to an RMR Agreement with an Availability and Performance Rate shall be capped at the total, cumulative amount of Performance Incentive payments and Availability Incentive payments computed by the ISO to be due to that RMR Generator through the end of the month in which the penalty or penalties are charged. The ISO shall charge any penalties to the RMR Generator and remit the revenues from each penalty, or any reduced amount, in accordance with the applicable provisions of the ISO Services Tariff.

15.8.6 Recovery of Capital Expenditures from RMR Generators

If, pursuant to the terms of an RMR Agreement, the ISO reimbursed all or a portion of the cost of a Capital Expenditure that was incurred to permit an RMR Generator to provide service during the term of the RMR Agreement, and the Generator is no longer the subject of any

RMR Agreement, then before the ISO may permit the Generator to be offered into or be scheduled in the ISO Administered Markets, the cost of all Capital Expenditures (if any) that the ISO paid to enable the RMR Generator to provide service under an RMR Agreement, less depreciation, must be repaid to the ISO in accordance with the following formula.

$$RMRCapExRecovery = \sum_{i \in I} \left(\sum_{j \in M} A_{ij} - \sum_{k \in Y} P_{ik} \right)$$

Where:

i = a Capital Expenditure in I , the set of all Capital Expenditures for the RMR Generator;

j = a month in M , the set of all months that the RMR Generator received payment for Capital Expenditure i ;

k = a year in Y , the set of all years beginning with the year Capital Expenditure i entered service or was otherwise integrated into the RMR Generator, or the year the NYISO terminated the RMR Agreement if Capital Expenditure i was not completed or did not enter service while the Generator was operating under an RMR Agreement, and continuing to the present year;

A_{ij} = the payment made to the RMR Generator in month j , taking into account the time value of money for Capital Expenditure i ; and

P_{ik} = the annual depreciation expense, determined by the ISO, for Capital Expenditure i in year k .

The reimbursement obligation specified in this Section 15.8.6 shall remain in effect until all Capital Expenditures that are due (as determined in accordance with the formula set forth above) are fully depreciated, or have been reimbursed. The reimbursement obligation shall remain in effect if an RMR Generator (i) that entered a Mothball Outage, an ICAP Ineligible Forced Outage or Inactive Reserves returns to service from such state, or (ii) becomes Retired and subsequently returns to service as a new Generator.

23.2 Conduct Warranting Mitigation

23.2.1 Definitions

The following definitions are applicable to this Attachment H:

For purposes of Section 23.4.5 of this Attachment H, “**Additional CRIS MW**” shall mean the MW of Capacity for which CRIS was requested for an Examined Facility pursuant to the provisions in ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z), including either: (i) all, or a portion, of the MW of Capacity of that Examined Facility for which CRIS had not been obtained in prior Class Years through a prior Class Year process or through a transfer completed in accordance with OATT Section 25 (OATT Attachment S); and/or (ii) all, or a portion, of an increase in the Capacity of that Examined Facility. Additional CRIS MW does not include any MW quantity of CRIS that is exempt from an Offer Floor pursuant to Section 23.4.5.7.7(a) or (b), Section 23.4.5.7.8, or an increase of 2 MW or less in an Examined Facility’s MW quantity of CRIS obtained pursuant to Section 30.3.2.6 of Attachment X to the OATT.

For purposes of Section 23.4.5 of this Attachment H, “**Affiliated Entity**” shall mean, with respect to a person or Entity:

- i) all persons or Entities that directly or indirectly control such person or Entity;
- ii) all persons or Entities that are directly or indirectly controlled by or under common control with such person or Entity, and (1) are authorized under ISO Procedures to participate in a market for Capacity administered by the ISO, or (2) possess, directly or indirectly, an ownership, voting or equivalent interest of ten percent or more in a Mitigated Capacity Zone Installed Capacity Supplier;
- iii) all persons or Entities that provide services to such person or Entity, or for which such person or Entity provides services, if such services relate to the determination or submission of offers for Unforced Capacity in a market administered by the ISO; or
- iv) all persons or Entities, except an RMR Generator, with which such person or Entity has any form of agreement under which such person or Entity has retained or has conferred rights of Control of Unforced Capacity.

In the foregoing definition, “**control**” means the possession, directly or indirectly, of the power to direct the management or policies of a person or Entity, and shall be rebuttably presumed from an ownership, voting or equivalent interest of ten percent or more.

Catastrophic Failure: shall mean a Forced Outage initially suffered by a Generator which would have reasonably required a repair time of at least 270 days, from the date of the event resulting in the Forced Outage, had it, or a comparable Forced Outage been suffered at a generating facility that is reasonably the same as or similar to the Generator’s, the owner of which is intending to return it to service. Repair time includes the reasonable number of days for initial clean up, safety inspections, engineering assessment; damage assessment, cost estimates; site prep and clean up, equipment orders, and actual repair, provided the foregoing are necessitated by the Catastrophic Failure. The determination that a Generator has suffered a

Catastrophic Failure shall be based on a technical/engineering evaluation, shall be made by the ISO, and may be made at any time following the event that caused the Forced Outage provided that adequate information is provided to the ISO to support such determination.

“Class Year Study” means a Class Year Interconnection Facilities Study as that term is defined in OATT Section 25 (OATT Attachment S).

“Cleared UCAP” means the amount of MW (rounded down to the nearest tenth of a MW) that had been subject to an Offer Floor but has cleared in accordance with Section 23.4.5.7.

“Commenced Construction” shall mean (a) all of the following site preparation work is completed: ingress and egress routes exist; the site on which the project will be located is cleared and graded; there is power service to the site; footings are prepared; and foundations have been poured consistent with purchased equipment specifications and project design; or (b) the following financial commitments have been made: (i) (A) an engineering, procurement, and construction contract (“EPC”) has been executed by all parties and is effective; or (B) contracts (collectively, “EPC Equivalents”) for all of the following have been executed by all parties and is effective: (1) project engineering, (2) procurement of all major equipment, and (3) construction of the project, and (ii) the cumulative payments made by the developer under the EPC or EPC Equivalents to the counterparties to those respective agreements is equal to at least thirty (30) percent of the total costs of the EPC or EPC Equivalents.

“Constrained Area” shall mean: (a) the In-City area, including any areas subject to transmission constraints within the In-City area that give rise to significant locational market power; and (b) any other area in the New York Control Area that has been identified by the ISO as subject to transmission constraints that give rise to significant locational market power, and that has been approved by the Commission for designation as a Constrained Area.

For purposes of Section 23.4.5 of this Attachment H, **“Control”** with respect to Unforced Capacity shall mean the ability to determine the quantity or price of offers to supply Unforced Capacity from a Mitigated Capacity Zone Installed Capacity Supplier submitted into an ICAP Spot Market Auction; but excluding UCAP from an RMR Generator.

For purposes of Section 23.4.5.7 **“CRIS MW”** shall mean the MW of Capacity for which CRIS was assigned to a Generator or UDR project pursuant to ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z).

“Developer” shall have the meaning specified in the ISO’s Open Access Transmission Tariff.

“Electric Facility” shall mean a Generator or an electric transmission facility.

For purposes of Section 23.4.5 of this Attachment H, **“Entity”** shall mean a corporation, partnership, limited liability corporation or partnership, firm, joint venture, association, joint-stock company, trust, unincorporated organization or other form of legal or juridical organization or entity.

Exceptional Circumstances: shall mean one or more unavoidable circumstances, as determined by the ISO, that individually or collectively render as unavailable the data necessary for the ISO to perform an audit and review of a Market Party, pursuant to Section 23.4.5.6.2 of this Services Tariff. Exceptional Circumstances may include, but are not limited to: the inaccessibility of the physical facility; the inaccessibility of necessary documentation or other data; and the unavailability of information regarding the regulatory obligations with which the Market Party

will be required to comply in order to return its Generator to service which regulatory obligations are not yet known but which will be made known by the applicable regulatory authority under existing laws and regulations provided that none of the above described circumstances are the result of delay or inaction by the Market Party. The magnitude of the repair cost, alone, shall not be an Exceptional Circumstance.

For purposes of Section 23.4.5 of this Attachment H, **“Going-Forward Costs”** shall mean: either (a) the costs, including but not limited to mandatory capital expenditures necessary to comply with federal or state environmental, safety or reliability requirements that must be met in order to supply Installed Capacity, net of anticipated energy and ancillary services revenues, as determined by the ISO as specified in Section 23.4.5.3, for each of the following instances, as applicable, of supplying Installed Capacity that could be avoided if an Installed Capacity Supplier otherwise capable of supplying Installed Capacity were either (1) to cease supplying Installed Capacity and Energy for a period of one year or more while retaining the ability to re-enter such markets, or (2) to retire permanently from supplying Installed Capacity and Energy; or (b) the opportunity costs of foregone sales outside of a Mitigated Capacity Zone, net of costs that would have been incurred as a result of the foregone sale if it had taken place.

For purposes of Section 23.4.5 of this Attachment H, **“Indicative Mitigation Net CONE”** shall mean the capacity price calculated by the NYISO for informational purposes only if there is not an effective ICAP Demand Curve and the Commission (i) has accepted an ICAP Demand Curve for the Mitigated Capacity Zone that will become effective when the Mitigated Capacity Zone is first effective, in which case, the Indicative Mitigation Net CONE shall be the capacity price on such ICAP Demand Curve for the Mitigated Capacity Zone corresponding to the average amount of excess capacity above the Indicative NCZ Locational Minimum Installed Capacity Requirement, as applicable, expressed as a percentage of that requirement that formed the basis for the ICAP Demand Curve accepted by the Commission; or, (ii) has not accepted an ICAP Demand Curve for the Mitigated Capacity Zone, but the ISO has filed an ICAP Demand Curve for the Mitigated Capacity Zone pursuant to Services Tariff Section 5.14.1.2.11, in which case the Indicative Mitigation Net CONE shall be the capacity price on such ICAP Demand Curve corresponding to the average amount of excess capacity above the Indicative NCZ Locational Minimum Installed Capacity Requirement, expressed as a percentage of that requirement, that formed the basis for such ICAP Demand Curve.

“Initial Decision Period” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“Interconnection Customer” shall have the meaning specified in Section 32 (Attachment Z) of the ISO’s Open Access Transmission Tariff.

“Interconnection Facilities Study Agreement” shall have the meaning specified in Section 30 (Attachment X) of the ISO’s Open Access Transmission Tariff.

“Market Monitoring Unit” shall have the same meaning in these Mitigation Measures as it has in Attachment O.

“Market Party” shall mean any person or entity that is, or for purposes of the determinations to be made pursuant to Section 23.4.5.7 of this Attachment H proposes or plans a project that would be, a buyer or a seller in, or that makes bids or offers to buy or sell in, or that schedules or seeks

to schedule Transactions with the ISO in or affecting any of the ISO Administered Markets, or any combination of the foregoing.

For purposes of Section 23.4.5 of this Attachment H, **“Mitigated UCAP”** shall mean one or more megawatts of Unforced Capacity that are subject to Control by a Market Party that has been identified by the ISO as a Pivotal Supplier.

For purposes of Section 23.4.5 of this Attachment H, **“Mitigation Net CONE”** shall mean the capacity price on the currently effective ICAP Demand Curve for the Mitigated Capacity Zone corresponding to the average amount of excess capacity above the Mitigated Capacity Zone Installed Capacity requirement, expressed as a percentage of that requirement, that formed the basis for the ICAP Demand Curve approved by the Commission.

“NCZ Examined Project” shall mean any Generator or UDR project that is not exempt pursuant to 23.4.5.7.8 and either (i) is in a Class Year on the date the Commission accepts the first ICAP Demand Curve to apply to a Mitigated Capacity Zone, (ii) meets the criteria specified in 23.4.5.7.3(II), or (iii) meets the criteria specified in 23.4.5.7.3(III) but the time period therein has passed on the date the Commission accepts the first ICAP Demand Curve. An NCZ Examined Project may be at any phase of development or in operation or an Installed Capacity Supplier.

For purposes of Section 23.4.5 of this Attachment H, **“Net CONE”** shall mean the localized levelized embedded costs of a peaking unit in a Mitigated Capacity Zone, net of the likely projected annual Energy and Ancillary Services revenues of such unit, as determined in connection with establishing the Demand Curve for a Mitigated Capacity Zone pursuant to Section 5.14.1.2 of the Services Tariff, or as escalated as specified in Section 23.4.5.7 of Attachment H.

“New Capacity” shall mean a new Generator, a substantial addition to the capacity of an existing Generator, or the reactivation of all or a portion of a Generator that has been out of service for five years or more that commences commercial service after the effective date of this definition.

For purposes of Section 23.4.5 of this Attachment H, **“Offer Floor”** for a Mitigated Capacity Zone Installed Capacity Supplier that is not a Special Case Resource shall mean the lesser of (i) a numerical value equal to 75% of the Mitigation Net CONE translated into a seasonally adjusted monthly UCAP value (**“Mitigation Net CONE Offer Floor”**), or (ii) the numerical value that is the first year value of the Unit Net CONE determined as specified in Section 23.4.5.7, translated into a seasonally adjusted monthly UCAP value using an appropriate class outage rate, (**“Unit Net CONE Offer Floor”**). The Offer Floor for a Mitigated Capacity Zone Installed Capacity Supplier that is a Special Case Resource shall mean a numerical value determined as specified in Section 23.4.5.7.5. The Offer Floor for Additional CRIS MW shall mean a numerical value determined as specified in Section 23.4.5.7.6.

“Owner” shall have the meaning specified in Section 31.1.1 of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Pivotal Supplier”** shall mean (i) for the New York City Locality, a Market Party that, together with any of its Affiliated Entities, (a) Controls 500 MW or more of Unforced Capacity, and (b) Controls Unforced Capacity some portion of which is necessary to meet the New York City Locality Locational Minimum Installed

Capacity Requirement in an ICAP Spot Market Auction; (ii) for the G-J Locality, a Market Party that, together with any of its Affiliated Entities, (a) Controls 650 MW or more of Unforced Capacity; and (b) Controls Unforced Capacity some portion of which is necessary to meet the G-J Locality Locational Minimum Installed Capacity Requirement in an ICAP Spot Market Auction; and (iii) for each Mitigated Capacity Zone except the New York City Locality and the G-J Locality, if any, a Market Party that Controls at least the quantity of MW of Unforced Capacity specified for the Mitigated Capacity Zone and accepted by the Commission.

“Project Cost Allocation” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Responsible Market Party”** shall mean the Market Party that is authorized, in accordance with ISO Procedures, to submit offers in an ICAP Spot Market Auction to sell Unforced Capacity from a specified Installed Capacity Supplier.

“Revised Project Cost Allocation” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“Subsequent Decision Period” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Surplus Capacity”** shall mean the amount of Installed Capacity, in MW, available in a Mitigated Capacity Zone in excess of the Locational Minimum Installed Capacity Requirement for such Mitigated Capacity Zone.

“Total Evaluated CRIS MW” shall mean the Additional CRIS MW requested plus either (i) if the Installed Capacity Supplier previously received an exemption under Sections 23.4.5.7.2(b), 23.4.5.7.6(b), 23.4.5.7.7 or 23.4.5.7.8, all prior Additional CRIS MW since the facility was last exempted under Sections 23.4.5.7.2(b), 23.4.5.7.6(b), or 23.4.5.7.8, or (ii) for all other Installed Capacity Suppliers, all MW of Capacity for which an Examined Facility obtained CRIS pursuant to the provisions in ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z).

For purposes of Section 23.4.5 of this Attachment H, **“UCAP Offer Reference Level”** shall mean a dollar value equal to the projected clearing price for each ICAP Spot Market Auction determined by the ISO on the basis of the applicable ICAP Demand Curve and the total quantity of Unforced Capacity from all Installed Capacity Suppliers in a Mitigated Capacity Zone for the period covered by the applicable ICAP Spot Market Auction.

For purposes of Section 23.4.5 of this Attachment H, **“Unit Net CONE”** shall mean localized levelized embedded costs of a specified Installed Capacity Supplier, including interconnection costs, and for an Installed Capacity Supplier located outside a Mitigated Capacity Zone including embedded costs of transmission service, in either case net of likely projected annual Energy and Ancillary Services revenues, as determined by the ISO, translated into a seasonally adjusted monthly UCAP value using an appropriate class outage rate.

23.2.2 Conduct Subject to Mitigation

Mitigation Measures may be applied: (i) to the bidding, scheduling or operation of an “Electric Facility”; or (ii) as specified in Section 23.2.4.2.

23.2.3 Conditions for the Imposition of Mitigation Measures

23.2.3.1 To achieve the foregoing purpose and objectives, Mitigation Measures should only be imposed to remedy conduct that would substantially distort or impair the competitiveness of any of the ISO Administered Markets.

Accordingly, the ISO shall seek to impose Mitigation Measures only to remedy conduct that:

23.2.3.1.1 is significantly inconsistent with competitive conduct; and

23.2.3.1.2 would result in a material change in one or more prices in an ISO Administered Market or production cost guarantee payments (“guarantee payments”) to a Market Party.

23.2.3.2 In general, the ISO shall consider a Market Party's or its Affiliates' conduct to be inconsistent with competitive conduct if the conduct would not be in the economic interest of the Market Party or its Affiliates in the absence of market power. The categories of conduct that are inconsistent with competitive conduct include, but may not be limited to, the three categories of conduct specified in Section 23.2.4 below.

23.2.4 Categories of Conduct that May Warrant Mitigation

23.2.4.1 The following categories of conduct, whether by a single firm or by multiple firms acting in concert, may cause a material effect on prices or guarantee payments in an ISO Administered Market if exercised from a position of market power. Accordingly, the ISO shall monitor the ISO Administered Markets for the following categories of conduct, and shall impose appropriate

Mitigation Measures if such conduct is detected and the other applicable conditions for the imposition of Mitigation Measures are met:

23.2.4.1.1 Physical withholding of an Electric Facility, that is, not offering to sell or schedule the output of or services provided by an Electric Facility capable of serving an ISO Administered Market. Such withholding may include, but not be limited to, (i) falsely declaring that an Electric Facility has been forced out of service or otherwise become unavailable, (ii) refusing to offer Bids or schedules for an Electric Facility when such conduct would not be in the economic interest of the Market Party or its Affiliates in the absence of market power; (iii); making an unjustifiable change to one or more operating parameters of a Generator that reduces its ability to provide Energy or Ancillary Services or (iv) operating a Generator in real-time at a lower output level than the Generator would have been expected to produce had the Generator followed the ISO's dispatch instructions, in a manner that is not attributable to the Generator's verifiable physical operating capabilities and that would not be in the economic interest of the Market Party or its Affiliates in the absence of market power.

For purposes of this Section and Section 23.4.3.2, the term "unjustifiable change" shall mean a change in an Electric Facility's operating parameters that is: (a) not attributable to the Electric Facility's verifiable physical operating capabilities, and (b) is not a rational competitive response to economic factors other than market power.

23.2.4.1.2 Economic withholding of an Electric Facility, that is, submitting Bids for an Electric Facility that are unjustifiably high so that (i) the Electric Facility is not

or will not be dispatched or scheduled, or (ii) the Bids will set a market clearing price.

23.2.4.1.3 Uneconomic production from an Electric Facility, that is, increasing the output of an Electric Facility to levels that would otherwise be uneconomic in order to cause, and obtain benefits from, a transmission constraint.

23.2.4.2 Mitigation Measures may also be imposed, subject to FERC's approval, to mitigate the market effects of a rule, standard, procedure or design feature of an ISO Administered Market that allows a Market Party or its Affiliate to manipulate market prices or otherwise impair the efficient operation of that market, pending the revision of such rule, standard, procedure or design feature to preclude such manipulation of prices or impairment of efficiency.

23.2.4.3 Taking advantage of opportunities to sell at a higher price or buy at a lower price in a market other than an ISO Administered Market shall not be deemed a form of withholding or otherwise inconsistent with competitive conduct.

23.2.4.4 The ISO and the Market Monitoring Unit shall monitor the ISO Administered Markets for other categories of conduct, whether by a single firm or by multiple firms acting in concert, that have material effects on prices or guarantee payments in an ISO Administered Market. The ISO shall: (i) seek to amend the foregoing list as may be appropriate, in accordance with the procedures and requirements for amending the Plan, to include any such conduct that would substantially distort or impair the competitiveness of any of the ISO Administered Markets; and (ii) seek such other authorization to mitigate the effects of such

conduct from the FERC as may be appropriate. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.2 of Attachment O.

23.4 Mitigation Measures

23.4.1 Purpose and Terms

If conduct is detected that meets the criteria specified in Section 23.3, the appropriate mitigation measure described in this Section shall be applied by the ISO. The conduct specified in Sections 23.3.1.1 to 23.3.1.3 shall be remedied by (1) the prospective application of a default bid measure, or (2) the application of a default bid to correct guarantee payments, as further described in Section 23.4.2.2.4, below. If a Market Party or its Affiliates engage in physical withholding by providing the ISO false information regarding the derating or outage of an Electric Facility or does not operate a Generator in conformance with ISO dispatch instructions such that the prospective application of a default bid is not feasible, or if otherwise appropriate to deter either physical or economic withholding, the ISO shall apply the sanction described in Section 23.4.3.

Terms with initial capitalization not defined in Section 23.4 shall have the meaning set forth in the Open Access Transmission Tariff.

23.4.2 Default Bid

23.4.2.1 Purpose

A default bid shall be designed to cause a Market Party to Bid as if it faced workable competition during a period when (i) the Market Party does not face workable competition, and (b) has responded to such condition by engaging in the physical or economic withholding of an Electric Facility. In designing and implementing default bids, the ISO shall seek to avoid causing an Electric Facility to Bid below its marginal cost.

23.4.2.2 Implementation

23.4.2.2.1 If the criteria contained in Section 23.3 are met, the ISO may substitute a default bid or bid parameter for a Bid or bid parameter submitted for an Electric Facility. The default bid or bid parameter shall establish a maximum or minimum value for one or more components of the submitted Bid or Bid parameters, equal to a reference level for that component determined as specified in Section 23.3.1.4.

23.4.2.2.2 An Electric Facility subject to a default bid shall be paid the LBMP or other market clearing price applicable to the output from the facility. Accordingly, a default bid shall not limit the price that a facility may receive unless the default bid determines the LBMP or other market clearing price applicable to that facility.

23.4.2.2.3 If an Electric Facility is mitigated using the automated mitigation procedures described in Section 23.3.2.2.3 of these mitigation measures to a default bid for an Incremental Energy Bid other than a default bid determined as specified in Section 23.3.1.4, the Electric Facility shall receive an additional payment for each interval in which such mitigation occurs equal to the product of: (i) the amount of Energy in that interval scheduled or dispatched to which the incorrect default bid was applied; (ii) the difference between (a) the lesser of the applicable unmitigated bid and a default bid determined in accordance with Section 23.3.1.4, and (b) the applicable LBMP or other relevant market price in each such interval, if (a) greater than (b), or zero otherwise; and (iii) the length of that interval.

If an Electric Facility is mitigated to a default bid for a Start-Up Bid or a Minimum Generation Bid other than a default bid determined as specified in Section 23.3.1.4 of these Mitigation Measures, or if an Electric Facility is mitigated to a default bid for an Incremental Energy Bid other than a default bid determined as specified in Section 23.3.1.4 of these Mitigation Measures based on mitigation procedures other than the automated mitigation procedures described in Section 23.3.2.2.3 of these Mitigation Measures, then the ISO shall determine if the Bids would have failed the relevant conduct test(s) if correctly determined default bids had been used. The ISO shall then restore any original (as-submitted) Bid(s) that would not have failed the relevant conduct test(s) if correctly determined default bids had been used, and use the restored Bid(s) to determine a settlement. Otherwise, the ISO shall use the Generator's correct or corrected default bid(s) to determine a settlement.

23.4.2.2.4 Except as may be specifically authorized by the Commission:

23.4.2.2.4.1 The ISO shall not use a default bid to determine revised market clearing prices for periods prior to the imposition of the default bid.

23.4.2.2.4.2 The ISO shall only be permitted to apply default bids to determine revised real-time guarantee payments to a Market Party in accordance with the provisions of Section 23.3.3.3 of these Mitigation Measures.

23.4.2.2.5 Automated implementation of default bid mitigation measures shall be subject to the following requirements.

- 23.4.2.2.5.1 Automated mitigation measures shall not be applied if the price effects of the measures would cause the average day-ahead energy price in the mitigated locations or zones to rise over the entire day.
- 23.4.2.2.5.2 Automated mitigation measures as specified in Section 23.3.2.2.3 shall be applied to Minimum Generation Bids and start-up costs Bids meeting the applicable conduct and impact tests. When mitigation of Minimum Generation Bids is warranted, mitigation shall be imposed from the first hour in which the impact test is met to the last hour in which the impact test is met, or for the duration of the mitigated Generator's minimum run time, whichever is longer.
- 23.4.2.2.5.3 The posting of the Day-Ahead schedule may be delayed if necessary for the completion of automated mitigation procedures.
- 23.4.2.2.5.4 Bids not mitigated under automated procedures shall remain subject to mitigation by other procedures specified herein as may be appropriate.
- 23.4.2.2.5.5 The role of automated mitigation measures in the determination of Day-Ahead market clearing prices is described in Section 17.1.3 of Attachment B of the ISO Services Tariff.
- 23.4.2.2.6 A Real-Time automated mitigation measure shall remain in effect for the duration of any hour in which there is an RTC interval for which such mitigation is deemed warranted.
- 23.4.2.2.7 A default bid shall not be imposed on a Generator that is not in the New York Control Area and that is electrically interconnected with another Control Area.

23.4.3 Sanctions

23.4.3.1 Types of Sanctions

The ISO may impose financial penalties on a Market Party in amounts determined as specified below.

23.4.3.2 Imposition

The ISO shall impose financial penalties as provided in this Section 23.4.3, if the ISO determines in accordance with the thresholds and other standards specified in this Attachment H that: (i) a Market Party has engaged in physical withholding, including providing the ISO false information regarding the derating or outage of an Electric Facility; or (ii) a Market Party or its Affiliates have failed to follow the ISO's dispatch instructions in real-time, resulting in a different output level than would have been expected had the Market Party's or the Affiliate's generation followed the ISO's dispatch instructions, and such conduct has caused a material increase in one or more prices or guarantee payments in an ISO Administered Market; or (iii) a Market Party has made unjustifiable changes to one or more operating parameters of a Generator that reduce its ability to provide Energy or Ancillary Services; or (iv) a Load Serving Entity has been subjected to a Penalty Level payment in accordance with Section 23.4.4 below; or (v) a Market Party has submitted inaccurate fuel type or fuel price information that is used by the ISO in the development of a Generator's reference level, where the inaccurate reference level that is developed, in turn, directly or indirectly impacts guarantee payments or market clearing prices paid to the Market Party; or (vi) the opportunity to submit Incremental Energy Bids into the real-time market that exceed Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, has been revoked for a Market Party's Generator pursuant to Sections 23.4.7.2 and 23.4.7.3 of these Mitigation Measures.

23.4.3.3 Base Penalty Amount

23.4.3.3.1 Except for financial penalties determined pursuant to Sections 23.4.3.3.2, 23.4.3.3.3, and 23.4.3.3.4 below, financial penalties shall be determined by the product of the Base Penalty Amount, as specified below, times the appropriate multiplier specified in Section 23.4.3.4:

MW meeting the standards for mitigation during Mitigated Hours * Penalty market-clearing price.

23.4.3.3.1.1 For purposes of determining a Base Penalty Amount, the term “Mitigated Hours” shall mean: (i) for a Day-Ahead Market, the hours in which MW were withheld; (ii) for a Real-Time Market, the hours in the calendar day in which MW were withheld; and (iii) for load Bids, the hours giving rise to Penalty Level payments.

23.4.3.3.1.2 For purposes of determining a Base Penalty Amount, the term “Penalty market-clearing price” shall mean: (i) for a withholding seller, the LBMP or other market-clearing price at the generator bus of the withheld resource (or in the relevant Load Zone, if a clearing price is not calculated at the generator bus); and (ii) for a Load Serving Entity, its zonal LBMP.

23.4.3.3.2 The financial penalty for failure to follow ISOs dispatch instructions in real-time, resulting in real-time operation at a different output level than would have been expected had the Market Party’s or the Affiliate’s generation followed the ISO’s dispatch instructions, if the conduct violates the thresholds set forth in Sections 23.3.1.1.1.2, or 23.3.1.3.1.2 of these Mitigation Measures, and if a Market Party or its Affiliates, or at least one Generator, is determined to have had

impact in accordance with Section 23.3.2.1 of these Mitigation Measures, shall be:

One and a half times the estimated additional real time LBMP and Ancillary Services revenues earned by the Generator, or Market Party and its Affiliates, meeting the standards for impact during intervals in which MW were not provided or were overproduced.

23.4.3.3.3 If inaccurate fuel type and/or fuel price information was submitted by or for a Market Party, and the reference level that the ISO developed based on that inaccurate information impacted guarantee payments or market clearing prices paid to the Market Party in a manner that violates the thresholds specified in this Section 23.4.3.3.3, then, following consultation with the Market Party regarding the appropriate fuel type and/or fuel price, the ISO shall apply the penalty set forth below, unless: (i) the Market Party shows that the information was submitted in compliance with the requirements of Section 4.1.9 of the ISO Services Tariff (Incremental Cost Recovery for Units Responding to Local Reliability Rule I-R3 or I-R5), or (ii) the total penalty calculated for a particular Day-Ahead or Real-Time Market day is less than \$5,000, in which case the ISO will not apply a penalty.

23.4.3.3.3.1 Day-Ahead Conduct and Market Impact Tests

23.4.3.3.3.1.1 Day-Ahead Conduct Test

Using the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel

price information, test the Bids to determine if they violate the relevant conduct threshold in accordance with the appropriate provision(s) of Section 23.3.1.2 of these Mitigation Measures.

23.4.3.3.3.1.2 Day-Ahead Impact Test

Using the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information, test the Bids for both LBMP and guarantee payment impact in accordance with the appropriate provisions of Section 23.3.2.1 of these Mitigation measures.

23.4.3.3.3.1.3 Day-Ahead Reliability Commitments in a Constrained Area Consistent with Section 23.5.2 of these Mitigation Measures, the conduct and impact thresholds for In-City Generators committed in the Day-Ahead Market for local reliability shall each be zero.

23.4.3.3.3.2 Real-Time Conduct and Market Impact Tests

23.4.3.3.3.2.1 Real-Time Conduct Test

Using the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information, test the Bids to determine if they violate the relevant conduct threshold in accordance with the appropriate provision(s) of Section 23.3.1.2 of these Mitigation Measures

23.4.3.3.3.2.2 Real-Time LBMP Impact Test

The Market Party's Bids for a Generator will be treated as having a Real-Time Market LBMP impact if the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for a Market Party's submission of inaccurate fuel type and/or fuel price information, is less than or equal to the real-time LBMP at the PTID that represents the Generator's location, and the Generator's reference level that was actually used to test the Bid for LBMP impact in the Real-Time Market for that hour was greater than or equal to the LBMP at the Generator's location.

23.4.3.3.2.3 Real-Time Guarantee Payment Impact Test

Using the greater of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information, test the Bids for guarantee payment impact in accordance with the appropriate provisions of Section 23.3.2.1 of these Mitigation Measures.

23.4.3.3.3.3 Day-Ahead Market Penalty Calculation

If the results of the Day-Ahead Market impact test indicate that the Market Party's Bid had either LBMP or guarantee payment impact then the ISO shall charge the Market Party a penalty, calculated for each penalized day, for each of its Generators, for each hour of the day, as follows:

$$\text{Daily Penalty} = \max \left[(\text{Multiplier} * [\sum_g \blacktriangle \text{Day-Ahead BPCG payment}_g] + (\text{Multiplier}) \sum_h \sum_g ([\text{Market Party MWh}_{gh}] \times [\blacktriangle \text{Day Ahead LBMP@PTID}_{gh}]) + \max [\sum_h \text{TCC Revenue Calc for Market Party}_h, 0]), 0 \right]$$

Where:

g = an index running across all the Market Party's Generators

h = for purposes of this Section 23.4.3.3.3, h is an index running across all hours of the day

Multiplier = a factor of 1.0 or 1.5. The ISO shall use a 1.0 Multiplier if the Market Party has not been penalized for inaccurately reporting fuel type or fuel price information in the Day-Ahead Market over the 6 months prior to the market-day for which the penalty is being calculated. In all other cases the ISO shall use a 1.5 Multiplier.

▲ Day-Ahead BPCG payment $_g$ = the change in the Day-Ahead Market guarantee payment that the Market Party receives for Generator g determined when the ISO performs the Day Ahead Market guarantee payment impact test in accordance with Section 23.3.2.1.2 of these Mitigation Measures

Market Party MWh $_{gh}$ = the MWh of Energy scheduled in the Day-Ahead Market for Generator g in hour h

▲ Day Ahead LBMP@PTID $_{gh}$ = the change in the Day-Ahead Market LBMP for hour h at the location of Generator g , as determined when the ISO performs the relevant Day Ahead Market LBMP impact test in accordance with Section 23.3.2.1.1 or 23.3.2.1.3 of these Mitigation Measures

TCC Revenue Calc for Market Party $_h$ = the change in TCC Revenues that the Market Party receives for hour h , determined when the ISO performs the relevant Day Ahead Market LBMP impact test

23.4.3.3.3.4 Real-Time Market Penalty Calculation

If the results of either of the Real-Time Market impact tests indicate that the Incremental Energy Bid submitted for a Market Party's Generator had either LBMP or guarantee payment impact then the ISO shall charge the Market Party a penalty, calculated for each penalized day, for each of its Generators, for each hour of the day, as follows:

$$\text{Daily Penalty} = \text{Max} [(\text{Multiplier} * \sum_g [\text{▲ simplified guarantee payment}_g]) + \sum_h \sum_g (\text{Multiplier} * [\text{original reference level}_{gh} - \text{updated reference level}_{gh}]) * \text{max} [\text{MWh DAM}_{gh}, \text{MWh RT}_{gh}, \text{Market Party MWh}_{gh}, 0], 0]$$

Where

g = an index running across all the Market Party's Generators

h = an index running across all hours of the day in which inaccurate fuel type or fuel price information was supplied for any of the Market Party's Generators; provided that one of the Bids in that hour "h" for at least one of the Market Party's Generators must have had a Real Time Market LBMP or guarantee payment impact in accordance with Sections 23.4.3.3.3.2.2 or 23.4.3.3.3.2.3 of these Mitigation Measures

Multiplier = a factor of 1.0 or 1.5. The ISO shall use a 1.0 Multiplier if the Market Party has not been penalized for inaccurately reporting fuel type or fuel price information in the Real-Time Market over the 6 months prior to the market-day for which the penalty is being calculated. In all other cases the ISO shall use a 1.5 Multiplier.

Updated reference level_{gh} = greater of a revised reference level calculated using the actual fuel costs of Generator g in hour h, or the reference level that would

have been in place for the Generator in hour h, but for the Market Party's submission of inaccurate fuel type and/or fuel price information

Original reference level_{gh} = the reference level for Generator g in hour h actually used in the Real-Time Market to perform conduct and impact testing of the Market Party's Bids

MWh DAM_{gh} = the MWh that Generator g was scheduled to produce in the Day-Ahead Market in hour h

MWh RT_{gh} = the MWh that Generator g was scheduled to produce in the Real-Time Market in hour h

Market Party MWh_{gh} = MWh produced by Market Party's Generator g that was scheduled to produce energy in hour h in the Real-Time Market

▲ simplified guarantee payment_g = the change in the Real-Time Market guarantee payment that the Market Party receives for Generator g, determined when the ISO performs a simplified Bid Production Cost guarantee payment impact test using the threshold specified in Section 23.3.2.1.2 of these Mitigation Measures. The simplified guarantee payment shall be based upon actual Real-Time Bids, actual Real-Time Generator LBMPs, and reference levels that are the greater of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information

23.4.3.3.4 If the opportunity to submit Incremental Energy Bids into the real-time market that exceed Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, has been

revoked on a Market Party's Generator pursuant to Sections 23.4.7.2 and 23.4.7.3 of these Mitigation Measures, then the following virtual market penalty may be imposed on the Market Party:

Virtual market penalty = (Virtual Load MWs) * (Amount by which the hourly integrated real-time LBMP exceeds the day-ahead LBMP applicable to the Virtual Load MWs)

WHERE:

Virtual Load MWs are the scheduled MWs of Virtual Load Bid by the Market Party in the hour for which an increased real-time Bid for the Market Party's Generator failed the test specified in Section 23.4.7.2 of these Mitigation Measures; and

LBMP is the LBMP at which the Virtual Load MWs settled in the Day-Ahead and real-time Markets.

23.4.3.3.5 Real-Time LBMPs shall not be revised as a result of the imposition of a financial obligation as specified in this Section 23.4.3.3, except as may be specifically authorized by the Commission.

23.4.3.4 Multipliers

The Base Penalty Amount specified in Section 23.4.3.3.1 shall be subject to the following multipliers:

23.4.3.4.1 For the first instance of a type of conduct by a Market Party meeting the standards for mitigation, the multiplier shall be one (1).

- 23.4.3.4.2 For the second instance within the current or the two immediately previous capability periods of substantially similar conduct in the same market by a Market Party or its Affiliates, the multiplier shall be one (1),
- 23.4.3.4.3 For the third instance within the current or the two immediately previous capability periods of substantially similar conduct in the same market by a Market Party or its Affiliates, the multiplier shall be two (2),
- 23.4.3.4.4 For the fourth or any additional instance within the current or immediately previous capability period of substantially similar conduct in the same market by a Market Party or its Affiliates, the multiplier shall be three (3).

23.4.3.5 Dispute Resolution

- 23.4.3.5.1 Parties with of disputes arising from or relating to the imposition of a sanction under this Section 23.4.3 may utilize the dispute resolution provisions of the ISO Services Tariff. The scope of any such proceeding shall include resolution of any dispute as to legitimate justifications, under applicable legal, regulatory or policy standards, for any conduct that is asserted to warrant a penalty. Any or all of the issues in any such proceeding may be resolved by agreement of the parties.
- 23.4.3.5.2 Payment of a financial penalty may be withheld pending conclusion of any arbitration or other alternate dispute resolution proceeding instituted pursuant to the preceding paragraph and any petition to FERC for review under the Federal Power Act of the determination in such dispute resolution proceeding; provided, however, that interest at the ISO's average cost of borrowing shall be payable on any part of the penalty that is withheld, and that is determined to be payable at the

conclusion of the dispute resolution/FERC review process from the date of the infraction giving rise to the penalty to the date of payment. The exclusive remedy for the inappropriate imposition of a financial penalty, to the exclusion of any claim for damages or any other form of relief, shall be a determination that a penalty should not have been imposed, and a refund with interest of paid amounts of a penalty determined to have been improperly imposed, as may be determined in the applicable dispute resolution proceedings.

23.4.3.5.3 This Section 23.4.3 shall not be deemed to provide any right to damages or any other form of relief that would otherwise be barred by Section 30.11 of Attachment O or Section 23.6 of this Attachment H.

23.4.3.5.4 This Section 23.4.3 shall not restrict the right of any party to make such filing with the Commission as may otherwise be appropriate under the Federal Power Act.

23.4.3.6 Disposition of Penalty Funds

Except as specified in Section 23.4.4.3.2, amounts collected as a result of the imposition of financial penalties shall be credited against costs collectable under Rate Schedule 1 of the ISO Services Tariff.

23.4.4 Load Bid Measure

23.4.4.1 Purpose

As initially implemented, the ISO market rules allow loads to choose to purchase power in either the Day-Ahead Market or in the Real-Time Market, but provide other Market Parties less flexibility in opting to sell their output in the Real-Time Market. As a result of this and other design features, certain bidding practices may cause Day-Ahead LBMPs not to achieve the

degree of convergence with Real-Time LBMPs that would be expected in a workably competitive market. A temporary mitigation measure is specified below as an interim remedy if conditions warrant action by the ISO until such time as the ISO develops and implements an effective long-term remedy, if needed. These measures shall only be imposed if persistent unscheduled load causes operational problems, including but not limited to an inability to meet unscheduled load with available resources. The ISO shall post a description of any such operational problem on its web site.

23.4.4.2 Implementation

23.4.4.2.1 Day-Ahead LBMPs and Real-Time LBMPs in each load zone shall be monitored to determine whether there is a persistent hourly deviation between them in any zone that would not be expected in a workably competitive market. Monitoring of Day-Ahead and real-time LBMPs shall include examination of the following two metrics (along with any additional monitoring tools and procedures that the ISO determines to be appropriate to achieve the purpose of this Section 23.4.4):

- (1) The ISO shall compute a rolling average of the hourly deviation of real-time zonal LBMPs from Day-Ahead zonal LBMPs. The hourly deviation shall be measured as: $(\text{zonal LBMP}_{\text{real time}} - \text{zonal LBMP}_{\text{day ahead}})$. Each observation of the rolling-average time series shall be a simple average of all the hourly deviations over the previous four weeks, or such other averaging period determined by the ISO to be appropriate to achieve the purpose of this Section 23.4.4.
- (2) The ISO shall also compute the rolling average *percentage* deviation of real-time zonal LBMPs from Day-Ahead zonal LBMPs. This percentage deviation

shall be calculated by dividing the rolling-average hourly deviation (defined in Section 23.4.4.2.1 (1) above) by the rolling-average level of Day-Ahead zonal LBMP over the same time period, using the averaging period(s) described in Section 23.4.4.2.1 (1), above.

23.4.4.2.2 The ISO shall also estimate and monitor the average percentage of each Load Serving Entity's load scheduled in the Day-Ahead Market, using a methodology intended to identify a sustained pattern of under-bidding as accurately as the ISO deems practicable. The average percentage will be computed over a specified time period determined by the ISO to be appropriate to achieve the purpose of this mitigation measure.

23.4.4.2.3 If the ISO determines that (i) the relationship between zonal LBMPs in a zone in the Day-Ahead Market and the Real-Time Market is not what would be expected under conditions of workable competition, (ii) one or more Load Serving Entities have been meeting a substantial portion of their loads with purchases in the Real-Time Market, and (iii) that this practice has contributed to an unwarranted divergence of LBMP between the two markets, then the following mitigation measure may be imposed. Any such measure shall be rescinded upon a determination by the ISO that any one or more of the foregoing conditions is not met.

23.4.4.3 Description of the Measure

23.4.4.3.1 The ISO may require a Load Serving Entity engaging in the purchasing practice described above to purchase or schedule all of its expected power requirements in the Day-Ahead Market. A Load Serving Entity subject to this

requirement may purchase up to a specified portion of its actual load requirements (the “Allowance Level”) in the Real-Time Market without penalty, as determined by the ISO to be appropriate in recognition of the uncertainty of load forecasting.

23.4.4.3.2 Effective with the imposition of the foregoing requirement, all purchases in the Real-Time Market in excess of this Allowance Level (the “Penalty Level”) shall be settled at a specified premium over the applicable zone LBMP. Revenues from such premiums, if any, shall be rebated on a *pro rata* basis to the Market Parties that scheduled energy for delivery to load within New York in the Day-Ahead Market for the day in which the revenues were collected.

23.4.4.3.3 The Allowance Level and the Penalty Level shall be established by the ISO at levels deemed effective and appropriate to mitigate the market effects described in this Section 23.4.4. In addition, the Penalty Level payments shall be waived in any hour in which the Allowance Level is exceeded because of unexpected system conditions.

23.4.5 Installed Capacity Market Mitigation Measures

23.4.5.1 If and to the extent that sufficient installed capacity is not under a contractual obligation to be available to serve load in New York and if physical or economic withholding of installed capacity would be likely to result in a material change in the price for installed capacity in all or some portion of New York, the ISO, in consideration of the comments of the Market Parties and other interested parties, shall amend this Attachment H, in accordance with the procedures and requirements for amending the Plan, to implement appropriate mitigation measures for installed capacity markets.

23.4.5.2 Offers to sell Mitigated UCAP in an ICAP Spot Market Auction shall not be higher than the higher of (a) the UCAP Offer Reference Level for the applicable ICAP Spot Market Auction, or (b) the Going-Forward Costs of the Installed Capacity Supplier supplying the Mitigated UCAP. Where an Installed Capacity Supplier is a Pivotal Supplier in some, but not all, Mitigated Capacity Zones in which it has Resources, such Installed Capacity Supplier's offer to sell Mitigated UCAP in any ICAP Spot Market Auction for any Resource for which it is a Pivotal Supplier shall not be higher than the higher of (a) the lowest of the UCAP Offer Reference Levels for each Mitigated Capacity Zone in which such Installed Capacity Supplier has Resources; or (b) if an Offer for a Resource has an applicable Going-Forward Cost, such Going-Forward Cost.

23.4.5.3 An Installed Capacity Supplier's Going-Forward Costs for an ICAP Spot Market Auction shall be determined upon the request of the Responsible Market Party for that Installed Capacity Supplier. The Going-Forward Costs shall be determined by the ISO after consultation with the Responsible Market Party, provided such consultation is requested by the Responsible Market Party not later than 50 business days prior to the deadline for offers to sell Unforced Capacity in such auction, and provided such request is supported by a submission showing the Installed Capacity Supplier's relevant costs in accordance with specifications provided by the ISO. Such submission shall show (1) the nature, amount and determination of any claimed Going-Forward Cost, and (2) that the cost would be avoided if the Installed Capacity Supplier is taken out of service or retired, as applicable. If the foregoing requirements are met, the ISO shall determine the

level of the Installed Capacity Supplier's Going-Forward Costs and shall seasonally adjust such costs not later than 7 days prior to the deadline for submitting offers to sell Unforced Capacity in such auction. A Responsible Market Party shall request an updated determination of an Installed Capacity Supplier's Going-Forward Costs not less often than annually, in the absence of which request the Installed Capacity Supplier's offer cap shall revert to the UCAP Offer Reference Level. An updated determination of Going-Forward Costs may be undertaken by the ISO at any time on its own initiative after consulting with the Responsible Market Party. Any redetermination of an Installed Capacity Supplier's Going-Forward Costs shall conform to the consultation and determination schedule specified in this paragraph. The costs that an Installed Capacity Supplier would avoid as a result of retiring should only be included in its Going-Forward Costs if the owner or operator of that Installed Capacity Supplier actually plans to mothball or retire it if the Installed Capacity revenues it receives are not sufficient to cover those costs.

23.4.5.4 Mitigated UCAP shall be offered in each ICAP Spot Market Auction in accordance with Section 5.14.1.1 of the ISO Services Tariff and applicable ISO procedures, unless it has been exported to an External Control Area or sold to meet Installed Capacity requirements outside the Mitigated Capacity Zone in which the ICAP Supplier is a Pivotal Supplier is located in a transaction that does not constitute physical withholding under the standards specified below.

23.4.5.4.1 An export to an External Control Area or sale to meet an Installed Capacity requirement outside the Mitigated Capacity Zone in which the ICAP

Supplier is a Pivotal Supplier is located of Mitigated UCAP (either of the foregoing being referred to as “External Sale UCAP”) may be subject to audit and review by the ISO to assess whether such action constituted physical withholding of UCAP from a Mitigated Capacity Zone. External Sale UCAP shall be deemed to have been physically withheld on the basis of a comparison of the net revenues from UCAP sales that would have been earned by the sale in a Mitigated Capacity Zone of External Sale UCAP. The comparison shall be made for the period for which Installed Capacity is committed (the “Comparison Period”) in each of the shortest term organized capacity markets (the “External Reconfiguration Markets”) for the area and during the period in which the Mitigated UCAP was exported or sold. External Sale ICAP shall be deemed to have been withheld from a Mitigated Capacity Zone if: (1) the Responsible Market Party for the External Sale UCAP could have made all or a portion of the External Sale UCAP available to be offered in the Mitigated Capacity Zone by buying out of its external capacity obligation through participation in an External Reconfiguration Market; and (2) the net revenues over the Comparison Period from sale in the Mitigated Capacity Zone of the External Sale UCAP that could have been made available for sale in that Locality would have been greater by 15% or more, provided that the net revenues were at least \$2.00/kilowatt-month more than the net UCAP revenues from that portion of the External Sale UCAP over the Comparison Period.

23.4.5.4.2 If Mitigated UCAP is not offered or sold as specified above, the Responsible Market Party for such Installed Capacity Supplier shall pay the ISO

an amount equal to the product of (A) 1.5 times the difference between the Market-Clearing Price for the Mitigated Capacity Zone in the ICAP Spot Market Auction with and without the inclusion of the Mitigated UCAP and (B) the total of (1) the amount of Mitigated UCAP not offered or sold as specified above, and (2) all other megawatts of Unforced Capacity in the Mitigated Capacity Zone under common Control with such Mitigated UCAP. If the failure to offer was associated with the same period as the sale of External Sale UCAP, and the failure caused or contributed to an increase in UCAP prices in the Mitigated Capacity Zone of 15 percent or more, provided such increase is at least \$2.00/kilowatt-month, the Responsible Market Party for such Installed Capacity Supplier shall be required to pay to the ISO an amount equal to 1.5 times the lesser of (A) the difference between the average Market-Clearing Price for the Mitigated Capacity Zone in the ICAP Spot Market Auctions for the relevant Comparison Period with and without the inclusion of the External Sale UCAP in those auctions, or (B) the difference between such average price and the clearing price in the External Reconfiguration Market for the relevant Comparison Period, times the total of (1) the amount of Mitigated UCAP not offered or sold as specified above, and (2) all other megawatts of Unforced Capacity in the Mitigated Capacity Zone under common Control with such Mitigated UCAP. The ISO will distribute any amounts recovered in accordance with the foregoing provisions among the LSEs serving Loads in regions affected by the withholding in accordance with ISO Procedures.

23.4.5.4.3 Reasonably in advance of the deadline for submitting offers in an External Reconfiguration Market the Responsible Market Party for External Sale UCAP may request the ISO to provide a projection of ICAP Spot Auction clearing prices for the Mitigated Capacity Zone over the Comparison Period for the External Reconfiguration Market. Such requests, and the ISO's response, shall be made in accordance with the deadlines specified in ISO Procedures. Prior to completing its projection of ICAP Spot Auction clearing prices for the Mitigated Capacity Zone over the Comparison Period for the External Reconfiguration Market, the ISO shall consult with the Market Monitoring Unit regarding such price projection. The Responsible Market Party shall be exempt from a physical withholding penalty as specified in Section 23.4.5.4.2, below, if at the time of the deadline for submitting offers in an External Reconfiguration Market its offers, if accepted, would reasonably be expected to produce net revenues from External UCAP Sales that would exceed the net revenues that would have been realized from sale of the External UCAP Sales capacity in the Mitigated Capacity Zone at the ICAP Spot Auction prices projected by the ISO. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.8 of Attachment O.

23.4.5.5 Control of Unforced Capacity shall be rebuttably presumed from (i) ownership of an Installed Capacity Supplier, or (ii) status as the Responsible Market Party for an Installed Capacity Supplier, but may also be determined on the basis of other evidence. For purposes of determining if a Responsible Market Party is a Pivotal Supplier in a Mitigated Capacity Zone except the G-J Locality,

the presumption of Control of Unforced Capacity can be rebutted by: (1) the sale of Unforced Capacity in a Capability Period Auction or a Monthly Auction, or (2) demonstrating to the reasonable satisfaction of the ISO that the ability to determine the price and quantity of offers to supply Unforced Capacity has been conveyed to a person or entity that is not an Affiliated Entity without limitation or condition. For purposes of determining if a Responsible Market Party is a Pivotal Supplier in the G-J Locality, the presumption of Control of Unforced Capacity can be rebutted by demonstrating to the reasonable satisfaction of the ISO that the ability to determine the price and quantity of offers to supply Unforced Capacity has been conveyed to a person or entity that is not an Affiliated Entity without limitation or condition, but cannot be rebutted by the sale of Unforced Capacity in a Capability Period or Monthly Auction. For any Mitigated Capacity Zone, if the presumption has not been rebutted, and if two or more Market Parties each have rights or obligations with respect to Unforced Capacity from an Installed Capacity Supplier that could reasonably be anticipated to affect the quantity or price of Unforced Capacity transactions in an ICAP Spot Market Auction, the ISO may attribute Control of the affected MW of Unforced Capacity from the Installed Capacity Supplier to each such Market Party. Prior to reaching its decision regarding whether the presumption of control of Unforced Capacity has been rebutted, the ISO shall provide its preliminary determination to the Market Monitoring Unit for review and comment. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.9 of Attachment O.

23.4.5.6 Audit, Review, and Penalties for Physical Withholding to Increase Market-Clearing Prices

23.4.5.6.1 Audit and Review of Proposals or Decisions to Remove or Derate Installed Capacity from a Mitigated Capacity Zone

Any proposal or decision by a Market Participant to retire or otherwise remove an Installed Capacity Supplier from a Mitigated Capacity Zone Unforced Capacity market, or to derate the amount of Installed Capacity available from such supplier, may be subject to audit and review by the ISO if the ISO determines that such action could reasonably be expected to affect Market-Clearing Prices in one or more ICAP Spot Market Auctions for a Mitigated Capacity Zone in which the Resource(s) that is the subject of the proposal or decision is located, subsequent to such action; provided, however, no audit and review shall be necessary if the Installed Capacity Supplier is a Generator that is being retired or removed from a Mitigated Capacity Zone as the result of a Forced Outage that began on or after May 1, 2015 that was determined by the ISO to be a Catastrophic Failure. Such an audit or review shall assess whether the proposal or decision has a legitimate economic justification or is based on an effort to withhold Installed Capacity physically in order to affect prices. The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.10 of Attachment O.

23.4.5.6.2 Audit and Review of the Reclassification of a Generator in a Mitigated Capacity Zone From a Forced Outage to an ICAP Ineligible Forced Outage

This Section 23.4.5.6.2 shall apply to a Market Party whose Installed Capacity Supplier is a Generator that began a Forced Outage on or after May 1, 2015.

23.4.5.6.2.1 Any reclassification of an Installed Capacity Supplier that is a Generator in a Mitigated Capacity Zone from a Forced Outage to an ICAP Ineligible Forced Outage by a Market Party or otherwise, pursuant to the terms of Section 5.18.2.1 of this Services Tariff, may be subject to audit and review by the ISO if the ISO determines that such reclassification could reasonably be expected to affect the Market-Clearing Price in one or more ICAP Spot Market Auctions for a Mitigated Capacity Zone in which the Generator(s) that is the subject of the reclassification is located, subsequent to such action; provided, however, if the Market Party's Generator experienced the Forced Outage as a result of a Catastrophic Failure, the reclassification of a Generator in a Mitigated Capacity Zone from a Forced Outage to an ICAP Ineligible Forced Outage shall not be subject to audit and review pursuant to this Section 23.4.5.6.2.

The audit and review pursuant to the above paragraph shall assess whether the reclassification of the Generator in a Mitigated Capacity Zone from a Forced Outage to an ICAP Ineligible Forced Outage had a legitimate economic justification or is based on an effort to withhold Installed Capacity physically in order to affect prices.

The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.10 of Attachment O.

23.4.5.6.2.2 The audit and review pursuant to Section 23.4.5.6.2.1 shall be deferred by the ISO beyond the time period established in ISO Procedures for the audit and

review of a reclassification of a Generator from a Forced Outage to an ICAP Ineligible Forced Outage if the Generator was in a Forced Outage for at least 180 days before the reclassification and one or more Exceptional Circumstances delayed the acquisition of data necessary for the ISO's audit and review.

The ISO shall conduct the audit and review after its receipt of data that it determines is necessary for the audit and review; provided, however, if, at the time the ISO acquires the necessary data, the Market Party has Commenced Repair of the Generator, or the Generator is determined by the ISO to have had a Catastrophic Failure, the Market Party shall not be subject to an audit and review pursuant to Section 23.4.5.6.2.1 of this Services Tariff. A Generator that Commenced Repair while in an ICAP Ineligible Forced Outage but that ceased or unreasonably delayed that repair shall be subject to audit and review by the ISO pursuant to Section 23.4.5.6.2.1 of this Services Tariff.

The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.10 of Attachment O.

23.4.5.6.2.3 The audit and review of the removal of a Generator from a Forced Outage to an ICAP Ineligible Forced Outage, and the determinations of Catastrophic Failure and Exceptional Circumstances, will be pursuant to specific timelines established in ISO Procedures.

23.4.5.6.2.4 The audit and review pursuant to Sections 23.4.5.6.2.1, and 23.4.5.6.2.2 shall be conducted to determine whether the decision not to repair a Generator

had a legitimate economic justification, consistent with competitive behavior; that is, whether the cost of repair, including the risk-adjusted cost of capital, could not reasonably be expected to be recouped over the reasonably anticipated remaining life of the generator. The elements of such audit and review may include, as appropriate, the historical revenue and maintenance cost data for the purpose of the baseline, the duration of the repair, the costs including, but not limited to, capital expenditures necessary to comply with federal or state environmental, safety or reliability requirements that must be met in order to operate the Generator, the anticipated capacity, energy and ancillary services revenues following the repair, the projected costs of operating the Generator following the repair, any benefits that would be foregone from using the site for a purpose other than as the existing Generator (e.g., repowering), and other relevant data.

The criteria for the audit and review provided in this Services Tariff Section 23.4.5.6.2.4 may be incorporated, as appropriate, in an audit and review required to be conducted pursuant to other provisions in this Services Tariff Section 23.4.

23.4.5.6.2.5 For a requesting Market Party, a determination that the Market Party has experienced Exceptional Circumstances shall be made by the ISO by the 160th day of the Generator's Forced Outage. The ISO shall use reasonable efforts to issue a determination that a Market Party has experienced Exceptional Circumstances after it has Commenced Repair and requests reclassification to an ICAP Ineligible Force Outage by the 40th day after the ISO's receipt of data necessary to conduct the analysis.

For a requesting Market Party, a determination that a Generator has experienced a Catastrophic Failure shall be made by the ISO by the 160th day of the Forced Outage. If the ISO has determined that Exceptional Circumstances will delay the submission of data necessary for the ISO to perform an audit and review pursuant to Section 23.4.5.6.2.1 or 23.4.5.6.2, the ISO shall use reasonable efforts to issue a determination that the Generator has experienced a Catastrophic Failure by the 40th day after receipt of data necessary to conduct the analysis.

23.4.5.6.3 Penalties for Withholding Installed Capacity Physically In Order To Affect Prices

If the ISO determines that either: i) pursuant to Section 23.4.5.6.1, the proposal or decision by a Market Party to retire or otherwise remove an Installed Capacity Supplier from a Mitigated Capacity Zone, or to de-rate the amount of Installed Capacity available from such supplier, or ii) pursuant to Section 23.4.5.6.2, the ISO determines that the reclassification of an Installed Capacity Supplier that is a Generator from a Forced Outage to an ICAP Ineligible Forced Outage constitutes physical withholding, and would increase the Market-Clearing Price in one or more ICAP Spot Market Auctions for a Mitigated Capacity Zone by five percent or more, provided such increase is at least \$.50/kilowatt-month, for each such violation of the above requirements the Market Party shall be assessed an amount equal to the product of (A) 1.5 times the difference between the Market Clearing Price for the Mitigated Capacity Zone in the ICAP Spot Market Auctions with and without the inclusion of the withheld UCAP in those auctions, and (B) the total of (1) the number of megawatts withheld in the month and (2) all other megawatts of Installed Capacity in the Mitigated Capacity Zone under common Control with such withheld megawatts in the month. The requirement to pay such amounts shall continue until the Market Party demonstrates that the removal from service, retirement, or de-rate, as

described in Section 23.4.5.6.1, or reclassification as described in Section 23.4.5.6.2 is justified by economic considerations other than the effect of such action on Market-Clearing Prices in the ICAP Spot Market Auctions for the Mitigated Capacity Zone. The ISO will distribute any amount recovered in accordance with the foregoing provisions among the LSEs serving Loads in the Mitigated Capacity Zone(s) wherein the Market-Clearing Price was affected for the month corresponding to the penalty accordance with ISO Procedures.

23.4.5.7 Unless exempt as specified below, offers to supply Unforced Capacity from a Mitigated Capacity Zone Installed Capacity Supplier: (i) shall equal or exceed the applicable Offer Floor; and (ii) can only be offered in the ICAP Spot Market Auctions. Except for Offer Floors applied pursuant to Section 23.4.5.7.9.5.2 (*i.e.*, after the revocation of a Competitive Entry Exemption), the Offer Floor shall apply to offers for Unforced Capacity from the Installed Capacity Supplier, if it is not a Special Case Resource, starting with the Capability Period for which the Installed Capacity Supplier first offers to supply UCAP. Offer Floors applied pursuant to Section 23.4.5.7.9.5.2 shall apply to offers for Unforced Capacity from an Installed Capacity Supplier starting with all ICAP auction activity subsequent to the date of the revocation. Offer Floors shall cease to apply to that portion of a resource's UCAP (rounded down to the nearest tenth of a MW) that has cleared for any twelve, not-necessarily-consecutive, months (such cleared amount, "Cleared UCAP"). Offer Floors shall be adjusted annually using the inflation rate component of the escalation factor of the relevant effective ICAP Demand Curves that have been accepted by the Commission.

23.4.5.7.1 Unforced Capacity from an Installed Capacity Supplier that is subject to an Offer Floor may not be used to satisfy any LSE Unforced Capacity Obligation for Mitigated Capacity Zone Load unless such Unforced Capacity is obtained through participation in an ICAP Spot Market Auction.

23.4.5.7.2 An Installed Capacity Supplier, in a Mitigated Capacity Zone for which the Commission has accepted an ICAP Demand Curve, shall be exempt from an Offer Floor if: (a) the price that is equal to the (x) average of the ICAP Spot Market Auction price for each month in the two Capability Periods, beginning with the Summer Capability Period commencing three years from the start of the year of the Class Year (the “Starting Capability Period”) is projected by the ISO to be higher, with the inclusion of the Installed Capacity Supplier, than (y) the numerical value equal to 75 percent of the Mitigation Net CONE that would be applicable to such supplier in the same two (2) Capability Periods (utilized to compute (x)), (b) the price that is equal to the average of the ICAP Spot Market Auction prices in the six Capability Periods beginning with the Starting Capability Period is projected by the ISO to be higher, with the inclusion of the Installed Capacity Supplier, than the reasonably anticipated Unit Net CONE of the Installed Capacity Supplier, or (c) it has been determined to be exempt pursuant to Section 23.4.5.7.9 (the “Competitive Entry Exemption”). For purposes of the determinations pursuant to (a) and (b) of this section, the ISO shall identify Unit Net CONE and the price on the ICAP Demand Curve projected for a future Mitigation Study Period consistent with Sections 23.4.5.7.3.2 or 23.4.5.7.4, as appropriate, for each Examined Facility promptly after it (i) has

accepted its SDU Project Cost Allocation and deliverable MW, if any, from the Final Decision Round and (ii) along with all other remaining members, has posted any associated security pursuant to OATT Section 25 (OATT Attachment S) (for purposes of Section 23.4, a project that “remains a member of a completed Class Year”). The first year value of an Examined Facility’s Unit Net CONE will be calculated pursuant to Section 23.4.5.7, Section 23.4.5.7.2.4, or 23.4.5.7.3.2, will be established at the time such Examined Facility first offers UCAP, and will be used by the ISO in subsequent mitigation exemption or Offer Floor determinations for Additional CRIS MW. Any determination received pursuant to this Section 23.4.5.7.2, Section 23.4.5.7.6. or 23.4.5.7.7 shall not become final for the relevant Examined Facility unless the Examined Facility accepts its SDU Project Cost Allocation and deliverable MW, if any, from the Final Decision Round, and posted any associated security pursuant to OATT Section 25, and remains a member of the completed Class Year. The Unit Net CONE or exemption determination pursuant to this Section shall be final on the date the ISO issues a notice to stakeholders that the Class Year decisional process has been completed.

23.4.5.7.2.1 Promptly after Commission acceptance of the first ICAP Demand Curve to apply to a Mitigated Capacity Zone, the ISO shall make an exemption and Offer Floor determination for any NCZ Examined Project that is in a completed Class Year and has received CRIS, unless exempt pursuant to section 23.4.5.7.6 or 23.4.5.7.8.

23.4.5.7.2.2 The ISO shall make an “Indicative Buyer-Side Mitigation Exemption Determination” for any NCZ Examined Project if (i) the Commission has accepted an ICAP Demand Curve for the Mitigated Capacity Zone that will become effective when the Mitigated Capacity Zone is first effective, or (ii) if the Commission has not accepted the first ICAP Demand Curve to apply specifically to the Mitigated Capacity Zone in which the NCZ Examined Project is located, provided the ISO has filed an ICAP Demand Curve pursuant to Services Tariff Section 5.14.1.2.11. The Indicative Buyer-Side Mitigation Exemption Determination shall be computed using such ICAP Demand Curve for the Mitigated Capacity Zone concurrent with the determinations the ISO makes for Examined Facilities pursuant to Sections 23.4.5.7.3.2 and 23.4.5.7.3.3. The ISO shall recompute the Indicative Buyer-Side Mitigation Exemption Determination promptly after Commission acceptance of the first ICAP Demand Curve for the applicable Locality provided that such NCZ Examined Project (i) received CRIS if the Class Year completed at the time the Commission accepts the Demand Curve, or (ii) has not been removed from the Class Year Deliverability Study if the Class Year is not completed. The Indicative Buyer-Side Mitigation Exemption Determination is for informational purposes only. The exemption or Offer Floor for an NCZ Examined Project to which this Section applies shall be determined for such projects receiving CRIS using the Commission-accepted Locality Demand Curve.

23.4.5.7.2.3 Any NCZ Examined Project not exempt pursuant to 23.4.5.7.8 shall provide data and information requested by the ISO by the date specified by the ISO, in accordance with the ISO Procedures.

The ISO shall compute the reasonably anticipated ICAP Spot Market Auction forecast price based on Expected Retirements (as defined in subsection 23.4.5.7.2.3.1), plus each NCZ Examined Project.

23.4.5.7.2.3.1 Expected Retirements shall be determined based on any Generator that provided written notice to the New York State Public Service Commission that it intends to retire, plus any UDR facilities, or any Generator 2 MW or less that provided written notice to the ISO that it intends to retire.

23.4.5.7.2.3.2 The Load forecast shall be based on data used to develop the Indicative Locational Minimum Installed Capacity Requirement, and Special Case Resources based on data for the Mitigated Capacity Zone that is part of the Special Case Resource data set forth in the most-recently published Load and Capacity Data (Gold Book).

23.4.5.7.2.4 The ISO shall post on its website the inputs of the reasonably anticipated ICAP Spot Market Auction forecast prices determined in accordance with 23.4.5.7.2.3 (except for the posting of an input which would disclose Confidential Information), the Expected Retirements, and the NCZ Examined Projects, before the exemption or Offer Floor determination under this Section.

When the ISO is evaluating more than one NCZ Examined Project concurrently, the ISO shall recognize in its computation of the anticipated ICAP Spot Market Auction forecast price that Generators or UDR facilities will clear

from lowest to highest, using for each NCZ Examined Project the lower of (i) the first year value of its Unit Net CONE, or (ii) the numerical value equal to 75 percent of the Mitigation Net Cone, then inflated in accordance with 23.4.5.7 for each of the year two and year three of the Mitigation Study Period.

23.4.5.7.2.5 When evaluating NCZ Examined Projects pursuant to Sections 23.4.5.7.2.1 or 23.4.5.7.2.2, the ISO shall seek comment from the Market Monitoring Unit on matters relating to the determination of price projections and cost calculations. The ISO shall inform the NCZ Examined Project of the Offer Floor or Offer Floor exemption determination or Indicative Buyer-Side Mitigation Exemption Determination promptly. The responsibilities of the Market Monitoring Unit that are addressed in this Section 23.4.5.7.2.5 are also addressed in Section 30.4.6.2.12 of Attachment O.

23.4.5.7.2.6 If an NCZ Examined Project under the criteria in 23.4.5.7.2.1 or 23.4.5.7.2.2 does not provide all of the requested data by the date specified by the ISO, the MW of CRIS received at that time by the project shall be subject to the Mitigation Net CONE Offer Floor for the period determined by the ISO in accordance with Section 23.4.5.7.

23.4.5.7.2.7 An NCZ Examined Project or Examined Facility located in more than one Mitigated Capacity Zone shall be evaluated pursuant to the tests in Section 23.4.5.7.2 (a) and (b) or 23.4.5.7.3 (as applicable), calculating Mitigation Net CONE for the smallest Mitigated Capacity Zone that contains the Load Zone in which such NCZ Examined Project or Examined Facility is electrically located.

23.4.5.7.3 The ISO shall make such exemption and Unit Net CONE determination for each “Examined Facility” (collectively “Examined Facilities”) which term shall mean (I) each proposed new Generator and proposed new UDR project, and each existing Generator that has ERIS only and no CRIS, that is a member of the Class Year that requested CRIS, or that requested an evaluation of the transfer of CRIS rights from another location, in the Class Year Facilities Study commencing in the calendar year in which the Class Year Facility Study determination is being made (the Capability Periods of expected entry as further described below in this Section, the “Mitigation Study Period”), (II) each (i) existing Generator that did not have CRIS rights, and (ii) proposed new Generator and proposed new UDR project, that is an expected recipient of transferred CRIS rights at the same location regarding which the ISO has been notified by the transferor or the transferee of a transfer pursuant to OATT Attachment S Section 25.9.4 that will be effective on a date within the Mitigation Study Period, (III) each proposed new Generator that (a) is either (i) in the ISO Interconnection Queue, in a Class Year prior to 2009/10, and has not commenced commercial operation or been canceled, and for which the ISO has not made an exemption or Unit Net CONE determination, or (ii) not subject to a deliverability requirement (and therefore, is not in a Class Year) and (b) provides specific written notification to the ISO no later than the date identified by the ISO, that it plans to commence commercial operation and offer UCAP in a month that coincides with a Capability Period of the Mitigation Study Period. The term “Examined Facilities” does not include

any facility exempt from an Offer Floor pursuant to the provisions of Section 23.4.5.7.

23.4.5.7.3.1 The commercial operation date to be used by the ISO solely for purposes of identifying the Examined Facilities will be determined by the ISO at the time of the Class Year Study as the date most-recently (A) identified by the project to the ISO in the Interconnection Facilities Study process or (B) reflected in the Interconnection Queue, or if neither of the foregoing is applicable, then the date identified by the project to the Transmission Owner to which it has proposed interconnecting.

23.4.5.7.3.2 The ISO shall compute the reasonably anticipated ICAP Spot Market Auction forecast price for any Mitigated Capacity Zone based on Expected Retirements (as defined in this subsection 23.4.5.7.3.2), plus each Examined Facility in 23.4.5.7.3 (I), (II), and (III).

Expected Retirements shall be determined based on any Generator that provided written notice to the New York State Public Service Commission that it intends to retire, plus any UDR facility or Generator 2 MW or less that provided written notice to the ISO that it intends to retire.

The load forecast and Special Case Resources shall be as set forth in the most-recently published Load and Capacity Data (Gold Book).

Before the commencement of the Initial Decision Period for the Class Year, the ISO shall post on its website the inputs of the reasonably anticipated ICAP Spot Market Auction forecast prices determined in accordance with 23.4.5.7.3.2, the Expected Retirements, and the Examined Facilities, before the Initial Project Cost

Allocation, subject to any restrictions on the disclosure of Confidential Information or Critical Energy Infrastructure Information.

When the ISO is evaluating more than one Examined Facility concurrently, the ISO shall recognize in its computation of the anticipated ICAP Spot Market Auction forecast price that Generators or UDR facilities will clear from lowest to highest, using for each Examined Facility the lower of (i) the first year value of its Unit Net CONE, or (ii) the numerical value equal to 75 percent of the Mitigation Net Cone, then inflated in accordance with 23.4.5.7 for each of the year two and year three of the Mitigation Study Period.

23.4.5.7.3.3 All developers, Interconnection Customers, and Installed Capacity

Suppliers for any Examined Facility that do not request CRIS shall provide data and information requested by the ISO by the date specified by the ISO, in accordance with the ISO Procedures. For any such Examined Facility that is in a Class Year but that only has ERIS rights after the Project Cost Allocation process is complete, the ISO shall utilize the data first provided in its analysis of the Unit Net CONE in its review of the project in any future Class Year in which the Generator or UDR facility requests CRIS. The ISO shall determine the reasonably anticipated Unit Net CONE less the costs to be determined in the Project Cost Allocation or Revised Project Cost Allocation, as applicable, prior to the commencement of the Initial Decision Period Class Year, and shall provide to the Examined Facility the ISO's initial determination of an exemption or the Offer Floor. On or before the three (3) days prior to the ISO's issuance of the Revised Project Cost Allocation, the ISO will revise its forecast of ICAP Spot Market

Auction prices for the Capability Periods in the Mitigation Study Period based on the Examined Facilities that remain in the Class Year for CRIS and the Examined Facilities that meet 23.4.5.7.3 (II) or (III). When evaluating Examined Capacity pursuant to this Section 23.4.5.7, the ISO shall seek comment from the Market Monitoring Unit on matters relating to the determination of price projections and cost calculations. The ISO shall provide to each project its revised price forecast and a revised initial determination for a Subsequent Decision Period no later than the ISO's issuance of a Revised Project Cost Allocation. If a project remains a member of a completed Class Year, the ISO shall inform the project of the final determination of the Offer Floor or whether the Offer Floor exemption specified above in this Section is applicable as soon as practicable after the date the ISO issues a notice to stakeholders that the Class Year decisional process has been completed, in accordance with methods and procedures specified in ISO Procedures. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.12 of Attachment O.

23.4.5.7.3.4 If an Examined Facility under the criteria in 23.4.5.7.3 (II) or (III) has not provided written notice to the ISO on or before the date specified by the ISO, or any Examined Facility required to be reviewed does not provide all of the requested data by the date specified by the ISO, the proposed Capacity shall be subject to the Mitigation Net CONE Offer Floor for the period determined by the ISO in accordance with Section 23.4.5.7.

23.4.5.7.3.5 Except as specified in Section 23.4.5.7.6 with respect to Additional CRIS MW, an Examined Facility for which an exemption or Offer Floor determination has been rendered may only be reevaluated for an exemption or Offer Floor determination if it meets the criteria in Section 23.4.5.7.3 (I) and either (a) enters a new Class Year for CRIS or (b) intends to receive transferred CRIS rights at the same location. An Examined Facility under the criteria in 23.4.5.7.3 (II) that did receive CRIS rights will be bound by the determination rendered and will not be reevaluated, and an Examined Facility under the criteria in 23.4.5.7.3 (III) will not be reevaluated.

23.4.5.7.3.6 If an Installed Capacity Supplier demonstrates to the reasonable satisfaction of the ISO that the value equal to the first of the three year values in the Mitigation Study Period that comprise its Unit Net CONE is less than any Offer Floor that would otherwise be applicable to the Installed Capacity Supplier, then its Offer Floor shall be reduced to a numerical value equal to the first year of its Unit Net CONE.

23.4.5.7.3.7 If the Installed Capacity Supplier first offers UCAP prior to the first Capability Year of the Mitigation Study Period for which it was evaluated, its Offer Floor shall be reduced using the inflation rate component identified in Section 23.4.5.7. If the Installed Capacity Supplier first offers UCAP after the first Capability Year of the Mitigation Study Period for which it was evaluated, its Offer Floor shall be increased using the inflation rate component identified in 23.4.5.7.

23.4.5.7.4 For purposes of Sections 23.4.5.7.2(b) and 23.4.5.7.6(b), the ISO shall identify (A) the Unit Net CONE projected for a Mitigation Study Period using: (i) the inflation rate component of the escalation factor of the relevant ICAP Demand Curves for any year for which there are accepted ICAP Demand Curves, and (ii) the inflation rate component of the escalation factor of the last year of accepted relevant ICAP Demand Curves if relevant ICAP Demand Curves do not apply to the year; and (B) the price on the ICAP Demand Curve projected for a Mitigation Study Period using (i) the escalation factor of the relevant ICAP Demand Curves for any year for which there are accepted ICAP Demand Curves; and (ii) the escalation factor of the last year of accepted ICAP Demand Curves if relevant ICAP Demand Curves do not apply to the year. For purposes of Section 23.4.5.7.2(a), the ISO shall use the escalation factor of the relevant ICAP Demand Curves.

23.4.5.7.5 A Mitigated Capacity Zone Installed Capacity Supplier that is a Special Case Resource shall be subject to an Offer Floor beginning with the month of its initial offer to supply Installed Capacity, and until its offers of Installed Capacity have been accepted in the ICAP Spot Market Auction at a price at or above its Offer Floor for a total of twelve, not necessarily consecutive, months. A Special Case Resource shall be exempt from the Offer Floor if (a) it is located in a Mitigated Capacity Zone except New York City and is enrolled as a Special Case Resource with the ISO for any month within the Capability Year that includes March 31 in an ICAP Demand Curve Reset Filing Year in which the ISO proposes a New Capacity Zone that includes the location of the Special Case

Resource, or (b) the ISO projects that the ICAP Spot Market Auction price will exceed the Special Case Resource's Offer Floor for the first twelve months that the Special Case Resource reasonably anticipated to offer to supply UCAP. If a Responsible Interface Party fails to provide Special Case Resource data that the ISO needs to conduct the calculations described in the two preceding sentences by the deadline established in ISO Procedures, the Special Case Resource will cease to be eligible to offer or sell Installed Capacity. The Offer Floor for a Special Case Resource shall be equal to the minimum monthly payment for providing Installed Capacity payable by its Responsible Interface Party, plus the monthly value of any payments or other benefits the Special Case Resource receives from a third party for providing Installed Capacity, or that is received by the Responsible Interface Party for the provision of Installed Capacity by the Special Case Resource. The Offer Floor calculation for a Special Case Resource located in New York City shall include any payment or the value of other benefits that are awarded for offering or supplying Mitigated Capacity Zone Capacity unless such payment or the value of other benefits is ruled exempt by Commission order in response to a request for exemption filed under section 206 of the Federal Power Act by New York State or a government instrumentality of New York State. The Offer Floor calculation for a Special Case Resource located in a Mitigated Capacity Zone except New York City shall include any payment or the value of other benefits that are awarded for offering or supplying Mitigated Capacity Zone Capacity, except for payments or the value of other benefits provided under programs administered or approved by New York State or a government

instrumentality of New York State. Offers by a Responsible Interface Party at a PTID shall be not lower than the highest Offer Floor applicable to a Special Case Resource providing Installed Capacity at that PTID. Such offers may comprise a set of points for which prices may vary with the quantity offered. If this set includes megawatts from a Special Case Resource(s) with an Offer Floor, then at least the quantity of megawatts in the offer associated with each Special Case Resource must be offered at or above the Special Case Resource's Offer Floor. Offers by a Responsible Interface Party shall be subject to audit to determine whether they conformed to the foregoing Offer Floor requirements. If a Responsible Interface Party together with its Affiliated Entities submits one or more offers below the applicable Offer Floor, and such offer or offers cause or contribute to a decrease in UCAP prices in the Mitigated Capacity Zone of 5 percent or more, provided such decrease is at least \$.50/kilowatt-month, the Responsible Interface Party shall be required to pay to the ISO an amount equal to 1.5 times the difference between the Market-Clearing Price for the Mitigated Capacity Zone in the ICAP Spot Auction for which the offers below the Offer Floor were submitted with and without such offers being set to the Offer Floor, times the total amount of UCAP sold by the Responsible Interface Party and its Affiliated Entities in such ICAP Spot Auction. If an offer is submitted below the applicable Offer Floor, the ISO will notify the Responsible Market Party and the notification will identify the offer, the Special Case Resource, the price impact, and the penalty amount. The ISO will provide the notice reasonably in advance of imposing such penalty. The ISO shall distribute any amounts recovered in

accordance with the foregoing provisions among the entities, other than the entity subject to the foregoing payment requirement, supplying Installed Capacity in regions affected by one or more offers below an applicable Offer Floor in accordance with ISO Procedures.

23.4.5.7.6 Exemptions for Additional CRIS MW: All requests for Additional CRIS MW located in a Mitigated Capacity Zone, in a Class Year or through a transfer, shall be evaluated for a buyer-side mitigation exemption or Offer Floor in accordance with this Section. Additional CRIS MW obtained in a Class Year or obtained through a transfer at the same location shall be exempt from an Offer Floor (a) if the price that is equal to (x) the average of the ICAP Spot Market Auction price for each month in the two Capability Periods, beginning with the Summer Capability Period commencing three years from the start of the Class Year (the “Starting Capability Period”) is projected by the ISO, with the inclusion of the Additional CRIS MW, to be higher than (y) the highest Offer Floor based on the Mitigation Net CONE that would be applicable to such Additional CRIS MW in the same two (2) Capability Periods (utilized to compute (x)); or (b) if the price that is equal to the average of the ICAP Spot Market Auction prices in the six Capability Periods beginning with the Starting Capability Period is projected by the ISO, with the inclusion of the Installed Capacity Supplier’s Additional CRIS MW, to be higher than the reasonably anticipated Unit Net CONE computed in accordance with (i) and (ii) of Section 23.4.5.7.6.1 for the Installed Capacity Supplier’s Additional CRIS MW.

23.4.5.7.6.1 For Additional CRIS MW that have an exemption or Offer Floor

determined pursuant to this Section 23.4.5.7.6, the ISO shall compute Unit Net CONE as follows:

(i) Unit Net CONE for the Additional CRIS MW shall be based on the Additional CRIS MW and the costs and revenues of and associated with the Additional CRIS MW if:

(a) the most recent prior determination concluded that the Capacity for which the Examined Facility accepted CRIS was exempt from the Offer Floor pursuant to Section 23.4.5.7.2(b), 23.4.5.7.6(b), 23.4.5.7.7, or 23.4.5.7.8; or

(b) at the time of an Examined Facility's request for Additional CRIS MW: (1) it has accepted CRIS MW equal to, or greater than, 95 percent of the Examined Facility's maximum MW of electrical capability, net of auxiliary load, at an ambient temperature of 93° F as determined in accordance with ISO Procedures and (2) the amount of Cleared UCAP is greater than or equal to the amount of UCAP calculated pursuant to Section 23.4.5.7.6.3; or

(c) the Examined Facility's Total Evaluated CRIS MW includes exempted CRIS MW for which the Examined Facility did not receive a Unit Net CONE determination and thus did not provide data to the ISO because the determination for the exempt CRIS MW received was not based on Unit Net CONE and was made prior to November 27, 2010.

(ii) or in all other cases, Unit Net CONE, shall be the greater of two values, one based on the Total Evaluated CRIS MW, and the costs and revenues of the Total

Evaluated CRIS MW, and one based on the Additional CRIS MW, and the costs and revenues of the Additional CRIS MW.

23.4.5.7.6.2 When calculating the Unit Net CONE of the Total Evaluated CRIS MW for an Examined Facility, the ISO shall utilize the Examined Facility's first year Unit Net CONE determined pursuant to Section 23.4.5.7 and Sections 23.4.5.7.2.4 or 23.4.5.7.3.2, adjusted to the year's dollars at the time of an Examined Facility's request for Additional CRIS MW using: (i) the relevant value from the price index for non-farm business output published in the Survey of Current Business by the Department of Commerce's Bureau of Economic Analysis ("BEA Non-Farm Price Index"), or its successor; or (ii) the inflation rate component of the escalation factor of the most currently accepted ICAP Demand Curves for any future year which is beyond the published BEA Non-Farm Price Index, or its successor.

23.4.5.7.6.3 For purposes of making the determination pursuant to Section 23.4.5.7.6.1(i)(b)(2), the amount of Cleared UCAP shall be compared to an amount of UCAP calculated as the product of the CRIS MW held by the Examined Facility immediately prior to its request for Additional CRIS MW and (1-EFORd). Except as specified in the next paragraph, for purposes of this calculation, if the Examined Facility is a Generator, its EFORd shall be derived using the data in the 5-year average NERC-GADS Generating Availability Report, or its successor, for the main class of the unit (hereinafter the "Class Average EFORd") that is current at the time of the request for Additional CRIS MW, when available. If the Examined Facility is an Intermittent Power Resource

or Limited Control Run-of-River Hydro Resource, the ISO shall apply a 5-year average derating factor based on ISO data to establish the EFORD to be utilized in the calculation pursuant to this paragraph. In all other cases, the ISO will apply the 5-year average derating factor from the ICAP/UCAP translation, for the smallest Mitigated Capacity Zone in which the resource is located at the time of the request. The EFORD applied by the ISO at the time that the Examined Facility first offers or certifies UCAP in an Installed Capacity auction (“Initial Entry EFORD”) shall be used instead of Class Average EFORD when it is higher (*i.e.*, a greater outage rate) than the Class Average EFORD calculated at the time of the Examined Facility’s request for Additional CRIS MW.

23.4.5.7.6.4 Additional CRIS MW shall be subject to the Mitigation Net CONE Offer Floor for the period specified in Section 23.4.5.7, for any Examined Facility whose Total Evaluated CRIS MW includes CRIS MW that are or have ever been subject to the Mitigation Net CONE Offer Floor, pursuant to Section 23.4.5.7.3.4.

23.4.5.7.6.5 The Offer Floor for Additional CRIS MW shall be equal to the lesser of: (a) the Unit Net CONE for the Additional CRIS MW; or (b) a numerical value equal to 75 percent of the Mitigation Net CONE translated into a seasonally adjusted monthly UCAP value for the Additional CRIS MW.

23.4.5.7.6.6 The results of this exemption determination shall apply only to the Additional CRIS MW and shall not alter or affect any prior exemption or Offer Floor determination for the Examined Facility. The Additional CRIS MW for which CRIS is received shall be bound by the determination rendered and will not

be reevaluated unless the Examined Facility enters a new Class Year for the Additional CRIS MW.

23.4.5.7.6.7 When the ISO makes a mitigation exemption or Offer Floor determination for an Examined Facility's Additional CRIS MW for an Installed Capacity Supplier other than that to which the Unit Net CONE determination for the Examined Facility was rendered, the ISO shall provide such Installed Capacity Supplier with the Examined Facility's first year Unit Net CONE value if the Installed Capacity Supplier (a) requests that information, and (b) represents that it: (i) will use that information solely for purposes of considering a request for Additional CRIS MW for the Examined Facility, and (ii) will not share that information with or make it available to any other person except those that are assisting it in considering a request for Additional CRIS MW.

23.4.5.7.6.8 The ISO shall post on its website the determination of whether the project is exempt or non-exempt from an Offer Floor as soon as the determination is final. Concurrent with the ISO's posting, the Market Monitoring Unit shall publish a report on the ISO's determination, as further specified in Sections 30.4.6.2.12 and 30.10.4 of Attachment O to this Services Tariff.

23.4.5.7.7 (a) An In-City Installed Capacity Supplier that is not a Special Case Resource shall be exempt from an Offer Floor if it was an existing facility on or before March 7, 2008. (b) A Generator or UDR project that was an existing facility on or before June 29, 2012, which: (i) is in a Mitigated Capacity Zone except New York City, and (ii) was grandfathered from the deliverability requirement at a certain quantity of MW of CRIS pursuant to Section 25.9.3.1 of

OATT Attachment S (“Deliverability Grandfathering Process”) shall be exempt from an Offer Floor for the MW quantity of CRIS that was provided through the Deliverability Grandfathering Process plus an additional 2 MW obtained through Section 30.3.2.6 of Attachment X to the OATT. If the Generator or UDR project subsequently received CRIS above the quantity established through the Deliverability Grandfathering Process, this exemption shall not apply to any such increase above the 2 MW allowed in Section 30.3.2.6 of Attachment X to the OATT.

23.4.5.7.8 For any Mitigated Capacity Zone except New York City:

(I) Any existing or proposed Generator or UDR project that has the characteristics specified in this Section 23.4.5.7.8(I) shall be exempt from an Offer Floor with respect to the MW of CRIS that it received at the time, or for which it satisfied the specific CRIS transfer requirements stated in this Section. To be eligible for an exemption under this Section: (a) the existing or proposed Generator or UDR project’s location must be included in the ISO’s March 31 Filing in the ICAP Demand Curve Reset Filing Year in which a Mitigated Capacity Zone is first applied to such location; (b) prior to that March 31 Filing the existing or proposed Generator or UDR project must have both: (i) Commenced Construction and (ii) either (1) received the MW of CRIS in a Class Year that was completed or (2) submitted to the ISO an Interconnection Request that specifically states that the Generator or UDR project will be requesting or has requested a transfer of a specific MW quantity of CRIS at the same location in accordance with Section 25.9.4 of OATT Attachment S (provided that the transfer

is ultimately approved by the ISO and consummated); and (c) the existing or proposed Generator or UDR project must demonstrate to the ISO no later than the deadline established by the ISO that it satisfies the requirements of (b) (i) and (ii) above; and

(II) An existing or proposed Generator or UDR project that is not subject to a deliverability requirement (and therefore, is not in a Class Year and does not receive CRIS MW) shall be exempt from an Offer Floor if it meets the following requirements prior to the ISO's March 31 Filing in an ICAP Demand Curve Reset Filing Year in which a Mitigated Capacity Zone is first applied to such location: (a) has Commenced Construction, (b) has an effective interconnection agreement, and (c) provides specific written notification to the ISO that it meets requirements (a) and (b) of this subsection 23.4.5.7.8(II) no later than the deadline established by the ISO.

The ISO shall consult with the Market Monitoring Unit prior to determining whether an existing or proposed Generator or UDR project has Commenced Construction. Prior to the ISO making its determination, the Market Monitoring Unit shall provide the ISO a written opinion and recommendation regarding whether an existing or proposed Generator or UDR project Commenced Construction. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.12 of Attachment O. The ISO shall only make a determination pursuant to this Section for an existing or proposed Generator or UDR project for the Mitigated Capacity Zone's first application to the location of the project. The

Market Monitoring Unit shall also provide a public report on its assessment of an ISO determination that an existing or proposed Generator or UDR project is exempt from an Offer Floor pursuant to this Section 23.4.5.7.8.

23.4.5.7.9 Competitive Entry Exemption

23.4.5.7.9.1 Eligibility

23.4.5.7.9.1.1 A proposed new Generator or UDR project that becomes a member of a Class Year after Class Year 2012 may request to be evaluated for a “Competitive Entry Exemption” for its CRIS MW and shall qualify for such exemption if the ISO determines that the proposed Generator or UDR project meets each of the following requirements: (a) does not have, and at no time before the Generator first produces or the UDR project first transmits energy (for purposes of this Section 23.4.5.7.9, the “Entry Date”) shall have, (i) a direct or indirect “non-qualifying contractual relationship,” as defined in Section 23.4.5.7.9.1.2, with a Transmission Owner, a Public Power Entity, or any other entity with a Transmission District in the NYCA or an agency or instrumentality of New York State or a political subdivision thereof, (collectively “Non-Qualifying Entry Sponsors”); or (ii) an unexecuted agreement, written or unwritten, with a Non-Qualifying Entry Sponsor that would support the development of the project, except those agreements that would not constitute a “non-qualifying contractual relationship,” as set forth in Section 23.4.5.7.9.1.3(i) – (viii), (b) is not itself, and is not an Affiliate of, a Non-Qualifying Entry Sponsor.

23.4.5.7.9.1.2 For purposes of Section 23.4.5.7.9, a direct “non-qualifying contractual relationship” shall include but not be limited to any contract, agreement,

arrangement, or relationship (for the purposes of this Section 23.4.5.7.9, a “contract”) that: (a) directly relates to the planning, siting, interconnection, operation, or construction of the Generator or UDR project that is the subject of the request for the Competitive Entry Exemption; (b) is for the energy or capacity produced by or delivered from or by the Generator or UDR project, including an agreement for rights to schedule or use a UDR; or (c) provides services, financial support, or tangible goods to a Generator or UDR project. For purposes of Section 23.4.5.7.9, an indirect “non-qualifying contractual relationship” is any contract between the Generator or UDR project and an entity (for purposes of this Section 23.4.5.7.9, a “third party”) if the third party has a non-qualifying contractual relationship with a Non-Qualifying Entry Sponsor, the recital, purpose, or subject of which includes, or has the effect of including, this Generator or UDR project.

23.4.5.7.9.1.3 A contract with a Non-Qualifying Entry Sponsor shall not constitute a “non-qualifying contractual relationship” if it is (i) an Interconnection Agreement; (ii) an agreement for the construction or use of interconnection facilities or transmission or distribution facilities, or directly connected joint use transmission or distribution facilities (including contracts required for compliance with Articles VII or X of the New York State Public Service Law or orders issued pursuant to Articles VII or X); (iii) a grant of permission by any department, agency, instrumentality, or political subdivision of New York State to bury, lay, erect or construct wires, cables or other conductors, with the necessary poles, pipes or other fixtures in, on, over or under public property; (iv) a contract for the sale or

lease of real property to or from a Non-Qualifying Entry Sponsor at or above fair market value as of the date of the agreement was executed, such value demonstrated by an independent appraisal at the time of execution prepared by an accountant or appraiser with specific experience in such valuations; (v) an easement or license to use real property; (vi) a contract, with any department, agency, instrumentality, or political subdivision of New York State providing for a payment-in-lieu of taxes (*i.e.*, a “PILOT” agreement) or industrial or commercial siting incentives, such as tax abatements or financing incentives, provided the PILOT agreement or incentives are generally available to industrial or commercial entities; (vii) a service agreement for natural gas entered into under a tariff accepted by a regulatory body with jurisdiction over that service; or (viii) a service agreement entered into under a tariff accepted by a regulatory body with jurisdiction over that service at a regulated rate for electric Station Power, or steam service, excluding an agreement for a rate that is a negotiated rate pursuant to any such regulated electric, or steam tariff. Notwithstanding the foregoing, a contract with a Non-Qualifying Entry Sponsor that includes a provision that is a non-qualifying contractual relationship will render the entire contract described in (i) through (viii) of this Section a non-qualifying contractual relationship.

23.4.5.7.9.1.4 The ISO shall determine whether a Generator or UDR project is eligible for a Competitive Entry Exemption based on its review of the certifications required by Section 23.4.5.7.9.2, below, and any other supporting data requested by the ISO. When evaluating eligibility for a Competitive Entry Exemption, the ISO shall consult with the Market Monitoring Unit. The responsibilities of the

Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.12 of Attachment O.

23.4.5.7.9.2 Certifications and Acknowledgements

23.4.5.7.9.2.1 A Generator or UDR project requesting a Competitive Entry Exemption shall submit to the ISO in accordance with ISO Procedures, and shall be legally bound by, the following Certification and Acknowledgement form executed by a duly authorized officer:

CERTIFICATION AND ACKNOWLEDGMENT

I [NAME & TITLE] hereby certify on behalf of myself, [NAME OF PROJECT], and [NAME OF DEVELOPER] that each of the following statements is true and correct:

1. I am an officer whose responsibilities include the development of the [EXAMINED FACILITY], New York Independent System Operator, Inc.'s ("NYISO") Interconnection queue position Number [INSERT NUMBER] (the "Project").
2. I am duly authorized to make representations concerning the Project, including each of the certifications and acknowledgements that I have made in this document.
3. I hereby [REQUEST ON BEHALF OF/ACKNOWLEDGE THE PRIOR SUBMISSION IN THIS CLASS YEAR BY] the Developer a Competitive Entry Exemption for the Project.
4. I have reviewed and I understand the requirements established under the NYISO Market Administration and Control Area Services Tariff ("Services Tariff") related to a "Competitive Entry Exemption" pursuant to Section 23.4.5.7.9.
5. I have personal knowledge of the facts and circumstances supporting the Project's request and eligibility for a Competitive Entry Exemption as of the date of this Certification and Acknowledgment, including all data and other information submitted by the Project to the NYISO.
6. To the best of my knowledge and having conducted due diligence that is current as of the date of this Certification there [ARE/ARE NOT ANY] direct or indirect contractual relationships for the Project with a "Non-Qualifying Entry Sponsor," as those terms are defined in Section 23.4.5.7.9 of the Services Tariff. I have listed all contracts with Non-Qualifying Entry Sponsors on Schedule 1 to this Certification.

7. If the Answer to (6) is that there are one or more direct or indirect contractual relationships for the Project with a Non-Qualifying Entry Sponsor, then I certify that to the best of my knowledge and having conducted due diligence that they are “allowable contracts” as set forth in Section 23.4.5.7.9.1.3(i) – (viii) of the Services Tariff.
8. To the best of my knowledge and having conducted due diligence that is current as of the date of this Certification, (a) no unexecuted agreements, written or unwritten, with a Non-Qualifying Entry Sponsor exist that would support the development of the Project except those agreements that would not constitute a non-qualifying contractual relationship, as set forth in Section 23.4.5.7.9.1.3(i) – (viii) of the Services Tariff, and (b) all agreements that would not constitute a non-qualifying contractual relationship are on Schedule 1 to this certification.
9. To the best of my knowledge and having conducted due diligence, the Project is not a Non-Qualifying Entry Sponsor, and it is not an “Affiliate” (as Affiliate is defined in Section 2.1 of the Services Tariff) of, a Non-Qualifying Entry Sponsor.
10. The Project shall provide any information or cooperation requested by the NYISO in connection with the Project’s request for a Competitive Entry Exemption.
11. All parents or Affiliates of the Project shall provide any information or cooperation requested by the ISO.

I hereby acknowledge on behalf of myself, [INSERT NAME OF PROJECT], and [NAME OF DEVELOPER] that:

- a. The submission of false, misleading, or inaccurate information, or the failure to submit information requested by the NYISO related to the Project’s request for a Competitive Entry Exemption, including but not limited to information contained or submitted in this Certification and Acknowledgement on behalf of the Project, shall constitute a violation of Section 4.1.7 of the Services Tariff, and subject to the Commission’s review, a violation of the Commission’s regulations and Section 316A of the Federal Power Act.
- b. If the Project submits false, misleading, or inaccurate information, or fails to submit requested information to the NYISO, including but not limited to information contained or submitted in this Certification and Acknowledgement on behalf of the Project, it shall cease to be eligible for a Competitive Entry Exemption and, if the Project has already received a Competitive Entry Exemption, that exemption shall be subject to revocation by the NYISO or the Commission after which the Project shall be subject to an Offer Floor set at the Mitigation Net CONE Offer Floor (such value calculated based on the date it first Offers UCAP, in accordance with Section 23.4.5.7.3.7, and adjusted annually in accordance with Section 23.4.5.7 of the Services Tariff,) starting with the date of the revocation pursuant to Section 23.4.5.7.9.5.3 of the Services Tariff.

- c. If the Project submits false, misleading, or inaccurate information, or fails to submit requested information to the NYISO, including but not limited to information contained or submitted in the Certification and Acknowledgement on behalf of the Project, it may be subject to civil penalties that may be imposed by the Commission for violations of Section 4.1.7 of Services Tariff, the Commission's rules, and/or Section 316A of the Federal Power Act.

[PRINT NAME]

[DATE]

Subscribed and sworn to before me
this [] day of [MONTH] [YEAR].

Notary Public

My commission expires: _____

**PROJECT NAME] SCHEDULE 1 CERTIFICATION AND ACKNOWLEDGEMENT
[DATE]**

Parties to agreement Date Executed Effective Date Date Performance Commences

23.4.5.7.9.2.2 A duly authorized officer of the Generator or UDR project shall also submit a certification acknowledging that parents or Affiliates shall provide any information or cooperation requested by the ISO.

23.4.5.7.9.2.3 The certifying officers must have knowledge of the facts and circumstances supporting the request and qualification for a Generator's or UDR project's Competitive Entry Exemption.

23.4.5.7.9.2.4 Such certifications shall be submitted concurrent with the request for a Competitive Entry Exemption and each time the ISO requests a resubmittal of a certification, until the Generator's or UDR project's Entry Date.

23.4.5.7.9.2.5 The Generator or UDR project must notify the ISO if information in a certification ceases to be true, promptly upon such occurrence or learning information previously provided was not true.

23.4.5.7.9.2.6 Failure to provide, without prior notification, information or cooperation consistent with any certification shall be considered a false, misleading, or inaccurate submission for purposes of Section 23.4.5.7.9.5.

23.4.5.7.9.2.7 Where a notification is provided to the ISO, within 2 business days of receipt of a request from the ISO for information or cooperation, that the information or cooperation requested will not be provided, such refusal will not be considered a false, misleading, or inaccurate submission for purposes of Section 23.4.5.7.9.5 as long as the information is provided by the earlier of a mutually agreed upon deadline or thirty (30) calendar days. A refusal to provide information or any other failure to provide information by that deadline will make the Generator or UDR project requesting a Competitive Entry Exemption ineligible for such exemption, and such Generator or UDR project shall be subject to the Mitigation Net CONE Offer Floor (such value based on the date it first offers UCAP, in accordance with Section 23.4.5.7.3.7, and adjusted annually in accordance with Section 23.4.5.7 of the Services Tariff.)

23.4.5.7.9.3 Timing for Requests, Required Submittals, and Withdrawals

23.4.5.7.9.3.1 The executed Certification and Acknowledgement form required by Section 23.4.5.7.9.2 shall be submitted concurrent with a request for a Competitive Entry Exemption. The ISO may request additional information and updated certifications at any time prior to a Generator's or UDR project's Entry Date. A Generator or UDR project that is granted an exemption pursuant to this Section 23.4.5.7.9, shall be required to submit an executed Certification and Acknowledgement form set forth in Section 23.4.5.7.9.2 of the Services Tariff, updated as appropriate, upon its Entry Date.

23.4.5.7.9.3.2 Requests for Competitive Entry Exemptions for Generators or UDR projects in Class Years subsequent to Class Year 2012 must be received by the ISO no later than the deadline by which a facility must notify the ISO of its election to enter the Class Year, such date as set forth in Section 25.5.9 OATT Attachment S. Generators or UDR projects in, and that remain a member of, Class Year 2012 or prior Class Years shall not be eligible to request or receive a Competitive Entry Exemption. The ISO shall determine whether a Generator or UDR project is exempt, subject to any required further submissions of information, or not exempt under the Competitive Entry Exemption, prior to the Initial Decision Period within which a Developer must provide an Acceptance Notice or Non-Acceptance Notice to the ISO in response to the first Project Cost Allocation issued by the ISO to the Developer.

23.4.5.7.9.3.3 A Generator or UDR project that submits a request for a Competitive Entry Exemption, including the required Certification and Acknowledgement, responses to information requests, and resubmittal, but (a) enters into a "non-

qualifying contractual relationship” or (b) enters into an unexecuted agreement, written or unwritten, with a Non-Qualifying Entry Sponsor that would support the development of the Project, except those agreements identified in 23.4.5.7. 9.1.3 that would not constitute a “non-qualifying contractual relationship, may withdraw such request, provided that it notifies the ISO that it has entered into such “non-qualifying contractual relationship” within 2 business days of doing so. A Generator or UDR project seeking to withdraw its request pursuant to this section 23.4.5.7.9.3.3 shall be subject to the Mitigation Net CONE Offer Floor (such value calculated based on its the date it first offers UCAP, in accordance with Section 23.4.5.7.3.7, and adjusted annually in accordance with Section 23.4.5.7 of the Services Tariff,) but will not be subject to the provisions of Section 23.4.5.7.9.5.

23.4.5.7.9.4 Notifications

23.4.5.7.9.4.1 The ISO shall post on its website a list of each Generator or UDR project that requests a Competitive Entry Exemption that becomes a member of the Class Year, promptly after the deadline set forth in Section 30.8.1 of the OATT (Attachment X) (by which the ISO must receive the Developer’s executed Class Year Interconnection Facilities Study Agreement and deposit.) The ISO shall update the list as necessary. The ISO shall also post on its website whether a request for a Competitive Entry Exemption was denied, or granted, as soon as its determination is final.

23.4.5.7.9.4.2 Concurrent with the ISO posting of its final determination, the Market Monitoring Unit shall publish a report on the ISO's determination in accordance with Sections 30.4.6.2.12 and 30.10.4 of Attachment O to the Services Tariff.

23.4.5.7.9.5 Revocation

23.4.5.7.9.5.1 The submission of false, misleading, or inaccurate information, or the failure to submit requested information in connection with a request for a Competitive Entry Exemption shall constitute a violation of the Services Tariff. Such violation shall be reported, by the ISO, to the Market Monitoring Unit and to the Commission's Office of Enforcement (or any successor to its responsibilities).

23.4.5.7.9.5.2 Where the ISO reasonably believes that a request for a Competitive Entry Exemption was granted based on false, misleading, or inaccurate information, the ISO shall notify the Generator or UDR project that its Competitive Entry Exemption may be revoked, and provided 30 days written notice has been given to the Generator or UDR project (such notice to the extent practicable,) the ISO may revoke the Competitive Entry Exemption and apply the Mitigation Net CONE Offer Floor (such value calculated based on the date it first offers UCAP, in accordance with Section 23.4.5.7.3.7, and adjusted annually in accordance with Section 23.4.5.7 of the Services Tariff.) Prior to the revocation of a Competitive Entry Exemption and the submission of a report to the Commission's Office of Enforcement (or any successor to its responsibilities,) the ISO shall provide the Generator or UDR project an opportunity to explain any statement, information, or action. The ISO cannot revoke the Competitive Entry Exemption until after the

30 days written notice period has expired, unless ordered to do so by the Commission.

23.4.5.7.10 The ISO shall post on its website the identity of the project in a Mitigated Capacity Zone and the determination of either exempt or non-exempt as soon as the determination is final. Concurrent with the ISO's posting, the Market Monitoring Unit shall publish a report on the ISO's determinations, as further specified in Sections 30.4.6.2.12 and 30.10.4 of Attachment O to this Services Tariff.

23.4.5.7.11 Mitigated UCAP that is subject to an Offer Floor shall remain subject to the requirements of Section 23.4.5.4, and if the Offer Floor is higher than the applicable offer cap shall submit offers not lower than the applicable Offer Floor.

23.4.5.7.12 For an RMR Generator that has UCAP subject to an Offer Floor, the UCAP subject to the Offer Floor shall be offered at the higher of the Offer Floor and the RMR UCAP Offer Price.

23.4.5.8 RMR Agreement Capacity Price and Offer Requirements

23.4.5.8.1 All UCAP from an RMR Generator shall be offered in each ICAP Spot Market Auction, except if and only to the extent expressly authorized in an RMR Agreement due to the existence of a commitment under a bilateral agreement that (a) was effective at the time the RMR Agreement became effective and (b) is effective and executory, requiring the provision of UCAP, for the Obligation Procurement Period.

23.4.5.8.2 Except as provided in Section 23.4.5.7.12, all UCAP offered by an RMR Generator shall be offered in the amount of UCAP MW and at the price computed

in accordance with this Section the (“RMR UCAP Offer Price”). The RMR UCAP Offer Price shall be \$0.00/kW-month; unless (a) the ISO’s determination of the need for the RMR Agreement is based in whole or in part on a resource adequacy need, or (b) (i) the ISO identifies pursuant to Section 31.2.11.8.2 of the ISO OATT that there is a Viable and Sufficient transmission or demand response Gap Solution that has an estimated net present value that is distinctly higher than that of any Initiating Generator or Generator that is a Viable and Sufficient Gap Solution for the Reliability Need (*i.e.*, the non-generator Viable and Sufficient Gap Solution has a lower net cost,) to the extent that the RMR Generator is expected to address the Reliability Need; (ii) the ISO determines that the transmission or demand response Gap Solution identified pursuant to Section 31.2.11.8.2 of the ISO OATT can be available for a period during the term of the RMR Agreement; and (iii) absent the circumstances described in Section 23.4.5.8.2.1. In the event that the conditions under either Subsection (a) or (b) of this Section 23.4.5.8.2 are met, the RMR UCAP Offer Price shall be the value computed by the ISO for that RMR Generator that is the RMR Avoidable Costs, net of likely projected annual Energy and Ancillary Services revenues, translated into a seasonally adjusted \$/kW-month UCAP value beginning with the month following the in service date of the distinctly higher net present value transmission or demand response Gap Solution at the time of the ISO’s determination pursuant to Section 31.2.11.8.2 of the ISO OATT, and lasting until the RMR Agreement terminates.

23.4.5.8.2.1 Circumstances in which 23.4.5.8.2 (b)(ii) would not be met include the ISO's determination that the Viable and Sufficient transmission or demand response Gap Solution would be reasonably delayed; it was not reasonably practicable for such Gap Solution to proceed in order to be available by the date it identified in its response to the ISO's request for Gap Solutions (as modified from time to time,) or it was not able to timely obtain necessary permits, governmental authorizations, or financing.

23.4.6 Virtual Bidding Measures

23.4.6.1 Purpose

The provisions of this Section 23.4.6 specify the market monitoring and mitigation measures applicable to "Virtual Bids." "Virtual Bids" are bids to purchase or supply energy that are not backed by physical load or generation that are submitted in the ISO Day-Ahead Market in accordance with the procedures and requirements specified in the ISO Services Tariff.

To implement the mitigation measures set forth in this Section 23.4.6, the ISO shall monitor and assess the impact of Virtual Bidding on the ISO Administered Markets.

23.4.6.2 Implementation

23.4.6.2.1 Day-Ahead LBMPs and Real-Time LBMPs in each load zone shall be monitored to determine whether there is a persistent hourly deviation between them in any zone that would not be expected in a workably competitive market. Monitoring of Day-Ahead and real-time LBMPs shall include examination of the following two metrics (along with any additional monitoring tools and procedures that the ISO determines to be appropriate to achieve the purpose of this Section 23.4.6):

(1) The ISO shall compute a rolling average of the hourly deviation of real-time zonal LBMPs from Day-Ahead zonal LBMPs. The hourly deviation shall be measured as: $(\text{zonal LBMP}_{\text{real time}} - \text{zonal LBMP}_{\text{day ahead}})$. Each observation of the rolling-average time series shall be a simple average of all the hourly deviations over the previous four weeks, or such other averaging period determined by the ISO to be appropriate to achieve the purpose of this Section 23.4.6.

(2) The ISO shall also compute the rolling average *percentage* deviation of real-time zonal LBMPs from Day-Ahead zonal LBMPs. This percentage deviation shall be calculated by dividing the rolling-average hourly deviation (defined in Section 23.4.6.2.1 (1) above) by the rolling-average level of Day-Ahead zonal LBMP over the same time period, using the averaging period(s) described in Section 23.4.6.2.1 (1), above.

23.4.6.2.2 If the ISO determines that (i) the relationship between zonal LBMPs in a zone in the Day-Ahead Market and the Real-Time Market is not what would be expected under conditions of workable competition, and that (ii) the Virtual Bidding practices of one or more Market Participants has contributed to an unwarranted divergence of LBMPs between the two markets, then the following mitigation measure may be imposed. Any such measure shall be rescinded upon a determination by the ISO that the foregoing conditions are not met.

23.4.6.3 Description of the Measure

23.4.6.3.1 If the ISO determines that the conditions specified in Section 23.4.6.2 exist, the ISO may limit the hourly quantities of Virtual Bids for supply or load that may be offered in a zone by a Market Participant whose Virtual Bidding

practices have been determined to contribute to an unwarranted divergence of LBMPs between the Day-Ahead and Real-Time Markets. Any such limitation shall be set at such level that, and shall remain in place for such period as, in the best judgment of the ISO, would be sufficient to prevent any unwarranted divergence between Day-Ahead and Real-Time LBMPs.

23.4.6.3.2 As part of the foregoing determination, the ISO shall request explanations of the relevant Virtual Bidding practices from any Market Participant submitting such Bids. Prior to imposing a Virtual Bidding quantity limitation as specified above, the ISO shall notify the affected Market Participant of the limitation.

23.4.6.4 Limitation of Virtual Bidding

If the ISO determines that such action is necessary to avoid substantial deviations of LBMPs between the Day-Ahead and Real-Time Markets, the ISO may impose limits on the quantities of Virtual Bids that may be offered by all Market Participants. Any such restriction shall limit the quantity of Virtual Bids for supply or load that may be offered by each Market Participant by hour and by zone. Any such limit shall remain in place for the minimum period necessary to avoid substantial deviations of LBMPs between the Day-Ahead and Real-Time Markets, or to maintain the reliability of the New York Control Area.

23.4.7 Increasing Bids in Real-Time for Day-Ahead Scheduled Incremental Energy

23.4.7.1 Purpose

This Section 23.4.7 specifies the monitoring applicable and the mitigation measures that may be applicable to a Market Party with submitted Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids made in the Day-Ahead Market or mitigated

Day-Ahead Incremental Energy Bids where appropriated, for a portion of the Capacity of one or more of its Generators that has been scheduled in the Day-Ahead Market.

The purpose of the Services Tariff rules authorizing the submission of Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, of the portion of the Capacity of a Market Party's Generator that was scheduled in the Day-Ahead Market is to permit the inclusion of additional costs of providing incremental Energy in real-time Incremental Energy Bids for Generators scheduled in the Day-Ahead Market, where the additional costs of providing incremental Energy were not known prior to the close of the Day-Ahead Market.

23.4.7.2 Monitoring and Implementation

The ISO will monitor Market Parties for unjustified interactions between a Market Party's virtual bidding and the submission of real-time Incremental Energy Bids that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for the portion of a Generator's Capacity that was scheduled in the Day-Ahead Market.

If the Market Party has a scheduled Virtual Load Bid for the same hour of the Dispatch Day as the hour for which submitted real-time Incremental Energy Bids exceeded the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for a portion of its Generator's Capacity that was scheduled in the Day-Ahead Market, and any such real-time Incremental Energy Bids exceed the reference level for those Bids that can be justified after-the-fact by more than:

- (i) the lower of \$100/MWh or 300%

- (ii) If the Market Party's Generator is located in a Constrained Area for intervals in which an interface or facility into the area in which the Generator or generation is located has a Shadow Price greater than zero, then a threshold calculated in accordance with Sections 23.3.1.2.2.1 and 23.3.1.2.2.2 of these Mitigation Measures;

and a calculation of a virtual market penalty pursuant to the formula set forth in Section 23.4.3.3.4 of these Mitigation Measures for the Market Party would produce a penalty in excess of \$1000, then the mitigation measure specified below in Section 23.4.7.3.1 shall be imposed for the Market Party's Generator, along with a penalty calculated in accordance with Section 23.4.3.3.4 of these Mitigation Measures. The application of a penalty under Section 23.4.3.3.4 of these Mitigation Measures shall not preclude the simultaneous application of a penalty pursuant to Section 23.4.3.3.3 of these Mitigation Measures.

23.4.7.3 Mitigation Measure

23.4.7.3.1 If the ISO determines that the conditions specified in Section 23.4.7.2 exist the ISO shall revoke the opportunity for any bidder of that Generator to submit Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that Generator's Capacity that were scheduled Day-Ahead.

23.4.7.3.1.1 The first time the ISO revokes the opportunity for bidders of a Generator to submit Incremental Energy Bids in the Real-Time Market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that

Generator's Capacity that were scheduled Day-Ahead, mitigation shall be imposed for 90 days. The 90 day period shall start two business days after the date that the ISO provides written notice of its determination that the application of mitigation is required.

23.4.7.3.1.2 Any subsequent time the ISO revoked the opportunity for bidders of a Generator to submit Incremental Energy Bids in the Real-Time Market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that Generator's Capacity that were scheduled Day-Ahead, mitigation shall be imposed for 180 days. The 180 day period shall start two business days after the date that the ISO provides written notice of its determination that the application of mitigation is required.

23.4.7.3.1.3 If bidders of a Generator that has previously been mitigated under this Section 23.4.7.3 become and remain continuously eligible to submit Incremental Energy Bids in the Real-Time Market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that Generator's Capacity that were scheduled Day-Ahead, for a period of one year or more, then the ISO shall apply the mitigation measure set forth in Section 23.4.7.3 of the Mitigation Measures as if the Generator had not previously been subject to this mitigation measure.

23.4.7.3.1.4 Market Parties that transfer, sell, assign, or grant to another Market Party the right or ability to Bid a Generator that is subject to the mitigation measure in this Section 23.4.7.3 are required to inform the new Market Party that the

Generator is subject to mitigation under this measure, and to inform the new Market Party of the expected duration of such mitigation.

23.4.8 Duration of Mitigation Measures

Except as specified in Section 23.4.5 of this Attachment H, any mitigation measure imposed as specified above shall expire not later than six months after the occurrence of the conduct giving rise to the measure, or at such earlier time as may be specified by the ISO.

23.6 RMR Generator Energy and Ancillary Service Market Participation Rules

23.6.1 Submission of Bids for RMR Generators

23.6.1.1 A Market Party shall Bid into the Day-Ahead and Real-Time Markets all of the Energy, Operating Reserves and Regulation each RMR Generator is capable of providing by submitting ISO-committed flexible Bids at or below (equally restrictive to or less restrictive than for non-dollar parameters) the RMR Generator's reference levels.

23.6.1.1.1 The ISO develops reference levels for Bids and Bid parameters, including Bid parameters that are not denominated in dollars. *See, e.g.,* Sections 23.3.1.2 and 23.3.1.2.3.3 of these Mitigation Measures. A Market Party must submit Bids for an RMR Generator that are consistent with *all* reference levels determined by the ISO, including all non-dollar Bid parameters that have been set as reference levels by the ISO.

23.6.1.1.2 If a RMR Generator is not able to operate to a reference level that has been set by the ISO, the Market Party must timely contact the ISO in accordance with ISO Procedures to request a change and explain the need there for.

23.6.1.1.3 If an RMR Generator is not capable of providing all or a portion of its capability flexibly, the ISO and Owner shall specify the restriction in the RMR Agreement. If a new operating constraint arises during the term of an RMR Agreement that prevents the Market Party from offering all or a portion of a RMR Generator's capability via an ISO-committed flexible Bid, then the Market Party must obtain written permission from the ISO to change how it offers the RMR Generator into the ISO Administered Markets.

- 23.6.1.1.4 Market Parties are not required to submit hourly Bids in the Real-Time Market for an RMR Generator that is not capable of being committed by RTC if the RMR Generator was not committed Day-Ahead. If such an RMR Generator was committed Day-Ahead, then the RMR Generator shall be Bid in real-time for the hours of its Day-Ahead schedule and for additional real-time hours consistent with the RMR Generator's operating capabilities.
- 23.6.1.1.5 Market Parties shall timely respond to a Supplemental Resource Evaluation ("SRE") or an Out-of-Merit ("OOM") commitment request issued by the ISO or by a Transmission Owner for an RMR Generator.
- 23.6.1.1.6 If and to the extent a RMR Generator is not available, or is not fully available, the Market Party shall timely notify the ISO of the outage or derate in accordance with ISO Procedures and accurately reflect each RMR Generator's availability in its Bids.
- 23.6.1.1.7 The ISO shall monitor Bids that are submitted at prices below an RMR Generator's reference levels for possible uneconomic overproduction. *See* Section 23.3.1.3. RMR Generators are compensated at the lesser of their Bid or the appropriate Reference Level in accordance with Rate Schedule 8 to the Services Tariff.
- 23.6.1.2 RMR Generators that are not Installed Capacity Suppliers, or that have not sold all of their Unforced Capacity, are still required to offer all of the Energy, Operating Reserves and Regulation each RMR Generator is capable of providing into each Day-Ahead Market.

23.6.1.3 RMR Generators that provide Voltage Support Services or Restoration Services shall do so in compliance with the relevant provisions of the ISO Tariffs and their RMR Agreement.

23.6.1.4 Market Parties shall not schedule Bilateral Transactions for an RMR Generators' output, unless the Bilateral Transaction is expressly permitted under the relevant RMR Agreement.

23.6.1.5 Market Parties may only self-schedule an RMR Generator if they are authorized to do so by the ISO.

23.6.2 RMR Generator Energy and Ancillary Service Reference Levels

23.6.2.1 RMR Generator reference levels shall be developed in accordance with the rules specified in these Mitigation Measures.

23.6.2.2 In advance of the execution of an RMR Agreement, the ISO, in consultation with the MMU and Owner, shall review and update the reference levels for each such Generator. The ISO shall make the ultimate determination with regard to each reference level.

23.6.2.2.1 If a possible RMR Generator faces operational constraints the ISO, in consultation with the MMU and Owner, will develop reference levels that will permit the Generator to operate consistent with the identified constraints, while ensuring that the Generator will be available (a) to resolve the Reliability Need the Generator is being retained to address, and (b) for economic commitment when appropriate.

23.6.2.3 If an RMR Agreement is executed after the reference level review and update process described above is completed, then during the term of the RMR

Agreement, the ISO's authority to change the RMR Generator's reference levels will be limited to the following circumstances:

- 23.6.2.3.1 Reference levels may be adjusted based on season, the RMR Generator's remaining availability or other factors, to address operational constraints;
 - 23.6.2.3.2 The costs used to develop a reference level (*e.g.*, fuel, emissions, variable operation and maintenance expenses) may be revised whenever the ISO obtains updated or more accurate cost information;
 - 23.6.2.3.3 Opportunity costs may be updated based on actual operating experience during the term of the RMR Agreement;
 - 23.6.2.3.4 If a physical change to the RMR Generator occurs that alters the RMR Generator's capabilities (*e.g.*, damage to the RMR Generator or Capital Expenditures that alter an RMR Generator's capabilities), then the ISO shall determine revised reference levels in consultation with the MMU and Owner; and
 - 23.6.2.3.5 The ISO and Owner, in consultation with the MMU, may mutually agree to a reference level change that they expect will better reflect an RMR Generator's actual operating characteristics or variable costs.
- 23.6.2.4 The Market Party shall timely submit fuel price updates and fuel type updates to the ISO so that they can be incorporated to develop accurate reference levels for each RMR Generator.
- 23.6.2.4.1 If a Market Party fails to timely submit fuel price updates and fuel type updates for an RMR Generator, then the compensation paid for the RMR Generator's operation may be limited by the reference levels that were in place.

23.6.2.4.2 If a Market Party fails to timely update an RMR Generator's reference levels to reflect cost reductions that are not *de minimis*, and that are required to be reflected, then the ISO may recalculate the RMR Generator's reference levels and true-up the Variable Costs paid to the RMR Generator under Rate Schedule 8 to the Services Tariff consistent with the RMR Generator's demonstrated costs. The ISO shall inform the MMU if it performs such a true-up.

23.6.2.5 The responsibilities of the Market Monitoring Unit that are specified in Section 23.6.2 of the Mitigation Measures are also addressed in Section 30.4.6.2.13 of Attachment O.

23.6.3 Mitigation of RMR Generators

23.6.3.1 RMR Generators are required to Bid at or below their reference levels. The ISO shall mitigate all dollar-denominated Bids that exceed a RMR Generator's currently effective reference levels.

23.6.3.2 If a Market Party submits unit commitment data or non-dollar Bid parameters for an RMR Generator that is/are not consistent with the RMR Generator's reference levels without first requesting an adjustment to the RMR Generator's reference levels from the ISO, then the ISO shall inform the MMU of the Market Party's behavior and apply all Tariff-authorized mitigation measures, which may include the application of financial penalties in accordance with Section 23.4.3 of these Mitigation Measures.

23.6.3.3 The ISO shall apply all other Tariff-authorized mitigation measures to RMR Generators consistent with the Mitigation Measures.

23.6.4 Other Energy and Ancillary Service Market Rules

23.6.4.1 On and after the execution of an RMR Agreement, and for the duration of its term, a Market Party shall not enter into any new agreement or extend any other agreement that impairs or otherwise diminishes an RMR Generator's ability to comply with obligation under an RMR Agreement, or that limits the ability of an RMR Generator to provide Energy or Ancillary Services directly to the ISO Administered Markets.

23.6.4.2 Market Parties shall not enter into, renew or extend bilateral agreements for Energy or Ancillary Services from an RMR Generator during the term of an RMR Agreement.

23.6.4.3 RMR Generators are not eligible to receive Energy, Operating Reserves, Regulation or ICAP market revenues. Instead, RMR Generators are compensated in accordance with Rate Schedule 8 to the Services Tariff and associated Tariff Rules for their participation in the ISO Administered Markets.

23.6.5 ISO Authority to Terminate RMR Agreement with Under-Performing RMR Generator and Cease Reimbursing Capital Expenditures

23.6.5.1 The ISO may terminate an RMR Agreement, or may terminate an RMR Agreement with regard to one of the RMR Generators that is subject to an RMR Agreement if any of the following conditions occur:

- (a) Owner defaults under the RMR Agreement and fails to timely cure its default;
- (b) The RMR Generator fails to meet one or more of the Minimum Operating Standards set forth in the RMR Agreement (the Minimum Availability Standard, or the Minimum Performance Standard, or the Operation to Address the Reliability Need Standard); or

- (c) The RMR Generator fails to operate as requested when it is called upon by the ISO or by a Transmission Owner to address the Reliability Need that it was retained to address on three or more occasions over the term of an RMR Agreement.

23.6.5.2 If the ISO terminates an RMR Agreement for one of the reasons specified in Section 23.6.5.1 above, then it shall cease repaying the cost of any Capital Expenditures that were incurred at or for the terminated RMR Generator(s) unless the ISO is otherwise instructed by the Commission.

23.7 Dispute Resolution

If a Market Party has reasonable grounds to believe that it has been adversely affected because a Mitigation Measure has been improperly applied or withheld, it may utilize the dispute resolution provisions of the ISO Services Tariff to determine whether, under the standards and procedures specified above and in the Plan, the imposition of a Mitigation Measure was or would have been appropriate. In no event, however, shall the ISO be liable to a Market Party or any other person or entity for money damages or any other remedy or relief except and to the extent specified in the Plan.

23.8 Effective Date

These Mitigation Measures shall be effective as of the date they are approved by the FERC.

30.3 NYISO Market Mitigation And Analysis Department

30.3.1 Establishment

The ISO shall establish, and provide appropriate staffing and resources for, its internal Market Mitigation and Analysis Department (“MMA”).

30.3.2 Staffing

The MMA shall be comprised of full-time employees of the ISO having the experience and qualifications necessary to assist the ISO’s efforts to implement its obligations under its Tariffs and under Attachment O, including providing support to the ISO’s external Market Monitoring Unit where and when needed. In carrying out its responsibilities, the MMA, may retain such consultants and other experts as the ISO deems appropriate to the effective implementation of Attachment O, subject to the management oversight of the Chief Executive Officer (“CEO”) or the CEO’s designee, the Chief Operating Officer (“COO”). Such consultants or other experts shall comply with applicable ISO policies on conflicts of interest or other standards of conduct.

30.3.3 Duties of MMA

The MMA shall not be responsible for carrying out any of the Core Functions. Rather, the MMA is responsible for working collaboratively with the Market Monitoring Unit and other ISO departments to assist the ISO’s efforts to carry out its Tariff responsibilities, including the ISO’s obligation to provide adequate data and support to its Market Monitoring Unit. The MMA’s duties shall include: (1) administering mitigation in accordance with the ISO’s Tariffs, which will include performing daily monitoring of the ISO’s markets to identify potential violations of the Market Mitigation Measures, (2) assisting the ISO’s efforts to accurately and

effectively implement the requirements of its Tariffs and its intended market design, (3) responding to information and data requests the ISO receives from the FERC's Office of Enforcement staff and from the staff of the New York Department of Public Service, consistent with the provisions of Attachment O, the ISO's Code of Conduct, and any other provisions of the ISO's Tariffs that address the protection of Protected Information, (4) providing data and other assistance to support the Market Monitoring Unit, (5) working collaboratively with other ISO departments to analyze market outcomes, and (6) bringing to the Market Monitoring Unit's attention market-related concerns (including, but not limited to, possible Market Violations) it identifies while carrying out its responsibilities; and (7) participate in and review the ISO's development, implementation and administration of RMR Agreements and associated tariff provisions.

30.3.4 Accountability

The MMA shall act at the direction of the CEO or the CEO's designee, the COO, who shall be accountable for the ISO's implementation of Attachment O.

The CEO or the CEO's designee, the COO, shall ensure that the MMA has adequate employees, funding and other resources, access to required information, and the cooperation of other ISO staff, as necessary for it to perform its duties under Attachment O and under the ISO's Market Mitigation Measures.

30.4 Market Monitoring Unit

30.4.1 Mission of the Market Monitoring Unit

The Market Monitoring Unit's goals are (1) to ensure that the markets administered by the ISO function efficiently and appropriately, and (2) to protect both consumers and participants in the markets administered by the ISO by identifying and reporting Market Violations, market design flaws and market power abuses to the Commission in accordance with Sections 30.4.5.3 and 30.4.5.4 below.

30.4.2 Retention and Oversight of the Market Monitoring Unit

The Board shall retain a consulting or other professional services firm, or other similar entity, to advise it on the matters encompassed by Attachment O and to carry out the responsibilities that are assigned to the Market Monitoring Unit in Attachment O. The Market Monitoring Unit selected by the Board shall have experience and expertise appropriate to the analysis of competitive conditions in markets for electric capacity, energy and ancillary services, and financial instruments such as TCCs, and to such other responsibilities as are assigned to the Market Monitoring Unit under Attachment O, and must also have sufficient resources and personnel to be able to perform the Core Functions and other assigned functions.

The Market Monitoring Unit shall be accountable to the non-management members of the Board, and shall serve at the pleasure of the non-management members of the Board.

30.4.3 Market Monitoring Unit Ethics Standards

The Market Monitoring Unit, including all persons employed thereby, shall comply at all times with the ethics standards set forth below. The Market Monitoring Unit ethics standards set forth below shall apply in place of the standards set forth in the ISO's OATT Attachment F Code

of Conduct, and/or the more general policies and standards that apply to consultants retained by the ISO.

30.4.3.1 The Market Monitoring Unit and its employees must have no material affiliation with any Market Party or Affiliate of any Market Party.

30.4.3.2 The Market Monitoring Unit and its employees must not serve as an officer, employee, or partner of a Market Party.

30.4.3.3 The Market Monitoring Unit and its employees must have no material financial interest in any Market Party or Affiliate of a Market Party. Ownership of mutual funds by Market Monitoring Units and their employees that contain investments in Market Parties or their Affiliates is permitted so long as: (a) the fund is publicly traded; (b) the fund's prospectus does not indicate the objective or practice of concentrating its investment in Market Parties or their Affiliates; and (c) the Market Monitoring Unit/Market Monitoring Unit employee does not exercise or have the ability to exercise control over the financial interests held by the fund.

30.4.3.4 The Market Monitoring Unit and its employees are prohibited from engaging in transactions in the markets administered by the ISO, other than in the performance of duties under the ISO's Tariffs. This provision shall not, however, prevent the Market Monitoring Unit, or its employees, from purchasing electricity, power and Energy as retail customers for their own account and consumption.

30.4.3.5 The Market Monitoring Unit and its employees must not be compensated, other than by the ISO, for any expert witness testimony or other commercial

services, in connection with any legal or regulatory proceeding or commercial transaction relating to the ISO or to the markets that the ISO administers.

30.4.3.6 The Market Monitoring Unit and its employees may not accept anything that is of more than *de minimis* value from a Market Party.

30.4.3.7 The Market Monitoring Unit and its employees must advise the Board in the event they seek employment with a Market Party, and must disqualify themselves from participating in any matter that could have an effect on the financial interests of that Market Party until the outcome of the matter is determined.

30.4.3.8 If the Market Monitoring Unit or any of its employees provide services to entities other than the ISO, the Market Monitoring Unit shall provide to the ISO's Board, and shall regularly update, a list of such entities and services. When the Market Monitoring Unit issues an opinion, report or recommendation to, for or addressing the ISO or the markets it administers that relates to, or could reasonably be expected to affect, an entity (other than the ISO) to which the Market Monitoring Unit or its employees provide services, the Market Monitoring Unit shall inform the ISO's Board of the opinion, report or recommendation it has issued, and that its opinion, report or recommendation relates to, or could reasonably be expected to affect, an entity to which the Market Monitoring Unit or its employees provide services.

30.4.4 Duties of the Market Monitoring Unit

The Market Monitoring Unit shall advise the Board, shall perform the Core Functions specified in Section 30.4.5 of Attachment O, and shall have such other duties and responsibilities

as are specified in Attachment O. The Market Monitoring Unit may, at any time, bring any matter to the attention of the Board that the Market Monitoring Unit may deem necessary or appropriate for achieving the purposes, objectives and effective implementation of Attachment O.

The Market Monitoring Unit shall not participate in the administration of the ISO's Tariffs, except for performing its duties under Attachment O. The Market Monitoring Unit shall not be responsible for performing purely administrative duties, such as enforcement of late fees or Market Party reporting obligations, that are not specified in Attachment O. The Market Monitoring Unit may (i) provide, or assist the ISO's efforts to develop, the inputs required to conduct mitigation, and (ii) assist the ISO's efforts to conduct "retrospective" mitigation (*see* Order 719 at PP. 369, 375) that does not change bids or offers (including physical bid or offer parameters) at or before the time such bids or offers (including physical bid or offer parameters) are considered in the ISO's market solution.

30.4.5 Core Market Monitoring Functions

The Market Monitoring Unit shall be responsible for performing the following Core Functions:

30.4.5.1 Evaluate existing and proposed market rules, tariff provisions and market design elements and recommend proposed rule and tariff changes to the ISO, to the Commission's Office of Energy Market Regulation staff, and to other interested entities, including the New York Public Service Commission, and participants in the ISO's stakeholder governance process. Provided that:

30.4.5.1.1 The Market Monitoring Unit is not responsible for systematic review of every tariff and market rule; its role is monitoring, not audit.

30.4.5.1.2 The Market Monitoring Unit is not to effectuate its proposed market design itself.

30.4.5.1.3 The Market Monitoring Unit's role in recommending proposed rule and Tariff changes is advisory in nature, unless a Tariff provision specifically concerns actions to be undertaken by the Market Monitoring Unit itself.

30.4.5.1.4 The Market Monitoring Unit must limit distribution of issues or concerns it identifies, and its recommendations to the ISO and to Commission staff in the event it believes broader dissemination could lead to exploitation. Limited distributions should include an explanation of why further dissemination should be avoided at that time.

30.4.5.2 Review and report on the performance of the wholesale markets to the ISO, the Commission, and other interested entities such as the New York Public Service Commission and participants in its stakeholder governance process on at least a quarterly basis, and issue a more comprehensive annual state of the market report. The Market Monitoring Unit may issue additional reports as necessary.

30.4.5.2.1 In order to perform the Core Functions, the Market Monitoring Unit shall perform daily monitoring of the markets that the ISO administers. The Market Monitoring Unit's daily monitoring shall include monitoring of virtual bidding.

30.4.5.2.2 The Market Monitoring Unit shall submit drafts of each of its reports to the ISO for review and comment sufficiently in advance of the report's issuance to provide an effective opportunity for review and comment by the ISO. The Market Monitoring Unit may disregard any suggestions with which it disagrees. The ISO may not alter the reports prepared by the Market Monitoring Unit, nor

dictate the Market Monitoring Unit's conclusions.

30.4.5.3 Identify and notify the Commission staff of instances in which a Market Party's or the ISO's behavior may require investigation, including, but not limited to, suspected Market Violations.

30.4.5.3.1 Except as provided in Section 30.4.5.3.2 below, in compliance with § 35.28(g)(3)(iv) of the Commission's regulations (or any successor provisions thereto) the Market Monitoring Unit shall submit a non-public referral to the Commission in all instances where it has obtained sufficient credible information to believe a Market Violation has occurred. Once the Market Monitoring Unit has obtained sufficient credible information to warrant referral to the Commission, the Market Monitoring Unit shall immediately refer the matter to the Commission and desist from further investigation of independent action related to the alleged Market Violation, except at the express direction of the Commission or Commission staff. The Market Monitoring Unit may continue to monitor for repeated instances of the reported activity by the same or other entities and shall respond to requests from the Commission for additional information in connection with the alleged Market Violation it has referred.

30.4.5.3.2 The Market Monitoring Unit is not required to refer the actions (or failures to act) listed in this Section 30.4.5.3.2 to the Commission as Market Violations, because they have: (i) already been reported by the ISO as a Market Problem under Section 3.5.1 of the ISO Services Tariff; and/or (ii) because they pertain to actions or failures that: (a) are expressly set forth in the ISO's Tariffs; (b) involve objectively identifiable behavior; and (c) trigger a sanction or other consequence

that is expressly set forth in the ISO Tariffs and that is ultimately appealable to the Commission. The actions (or failures to act) that are exempt from mandatory referral to the Commission are:

- 30.4.5.3.2.1 failure to meet a Contract or Non-Contract CRIS MW Commitment pursuant to Sections 25.7.11.1.1 and 25.7.11.1.2 of Attachment S to the ISO OATT that results in a charge or other a sanction under Section 25.7.11.1.3 of Attachment S of the ISO OATT;
- 30.4.5.3.2.2 Black Start performance that results in reduction or forfeitures of payments under Rate Schedule 5 to the ISO Services Tariff;
- 30.4.5.3.2.3 any failure by the ISO to meet the deadlines for completing System Impact Studies, or any failure by a Transmission Owner to meet the deadlines for completing Facilities Studies, under Sections 3.7 and 4.5 of the ISO OATT that results in the filing of a notice and/or the imposition of sanctions under those provisions;
- 30.4.5.3.2.4 failure of a Market Party to comply with the ISO's creditworthiness requirements set forth in Attachment K of the ISO Services tariff, or other action, that triggers sanctions under Section 7.5 of the ISO Services Tariff or Section 2.7.5 of the ISO OATT, specifically: (i) failure of a Market Party to make timely payment under Section 7.2.2 of the ISO Services Tariff or Section 2.7.3.2 of the ISO OATT that triggers a sanction under Sections 7.5.3(i) or 7.5.3(iv) of the ISO Services Tariff, or Sections 2.7.5.3(i), 2.7.5.3(iv), or 2.7.5.4 of the ISO OATT; (ii) failure of a Market Party to comply with a demand for additional credit support under Section 26.6 of Attachment K of the ISO Services Tariff that triggers a

sanction under Section 7.5.3(i) of the ISO Services Tariff or Section 2.7.5.3(i) of the ISO OATT; (iii) failure of a Market Party to cure a default in another ISO/RTO market under Sections 7.5.3(iii) of the ISO Services Tariff, or Section 2.7.5.3(iii) of the ISO OATT that triggers a sanction under either of those tariff provisions; (iv) failure of a Market Party that has entered into a Prepayment Agreement with the ISO under Appendix K-1 to Attachment K to the ISO Services Tariff to make payment in accordance with the terms of the Prepayment Agreement that triggers a sanction under the Prepayment Agreement or 7.5.3(i) of the ISO Services Tariff; and (v) failure of a Market Party to make timely payment on two occasions within a rolling twelve month period under Section 7.5.3(iv) of the ISO Services Tariff, or Section 2.7.5.3(iv) of the ISO OATT that triggers a sanction under either of those provisions.

30.4.5.3.2.5 bidding in a manner that results in a penalty under Section 23.4.3.3.4 of the Market Mitigation Measures.

30.4.5.3.2.6 submission of inaccurate fuel type information into the Day-Ahead Market that results in a penalty under Section 23.4.3.3.3.3 of the Market Mitigation Measures.

30.4.5.3.2.7 submission of inaccurate fuel type and/or fuel price information into the Real-Time Market that results in a penalty under Section 23.4.3.3.3.4 of the Market Mitigation Measures.

To the extent the above list enumerates specific Tariff provisions, the exclusions specified above shall also apply to re-numbered and/or successor provisions thereto. The Market Monitoring Unit is not precluded from referring any of the activities listed above to the

Commission.

30.4.5.4 Identify and notify the Commission staff of perceived market design flaws that could be effectively remedied by rule or tariff changes.

30.4.5.4.1 In compliance with § 35.28(g)(3)(v) of the Commission's regulations (or any successor provisions thereto) the Market Monitoring Unit shall submit a referral to the Commission when the Market Monitoring Unit has reason to believe that a market design flaw exists, that the Market Monitoring Unit believes could effectively be remedied by rule or tariff changes.

30.4.5.4.1.1 If the Market Monitoring Unit believes broader dissemination of the possible market design flaw, and its recommendation could lead to exploitation, the Market Monitoring Unit shall limit distribution of its referral to the ISO and to the Commission. The referral shall explain why further dissemination should be avoided.

30.4.5.4.1.2 Following referral of a possible market design flaw, the Market Monitoring Unit shall continue to provide to the Commission additional information regarding the perceived market design flaw, its effects on the market, any additional or modified observations concerning the Market Monitoring Unit's proposed market rule or tariff change, any recommendations made by the Market Monitoring Unit to the ISO, its stakeholders, Market Parties or state public service commissions regarding the perceived market design flaw, and any actions taken by the ISO regarding the perceived market design flaw.

30.4.6 Market Monitoring Unit Responsibilities Set Forth Elsewhere in the ISO's Tariffs

30.4.6.1 Supremacy of (Attachment O)

Provisions addressing the Market Monitoring Unit, its responsibilities and its authority, have been centralized in Attachment O. However, provisions that address the Market Monitoring Unit can also be found in the Market Mitigation Measures that are set forth in Attachment H to the ISO Services Tariff, and elsewhere in the ISO's Tariffs. In the event of any inconsistency between the provisions of Attachment O and any other provision of the ISO OATT, the ISO Services Tariff, or any of their attachments and schedules, with regard to the Market Monitoring Unit, its responsibilities and its authority, the provisions of Attachment O shall control.

30.4.6.2 Market Monitoring Unit responsibilities set forth in the Market Mitigation Measures

30.4.6.2.1 The ISO and its Market Monitoring Unit shall monitor the markets the ISO administers for conduct that the ISO or the Market Monitoring Unit determine constitutes an abuse of market power but that does not trigger the thresholds specified in the Market Mitigation Measures for the imposition of mitigation measures by the ISO. If the ISO identifies or is made aware of any such conduct, and in particular conduct exceeding the thresholds for presumptive market effects specified in Section 23.3.2.3 of the Market Mitigation Measures, it shall make a filing under § 205 of the Federal Power Act, 16 U.S.C. § 824d (1999) ("§ 205") with the Commission requesting authorization to apply appropriate mitigation measures. Any such filing shall identify the particular conduct the ISO believes warrants mitigation, shall propose a specific mitigation

measure for the conduct, shall incorporate or address the recommendation of its Market Monitoring Unit, and shall set forth the ISO's justification for imposing that mitigation measure. The Market Monitoring Unit's reporting obligations are specified in Sections 30.4.5.3 and 30.4.5.4 of Attachment O. *See* Market Mitigation Measures Section 23.1.2.

30.4.6.2.2 The ISO and the Market Monitoring Unit shall monitor the ISO Administered Markets for other categories of conduct, whether by a single firm or by multiple firms acting in concert, that have material effects on prices or guarantee payments in an ISO Administered Market. *See* Market Mitigation Measures Section 23.2.4.4.

30.4.6.2.3 If (i) the ISO determines, following consultation with the Market Party and review by the Market Monitoring Unit, that the Market Party or its representative has, over a time period of at least one week, submitted inaccurate fuel type or fuel price information that was, taken as a whole, biased in the Market Party's favor, *then* the ISO shall cease using the fuel type and fuel price information submitted to the ISO's Market Information System along with the Generator's Bid(s) to develop reference levels for the affected Generator(s) in the relevant (Day-Ahead or real-time) market for the durations specified in Sections 23.3.1.4.6.8.1, 23.3.1.4.6.8.2, and 23.3.1.4.6.8.3 of the Mitigation Measures. *See* Section 23.3.1.4.6.8 of the Market Mitigation Measures

30.4.6.2.4 When it has the capability to do so, the ISO shall determine the effect on prices or guarantee payments of questioned conduct through the use of sensitivity analyses performed using the ISO's SCUC, RTC and RTD computer models, and

such other computer modeling or analytic methods as the ISO shall deem appropriate following consultation with its Market Monitoring Unit. *See* Market Mitigation Measures Section 23.3.2.2.1.

30.4.6.2.5 Pending development of the capability to use automated market models, the ISO, following consultation with its Market Monitoring Unit, shall determine the effect on prices or guarantee payments of questioned conduct using the best available data and such models and methods as they shall deem appropriate. *See* Market Mitigation Measures Section 23.3.2.2.2.

30.4.6.2.6 If through the application of an appropriate index or screen or other monitoring of market conditions, conduct is identified that (i) exceeds an applicable threshold, and (ii) has a material effect, as specified above, on one or more prices or guarantee payments in an ISO Administered Market, the ISO shall, as and to the extent specified in Attachment O or in Section 23.3.3.2 of the Market Mitigation Measures, contact the Market Party engaging in the identified conduct to request an explanation of the conduct. If a Market Party anticipates submitting bids in a market administered by the ISO that will exceed the thresholds specified in Section 23.3.1 of the Market Mitigation Measures for identifying conduct inconsistent with competition, the Market Party may contact the ISO to provide an explanation of any legitimate basis for any such changes in the Market Party's bids. If a Market Party's explanation of the reasons for its bidding indicates to the satisfaction of the ISO that the questioned conduct is consistent with competitive behavior, no further action will be taken. Market Parties shall ensure that the information they submit to the ISO, including but not

limited to fuel price and fuel type information, is accurate. Except as set forth in Section 23.3.1.4.6.7 of the Market Mitigation Measures, the ISO may not retroactively revise a reference level to reflect additional fuel costs if a Market Party or its representative did not timely submit accurate fuel cost information. Unsupported speculation by a Market Party does not present a valid basis for the ISO to determine that Bids that a Market Party submitted are consistent with competitive behavior, or to determine that submitted costs are appropriate for inclusion in the ISO's development of reference levels. Consistent with Sections 30.6.2.2 and 30.6.3.2 of the Plan, the Market Party shall retain the documents and information supporting its Bids and the costs it proposes to include in reference levels. A preliminary determination by the ISO shall be provided to the Market Monitoring Unit for its review and comment, and the ISO shall consider the Market Monitoring Unit's recommendations before the ISO issues its decision or determination to the Market Party. Upon request, the ISO shall consult with a Market Party or its representative with respect to the information and analysis used to determine reference levels under Section 23.3.1.4 of the Market Mitigation Measures for that Market Party's Generator(s). If cost data or other information submitted by a Market Party indicates to the satisfaction of the ISO that the reference levels for that Market Party's Generator(s) should be changed, revised reference levels shall be proposed by the ISO, communicated to the Market Monitoring Unit for its review and comment and, following the ISO's consideration of any recommendation that the Market Monitoring Unit is able to timely provide, communicated to the Market Party, and implemented by the ISO

as soon as practicable. Changes to reference levels addressed pursuant to the terms of Section 23.3.3.1.4 of the Market Mitigation Measures shall be implemented on a going-forward basis commencing no earlier than the date that the Market Party's consultation request is received. *See* Market Mitigation Measures Sections 23.3.3.1.1 through 23.3.3.1.5.

30.4.6.2.7 With regard to a Market Party's request for consultation that satisfies the requirements of Sections 23.3.3.3.1.4 and 23.3.3.3.1.7 of the Market Mitigation Measures, and consistent with the duties assigned to the ISO in Section 23.3.3.3.1.7.1 of the Market Mitigation Measures, a preliminary determination by the ISO regarding the Market Party's consultation request shall be provided to the Market Monitoring Unit for its review and the ISO shall consider the Market Monitoring Unit's recommendations in reaching its decision. *See* Market Mitigation Measures Section 23.3.3.3.1.7.1 and 23.3.3.3.1.7.2.

30.4.6.2.8 Reasonably in advance of the deadline for submitting offers in an External Reconfiguration Market and in accordance with the deadlines specified in ISO Procedures, the Responsible Market Party for External Sale UCAP may request the ISO to provide a projection of ICAP Spot Auction clearing prices for a Mitigated Capacity Zone over the Comparison Period for the External Reconfiguration Market. Prior to completing its projection of ICAP Spot Auction clearing prices for a Mitigated Capacity Zone over the Comparison Period for the External Reconfiguration Market, the ISO shall consult with the Market Monitoring Unit regarding such price projection. *See* Market Mitigation Measures Section 23.4.5.4.3.

30.4.6.2.9 Prior to reaching its decision regarding whether the presumption of control of Unforced Capacity has been rebutted, the ISO shall provide its preliminary determination to the Market Monitoring Unit for review and comment. *See* Market Mitigation Measures Section 23.4.5.5.

30.4.6.2.10 Any proposal or decision by a Market Participant to retire or otherwise remove an Installed Capacity Supplier from a Mitigated Capacity Zone Unforced Capacity market, or to de-rate the amount of Installed Capacity available from such supplier, may be subject to audit and review by the ISO if the ISO determines that such action could reasonably be expected to affect Market-Clearing Prices in one or more ICAP Spot Market Auctions for a Mitigated Capacity Zone subsequent to such action; provided, however, no audit and review shall be necessary if the Installed Capacity Supplier is a Generator that is being retired or removed from a Mitigated Capacity Zone as the result of a Forced Outage that began on or after the effective date of the amendments to Section 23.4.5.6.1 of this Services Tariff that was determined by the ISO to be a Catastrophic Failure. Such an audit or review shall assess whether the proposal or decision has a legitimate economic justification or is based on an effort to withhold Installed Capacity physically in order to affect prices. The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment. *See* Market Mitigation Measures Section 23.4.5.6.

30.4.6.2.11 Any reclassification of a an Installed Capacity Supplier that is a Generator in a Mitigated Capacity Zone from a Forced Outage that began on or after the

effective date of Section 23.4.5.6.2 of this Services Tariff to an ICAP Ineligible Forced Outage by a Market Party or otherwise, pursuant to the terms of Section 5.18.2.1 of this Services Tariff, may be subject to audit and review by the ISO if the ISO determines that such reclassification could reasonably be expected to affect the Market-Clearing Price in one or more ICAP Spot Market Auctions for a Mitigated Capacity Zone in which the Generator(s) that is the subject of the reclassification is located, subsequent to such action; provided, however, if the Market Party's Generator experienced the Forced Outage as a result of a Catastrophic Failure, the reclassification of a Generator in a Mitigated Capacity Zone from a Forced Outage to an ICAP Ineligible Forced Outage shall not be subject to audit and review pursuant to Section 23.4.5.6.2 of this Services Tariff.

The audit and review pursuant to the above paragraph shall assess whether the reclassification of the Generator in a Mitigated Capacity Zone from a Forced Outage to an ICAP Ineligible Forced Outage had a legitimate economic justification or is based on an effort to withhold Installed Capacity physically in order to affect prices. The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment.

The audit and review pursuant to Section 23.4.5.6.2.1 of this Services Tariff shall be deferred by the ISO beyond the time period established in ISO Procedures for the audit and review until the ISO's receipt of data pursuant to Section 23.4.5.6.2.2 if the Generator was in a Forced Outage for at least 180 days before the reclassification and one or more Exceptional Circumstances delayed the acquisition of data necessary for the ISO's audit. If, at the time the ISO

acquires the necessary data, the Market Party has Commenced Repair of the Generator, or the Generator is determined by the ISO to have had a Catastrophic Failure, the Market Party shall not be subject to an audit and review pursuant to Section 23.4.5.6.2.1 of this Services Tariff. The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment.

30.4.6.2.12 When evaluating an Examined Facility or NCZ Examined Project pursuant to Section 23.4.5.7 of the Market Mitigation Measures, the ISO shall seek comment from the Market Monitoring Unit on matters relating to the determination of price projections and cost calculations. As required by Section 23.4.5.7 of Attachment H to this Services Tariff, the Market Monitoring Unit shall prepare a written report discussing factors that affect the ISO's mitigation exemption and Offer Floor determinations, and confirming whether the ISO's Offer Floor and exemption determinations and calculations conducted pursuant to Sections 23.4.5.7.2 and 23.4.5.7.6, the NYISO's determination of eligible or ineligible for an exemption pursuant to Section 23.4.5.7.9, were conducted in accordance with the terms of the Services Tariff, and if not, identifying the flaws inherent in the ISO's approach. This report shall be presented concurrent with the ISO's posting of its mitigation exemption and Offer Floor determinations. Pursuant to Section 23.4.5.7.8 of the Market Mitigation Measures, the ISO shall also consult with the Market Monitoring Unit when evaluating whether any existing or proposed Generator or UDR project in a Mitigated Capacity Zone, except New York City, has Commenced Construction, and determinations of

whether it shall be exempted from an Offer Floor under that Section. Prior to the ISO making an exemption determination pursuant to Section 23.4.5.7.8, the Market Monitoring Unit shall provide the ISO a written opinion and recommendation. The Market Monitoring Unit shall also provide a public report on its assessment of an ISO determination that an existing or proposed Generator or UDR project is exempt from an Offer Floor under Section 23.4.5.7.8. *See* Market Mitigation Measures Section 23.4.5.7.

30.4.6.2.13 RMR Generator Energy and Ancillary Service Market Participation Rules.

In advance of the execution of an RMR Agreement, the ISO, in consultation with the Market Monitoring Unit and the Owner, shall review and update the reference levels for each affected Generator. The ISO shall make the ultimate determination with regard to each reference level. *See* Market Mitigation Measures Section 23.6.2.2.

If a possible RMR Generator faces operational constraints the ISO, in consultation with the Market Monitoring Unit and the Owner, will develop reference levels that will permit the Generator to operate consistent with the identified constraints, while ensuring that the Generator will be available (a) to resolve the Reliability Need the Generator is being retained to address, and (b) for economic commitment when appropriate. *See* Market Mitigation Measures Section 23.6.2.2.1.

If a physical change to the RMR Generator occurs that alters the RMR Generator's capabilities (*e.g.*, damage to the generator or Capital Expenditures that alter an RMR Generator's capabilities), then the ISO shall determine revised

reference levels in consultation with the Market Monitoring Unit and the Owner.
See Market Mitigation Measures Section 23.6.2.3.4.

The ISO and the Owner, in consultation with the Market Monitoring Unit, may mutually agree to a reference level change that they expect will better reflect an RMR Generator's actual operating characteristics or variable costs. *See* Market Mitigation Measures Section 23.6.2.3.5.

30.4.6.3 Market Monitoring Unit responsibilities set forth in the ISO Services Tariff

30.4.6.3.1 The ICAP Demand Curve periodic review schedule and procedures shall provide an opportunity for the Market Monitoring Unit to review and comment on the draft request for proposals, the independent consultant's report, and the ISO's proposed ICAP Demand Curves. *See* ISO Services Tariff Section 5.14.1.2.5.

30.4.6.3.2 The new capacity zone periodic review shall provide an opportunity for the Market Monitoring Unit to review and comment on the NCZ Study, and any proposed NCZ tariff revisions. *See* ISO Services Tariff Sections 5.16.1.3 and 5.16.4.

30.4.6.4 Market Monitoring Unit responsibilities set forth in the Rate Schedules to the ISO Services Tariff.

30.4.6.4.1 Responsibilities related to the Regulation Service Demand Curve

In order to respond to operational or reliability problems that arise in real-time, the ISO may procure Regulation Service at a quantity and/or price point different than those specified in Section 15.3.7 of Rate Schedule 3 to the ISO Services Tariff. The ISO shall post a notice of any such purchase as soon as reasonably possible and shall report on the reasons for such purchases at the next meeting of its Business Issues Committee. The ISO shall also immediately initiate an

investigation to determine whether it is necessary to modify the quantity and price points specified above to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit when it conducts this investigation.

If the ISO determines that it is necessary to modify the quantity and/or price points specified above in order to avoid future operational or reliability problems it may temporarily modify them for a period of up to 90 days. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification.

After the first year the Regulation Service Demand Curve is in place, the ISO shall perform periodic reviews, subject to the scope requirement specified in Section 15.3.7 of Rate Schedule 3 to the ISO Services Tariff, and the Market Monitoring Unit shall be given the opportunity to review and comment on the ISO's periodic reviews of the Regulation Service Demand Curve. *See* Section 15.3.7 of Rate Schedule 3 to the ISO Services Tariff.

30.4.6.4.2 Responsibilities related to the Operating Reserves Demand Curves

In order to respond to operational or reliability problems that arise in real-time, the ISO may procure any Operating Reserve product at a quantity and/or price point different than those specified in Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff. The ISO shall post a notice of any such purchase as soon as reasonably possible and shall report on the reasons for such purchases at the next meeting of its Business Issues Committee. The ISO shall also immediately initiate an investigation to determine whether it is necessary to modify the quantity and price points specified above to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit when it conducts this investigation.

If the ISO determines that it is necessary to modify the quantity and/or price points specified in Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff in order to avoid future operational or reliability problems it may temporarily modify them for a period of up to 90 days. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification.

After the first year the Operating Reserves Demand Curves are in place, the ISO shall perform periodic reviews, subject to the scope requirement specified in Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff, and the Market Monitoring Unit shall be given the opportunity to review and comment on the ISO's periodic reviews of the Operating Reserve Demand Curves. *See* Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff.

30.4.6.5 Market Monitoring Unit responsibilities set forth in the Attachments to the ISO Services Tariff (other than the Market Mitigation Measures).

30.4.6.5.1 Responsibilities related to Transmission Shortage Cost

The ISO may periodically evaluate the Transmission Shortage Cost to determine whether it is necessary to modify the Transmission Shortage Cost to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit after it conducts this evaluation.

If the ISO determines that it is necessary to modify the Transmission Shortage Cost in order to avoid future operational or reliability problems the resolution of which would otherwise require recurring operator intervention outside normal market scheduling procedures, in order to avoid among other reliability issues, a violation of NERC Interconnection Reliability Operating Limits or System Operating Limits, it may temporarily modify it for a period of up to 90 days,

provided however the ISO shall file such change with the Commission pursuant to § 205 of the Federal Power Act within 45 days of such modification. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification and shall explain the reasons for the change. *See* Section 17.1.4 of Attachment B to the ISO Services Tariff.

30.4.6.6 Market Monitoring Unit responsibilities set forth in the ISO OATT

30.4.6.7 Market Monitoring Unit responsibilities set forth in the Rate Schedules to the ISO OATT

30.4.6.8 Market Monitoring Unit responsibilities set forth in the Attachments to the ISO OATT

30.4.6.8.1 Responsibilities related to implementing new scheduling path prohibitions

If the ISO, acting in consultation with its Market Monitoring Unit, identifies transmission scheduling paths that are being used to schedule External Transactions in a manner that is not consistent with the manner in which power is actually expected to flow, the ISO may submit a compliance filing in FERC Docket No. ER13-780 proposing to expand the list of prohibited scheduling paths included in Section 16.3.3.8 of the ISO OATT. The ISO's compliance filing will include, or be accompanied by, a discussion of the Market Monitoring Unit's position regarding the ISO's proposal to add a new prohibited scheduling path or new prohibited scheduling paths. The Market Monitoring Unit's position may be explained in the ISO's filing letter, be set forth in an accompanying affidavit, or be submitted by the Market Monitoring Unit as a companion filing or as comments on the ISO's compliance filing in Docket No. ER13-780. *See* Section 16.3.3.8 of Attachment J to the ISO OATT.

30.4.6.8.2 Responsibilities related to the draft Reliability Needs Assessment

Following the Management Committee vote, the draft Reliability Needs Assessment (RNA), with working group, Operating Committee, and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrently, the draft RNA will be provided to the Market Monitoring Unit for its review and consideration of whether market rules changes are necessary to address an identified failure, if any, in one of the ISO's competitive markets. *See* Section 31.2.3.2 of Attachment Y to the ISO OATT.

30.4.6.8.3 Responsibilities related to the draft Comprehensive Reliability Plan

Following the Management Committee vote, the draft Comprehensive Reliability Plan (CRP), with working group, Operating Committee, and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrently, the draft CRP will also be provided to the Market Monitoring Unit for its review and consideration of whether market rule changes are necessary to address an identified failure, if any, in one of the ISO's competitive markets. *See* Section 31.2.7.2 of Attachment Y to the ISO OATT.

30.4.6.8.4 Responsibilities related to the draft Congestion Analysis and Resource Integration Study

Following the Management Committee vote, the draft Congestion Analysis and Resource Integration Study (CARIS), with Business Issues Committee and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrently, the draft CARIS will be provided to the Market Monitoring Unit for its review and consideration. *See* Section 31.3.2.2 of Attachment Y to the ISO OATT.

30.4.6.8.5 Responsibilities related to the draft Public Policy Transmission Planning Report

The ISO will provide the draft Public Policy Transmission Planning Report to the Market Monitoring Unit for its review and consideration of any impact on the ISO-administered markets of regulated transmission solutions proposed to satisfy a Public Policy Transmission Need. *See* Sections 31.4.9 and 31.4.10.1 of Attachment Y to the ISO OATT. The Market Monitoring Unit's evaluation will be provided to the Management Committee before the Management Committee's advisory vote. *See* Section 31.4.10.1 of Attachment Y. Following the Management Committee vote, the draft Public Policy Transmission Planning Report, with Business Issues Committee and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrent with the submission to the ISO Board of the draft Public Policy Transmission Planning Report, the Market Monitoring Unit's evaluation will be provided to the ISO Board. *See* Section 31.4.7 of Attachment Y to the ISO OATT.

30.4.6.8.6 Responsibilities Related to Market Monitoring Unit Review of Reliability Must Run Costs and RMR Avoidable Cost Determinations

The ISO shall seek comment from the Market Monitoring Unit when (i) making determinations under Section 31.2.11.8 of Attachment Y to the OATT, (ii) determining RMR Avoidable Costs, (iii) identifying the non-generation Viable and Sufficient Gap Solution that has an estimated net present value that is distinctly higher than the net present value of any Initiating Generator or Generator that is a Viable and Sufficient Gap Solution (*i.e.*, the non-generation Viable and Sufficient Gap Solution has a lower net cost,) if any, (iv) reviewing Proposed Additional Costs, and (v) determining Substantiated Additional Costs. *See* Section 31.2.11.18.1 of Attachment Y to the ISO OATT.

If the ISO identifies a non-generation Viable and Sufficient Gap Solution with an

estimated net present value that is distinctly higher than the estimated net present value of any Initiating Generator or Generator that is a Viable and Sufficient Gap Solution for a Reliability Need (*i.e.*, the non-generation Viable and Sufficient Gap Solution has a lower net cost,) in accordance with Section 31.2.11.8.2, the Market Monitoring Unit shall publish a report. The report shall review the ISO's cost determinations for non-generation Viable and Sufficient Gap Solutions and RMR Avoidable Costs for Initiating Generators and Generators that are Viable and Sufficient Gap Solutions for a Reliability Need to the extent necessary to report on the ISO's identification of the highest net present value of non-generation Viable and Sufficient Gap Solution. *See* Section 31.2.11.18.2 of Attachment Y to the ISO OATT.

Concurrent with the ISO or a Generator filing with the Commission an RMR Agreement pursuant to Sections 31.2.11.11.3, 31.2.11.11.4, or 31.2.11.11.5, the Market Monitoring Unit shall publish a report. The report shall review the ISO's determination of the highest net present value offer (or more than one offer) to provide RMR service in accordance with Section 31.2.11.10.6 of Attachment Y to the ISO OATT. In the event that cost alone did not provide for a clear delineation between two or more offers, the report shall also review the ISO's consideration the size of the Generators in an effort to minimize impacts to markets. If the RMR Agreement contains RMR Costs and an Availability and Performance Rate; the report shall also review the inputs to and ISO's calculation of the RMR Avoidable Costs; and the Availability and Performance Rate. *See* Section 31.2.11.18.3 of Attachment Y to the ISO OATT.

30.4.6.9 Market Monitoring Unit responsibilities set forth in other documents that have been formally filed with the Commission

30.4.6.10 Market Monitoring Unit responsibilities set forth in the *Form of Reliability Must Run Agreement, Appendix G to Attachment Y of the ISO OATT*

The ISO and the Market Monitoring Unit shall monitor deviations from each RMR Generator's historic planned outage schedules. Owner shall promptly respond to ISO and Market Monitoring Unit requests for explanations, information and data regarding or supporting outage schedules. *See Section 7.1.3 of the Form of Reliability Must Run Agreement.*

The ISO and the Market Monitoring Unit shall monitor deviations from each RMR Generator's historic forced outage rate. Owner shall promptly respond to ISO and Market Monitoring Unit requests for explanations, information and data regarding or supporting forced outages, including the time required to return from a Forced Outage. *See Section 7.2.2 of the Form of Reliability Must Run Agreement.*

30.4.6.11 Additional Market Monitoring Unit responsibilities related to Reliability Must Run Agreements

The Market Monitoring Unit shall review any Owner-Developed Rate that is filed with the Commission as described in Section 4.5 of the *Form of Reliability Must Run Agreement*. The Market Monitoring Unit shall intervene and participate in Commission proceedings concerning such filings. It shall submit, as appropriate, comments or a protest in such a proceeding describing its review and informing the Commission of whether it has found a proposed Owner Developed Rate to be consistent with, or in excess of, an RMR Generator's full cost of service. The Market Monitoring Unit shall also inform the Commission of whether: (i) it believes the proposed Owner Developed Rate, including its terms and conditions of service, is or is not just and reasonable; and (ii) it has any other concerns with the proposed Owner Developed Rate.

30.4.7 Availability of Data and Resources to Market Monitoring Unit

- 30.4.7.1 The ISO shall ensure that the Market Monitoring Unit has sufficient access to ISO resources, personnel and market data to enable the Market Monitoring Unit to carry out its functions under Attachment O. Consistent with Section 30.6.1 of Attachment O, the Market Monitoring Unit shall have complete access to the ISO's databases of market information.
- 30.4.7.2 Any data created by the Market Monitoring Unit, including but not limited to reconfiguration of the ISO's data, will be kept within the exclusive control of the Market Monitoring Unit. The Market Monitoring Unit may share the data it creates, subject to the limitations on distribution of and obligation to protect the confidentiality of Protected Information that are contained in Attachment O, the ISO Services Tariff, and the ISO's Code of Conduct.
- 30.4.7.3 Where data outside the ISO's geographic footprint would be helpful to the Market Monitoring Unit in carrying out its duties, the Market Monitoring Unit should seek out that data (with assistance from the ISO, where appropriate).

30.6 Data Collection and Disclosure

30.6.1 Access to ISO Data and Information

For purposes of carrying out their responsibilities under Attachment O, the Market Monitoring Unit and MMA shall have access to, and shall endeavor primarily to rely upon (but shall not be limited to), data or other information gathered or generated by the ISO in the course of its operations. This data and information shall include, but not be limited to, data or information gathered or generated by the ISO in connection with its scheduling, commitment and dispatch of generation, its determination of Locational Based Marginal Pricing, its operation or administration of the New York State Transmission System, and data or other information produced by, or required to be provided to the ISO under its Tariffs, the New York Independent System Operator Agreement, the New York State Reliability Council Agreement, or any other relevant tariffs or agreements.

30.6.2 Data from Market Parties

30.6.2.1 Data Requests

If the Market Monitoring Unit or MMA, determines that additional data or other information is required to accomplish the objectives of Attachment O or of the Market Mitigation Measures, the ISO may request the persons or entities possessing, having access to, or having the ability to generate or produce such data or other information to furnish it to the ISO or to its Market Monitoring Unit. Any such request shall be accompanied by an explanation of the need for such data or other information, a specification of the form or format in which the data is to be produced, and an acknowledgment of the obligation of the ISO and its Market Monitoring Unit to maintain the confidentiality of data or information appropriately designated as Protected Information by the party producing it.

A party receiving an information request from the ISO shall furnish all information, in the requested form or format, that is: (i) included on the below list of categories of data or information that it may routinely request from a Market Party; or (ii) reasonably necessary to achieve the purposes or objectives of Attachment O, not readily available from some other source that is more convenient, less burdensome and less expensive, and not subject to an attorney-client or other generally recognized evidentiary doctrine of confidentiality or privilege.

The categories data or information that may be routinely requested shall be limited to data or information the routine provision of which would not be unduly burdensome or expensive, and which has been reasonably determined by the ISO, in consultation with its Market Monitoring Unit, to be likely to be relevant to the purposes and objectives of Attachment O or the Market Mitigation Measures.

30.6.2.2 Categories of Data the ISO May Request from Market Parties

The following categories of data or information may be obtained by the ISO from Market Parties in accordance with Attachment O. Market Parties shall retain the following categories of data or information for the period specified in Section 30.6.3 of Attachment O.

30.6.2.2.1 Production costs – Data or information relating to the costs or operating a specified Electric Facility (for generating units such data or information shall include, but not be limited to, heat rates, start-up fuel requirements, fuel purchase costs, and operating and maintenance expenses) or data or information relating to the costs of providing load reductions from a specified facility participating as a Demand Side Resource in the ISO Operating Reserves or Regulation Service markets.

30.6.2.2.2 Opportunity costs – Data or information relating to a claim of opportunity costs, including, but not limited to, contracts or price quotes.

30.6.2.2.3 Logs – Data or information relating to the operating status of an Electric Facility, including, for generating units, generator logs showing the generating status of a specified unit or data or information relating to the operating status of a specified facility participating as a Demand Side Resource in the ISO Operating Reserves or Regulation Service markets. Such data or information shall include, but not be limited to, any information relating to the validity of a claimed forced outage or derating of a generating unit or other Electric Facility or a facility participating as a Demand Side Resource in the ISO Operating Reserves or Regulation Service markets.

30.6.2.2.4 Bidding or Capacity Agreements – Documents, data, or information relating to a Market Party or its Affiliate conveying to or receiving from another entity the ability: (i) to determine the bid/offer of (in any of the markets administered by the ISO); (ii) to determine the output level of; or (iii) to withhold; generation that is owned by another entity. At the request of the producing entity, the ISO may (but is not required to) permit the documents, data or information produced in response to the foregoing specification to be partially redacted, or the ISO may agree to other measures for the protection of confidential or commercially sensitive information, provided that the ISO receives the complete text of all provisions relating to the subjects specified in this Section 30.6.2.2.4

30.6.2.2.5 Other Cost and Risk Data Supporting Reference Levels or ICAP mitigation determinations or Going-Forward Costs – All data or information not

specifically identified above that: (i) supports or relates to a Market Party's claimed, requested, or approved reference levels or Going-Forward Costs (as that term is defined in the Market Mitigation Measures) for a particular resource; or (ii) are necessary for the ISO to make a mitigation determination under Services Tariff Section 23.4.5.7, including data or information: (a) necessary to determine a Market Party's Unit Net CONE (as that term is defined in the Market Mitigation Measures) for a particular resource; or (b) required to evaluate a Market Party for a mitigation determination, including information from a Market Party's Affiliates, as appropriate.

30.6.2.2.6 Information Related to RMR Agreements -- All information that the NYISO is authorized to obtain under Appendix F to Attachment Y to the OATT.

30.6.2.2.7 Ownership and Control – Data or information identifying a Market Party's Affiliates.

30.6.2.3 Enforcement of Data Requests

30.6.2.3.1 A party receiving a request for data or information specified in Section 30.6.2.2 of Attachment O shall promptly provide it to the ISO, and may not contest the right of the ISO to obtain such data or information except to the extent that the party has a good faith basis to assert that the data or information is not included in any of the categories on the list.

30.6.2.3.2 If a party receiving a request for data or information not specified in Section 30.6.2.2 of Attachment O believes that production of the requested data or information would impose a substantial burden or expense, or would require the party to produce information that is not relevant to achieving the purposes or

objectives of Attachment O, or would require the production of data or information of extraordinary commercial sensitivity, the party receiving the request shall promptly so notify the ISO, and the ISO shall review the request with the receiving party with a view toward determining whether, without unduly compromising the objectives of Attachment O, the request can be narrowed or otherwise modified to reduce the burden or expense of compliance, or special confidentiality protections are warranted, and if so shall so modify the request or the procedures for handling data or information produced in response to the request.

30.6.2.3.3 If the ISO determines that the requested information has not or will not be provided within a reasonable time, the ISO may invoke the dispute resolution provisions of the ISO Services Tariff to determine the ISO's right to obtain the requested information. The parties may agree to submit any such determination to binding arbitration and may seek expedited resolution, in accordance with the applicable dispute resolution procedures. The ISO may initiate judicial or regulatory proceedings at any time to compel the production of the requested information.

30.6.3 Data Retention

30.6.3.1 Section 30.6.3 of Attachment O sets forth requirements for the retention of market information by the ISO, by the Market Monitoring Unit and by Market Parties. The provisions of this data retention policy are binding on the ISO, on the Market Monitoring Unit and on Market Parties.

30.6.3.2 Except as specified herein, a Market Party shall retain the data and information specified in Section 30.6.2.2 of Attachment O for a period of six years from the date to which the data relates.

30.6.3.3 The ISO or its Market Monitoring Unit (as appropriate) shall retain for a period of six years from the date to which the data or information relates:

30.6.3.3.1 data or information required to be submitted to, or otherwise used by, the ISO in connection with the bidding, scheduling and dispatch of resources or loads in the New York energy, ancillary services, TCC or Installed Capacity (ICAP) markets;

30.6.3.3.2 data or information used or monitored by the ISO on system conditions in the New York Control Area, including but not limited to transmission constraints or planned or forced facility outages, that materially affect transmission congestion costs or market conditions in the New York energy, ancillary services or ICAP markets;

30.6.3.3.3 data or information collected by the ISO or by the Market Monitoring Unit (as appropriate) in the course of their implementation of Attachment O or the Market Mitigation Measures, on conditions in markets external to New York, or on fuel prices or other economic conditions that materially affect market conditions in the New York energy, ancillary services, TCC or ICAP markets;

30.6.3.3.4 data or information relating to the imposition of, or a decision not to impose, mitigation measures; and

30.6.3.3.5 such other data or information as the MMA or Market Monitoring Unit deem it necessary to collect in order to implement Attachment O or the Market Mitigation Measures.

30.6.3.4 The foregoing obligations to retain data or information shall not alter any data retention requirements that may otherwise be applicable to the ISO, to the Market Monitoring Unit, or to a Market Party; nor shall any such other data retention requirement alter the requirements specified above.

30.6.3.5 The ISO, Market Monitoring Unit or a Market Party may, at its option, purge or otherwise destroy any data or information that has been retained for the longest applicable period specified above, provided the retention of such data or information is not mandated by the FERC, the New York Public Service Commission, or other applicable requirement or obligation.

30.6.3.6 Compliance with the requirements specified herein for the retention of data or information shall not suspend or waive any statute of limitations or doctrine of laches, estoppel or waiver that may be applicable to any claim asserted against the ISO, the Market Monitoring Unit, or a Market Party.

30.6.4 Confidentiality

The Market Monitoring Unit and the ISO shall use all reasonable procedures necessary to protect and preserve the confidentiality of Protected Information, provided that such information is not available from public sources, is not otherwise subject to disclosure under any tariff or agreement administered by the ISO, and is properly designated as Protected Information. The ISO and the Market Monitoring Unit's obligation to protect and preserve the confidentiality of

Protected Information shall be of a continuing nature, and shall survive the rescission, termination or expiration of this Plan.

Except as may be required by subpoena or other compulsory process, or as authorized in the ISO's Tariffs and governing documents (including this Plan), the Market Monitoring Unit and the ISO shall not disclose Protected Information to any person or entity without the prior written consent of the party that the Protected Information pertains to. Upon receipt of a subpoena or other compulsory process for the disclosure of Protected Information, the ISO and/or the Market Monitoring Unit shall promptly notify the party that the Protected Information pertains to, and shall provide all reasonable assistance requested by the party to prevent or limit disclosure. Upon receipt of a subpoena or other compulsory process for the disclosure of Protected Information that was provided to the ISO or the Market Monitoring Unit pursuant to Section 30.6.6 below, the ISO or the Market Monitoring Unit, as appropriate, shall promptly notify the entity that provided the Protected Information and shall provide all reasonable assistance requested by that party to prevent or limit disclosure. Nothing in this Plan alters any existing statutory jurisdiction or authority to compel disclosure that may apply to the ISO, its Market Monitoring Unit, or to any other ISO, RTO, or market monitoring unit.

The ISO may, in consultation with the Market Monitoring Unit, adopt further or different procedures for the designation of information as Protected Information, or for the reasonable protection of Protected Information, after providing an opportunity for interested parties to review and comment on such procedures; provided, however, that such further or different procedures shall not permit the ISO or Market Monitoring Unit to disclose data or information that would be protected from disclosure under the procedures in place at the time the data or information was provided to the ISO or to the Market Monitoring Unit.

30.6.5 Collection and Availability of Information

30.6.5.1 The ISO and the Market Monitoring Unit shall regularly collect and maintain the information necessary for implementing Attachment O.

The ISO and the Market Monitoring Unit may provide Protected Information to each other as they determine necessary to carry out the purposes of this Plan.

30.6.5.2 The ISO, in consultation with the Market Monitoring Unit, shall make publicly available: (i) a description of the categories of data and information collected and maintained by the MMA and Market Monitoring Unit; (ii) such data or information as may be useful for the competitive or efficient functioning of any of the New York Electric Markets that can be made publicly available consistent with the confidentiality of Protected Information; and (iii) if and to the extent consistent with confidentiality requirements, such summaries, redactions, abstractions or other non-confidential compilations, versions or reports of Protected Information as may be useful for the competitive or efficient functioning of any of the New York Electric Markets. Any such proposed methods for creating non-confidential reports of such information shall only be adopted after provision of a reasonable opportunity for, and consideration of, the comments of Market Parties and other interested parties. All such proposed or adopted methods shall be set forth in the ISO Procedures, shall be made available through the ISO web site or comparable means, and shall be subject to review and approval by the Board.

30.6.5.3 Consistent with the foregoing requirements, the ISO and its Market Monitoring Unit shall make available, through the ISO web site or comparable

means, such reports on the New York Electric Markets as they determine will, at reasonable cost, facilitate competition in those markets.

30.6.5.4 Any data or other information collected by the ISO relating to any of the New York Electric Markets shall be provided upon request, and without undue discrimination between requests, to a Market Party, other interested party, or an Interested Government Agency, provided: (i) such data or information is not Protected Information, or the party designating it as Protected Information has consented in writing to its disclosure; (ii) such information can be provided without undue burden or disruption to, or interference with the other duties and responsibilities of the ISO; and (iii) the requesting party, if other than an Interested Government Agency, provides appropriate guarantees of reimbursement of the costs to the ISO of compiling and disclosing the data or information. If the ISO determines that doing so would not be unduly burdensome or expensive, or inconsistent with maintaining the competitiveness or economic efficiency of any market, the ISO shall make data or information provided in accordance with this paragraph available to interested parties through the ISO web site or other appropriate means.

30.6.5.5 The New York Public Service Commission and any Other State Commission may make tailored requests to the Market Monitoring Unit for information related to general market trends and the performance of the New York Electric Markets. If the Market Monitoring Unit determines that such a request is not unduly burdensome, it shall provide the information sought, subject

to the restrictions and limitations established in Sections 30.6.5.5.1, 30.6.5.5.2 and 30.6.5.5.4, below.

30.6.5.5.1 Except as provided in this Section 30.6.5.5.1, the Market Monitoring Unit shall not provide Protected Information to the New York Public Service Commission or to an Other State Commission in response to a request under Section 30.6.5.5 above. The Market Monitoring Unit may, but is not required to, provide Protected Information to the New York Public Service Commission or any Other State Commission when the party to which the requested Protected Information pertains has consented in writing to its disclosure. The Market Monitoring Unit may, but is not required to, provide Protected Information to the New York Public Service Commission or an Other State Commission if the general counsel/chief legal officer of the requesting state commission certifies, in writing, that: (i) the requested Protected Information will be protected from disclosure by law (and provides copies of the relevant laws, rules or regulations under which the requested Protected Information is protected from public disclosure); (ii) the requested Protected Information will be treated as confidential to the fullest extent of the laws of its state; (iii) the state commission will promptly notify the Market Monitoring Unit if it receives a request for disclosure of all or part of the Protected (iv) the state commission agrees to provide all reasonable and permissible assistance to prevent further disclosure of Protected Information provided by the Market Monitoring Unit to the state commission in response to a request governed by Section 30.6.5.5 of this Plan; and (v) the Protected Information will not be used for a state enforcement action.

The Market Monitoring Unit shall not provide Protected Information it received from another ISO or RTO, or from a market monitoring unit for another ISO or RTO, pursuant to the authority to share information granted by Section 30.6.6 of this Plan, in response to a request under Section 30.6.5.5 of this Plan. Instead, the Market Monitoring Unit shall identify to the requesting state commission the ISO, RTO or market monitoring unit that provided the information to the Market Monitoring Unit, so that the New York Public Service Commission or Other State Commission may request the Protected Information directly from its source in accordance with the provisions of the providing entity's tariffs, other governing documents, or an applicable law or rule.

30.6.5.5.2 Prior to disclosing Protected Information pertaining to a particular Market Party in response to a tailored request made under Section 30.6.5.5, the Market Monitoring Unit shall (1) notify the Market Party or Parties to which the Protected Information pertains of the request and describe the information that the Market Monitoring Unit proposes to disclose, and (2) allow the Market Party or Parties a reasonable time to object to the disclosure and to provide context to the Protected Information related to it. Providing the opportunity for Market Parties to object to disclosure, or to provide context to the information being produced shall not be permitted to unduly delay its release.

30.6.5.5.3 Section 30.6.5.5 of Attachment O pertains to requests by the New York Public Service Commission and Other State Commissions to the Market Monitoring Unit to provide information. Section 30.6.4 of Attachment O

addresses how the Market Monitoring Unit responds to compulsory processes, such as subpoenas and court orders.

30.6.5.5.4 In responding to a request under Section 30.6.5.5 of Attachment O, the Market Monitoring Unit shall not knowingly provide information to the New York Public Service Commission, or to any Other State Commission, that is designed to aid a state enforcement action.

30.6.5.5.5 The New York Public Service Commission or any Other State Commission may petition FERC to require the ISO to release information that the Market Monitoring Unit is not required to release, or that the Market Monitoring Unit is proscribed from releasing, under this Section 30.6.5.5 of Attachment O.

30.6.5.6 The Market Monitoring Unit shall respond to information and data requests issued to it by the Commission or its staff. If the Commission or its staff, during the course of an investigation or otherwise, requests Protected Information from the Market Monitoring Unit that is otherwise required to be maintained in confidence, the Market Monitoring Unit shall provide the requested information to the Commission or its staff within the time provided for in the request for information. In providing the information to the FERC or its staff, the Market Monitoring Unit shall, consistent with any FERC rules or regulations that may provide for privileged treatment of that information, request that the information be treated as confidential and non-public by the FERC and its staff and that the information be withheld from public disclosure. The Market Monitoring Unit shall not be held liable for any losses, consequential or otherwise, resulting from the Market Monitoring Unit divulging such Protected Information pursuant to a

request under this Section 30.6.5.6. After the Protected Information has been provided to the Commission or its staff, the Market Monitoring Unit shall immediately notify any affected Market Participant(s) when it becomes aware that a request for disclosure of such Protected Information has been received by the Commission or its staff, or a decision to disclose such Protected Information has been made by the Commission, at which time the Market Monitoring Unit and the affected Market Participant(s) may respond before such information would be made public, pursuant to the Commission's rules and regulations that may provide for privileged treatment of information provided to the Commission or its staff.

30.6.6 Sharing Information with Other ISOs/RTOs and Market Monitoring Units

30.6.6.1 The Market Monitoring Unit or the ISO may disclose Protected Information to another ISO or RTO or to another ISO or RTO's market monitoring unit (each a "Requesting Entity" in Section 30.6.6 of the Plan) if the Requesting Entity submits a written request stating that the requested Protected Information is necessary to an investigation or evaluation that the Requesting Entity is undertaking within the scope of its approved tariffs, other governing documents, or an applicable law or rule to determine (a) if market power is being, or has been, exercised, (b) if market manipulation is occurring or has occurred, or (c) if a market design flaw exists between interconnected markets, and either (i) demonstrates (by providing copies of the relevant documents, provisions, statutes, rules, orders, etc.) that its tariff or other governing document limits further disclosure of the Protected Information in a manner that satisfies all of the requirements set forth in Section 30.6.6.1.1, below, or (ii) executes a non-

disclosure agreement with the ISO and/or the Market Monitoring Unit that incorporates all of the requirements set forth in Section 30.6.6.1.1 below, and provides a written certification that the Requesting Entity possesses legal authority to enter into the required non-disclosure agreement and to be bound by its terms.

30.6.6.1.1 The Requesting Entity's governing documents or non-disclosure agreement must:

- (1) protect Protected Information that the ISO or the Market Monitoring Unit provides from disclosure, except where disclosure may be required by the FERC or by subpoena or other compulsory process;
- (2) establish a legally enforceable obligation to treat Protected Information provided by the ISO or its Market Monitoring Unit as confidential. Such obligation must be of a continuing nature, and must survive the rescission, termination or expiration of the applicable tariff(s), other governing document(s) or non-disclosure agreement;
- (3) require state commissions to request Protected Information provided by the ISO or its Market Monitoring Unit directly from the ISO or its Market Monitoring Unit, in a manner consistent with Section 30.6.5.5.1 of this Plan, and promptly inform the ISO or its Market Monitoring Unit of any requests received from a state commission for Protected Information provided by the ISO or its Market Monitoring Unit;
- (4) require the Requesting Entity to promptly notify the ISO or its Market Monitoring Unit and seek appropriate relief to prevent or, if it is not possible to prevent, to

limit disclosure in the event that a subpoena or other compulsory process seeks to require disclosure of Protected Information provided by the ISO or its Market Monitoring Unit;

- (5) require the Requesting Entity to promptly notify the ISO or its Market Monitoring Unit of any third party requests for additional disclosure of the Protected Information where Protected Information provided by the ISO or its Market Monitoring Unit has been disclosed to a court or regulatory body in response to a subpoena or other compulsory process, and to seek appropriate relief to prevent or limit further disclosure; and
- (6) require the destruction of the Protected Information at the earlier of (i) five business days after a request from the ISO or its Market Monitoring Unit for the return of the Protected Information is received, or (ii) the conclusion or resolution of the investigation or evaluation.

30.6.6.2 The ISO or the Market Monitoring Unit may undertake a joint investigation with another ISO/RTO or with another ISO or RTO's market monitoring unit to determine (a) if market power is being, or has been, exercised, (b) if market manipulation is occurring or has occurred, or (c) if a market design flaw exists in or between interconnected markets. In such a case, the ISO and the Market Monitoring Unit may disclose Protected Information to the other ISO/RTO or market monitoring unit as necessary to achieve the objectives of the investigation; provided that the ISO or Market Monitoring Unit first receives a written certification from the other ISO/RTO or market monitoring unit that its tariffs or other governing documents meet the standards set forth in this Section

30.6.6 or executes a non-disclosure agreement.

30.6.6.3 If the ISO discloses Protected Information to a Requesting Entity that is a jurisdictional ISO or RTO, the ISO shall also provide the Protected Information to the Requesting Entity's market monitoring unit as soon as the Requesting Entity's market monitoring unit satisfies the requirements of Section 30.6.6.1.1, above.

30.6.6.4 Protected Information provided by another ISO/RTO or market monitoring unit to the ISO or to the Market Monitoring Unit pursuant to the provisions of this Plan shall either be destroyed or returned to the entity that provided the Protected Information at the earlier of (i) five business days after receipt of a request from that entity for the return of the Protected, or (ii) the conclusion or resolution of the matter being investigated.