

## 2.8 Definitions - H

**Host Load:** The Load that is electrically interconnected within the defined electrical boundary of a BTM:NG Resource that is routinely served by, and assigned to, the Generator of a BTM:NG Resource. Station Power will be included in the calculation of the BTM:NG Resource's Host Load if it is self-supplied by the Generator of the BTM:NG Resource, and it is not separately metered pursuant to Section 5.12.6.1.1 and ISO Procedures.

**HTP Scheduled Line:** A transmission facility that interconnects the NYCA to the PJM Interconnection, L.L.C. Control Area at the West 49<sup>th</sup> Street Substation, New York, New York and terminates in Ridgely, New Jersey.

Style Definition:	Normal
Style Definition:	Heading 1
Style Definition:	Heading 2
Style Definition:	Heading 3
Style Definition:	Heading 4
Style Definition:	Heading 5
Style Definition:	Heading 6
Style Definition:	Heading 7
Style Definition:	Heading 8
Style Definition:	Heading 9
Style Definition:	Title: Font: 10 pt
Style Definition:	Comment Text
Style Definition:	Header
Style Definition:	Subtitle: Font: 10 pt
Style Definition:	Balloon Text
Style Definition:	Default
Style Definition:	Definition
Style Definition:	Definition indent
Style Definition:	Body para
Style Definition:	alpha para: Font: 10 pt, Line spacing: single
Style Definition:	Date
Style Definition:	TOC heading: Font: 10 pt
Style Definition:	Document Map
Style Definition:	Footers
Style Definition	...
Style Definition:	alpha heading: Font: 10 pt
Style Definition	...
Style Definition:	Bullet para
Style Definition:	TOC 1: Font: 10 pt
Style Definition:	Tariff title
Style Definition:	TOC 2: Font: 10 pt
Style Definition:	TOC 3: Font: 10 pt
Style Definition:	TOC 4: Font: 10 pt
Style Definition	...
Style Definition:	Level 1
Style Definition:	Body Text Indent 2
Style Definition:	Endnote Text
Style Definition:	Footnote Text
Style Definition:	Footer
Style Definition:	Definition head
Style Definition:	Revision
Style Definition:	Definition_6