

Attachment II

SERVICE AGREEMENT NO. 2605

SERVICE AGREEMENT NO. 2605

TRANSMISSION PROJECT

~~Appendix 4—STANDARD LARGE GENERATOR
INTERCONNECTION AGREEMENT
(Applicable to Generating Facilities that exceed 20 MW)~~

AMONG THE

NEW YORK INDEPENDENT SYSTEM OPERATOR, INC.

AND

CENTRAL HUDSON GAS & ELECTRIC CORPORATION

AND

NEW YORK TRANSCO, LLC

Dated as of February 26, 2021

(New York Energy Solution Segment B Transmission Project)

TABLE OF CONTENTS

	Page Number
ARTICLE 1. DEFINITIONS.....	<u>12</u>
ARTICLE 2. EFFECTIVE DATE, TERM AND TERMINATION	<u>108</u>
2.1 Effective Date.....	<u>108</u>
2.2 Term of Agreement.....	<u>108</u>
2.3 Termination.....	<u>108</u>
2.4 Termination Costs.....	<u>110</u>
2.5 Disconnection.....	<u>110</u>
2.6 Survival.....	<u>111</u>
ARTICLE 3. REGULATORY FILINGS	<u>121</u>
ARTICLE 4. SCOPE OF INTERCONNECTION SERVICE	<u>121</u>
4.1 Provision of Service <u>Interconnection of Transmission Facilities</u>	<u>121</u>
4.2 No Transmission Delivery Service.....	<u>131</u>
4.3 No Other Services.....	<u>132</u>
ARTICLE 5. INTERCONNECTION <u>NETWORK UPGRADE</u> FACILITIES ENGINEERING, PROCUREMENT, AND CONSTRUCTION	<u>132</u>
5.1 Options <u>Network Upgrade Facilities</u>	<u>132</u>
5.2 General Conditions Applicable to Option to Build <u>Network Upgrade Facilities Constructed by Transmission Developer</u>	<u>15</u>
5.3 Liquidated Damages	<u>16</u>
5.4 Power System Stabilizers	<u>17</u>
5.5 <u>5.3</u> Equipment Procurement.....	<u>18</u>
5.6 <u>5.4</u> Construction Commencement.....	<u>18</u>
5.7 <u>5.5</u> Work Progress.....	<u>19</u>
5.8 <u>5.6</u> Information Exchange.....	<u>19</u>
5.9 Other Interconnection Options	<u>19</u>
5.10 Developer's Attachment Facilities ("DAF")	<u>20</u>
5.11 Connecting Transmission Owner's Attachment <u>5.7</u> <u>Network Upgrade Facilities Construction</u>	<u>24</u>
5.12 <u>5.8</u> Access Rights.....	<u>24</u>
5.13 <u>5.9</u> Lands of Other Property Owners.....	<u>22</u>
5.14 <u>5.10</u> Permits.....	<u>22</u>
5.15 Early Construction of Base Case Facilities	<u>22</u>
5.16 <u>5.11</u> Suspension.....	<u>22</u>
5.17 <u>5.12</u> Taxes.....	<u>23</u>
5.18 <u>5.13</u> Tax Status; Non-Jurisdictional Entities.....	<u>28</u>
5.19 <u>5.14</u> Modification.....	<u>28</u>
ARTICLE 6. TESTING AND INSPECTION.....	<u>29</u>
6.1 Pre-Commercial Operation <u>Pre-In-Service</u> Date Testing and Modifications. <u>29</u>	
6.2 Post-Commercial Operation <u>Post-In-Service</u> Date Testing and Modifications. <u>30</u>	<u>23</u>
6.3 Right to Observe Testing.....	<u>30</u>
6.4 Right to Inspect.....	<u>30</u>

SERVICE AGREEMENT NO. 2605

ARTICLE 7. METERING.....	3024
7.1 General.....	3024
7.2 Check Meters.....	3124
7.3 Standards.....	3125
7.4 Testing of Metering Equipment.....	3125
7.5 Metering Data.....	3225
ARTICLE 8. COMMUNICATIONS.....	3225
8.1 <u>Transmission</u> Developer Obligations.....	3225
8.2 Remote Terminal Unit.....	3226
8.3 No Annexation.....	3226
ARTICLE 9. OPERATIONS.....	3326
9.1 General.....	3326
9.2 NYISO and Connecting Transmission Owner Obligations.....	3326
9.3 <u>Transmission</u> Developer Obligations.....	3327
9.4 Start-Up and Synchronization.....	33
9.5 Real and Reactive Power Control and Primary Frequency Response.....	33
9.6 Outages and Interruptions.....	3727
9.7 Switching and Tagging Rules.....	4130
9.8 Use of Attachment Facilities by Third Parties.....	41
9.9 Disturbance Analysis Data Exchange.....	4130
9.10 Phasor Measurement Units.....	42
ARTICLE 10. MAINTENANCE.....	4230
10.1 Connecting Transmission Owner Obligations.....	4230
10.2 <u>Transmission</u> Developer Obligations.....	4330
10.3 Coordination.....	4330
10.4 Secondary Systems.....	4331
10.5 Operating and Maintenance Expenses.....	4331
ARTICLE 11. PERFORMANCE OBLIGATION.....	4331
11.1 Developer's Attachment Facilities <u>Transmission Project</u>	4331
11.2 Connecting Transmission Owner's Attachment <u>Network Upgrade</u>	
Facilities.....	4431
11.3 System Upgrade Facilities and System Deliverability Upgrades.....	44
11.4 Special Provisions for Affected Systems.....	4431
11.5 Provision of Security.....	4432
11.5 <u>Forfeiture of Security</u>	32
11.6 Developer Compensation for Emergency Services <u>Network Upgrade</u>	
<u>Facility Costs</u>	4533
11.7 Line Outage Costs.....	4533
ARTICLE 12. INVOICE.....	4533
12.1 General.....	4533
12.2 Final Invoice <u>and Refund of Remaining Security</u>	4534
12.3 Payment.....	4634
12.4 Disputes.....	4634
ARTICLE 13. EMERGENCIES.....	4635
13.1 Obligations.....	4635
13.2 Notice.....	4635

SERVICE AGREEMENT NO. 2605

13.3	Immediate Action.....	<u>4735</u>
13.4	NYISO, <u>Transmission Developer</u> , and Connecting Transmission Owner Authority. <u>4735</u>	
13.5	Developer Authority.....	48
13.6 <u>13.5</u>	Limited Liability.....	<u>4835</u>
ARTICLE 14. REGULATORY REQUIREMENTS AND GOVERNING LAW.....		<u>4836</u>
14.1	Regulatory Requirements.....	<u>4836</u>
14.2	Governing Law.....	<u>4836</u>
ARTICLE 15. NOTICES.....		<u>4936</u>
15.1	General.....	<u>4936</u>
15.2	Billings and Payments.....	<u>4936</u>
15.3	Alternative Forms of Notice.....	<u>4937</u>
15.4	Operations and Maintenance Notice.....	<u>4937</u>
ARTICLE 16. FORCE MAJEURE.....		<u>4937</u>
ARTICLE 17. DEFAULT.....		<u>5037</u>
17.1	General.....	<u>5037</u>
17.2	Right to Terminate.....	<u>5037</u>
ARTICLE 18. INDEMNITY, CONSEQUENTIAL DAMAGES AND INSURANCE.....		<u>5038</u>
18.1	Indemnity.....	<u>5038</u>
18.2	No Consequential Damages.....	<u>5139</u>
18.3	Insurance.....	<u>5239</u>
ARTICLE 19. ASSIGNMENT.....		<u>5442</u>
ARTICLE 20. SEVERABILITY.....		<u>5442</u>
ARTICLE 21. COMPARABILITY.....		<u>5542</u>
ARTICLE 22. CONFIDENTIALITY.....		<u>5543</u>
22.1	Confidentiality.....	<u>5543</u>
22.2	Term.....	<u>5543</u>
22.3	Confidential Information.....	<u>5543</u>
22.4	Scope.....	<u>5543</u>
22.5	Release of Confidential Information.....	<u>5644</u>
22.6	Rights.....	<u>5644</u>
22.7	No Warranties.....	<u>5644</u>
22.8	Standard of Care.....	<u>5644</u>
22.9	Order of Disclosure.....	<u>5644</u>
22.10	Termination of Agreement.....	<u>5745</u>
22.11	Remedies.....	<u>5745</u>
22.12	Disclosure to FERC, its Staff, or a State.....	<u>5745</u>
22.13	Required Notices Upon Requests or Demands for Confidential Information	
	<u>5846</u>	
ARTICLE 23. <u>TRANSMISSION DEVELOPER AND CONNECTING TRANSMISSION OWNER NOTICES OF ENVIRONMENTAL RELEASES</u>		<u>5846</u>
ARTICLE 24. INFORMATION REQUIREMENT.....		<u>5846</u>
24.1	Information Acquisition.....	<u>5846</u>
24.2	Information Submission by Connecting Transmission Owner <u>Concerning the Network Upgrade Facilities</u>	<u>5846</u>

SERVICE AGREEMENT NO. 2605

24.3	Updated Information Submission by Developer <u>Concerning the Transmission Project</u>	5947
24.4	Information Supplementation.....	5947
ARTICLE 25. INFORMATION ACCESS AND AUDIT RIGHTS.....		6048
25.1	Information Access.	6048
25.2	Reporting of Non-Force Majeure Events.....	6048
25.3	Audit Rights.	6148
25.4	Audit Rights Periods.	6148
25.5	Audit Results.....	6149
ARTICLE 26. SUBCONTRACTORS		6149
26.1	General.	6149
26.2	Responsibility of Principal.....	6249
26.3	No Limitation by Insurance.	6249
ARTICLE 27. DISPUTES.....		6250
27.1	Submission.	6250
27.2	External Arbitration Procedures.....	6250
27.3	Arbitration Decisions.	6350
27.4	Costs.....	6351
27.5	Termination.....	6351
ARTICLE 28. REPRESENTATIONS, WARRANTIES AND COVENANTS		6351
28.1	General.	6351
ARTICLE 29. MISCELLANEOUS		6452
29.1	Binding Effect.....	6452
29.2	Conflicts.....	6452
29.3	Rules of Interpretation.....	6452
29.4	Compliance.	6553
29.5	Joint and Several Obligations.	6553
29.6	Entire Agreement.	6553
29.7	No Third Party Beneficiaries.	6553
29.8	Waiver.....	6553
29.9	Headings.....	6654
29.10	Multiple Counterparts.	6654
29.11	Amendment.....	6654
29.12	Modification by the Parties.....	6654
29.13	Reservation of Rights.....	6654
29.14	No Partnership.....	6654
29.15	Other Transmission Rights.....	6755

Appendices

SERVICE AGREEMENT NO. 2605

~~STANDARD LARGE GENERATOR~~ TRANSMISSION PROJECT
INTERCONNECTION AGREEMENT

THIS ~~STANDARD LARGE GENERATOR~~ TRANSMISSION PROJECT INTERCONNECTION AGREEMENT (“Agreement”) is made and entered into this 26th day of 20 February 2021, by and among ~~_____~~, ~~a [corporate description]~~ New York Transco, LLC, a limited liability company organized and existing under the laws of the State/~~Commonwealth of _____~~ (“of New York (“Transmission Developer” with a ~~Large-Generating-Facility~~ Transmission Project), the New York Independent System Operator, Inc., a not-for-profit corporation organized and existing under the laws of the State of New York (“NYISO”), and ~~_____~~ ~~a [corporate description]~~ Central Hudson Gas & Electric Corporation a corporation organized and existing under the laws of the State of New York (“Connecting Transmission Owner”). Transmission Developer, the NYISO, or Connecting Transmission Owner each may be referred to as a “Party” or collectively referred to as the “Parties.”

RECITALS

WHEREAS, NYISO operates the New York State Transmission System and Connecting Transmission Owner owns certain facilities included in the New York State Transmission System;

WHEREAS, Transmission Developer intends to construct, own, ~~lease and/or control~~ and operate ~~the Generating Facility identified as a Large-Generating-Facility~~ a Transmission Project described in Appendix C to this Agreement; ~~and, that will interconnect to the New York State Transmission System;~~

WHEREAS, the NYISO selected the Transmission Project proposed by Transmission Developer and Niagara Mohawk Power Corporation d/b/a National Grid (“National Grid”) as the more efficient or cost effective transmission solution to address a Public Policy Transmission Need in accordance with the NYISO’s Public Policy Transmission Planning Process located in Attachment Y of the ISO OATT;

WHEREAS, Transmission Developer and National Grid entered into the Development Agreement (as defined herein) with the NYISO for purposes of constructing the Transmission Project and placing it in-service to satisfy the Public Policy Transmission Need;

WHEREAS, National Grid assigned its rights, duties, and obligations under the Development Agreement to Transmission Developer on March 10, 2020, giving Transmission Developer sole rights to the development of the Transmission Project;

WHEREAS, the Transmission Project was evaluated in the NYISO’s Transmission Interconnection Procedures located in Attachment P of the ISO OATT;

SERVICE AGREEMENT NO. 2605

WHEREAS, portions of the Transmission Project will interconnect to the New York State Transmission System at facilities owned and operated by the Connecting Transmission Owner;

WHEREAS, Transmission Interconnection Studies determined that certain Network Upgrade Facilities were required on the Connecting Transmission Owner's system for the Transmission Project to connect reliably to the system in a manner that meets the NYISO Transmission Interconnection Standard;

WHEREAS, Transmission Developer, NYISO, and Connecting Transmission Owner have agreed to enter into this Agreement for the purpose of interconnecting the **Large-Generating Facility** Transmission Project with the Connecting Transmission Owner's facilities included in the New York State Transmission System;

NOW, THEREFORE, in consideration of and subject to the mutual covenants contained herein, it is agreed:

ARTICLE 1. DEFINITIONS

Whenever used in this Agreement with initial capitalization, the following terms shall have the meanings specified in this ~~Article 1~~ Article 1. Terms used in this Agreement with initial capitalization that are not defined in this ~~Article 1~~ Article 1 shall have the meanings specified in Section 1 of the ISO OATT, Section ~~30.122.1~~ of Attachment ~~XP~~ of the ISO OATT, Section 25.1.2 of Attachment S of the ISO OATT, the body of the ~~LFP~~ Transmission Interconnection Procedures or the body of this Agreement.

Affected System shall mean an electric system other than the transmission system owned, controlled or operated by the Connecting Transmission Owner that may be affected by the proposed interconnection.

Affected System Operator shall mean the entity that operates an Affected System.

Affected Transmission Owner shall mean the New York public utility or authority (or its designated agent) other than the Connecting Transmission Owner that (i) owns facilities used for the transmission of Energy in interstate commerce and provides Transmission Service under the Tariff, and (ii) owns, leases or otherwise possesses an interest in a portion of the New York State Transmission System where System Deliverability Upgrades, System Upgrade Facilities, or Network Upgrade Facilities are or will be installed pursuant to Attachment P, Attachment X, Attachment Z, or Attachment S to the ISO OATT.

Affiliate shall mean, with respect to a person or entity, any individual, corporation, partnership, firm, joint venture, association, joint-stock company, trust or unincorporated organization, directly or indirectly controlling, controlled by, or under common control with, such person or entity. The term "control" shall mean the possession, directly or indirectly, of the power to direct the management or policies of a person or an entity. A voting interest of ten percent or more shall create a rebuttable presumption of control.

SERVICE AGREEMENT NO. 2605

~~Ancillary Services shall mean those services that are necessary to support the transmission of Capacity and Energy from resources to Loads while maintaining reliable operation of the New York State Transmission System in accordance with Good Utility Practice.~~

Applicable Laws and Regulations shall mean all duly promulgated applicable federal, state and local laws, regulations, rules, ordinances, codes, decrees, judgments, directives, or judicial or administrative orders, permits and other duly authorized actions of any Governmental Authority, including but not limited to Environmental Law.

Applicable Reliability Councils shall mean the NERC, the NPCC and the NYSRC.

Applicable Reliability Standards shall mean the requirements and guidelines of the Applicable Reliability Councils, and the Transmission District to which the Transmission Developer's ~~Large Generating Facility~~ Transmission Project is directly interconnected, as those requirements and guidelines are amended and modified and in effect from time to time; provided that no Party shall waive its right to challenge the applicability or validity of any requirement or guideline as applied to it in the context of this Agreement.

~~Attachment Facilities shall mean the Connecting Transmission Owner's Attachment Facilities and the Developer's Attachment Facilities. Collectively, Attachment Facilities include all facilities and equipment between the Large Generating Facility and the Point of Interconnection, including any modification, additions or upgrades that are necessary to physically and electrically interconnect the Large Generating Facility to the New York State Transmission System. Attachment Facilities are sole-use facilities and shall not include Stand Alone System Upgrade Facilities, Distribution Upgrades, System Upgrade Facilities or System Deliverability Upgrades.~~

Base Case shall mean the base case power flow, short circuit, and stability data bases used for the Transmission Interconnection Studies by the NYISO, Connecting Transmission Owner, or the Transmission Developer, as described in Section ~~30.2.3 of the Standard Large Facility~~ 22.6.1 of the Transmission Interconnection Procedures.

Breach shall mean the failure of a Party to perform or observe any material term or condition of this Agreement.

Breaching Party shall mean a Party that is in Breach of this Agreement.

Business Day shall mean Monday through Friday, excluding federal holidays.

~~Byway shall mean all transmission facilities comprising the New York State Transmission System that are neither Highways nor Other Interfaces. All transmission facilities in Zone J and Zone K are Byways.~~

Calendar Day shall mean any day including Saturday, Sunday or a federal holiday.

~~Capacity Region shall mean one of four subsets of the Installed Capacity statewide markets comprised of (1) Rest of State (i.e., Load Zones A through F); (2) Lower Hudson Valley (i.e., Load Zones G, H and I); (3) New York City (i.e., Load Zone J); and (4) Long Island~~

SERVICE AGREEMENT NO. 2605

~~(i.e., Load Zone K), except for Class Year Interconnection Facility Studies conducted prior to Class Year 2012, for which “Capacity Region” shall be defined as set forth in Section 25.7.3 of Attachment S to the ISO OATT.~~

~~Capacity Resource Interconnection Service (“CRIS”) shall mean the service provided by NYISO to Developers that satisfy the NYISO Deliverability Interconnection Standard or that are otherwise eligible to receive CRIS in accordance with Attachment S to the ISO OATT; such service being one of the eligibility requirements for participation as a NYISO Installed Capacity Supplier.~~

~~Class Year Deliverability Study shall mean an assessment, conducted by the NYISO staff in cooperation with Market Participants, to determine whether System Deliverability Upgrades are required for Class Year CRIS Projects under the NYISO Deliverability Interconnection Standard.~~

~~Commercial Operation shall mean the status of a Large Generating Facility that has commenced generating electricity for sale, excluding electricity generated during Trial Operation.~~

~~Commercial Operation Date of a unit shall mean the date on which the Large Generating Facility commences Commercial Operation as agreed to by the Parties, notice of which must be provided to the NYISO in the form of Appendix E-2 to this Agreement.~~

~~Confidential Information~~ shall mean any information that is defined as confidential by ~~Article 22~~Article 22 of this Agreement.

Connecting Transmission Owner shall mean the New York public utility or authority (or its designated agent) that (i) owns facilities used for the transmission of Energy in interstate commerce and provides Transmission Service under the Tariff, (ii) owns, leases or otherwise possesses an interest in the portion of the New York State Transmission System or Distribution System at the Point(s) of Interconnection, and (iii) is a Party to this Agreement. For purposes of this Agreement, the Connecting Transmission Owner is defined in the introductory paragraph.

~~Connecting Transmission Owner’s Attachment Facilities shall mean all facilities and equipment owned, controlled or operated by the Connecting Transmission Owner from the Point of Change of Ownership to the Point of Interconnection as identified in Appendix A to the Standard Large Generator Interconnection Agreement, including any modifications, additions or upgrades to such facilities and equipment. Connecting Transmission Owner’s Attachment Facilities are sole use facilities and shall not include Stand Alone System Upgrade Facilities, System Upgrade Facilities, or System Deliverability Upgrades.~~

~~Contingent Facilities shall mean those Attachment Facilities and System Upgrade Facilities and/or System Deliverability Upgrades associated with Class Year Projects upon which the Large Facility’s Class Year Project Cost Allocations are dependent, and if delayed or not built, could impact the actual costs and timing of the Large Facility’s Project Cost Allocation for System Upgrade Facilities or System Deliverability Upgrades.~~

SERVICE AGREEMENT NO. 2605

Control Area shall mean an electric power system or combination of electric power systems to which a common automatic generation control scheme is applied in order to: (1) match, at all times, the power output of the Generators within the electric power system(s) and capacity and energy purchased from entities outside the electric power system(s), with the Load within the electric power system(s); (2) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice; (3) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice; and (4) provide sufficient generating capacity to maintain Operating Reserves in accordance with Good Utility Practice. A Control Area must be certified by the NPCC.

Default shall mean the failure of a Party in Breach of this Agreement to cure such Breach in accordance with ~~Article 17~~Article 17 of this Agreement.

Development Agreement shall mean the agreement executed between the NYISO, National Grid, and Transmission Developer concerning the development of the Transmission Project, dated January 10, 2020, as it may be amended from time to time.

~~**Developer shall mean an Eligible Customer developing a Large Generating Facility, proposing to connect to the New York State Transmission System, in compliance with the NYISO Minimum Interconnection Standard.**~~

~~**Developer's Attachment Facilities shall mean all facilities and equipment, as identified in Appendix A of this Agreement, that are located between the Large Generating Facility and the Point of Change of Ownership, including any modification, addition, or upgrades to such facilities and equipment necessary to physically and electrically interconnect the Large Generating Facility to the New York State Transmission System. Developer's Attachment Facilities are sole use facilities.**~~

~~**Distribution System shall mean the Connecting Transmission Owner's facilities and equipment used to distribute electricity that are subject to FERC jurisdiction, and are subject to the NYISO's Large Facility Interconnection Procedures in Attachment X to the ISO OATT or Small Generator Interconnection Procedures in Attachment Z to the ISO OATT under FERC Order Nos. 2003 and/or 2006. The term Distribution System shall not include LIPA's distribution facilities.**~~

~~**Distribution Upgrades shall mean the additions, modifications, and upgrades to the Connecting Transmission Owner's Distribution System at or beyond the Point of Interconnection to facilitate interconnection of a Large Facility or Small Generating Facility and render the transmission service necessary to affect the Developer's wholesale sale of electricity in interstate commerce. Distribution Upgrades do not include Attachment Facilities, System Upgrade Facilities, or System Deliverability Upgrades. Distribution Upgrades are sole use facilities and shall not include Stand Alone System Upgrade Facilities, System Upgrade Facilities, or System Deliverability Upgrades.**~~

Effective Date shall mean the date on which this Agreement becomes effective upon execution by the Parties, subject to acceptance by the Commission, or if filed unexecuted, upon the date specified by the Commission.

SERVICE AGREEMENT NO. 2605

Emergency shall mean any abnormal condition or situation which the Connecting Transmission Owner, Transmission Developer, or NYISO, in their sole discretion, deems imminently likely to endanger life or property, or adversely affect or impair the New York State Transmission System, Connecting Transmission Owner's electrical system, the Transmission Project, or the electrical or transmission systems of others to which they are directly or indirectly connected, which requires immediate automatic or manual action to correct. Such an abnormal system condition or situation includes, without limitation, overloading or potential overloading (exceeding thermal limits of pre- and post-contingency), excessive voltage drop, exceeding voltage limits as defined by the NYISO, Transmission Developer, or Connecting Transmission Owner, load shedding, voltage reduction, operating reserve deficiencies, frequency deviations, over-generation or other non-normal conditions. Economic hardship of a Party will not constitute an "Emergency."

Emergency State shall mean the condition or state that the New York State Power System is in when an abnormal condition occurs that requires automatic or immediate manual action to prevent or limit loss of the New York State Transmission System or Generators that could adversely affect the reliability of the New York State Power System.

~~Energy Resource Interconnection Service ("ERIS") shall mean the service provided by NYISO to interconnect the Developer's Large Generating Facility to the New York State Transmission System or to the Distribution System in accordance with the NYISO Minimum Interconnection Standard, to enable the New York State Transmission System to receive Energy and Ancillary Services from the Large Generating Facility, pursuant to the terms of the ISO OATT.~~

Environmental Law shall mean Applicable Laws and Regulations relating to pollution or protection of the environment or natural resources.

Facilities Study shall mean the study conducted pursuant to Section 22.9 of Attachment P of the ISO OATT to determine a list of facilities required to reliably interconnect the Transmission Project (including Network Upgrade Facilities) as identified in the System Impact Study, the cost of those facilities, and the time required to interconnect the Transmission Project with the New York State Transmission System.

Facilities Study Agreement shall mean the agreement described in Section 22.9.1 of Attachment P of the ISO OATT for conducting the Facilities Study.

Federal Power Act shall mean the Federal Power Act, as amended, 16 U.S.C. §§ 791a *et seq.* ("FPA").

FERC shall mean the Federal Energy Regulatory Commission ("Commission") or its successor.

Force Majeure shall mean any act of God, labor disturbance, act of the public enemy, war, insurrection, riot, fire, storm or flood, explosion, breakage or accident to machinery or equipment, any order, regulation or restriction imposed by governmental, military or lawfully established civilian authorities, or any other cause beyond a Party's control. A Force Majeure event does not include acts of negligence or intentional wrongdoing by the Party claiming Force Majeure.

SERVICE AGREEMENT NO. 2605

~~Generating Facility shall mean Developer's device for the production and/or storage for later injection of electricity identified in the Interconnection Request, but shall not include the Developer's Attachment Facilities or Distribution Upgrades.~~

~~Generating Facility Capacity shall mean the net seasonal capacity of the Generating Facility and the aggregate net seasonal capacity of the Generating Facility where it includes multiple energy production devices.~~

Good Utility Practice shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather to delineate acceptable practices, methods, or acts generally accepted in the region.

Governmental Authority shall mean any federal, state, local or other governmental regulatory or administrative agency, court, commission, department, board, or other governmental subdivision, legislature, rulemaking board, tribunal, or other governmental authority having jurisdiction over any of the Parties, their respective facilities, or the respective services they provide, and exercising or entitled to exercise any administrative, executive, police, or taxing authority or power; provided, however, that such term does not include Transmission Developer, NYISO, Affected Transmission Owner, Connecting Transmission Owner, or any Affiliate thereof.

Hazardous Substances shall mean any chemicals, materials or substances defined as or included in the definition of "hazardous substances," "hazardous wastes," "hazardous materials," "hazardous constituents," "restricted hazardous materials," "extremely hazardous substances," "toxic substances," "radioactive substances," "contaminants," "pollutants," "toxic pollutants" or words of similar meaning and regulatory effect under any applicable Environmental Law, or any other chemical, material or substance, exposure to which is prohibited, limited or regulated by any applicable Environmental Law.

~~Highway shall mean 115 kV and higher transmission facilities that comprise the following NYCA interfaces: Dysinger East, West Central, Volney East, Moses South, Central East/Total East, and UPNY-ConEd, and their immediately connected, in series, bulk power system facilities in New York State. Each interface shall be evaluated to determine additional "in series" facilities, defined as any transmission facility higher than 115 kV that (a) is located in an upstream or downstream zone adjacent to the interface and (b) has a power transfer distribution factor (DFAX) equal to or greater than five percent when the aggregate of generation in zones or systems adjacent to the upstream zone or zones that define the interface is shifted to the aggregate of generation in zones or systems adjacent to the downstream zone or zones that define the interface. In determining "in series" facilities for Dysinger East and West Central interfaces, the 115 kV and 230 kV tie lines between NYCA and PJM located in LBMP Zones A and B shall not participate in the transfer. Highway transmission facilities are listed in ISO Procedures.~~

SERVICE AGREEMENT NO. 2605

Initial Synchronization Date(s) shall mean the date(s) upon which the **Large Generating Facility is** Transmission Project and Network Upgrade Facilities, as applicable, are initially synchronized with the New York State Transmission System and upon which Trial Operation begins, ~~notice of which must be provided to the NYISO~~ which date(s) shall be set forth in the milestones table in Appendix B. The Connecting Transmission Owner or Transmission Developer, as applicable, must provide notice of the Initial Synchronization Date(s) to the other Parties in the form of Appendix E-1 to this Agreement.

In-Service Date(s) shall mean the date(s) upon which the Transmission Project and Network Upgrade Facilities, as applicable, are energized consistent with the provisions of this Agreement and available to provide Transmission Service under the NYISO's Tariffs, which date(s) shall be set forth in the milestones table in Appendix B. The Connecting Transmission Owner or Transmission Developer, as applicable, must provide notice of the In-Service Date(s) to the other Parties in the form of Appendix E-2 to this Agreement.

~~In-Service Date shall mean the date upon which the Developer reasonably expects it will be ready to begin use of the Connecting Transmission Owner's Attachment Facilities to obtain back feed power.~~

~~Interconnection Facilities Study shall mean a study conducted by NYISO or a third party consultant for the Developer to determine a list of facilities (including Connecting Transmission Owner's Attachment Facilities, Distribution Upgrades, System Upgrade Facilities and System Deliverability Upgrades as identified in the Interconnection System Reliability Impact Study), the cost of those facilities, and the time required to interconnect the Large Generating Facility with the New York State Transmission System or with the Distribution System. The scope of the study is defined in Section 30.8 of the Standard Large Facility Interconnection Procedures.~~

~~Interconnection Facilities Study Agreement ("Class Year Study Agreement") shall mean the form of agreement contained in Appendix 2 of the Standard Large Facility Interconnection Procedures for conducting the Interconnection Facilities Study.~~

~~Interconnection Request shall mean a Developer's request, in the form of Appendix 1 to the Standard Large Facility Interconnection Procedures, in accordance with the Tariff, to interconnect a new Large Generating Facility to the New York State Transmission System or to the Distribution System, or to materially increase the capacity of, or make a material modification to the operating characteristics of, an existing Large Generating Facility that is interconnected with the New York State Transmission System or with the Distribution System.~~

~~Interconnection Study shall mean any of the following studies: the Optional Interconnection Feasibility Study, the Interconnection System Reliability Impact Study, and the Interconnection Facilities Study described in the Standard Large Facility Interconnection Procedures.~~

~~Interconnection System Reliability Impact Study ("SRIS") shall mean an engineering study, conducted in accordance with Section 30.7 of the Standard Large Facility~~

SERVICE AGREEMENT NO. 2605

~~Interconnection Procedures, that evaluates the impact of the proposed Large Generating Facility on the safety and reliability of the New York State Transmission System and, if applicable, an Affected System, to determine what Attachment Facilities, Distribution Upgrades and System Upgrade Facilities are needed for the proposed Large Generating Facility of the Developer to connect reliably to the New York State Transmission System or to the Distribution System in a manner that meets the NYISO Minimum Interconnection Standard in Attachment X to the ISO OATT.~~

IRS shall mean the Internal Revenue Service.

~~Large Generating Facility shall mean a Generating Facility having a Generating Facility Capacity of more than 20 MW.~~

~~Material Modification shall mean those modifications that have a material impact on the cost or timing of any Interconnection Request with a later queue priority date.~~

Metering Equipment shall mean all metering equipment installed or to be installed at the **Large Generating Facility** Transmission Project pursuant to this Agreement ~~at the metering points~~, including but not limited to instrument transformers, MWh-meters, data acquisition equipment, transducers, remote terminal unit, communications equipment, phone lines, and fiber optics.

Metering Points shall mean the location(s) identified by the NYISO for any Metering Equipment associated with the Transmission Project that are required for the Transmission Project to provide zonal or subzonal metering data.

NERC shall mean the North American Electric Reliability Council or its successor organization.

Network Upgrade Facilities shall mean the least costly configuration of commercially available components of electrical equipment that can be used, consistent with Good Utility Practice and Applicable Reliability Requirements, to make the modifications or additions to the New York State Transmission System that are required for the proposed Transmission Project to connect reliably to the system in a manner that meets the NYISO Transmission Interconnection Standard. For purposes of this Agreement, the Network Upgrade Facilities are described in Appendix A of this Agreement.

New York State Transmission System shall mean the entire New York State electric transmission system, which includes (i) the Transmission Facilities Under ISO Operational Control; (ii) the Transmission Facilities Requiring ISO Notification; and (iii) all remaining transmission facilities within the New York Control Area.

Notice of Dispute shall mean a written notice of a dispute or claim that arises out of or in connection with this Agreement or its performance.

NPCC shall mean the Northeast Power Coordinating Council or its successor organization.

~~NYISO Deliverability Interconnection Standard—The standard that must be met, unless otherwise provided for by Attachment S to the ISO OATT, by (i) any generation facility larger than 2MW in order for that facility to obtain CRIS; (ii) any Class Year~~

SERVICE AGREEMENT NO. 2605

~~Transmission Project; (iii) any entity requesting External CRIS Rights, and (iv) any entity requesting a CRIS transfer pursuant to Section 25.9.5 of Attachment S to the ISO OATT. To meet the NYISO Deliverability Interconnection Standard, the Developer must, in accordance with the rules in Attachment S to the ISO OATT, fund or commit to fund any System Deliverability Upgrades identified for its project in the Class Year Deliverability Study.~~

~~NYISO **Minimum Transmission** Interconnection Standard —~~The shall mean the~~ reliability standard that must be met by any ~~generation facility or Class Year~~ Transmission Project ~~that is subject to NYISO's Large Facility Interconnection Procedures in Attachment X to the ISO OATT or the NYISO's Small Generator Interconnection Procedures in Attachment Z, that is~~ proposing to connect to the New York State Transmission System ~~or Distribution System, to obtain ERIS. The Minimum Interconnection Standard. The standard~~ is designed to ensure reliable access by the proposed project to the New York State Transmission System ~~or to the Distribution System. The Minimum Interconnection Standard does not impose any deliverability test or deliverability requirement on the proposed interconnection.~~~~

NYSRC shall mean the New York State Reliability Council or its successor organization.

~~Other Interfaces shall mean the following interfaces into Capacity Regions: Lower Hudson Valley [i.e., Rest of State (Load Zones A-F) to Lower Hudson Valley (Load Zones G, H and I)]; New York City [i.e., Lower Hudson Valley (Load Zones G, H and I) to New York City (Load Zone J)]; and Long Island [i.e., Lower Hudson Valley (Load Zones G, H and I) to Long Island (Load Zone K)], and the following Interfaces between the NYCA and adjacent Control Areas: PJM to NYISO, ISO-NE to NYISO, Hydro-Quebec to NYISO, and Norwalk Harbor (Connecticut) to Northport (Long Island) Cable.~~

Operating Agreement shall mean the operating agreement for non-incumbent transmission owners between the NYISO and Transmission Developer with Service Agreement No. 2271 of the ISO OATT, with an effective date of May 23, 2016, as the agreement may be amended from time to time.

Party or Parties shall mean NYISO, Connecting Transmission Owner, or Transmission Developer or any combination of the above.

Point(s) of Change of Ownership shall mean the point(s), as set forth in Appendix AC to this Agreement, where the Transmission Developer's Attachment Facilities Transmission Project connect to the Connecting Transmission Owner's Attachment Facilities system.

Point(s) of Interconnection shall mean the point(s), as set forth in Appendix AC to this Agreement, where the Attachment Facilities Transmission Developer's Transmission Project connect to the New York State Transmission System ~~or to the Distribution System~~.

~~Provisional Interconnection Service shall mean interconnection service provided by the ISO associated with interconnecting the Developer's Large Facility to the New York State Transmission System (or Distribution System as applicable) and enabling the transmission system to receive electric energy from the Large Facility at the Point of Interconnection,~~

SERVICE AGREEMENT NO. 2605

~~pursuant to the terms of the Provisional Large Facility Interconnection Agreement and, if applicable, the ISO OATT.~~

~~Provisional Large Facility Interconnection Agreement shall mean the interconnection agreement for Provisional Interconnection Service established between the ISO, Connecting Transmission Owner(s) and the Developer. This agreement shall take the form of the Large Generator Interconnection Agreement, modified for provisional purposes and type of facility.~~

Reasonable Efforts shall mean, with respect to an action required to be attempted or taken by a Party under this Agreement, efforts that are timely and consistent with Good Utility Practice and are otherwise substantially equivalent to those a Party would use to protect its own interests.

~~Retired: A Generator that has permanently ceased operating on or after May 1, 2015 either: i) pursuant to applicable notice; or ii) as a result of the expiration of its Mothball Outage or its ICAP Ineligible Forced Outage.~~

Security shall mean a bond, irrevocable letter of credit, parent company guarantee or other form of security from an entity with an investment grade rating, executed for the benefit of the Connecting Transmission Owner, meeting the commercially reasonable requirements of the Connecting Transmission Owner with which it is required to be posted pursuant to Article 11.4, and consistent with the Uniform Commercial Code of the jurisdiction identified in Article 14.2.1 of this Agreement.

Services Tariff shall mean the NYISO Market Administration and Control Area Tariff, as filed with the Commission, and as amended or supplemented from time to time, or any successor tariff thereto.

~~Stand Alone System Upgrade Facilities shall mean System Upgrade Facilities that are not part of an Affected System that a Developer may construct without affecting day-to-day operations of~~Impact Study shall mean the study conducted pursuant to Section 22.8 of Attachment P of the ISO OATT that evaluates the impact of the proposed Transmission Project on the safety and reliability of the New York State Transmission System ~~during their construction. NYISO, the Connecting Transmission Owner and the Developer must agree as to what constitutes Stand Alone System and, if applicable, and Affected System, to determine what Network~~ Upgrade Facilities ~~and identify them in Appendix A to this Agreement. If NYISO, the Connecting Transmission Owner and the Developer disagree about whether a particular System Upgrade Facility is a Stand Alone System Upgrade Facility, NYISO and the Connecting Transmission Owner must provide the Developer a written technical explanation outlining why NYISO and the Connecting Transmission Owner does not consider the System Upgrade Facility to be a Stand Alone System Upgrade Facility within fifteen (15) days of its determination.~~are needed for the proposed Transmission Project to connect reliably to the New York State Transmission System in a manner that meets the NYISO Transmission Interconnection Standard.

~~Standard Large Facility Interconnection Procedures (“Large Facility Interconnection Procedures” or “LFIP”) shall mean the interconnection procedures applicable to an~~

SERVICE AGREEMENT NO. 2605

~~Interconnection Request pertaining to a Large Generating Facility that are included in Attachment X of the ISO OATT.~~

~~Standard Large Generator Interconnection~~System Impact Study Agreement (“LGIA”) shall mean ~~this Agreement, which is the form of interconnection agreement applicable to an Interconnection Request pertaining to a Large Generating Facility, that is included in Appendix 4 to~~the agreement described in Section 22.8.1 of Attachment XP of the ISO OATT for conducting the System Impact Study.

~~System Deliverability Upgrades shall mean the least costly configuration of commercially available components of electrical equipment that can be used, consistent with Good Utility Practice and Applicable Reliability Requirements, to make the modifications or additions to Byways and Highways and Other Interfaces on the existing New York State Transmission System and Distribution System that are required for the proposed project to connect reliably to the system in a manner that meets the NYISO Deliverability Interconnection Standard at the requested level of Capacity Resource Interconnection Service.~~

System Protection Facilities shall mean the equipment, including necessary protection signal communications equipment, required to (1) protect the New York State Transmission System from faults or other electrical disturbances occurring at the **Large Generating Facility**Transmission Project and (2) protect the **Large Generating Facility**Transmission Project from faults or other electrical system disturbances occurring on the New York State Transmission System or on other delivery systems or other generating systems to which the New York State Transmission System is directly connected.

~~System Upgrade Facilities shall mean the least costly configuration of commercially available components of electrical equipment that can be used, consistent with Good Utility Practice and Applicable Reliability Requirements, to make the modifications to the existing transmission system that are required to maintain system reliability due to: (i) changes in the system, including such changes as load growth and changes in load pattern, to be addressed in the form of generic generation or transmission projects; and (ii) proposed interconnections. In the case of proposed interconnection projects, System Upgrade Facilities are the modifications or additions to the existing New York State Transmission System that are required for the proposed project to connect reliably to the system in a manner that meets the NYISO Minimum Interconnection Standard.~~

Tariff shall mean the NYISO Open Access Transmission Tariff (“OATT”), as filed with the Commission, and as amended or supplemented from time to time, or any successor tariff.

Transmission Developer shall mean an entity that proposes to interconnect its Transmission Project to the New York State Transmission System in compliance with the NYISO Transmission Interconnection Standard. For purposes of this Agreement, the Transmission Developer is defined in the introductory paragraph.

SERVICE AGREEMENT NO. 2605

Transmission Interconnection Application shall mean the Transmission Developer's request, in the form of Appendix 1 to the Transmission Interconnection Procedures, to interconnect a Transmission Project to the New York State Transmission System.

Transmission Interconnection Procedures ("TIP") shall mean the interconnection procedures applicable to a Transmission Interconnection Application pertaining to a Transmission Project that are included in Attachment P of the ISO OATT.

Transmission Interconnection Study shall mean any of the following studies: the Optional Feasibility Study, the System Impact Study, and the Facilities Study described in the Transmission Interconnection Procedures.

Transmission Project shall mean the Transmission Developer's proposed transmission facility or facilities that collectively satisfy the definition of Transmission Project in Section 22.3.1 of Attachment P of the ISO OATT. For purposes of this Agreement, the Transmission Project is described in Appendix C of this Agreement.

Transmission Project Interconnection Agreement shall mean this interconnection agreement applicable to the interconnection of the Transmission Project to the New York State Transmission System.

Trial Operation shall mean the period(s) during which Connecting Transmission Owner or Transmission Developer, as applicable, is engaged in on-site test operations and commissioning of the ~~Large Generating Facility~~ Transmission Project or Network Upgrade Facilities prior to ~~Commercial Operation~~ the In-Service Date.

ARTICLE 2. EFFECTIVE DATE, TERM AND TERMINATION

2.1 Effective Date.

This Agreement shall become effective upon execution by the Parties, subject to acceptance by FERC, or if filed unexecuted, upon the date specified by FERC. The NYISO and Connecting Transmission Owner shall promptly file this Agreement with FERC upon execution in accordance with Article 3.

2.2 Term of Agreement.

Subject to the provisions of Article 2.3, this Agreement shall remain in effect for a period of ~~tenforty (1040)~~ years from the Effective Date ~~or such other longer period as the Developer may request (Term to be Specified in Individual Agreements)~~ and shall be automatically renewed for each successive one-year period thereafter.

2.3 Termination.

2.3.1 Written Notice.

2.3.1.1 Written Notice of Termination

SERVICE AGREEMENT NO. 2605

This Agreement may be terminated ~~by the Developer: (i) by any Party~~ after giving the ~~NYISO and Connecting Transmission Owner other Parties~~ ninety (90) Calendar Days advance written notice, ~~or by the NYISO and Connecting Transmission Owner notifying FERC after the Large Generating Facility is Retired.~~ following the termination of the Development Agreement prior to the completion of its term, subject to the suspension requirements in Article 2.3.1.2 below; or (ii) by the mutual agreement in writing of all Parties.

2.3.1.2 Suspension Period for Project Transfer

2.3.1.2.1 If the Development Agreement is terminated prior to the completion of its term and the NYISO exercises its right under the Development Agreement and the Tariff to request that a developer other than the Transmission Developer complete the Transmission Project, this Agreement shall be suspended. The suspension period will last until either: (i) the NYISO issues a written determination that the Transmission Project cannot be transferred to another developer and will not proceed, or (ii) the Transmission Developer completes the assignment of this Agreement to a new developer selected by the NYISO as set forth in Article 2.3.1.2.3. During the suspension period, the running of any advanced notice of termination time period pursuant to Article 2.3.1.1 will be paused. The Agreement shall not be terminated during the suspension period without the written agreement of all Parties.

2.3.1.2.2 During the suspension period, the Transmission Developer and Connecting Transmission Owner shall suspend all work associated with the construction and installation of the Network Upgrade Facilities required for only that Transmission Developer under this Agreement with the condition that the New York State Transmission System shall be left in a safe and reliable condition in accordance with Good Utility Practice and the safety and reliability criteria of Connecting Transmission Owner and NYISO. In such event, Transmission Developer shall be responsible for all reasonable and necessary costs and/or obligations in accordance with this Agreement, including those which Connecting Transmission Owner (i) has incurred pursuant to this Agreement prior to the suspension and (ii) incurs in suspending such work, including any costs incurred to perform such work as may be necessary to ensure the safety of persons and property and the integrity of the New York State Transmission System during such suspension and, if applicable, any costs incurred in connection with the cancellation or suspension of material, equipment and labor contracts which Connecting Transmission Owner cannot reasonably avoid; *provided, however,* that prior to canceling or suspending any such material, equipment or labor contract, Connecting Transmission Owner shall obtain Transmission Developer's authorization to do so, which authorization shall not unreasonably be withheld, conditioned or delayed.

2.3.1.2.3 If, pursuant to its Tariff, the NYISO selects a new developer to complete the Transmission Project, Transmission Developer shall coordinate with the new developer concerning the assignment of this Agreement to the new developer pursuant to the assignment requirements in Article 19 of this Agreement. All liabilities under this Agreement existing prior to such transfer shall remain with the Transmission Developer,

SERVICE AGREEMENT NO. 2605

unless otherwise agreed upon by the Transmission Developer and the new developer as part of their good faith negotiations regarding the transfer.

2.3.2 Default.

Any Party may terminate this Agreement in accordance with ~~Article 17~~Article 17.

2.3.3 Compliance.

Notwithstanding Articles 2.3.1 and 2.3.2, no termination of this Agreement shall become effective until the Parties have complied with all Applicable Laws and Regulations applicable to such termination, including the filing with FERC of a notice of termination of this Agreement, which notice has been accepted for filing by FERC.

2.4 Termination Costs.

If a Party elects to terminate this Agreement pursuant to Article 2.3.1 above, the ~~terminating Party shall pay all costs incurred (including~~Transmission Developer shall be responsible for all costs that are the responsibility of the Transmission Developer under this Agreement that are incurred by the Transmission Developer or the other Parties through the date, as applicable, of the other Parties' receipt of a Party's notice of termination or of the Parties' mutual agreement to terminate the agreement. Such costs include any cancellation costs relating to orders or contracts ~~for Attachment Facilities and equipment) or charges assessed by the other Parties, as of the date of the other Parties' receipt of such notice of termination, that are the responsibility of the terminating Party under this Agreement.~~ In the event of termination by ~~a Party~~the Transmission Developer, all Parties shall use commercially Reasonable Efforts to mitigate the costs, damages and charges arising as a consequence of termination. Upon termination of this Agreement, unless otherwise ordered or approved by FERC:

2.4.1 With respect to any portion of the Network Upgrade Facilities that have not yet been constructed or installed, but that is being relied upon by other projects in the manner described in Article 11.5 of this Agreement, Transmission Developer shall forfeit any remaining Security in accordance with the requirements in Article 11.5.

2.4.2 ~~2.4.1~~ With respect to any portion of the ~~Connecting Transmission Owner's Attachment~~Network Upgrade Facilities that ~~have~~has not yet been constructed or installed and is not being relied upon by other projects in the manner described in Article 11.5 of this Agreement, the Connecting Transmission Owner shall to the extent possible and with Transmission Developer's authorization cancel any pending orders of, or return, any materials or equipment for, or contracts for construction of, such facilities; provided that in the event Transmission Developer elects not to authorize such cancellation, Transmission Developer shall assume all payment obligations with respect to such materials, equipment, and contracts, and the Connecting Transmission Owner shall deliver such material and equipment, and, if necessary, assign such contracts, to Transmission Developer as soon as practicable, at Transmission Developer's expense. To the extent that Transmission Developer has already paid Connecting Transmission Owner for any or all such costs of materials or equipment not

SERVICE AGREEMENT NO. 2605

taken by Transmission Developer, Connecting Transmission Owner shall promptly refund such amounts to Transmission Developer, less any costs, including penalties incurred by the Connecting Transmission Owner to cancel any pending orders of or return such materials, equipment, or contracts.

~~If Developer terminates this Agreement, it shall be responsible for all costs incurred in association with Developer's interconnection, including any cancellation costs relating to orders or contracts for Attachment Facilities and equipment, and other expenses including any System Upgrade Facilities and System Deliverability Upgrades for which the Connecting Transmission Owner has incurred expenses and has not been reimbursed by the Developer.~~

2.4.3 ~~2.4.2~~ Connecting Transmission Owner may, at its option, retain any portion of such materials, equipment, or facilities that Transmission Developer chooses not to accept delivery of, in which case Connecting Transmission Owner shall be responsible for all costs associated with procuring such materials, equipment, or facilities.

2.4.4 ~~2.4.3~~ With respect to any portion of the ~~Attachment~~Network Upgrade Facilities, and any other facilities already installed or constructed pursuant to the terms of this Agreement, Transmission Developer shall be responsible for all costs associated with the removal, relocation or other disposition or retirement of such materials, equipment, or facilities.

2.5 Disconnection.

Upon termination of this Agreement, Transmission Developer and Connecting Transmission Owner will take all appropriate steps to disconnect the Transmission Developer's ~~Large Generating Facility~~Transmission Project from the New York State Transmission System and to perform such work as may be necessary to ensure that the New York State Transmission System shall be left in a safe and reliable condition in accordance with Good Utility Practice and the safety and reliability criteria of Connecting Transmission Owner and NYISO. All costs required to effectuate such disconnection shall be borne by the ~~terminating Party~~Transmission Developer, unless such termination resulted from the ~~non-terminating Party's~~Connecting Transmission Owner's Default of this Agreement ~~or such non-terminating Party otherwise is responsible for these costs under this Agreement.~~

2.6 Survival.

This Agreement shall continue in effect after termination to the extent necessary to provide for final billings and payments and for costs incurred hereunder; including billings and payments pursuant to this Agreement and Transmission Developer's satisfaction of the Security requirements in Article 11.5; to permit the determination and enforcement of liability and indemnification obligations arising from acts or events that occurred while this Agreement was in effect; and to permit Transmission Developer and Connecting Transmission Owner each to have access to the lands of the other pursuant to this Agreement or other applicable agreements, to disconnect, remove or salvage its own facilities and equipment.

SERVICE AGREEMENT NO. 2605

ARTICLE 3. REGULATORY FILINGS

NYISO and Connecting Transmission Owner shall file this Agreement (and any amendment hereto) with the appropriate Governmental Authority, if required. Any information related to studies for interconnection asserted by Transmission Developer to contain Confidential Information shall be treated in accordance with Article 22 of this Agreement and Attachment F to the ISO OATT. If the Transmission Developer has executed this Agreement, or any amendment thereto, the Transmission Developer shall reasonably cooperate with NYISO and Connecting Transmission Owner with respect to such filing and to provide any information reasonably requested by NYISO and Connecting Transmission Owner needed to comply with Applicable Laws and Regulations.

ARTICLE 4. SCOPE OF ~~INTERCONNECTION~~ SERVICE

4.1 ~~Provision of Service~~ Interconnection of Transmission Facilities.

~~NYISO will provide Developer with interconnection service of the following type for the term of this Agreement.~~

The Transmission Developer's Transmission Project and the Connecting Transmission Owner's transmission system shall interconnect at the Points of Interconnection set forth in Appendix C of this Agreement in accordance with the terms and conditions of this Agreement.

~~4.1.1 Product.~~

~~NYISO will provide {~~ ~~Developer at the Point of Interconnection.~~ ~~}~~ ~~Interconnection Service to~~

~~4.1.2 Developer is responsible for ensuring that its actual Large Generating Facility output matches the scheduled delivery from the Large Generating Facility to the New York State Transmission System, consistent with the scheduling requirements of the NYISO's FERC-approved market structure, including ramping into and out of such scheduled delivery, as measured at the Point of Interconnection, consistent with the scheduling requirements of the ISO OATT and any applicable FERC-approved market structure.~~

4.2 No Transmission Delivery Service.

The execution of this Agreement does not constitute a request for, nor agreement to provide, any Transmission Service under the ISO OATT, and does not convey any right to deliver electricity to any specific customer or Point of Delivery. ~~If Developer wishes to obtain Transmission Service on the New York State Transmission System, then Developer must request such Transmission Service in accordance with the provisions of the ISO OATT.~~

4.3 No Other Services.

The execution of this Agreement does not constitute a request for, nor agreement to provide Energy, any Ancillary Services or Installed Capacity under the NYISO Market Administration and Control Area Services Tariff ("Services Tariff"). ~~If Developer wishes to supply Energy, Installed Capacity or Ancillary Services, then Developer will make application to do so in accordance with the NYISO Services Tariff.~~

ARTICLE 5. ~~INTERCONNECTION~~NETWORK UPGRADE FACILITIES
ENGINEERING, PROCUREMENT, AND CONSTRUCTION

5.1 ~~Options.~~Network Upgrade Facilities

Unless otherwise mutually agreed to by Transmission Developer and Connecting Transmission Owner, Transmission Developer shall select the In-Service Date, and Initial Synchronization Date, ~~and Commercial Operation Date; and either the Standard Option or Alternate Option set forth below~~ of the Network Upgrade Facilities, and such dates ~~and selected option~~ shall be set forth in Appendix B hereto. ~~At the same time, Developer shall indicate whether it elects to exercise the Option to Build set forth in Article 5.1.3 below. If the dates designated by the Developer are not acceptable to the Connecting Transmission Owner, the Connecting Transmission Owner shall so notify the Developer within thirty (30) Calendar Days. Upon receipt of the notification that Developer's designated dates are not acceptable to the Connecting Transmission Owner, the Developer shall notify the Connecting Transmission Owner within thirty (30) Calendar Days whether it elects to exercise the Option to Build if it has not already elected to exercise the Option to Build.~~

5.1.1 The Connecting Transmission Owner's and Transmission Developer's

respective obligations to design, procure, construct, install, and own the

Network Upgrade Facilities shall be set forth in Appendix A hereto.

~~Standard Option.~~

The Connecting Transmission Owner ~~shall design, procure, and construct the Connecting Transmission Owner's Attachment Facilities and System Upgrade Facilities and System Deliverability Upgrades, using~~ and Transmission Developer shall each use Reasonable Efforts to complete the ~~Connecting Transmission Owner's Attachment Facilities and System~~ Network Upgrade Facilities ~~and System Deliverability Upgrades~~ for which it has construction responsibility by the dates set forth in Appendix B hereto. The Connecting Transmission Owner shall not be required to undertake any action which is inconsistent with its standard safety practices, its material and equipment specifications, its design criteria and construction procedures, its labor agreements, and Applicable Laws and Regulations. In the event the Connecting Transmission Owner reasonably expects that it will not be able to complete the ~~Connecting Transmission Owner's Attachment Facilities and System~~ Network Upgrade Facilities ~~and System Deliverability Upgrades~~ for which it has construction responsibility by the specified dates, the Connecting Transmission Owner shall promptly provide written notice to the Transmission Developer and NYISO, and shall undertake Reasonable Efforts to meet the earliest dates thereafter.

~~5.1.2 Alternate Option.~~

~~If the dates designated by Developer are acceptable to Connecting Transmission Owner, the Connecting Transmission Owner shall so notify Developer and NYISO within thirty (30) Calendar Days, and shall assume responsibility for the design, procurement and construction of the Connecting Transmission Owner's Attachment Facilities by the designated dates. If Connecting Transmission Owner subsequently fails to complete~~

SERVICE AGREEMENT NO. 2605

~~Connecting Transmission Owner's Attachment Facilities by the In-Service Date, to the extent necessary to provide back feed power; or fails to complete System Upgrade Facilities or System Deliverability Upgrades by the Initial Synchronization Date to the extent necessary to allow for Trial Operation at full power output, unless other arrangements are made by the Developer and Connecting Transmission Owner for such Trial Operation; or fails to complete the System Upgrade Facilities and System Deliverability Upgrades by the Commercial Operation Date, as such dates are reflected in Appendix B hereto; Connecting Transmission Owner shall pay Developer liquidated damages in accordance with Article 5.3, Liquidated Damages, provided, however, the dates designated by Developer shall be extended day for day for each day that NYISO refuses to grant clearances to install equipment.~~

~~5.1.3 Option to Build.~~

~~Developer shall have the option to assume responsibility for the design, procurement and construction of Connecting Transmission Owner's Attachment Facilities and Stand Alone System Upgrade Facilities on the dates specified in Article 5.1.2; provided that if an Attachment Facility or Stand Alone System Upgrade Facility is needed for more than one Developer's project, Developer's option to build such facility shall be contingent on the agreement of all other affected Developers. NYISO, Connecting Transmission Owner and Developer must agree as to what constitutes Stand Alone System Upgrade Facilities and identify such Stand Alone System Upgrade Facilities in Appendix A hereto. Except for Stand Alone System Upgrade Facilities, Developer shall have no right to construct System Upgrade Facilities under this option.~~

~~5.1.4 Negotiated Option.~~

~~If the dates designated by Developer are not acceptable to the Connecting Transmission Owner, the Developer and Connecting Transmission Owner shall in good faith attempt to negotiate terms and conditions (including revision of the specified dates and liquidated damages, the provision of incentives or the procurement and construction of all facilities other than the Connecting Transmission Owner's Attachment Facilities and Stand Alone System Upgrade Facilities if the Developer elects to exercise the Option to Build under Article 5.1.3. If the two Parties are unable to reach agreement on such terms and conditions, then, pursuant to Article 5.1.1 (Standard Option), Connecting Transmission Owner shall assume responsibility for the design, procurement and construction of all facilities other than the Connecting Transmission Owner's Attachment Facilities and Stand Alone System Upgrade Facilities if the Developer elects to exercise the Option to Build.~~

5.2 General Conditions Applicable to ~~Option to Build~~ Network Upgrade Facilities Constructed by Transmission Developer.

If Where Transmission Developer ~~assumes~~ has assumed responsibility for the design, procurement and /or construction of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~ Network Upgrade Facilities as set forth in Appendix A, the following conditions apply:

SERVICE AGREEMENT NO. 2605

5.2.1 ~~5.2.1.1.1~~ Transmission Developer shall engineer, procure equipment, and/or construct the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities (or portions thereof) using Good Utility Practice and using standards and specifications provided in advance by the Connecting Transmission Owner;

5.2.2 Transmission Developer's engineering, procurement and/or construction of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities shall comply with all requirements of law to which Connecting Transmission Owner would be subject in the engineering, procurement or construction of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities;

5.2.3 Connecting Transmission Owner shall review and approve the engineering design, equipment acceptance tests, and the construction of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities;

5.2.4 Prior to commencement of construction, Transmission Developer shall provide to Connecting Transmission Owner and NYISO a schedule for construction of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities, and shall promptly respond to requests for information from Connecting Transmission Owner or NYISO;

5.2.5 At any time during construction, Connecting Transmission Owner shall have the right to gain unrestricted access to the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities and to conduct inspections of the same;

5.2.6 At any time during construction, should any phase of the engineering, equipment procurement, or construction of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities not meet the standards and specifications provided by Connecting Transmission Owner, the Transmission Developer shall be obligated to remedy deficiencies in that portion of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities;

5.2.7 Transmission Developer shall indemnify Connecting Transmission Owner and NYISO for claims arising from the Transmission Developer's construction of ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities under procedures applicable to Article 18.1 Indemnity;

5.2.8 Transmission Developer shall transfer control of ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities to the Connecting Transmission Owner;

5.2.9 ~~Unless the Developer and Connecting~~ Transmission Owner otherwise agree, Developer shall transfer ownership of ~~Connecting Transmission Owner's Attachment~~

SERVICE AGREEMENT NO. 2605

~~Facilities and Stand Alone System~~the Network Upgrade Facilities to Connecting Transmission Owner;

5.2.10 Connecting Transmission Owner shall approve and accept for operation and maintenance the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities to the extent engineered, procured, and constructed in accordance with this Article 5.2; ~~and~~

5.2.11 Transmission Developer shall deliver to NYISO and Connecting Transmission Owner "as built" drawings, information, and any other documents that are reasonably required by NYISO or Connecting Transmission Owner to assure that the ~~Attachment Facilities and Stand Alone System~~Network Upgrade Facilities are built to the standards and specifications required by Connecting Transmission Owner; ~~and~~

5.2.12 ~~If Developer exercises the Option to Build pursuant to Article 5.1.3,~~ the Transmission Developer shall ~~pay the~~be responsible for the costs that Connecting Transmission Owner ~~the agreed upon amount of [\$ PLACEHOLDER] for the Connecting Transmission Owner to execute~~incurs in executing the responsibilities enumerated to Connecting Transmission Owner under Article 5.2. The Connecting Transmission Owner shall invoice Transmission Developer for ~~this total amount to be divided on a monthly basis~~such costs pursuant to Article 12.

~~5.3 Liquidated Damages.~~

~~The actual damages to the Developer, in the event the Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades are not completed by the dates designated by the Developer and accepted by the Connecting Transmission Owner pursuant to subparagraphs 5.1.2 or 5.1.4, above, may include Developer's fixed operation and maintenance costs and lost opportunity costs. Such actual damages are uncertain and impossible to determine at this time. Because of such uncertainty, any liquidated damages paid by the Connecting Transmission Owner to the Developer in the event that Connecting Transmission Owner does not complete any portion of the Connecting Transmission Owner's Attachment Facilities, System Upgrade Facilities or System Deliverability Upgrades by the applicable dates, shall be an amount equal to 1/2 of 1 percent per day of the actual cost of the Connecting Transmission Owner's Attachment Facilities and System Upgrade Facilities and System Deliverability Upgrades, in the aggregate, for which Connecting Transmission Owner has assumed responsibility to design, procure and construct.~~

~~However, in no event shall the total liquidated damages exceed 20 percent of the actual cost of the Connecting Transmission Owner Attachment Facilities and System Upgrade Facilities and System Deliverability Upgrades for which the Connecting Transmission Owner has assumed responsibility to design, procure, and construct. The foregoing payments will be made by the Connecting Transmission Owner to the Developer as just compensation for the damages caused to the Developer, which actual damages are uncertain and impossible to determine at this time, and as reasonable liquidated damages, but not as a penalty or a method to secure performance of this Agreement. Liquidated~~

SERVICE AGREEMENT NO. 2605

~~damages, when the Developer and Connecting Transmission Owner agree to them, are the exclusive remedy for the Connecting Transmission Owner's failure to meet its schedule.~~

~~Further, Connecting Transmission Owner shall not pay liquidated damages to Developer if: (1) Developer is not ready to commence use of the Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades to take the delivery of power for the Developer's Large Generating Facility's Trial Operation or to export power from the Developer's Large Generating Facility on the specified dates, unless the Developer would have been able to commence use of the Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades to take the delivery of power for Developer's Large Generating Facility's Trial Operation or to export power from the Developer's Large Generating Facility, but for Connecting Transmission Owner's delay; (2) the Connecting Transmission Owner's failure to meet the specified dates is the result of the action or inaction of the Developer or any other Developer who has entered into a Standard Large Generator Interconnection Agreement with the Connecting Transmission Owner and NYISO, or action or inaction by any other Party, or any other cause beyond Connecting Transmission Owner's reasonable control or reasonable ability to cure; (3) the Developer has assumed responsibility for the design, procurement and construction of the Connecting Transmission Owner's Attachment Facilities and Stand Alone System Upgrade Facilities; or (4) the Connecting Transmission Owner and Developer have otherwise agreed. In no event shall NYISO have any liability whatever to Developer for liquidated damages associated with the engineering, procurement or construction of Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades.~~

~~5.4 Power System Stabilizers.~~

~~The Developer shall procure, install, maintain and operate Power System Stabilizers in accordance with the requirements identified in the Interconnection Studies conducted for Developer's Large Generating Facility. NYISO and Connecting Transmission Owner reserve the right to reasonably establish minimum acceptable settings for any installed Power System Stabilizers, subject to the design and operating limitations of the Large Generating Facility. If the Large Generating Facility's Power System Stabilizers are removed from service or not capable of automatic operation, the Developer shall immediately notify the Connecting Transmission Owner and NYISO. The requirements of this paragraph shall not apply to wind generators.~~

5.3 **5.5 Equipment Procurement.**

~~If responsibility for construction of the Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades is to be borne by the Connecting Transmission Owner, then the~~The ~~Connecting Transmission Owner shall commence design of the Connecting Transmission Owner's Attachment Facilities or System~~Network ~~Upgrade Facilities or System Deliverability Upgrades~~for which it has construction responsibility, as set forth in Appendix A, and procure necessary equipment as soon as practicable after all of the following conditions are satisfied, unless the Transmission Developer and Connecting Transmission Owner otherwise agree in writing:

SERVICE AGREEMENT NO. 2605

5.3.1 ~~5.5.1~~ NYISO and Connecting Transmission Owner have completed the ~~Interconnection~~ Facilities Study pursuant to the ~~Interconnection~~ Facilities Study Agreement;

5.3.2 ~~5.5.2~~ The NYISO has completed the required cost allocation analyses, and Transmission Developer has ~~accepted its share of the costs for necessary System Upgrade Facilities and System Deliverability Upgrades~~ provided Security to the Connecting Transmission Owner in accordance with ~~the provisions of Attachment S of the ISO OATT~~ Article 11.4 by the date specified in Appendix B hereto; and

5.3.3 ~~5.5.3~~ The Connecting Transmission Owner has received written authorization to proceed with design and procurement from the Transmission Developer by the date specified in Appendix B hereto; ~~and~~.

~~5.5.4 The Developer has provided security to the Connecting Transmission Owner in accordance with Article 11.5 by the dates specified in Appendix B hereto.~~

5.4 ~~5.6~~ Construction Commencement.

The Connecting Transmission Owner shall commence construction of the ~~Connecting Transmission Owner's Attachment Facilities and System~~ Network Upgrade Facilities ~~and System Deliverability Upgrades for which it is responsible~~ for which it has construction responsibility, as set forth in Appendix A, as soon as practicable after the following additional conditions are satisfied:

5.4.1 ~~5.6.1~~ Approval of the appropriate Governmental Authority has been obtained for any facilities requiring regulatory approval;

5.4.2 ~~5.6.2~~ Necessary real property rights and rights-of-way have been obtained, to the extent required for the construction of a discrete aspect of the ~~Connecting Transmission Owner's Attachment Facilities and System~~ Network Upgrade Facilities ~~and System Deliverability Upgrades~~;

5.4.3 ~~5.6.3~~ The Connecting Transmission Owner has received written authorization to proceed with construction from the Transmission Developer by the date specified in Appendix B hereto; and

5.4.4 ~~5.6.4~~ The Transmission Developer has provided ~~security~~ Security to the Connecting Transmission Owner in accordance with Article ~~11.5~~ 11.4 by the dates specified in Appendix B hereto.

5.5 ~~5.7~~ Work Progress.

The Transmission Developer and Connecting Transmission Owner will keep each other, and NYISO, advised periodically as to the progress of their respective design, procurement and construction efforts of the Transmission Project and the Network Upgrade Facilities. Any Party may, at any time, request a progress report from the Transmission Developer or Connecting Transmission Owner. ~~If, at any time, the Developer determines that the completion of the Connecting Transmission Owner's Attachment Facilities will not be~~

SERVICE AGREEMENT NO. 2605

~~required until after the specified In-Service Date, the Developer will provide written notice to the Connecting Transmission Owner and NYISO of such later date upon which the completion of the Connecting Transmission Owner's Attachment Facilities will be required.~~

5.6 **5.8 Information Exchange.**

As soon as reasonably practicable after the Effective Date, the Transmission Developer and Connecting Transmission Owner shall exchange information, and provide NYISO the same information, regarding the design and compatibility of ~~their respective Attachment~~the Transmission Project and Network Upgrade Facilities and the compatibility of the ~~Attachment~~Transmission Project and Network Upgrade Facilities with the New York State Transmission System, and shall work diligently and in good faith to make any necessary design changes.

~~5.9 Other Interconnection Options~~

~~5.9.1 Limited Operation.~~

~~If any of the Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades are not reasonably expected to be completed prior to the Commercial Operation Date of the Developer's Large Generating Facility, NYISO shall, upon the request and at the expense of Developer, in conjunction with the Connecting Transmission Owner, perform operating studies on a timely basis to determine the extent to which the Developer's Large Generating Facility and the Developer's Attachment Facilities may operate prior to the completion of the Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades consistent with Applicable Laws and Regulations, Applicable Reliability Standards, Good Utility Practice, and this Agreement. Connecting Transmission Owner and NYISO shall permit Developer to operate the Developer's Large Generating Facility and the Developer's Attachment Facilities in accordance with the results of such studies.~~

5.7 Network Upgrade Facilities

~~5.9.2 Provisional Interconnection Service.~~

~~Prior to the completion of the Large Facility Interconnection Procedures and prior to completion of requisite Attachment Facilities, Distribution Upgrades, System Upgrade Facilities, System Distribution Upgrades, or System Protection Facilities, the Developer may request an evaluation for Provisional Interconnection Service. NYISO, in conjunction with the Connecting Transmission Owner, shall determine, through available studies or additional studies as necessary, whether stability, short circuit, thermal, and/or voltage issues would arise if the Developer interconnects without modifications to the Large Generating Facility or the New York State Transmission System (or Distribution System as applicable). NYISO, in conjunction with the Connecting Transmission Owner, shall determine whether any Attachment Facilities, Distribution Upgrades, System Upgrade~~

SERVICE AGREEMENT NO. 2605

~~Facilities, System Deliverability Upgrades, or System Protection Facilities, which are necessary to meet Applicable Laws and Regulations, Applicable Reliability Standards, and Good Utility Practice, are in place prior to the commencement of interconnection service from the Large Facility. Where available studies indicate that the Attachment Facilities, Distribution Upgrades, System Upgrade Facilities, System Deliverability Upgrades, or System Protection Facilities are required for the interconnection of a new, modified and/or expanded Large Facility but such facilities are not currently in place, NYISO, in conjunction with the Connecting Transmission Owner, will perform a study, at the Developer's expense, to confirm the facilities that are required for Provisional Interconnection Service. The maximum permissible output of the Large Facility in the Provisional Large Facility Interconnection Agreement shall be studied, at the Developer's expense, and updated annually. The NYISO shall issue the study's findings in writing to the Developer and Connecting Transmission Owner(s). Following a determination by NYISO, in conjunction with the Connecting Transmission Owner, that the Developer may reliably provide Provisional Interconnection Service, NYISO shall tender to the Developer and Connecting Transmission Owner, a Provisional Large Facility Interconnection Agreement. NYISO, Developer, and Connecting Transmission Owner may execute the Provisional Large Facility Interconnection Agreement, or the Developer may request the filing of an unexecuted Provisional Large Facility Interconnection Agreement with the Commission. The Developer shall assume all risk and liabilities with respect to changes between the Provisional Large Facility Interconnection Agreement and the Large Generator Interconnection Agreement, including changes in output limits and the cost responsibilities for the Attachment Facilities, System Upgrade Facilities, System Deliverability Upgrades, and/or System Protection Facilities.~~

~~5.10 Developer's Attachment Facilities ("DAF"):~~

~~Developer shall, at its expense, design, procure, construct, own and install the DAF, as set forth in Appendix A hereto.~~

~~5.10.1 DAF Specifications:~~

~~Transmission Developer shall submit initial and final specifications for the DAF, including System Protection Network Upgrade Facilities, for which it is responsible pursuant to Appendix A to Connecting Transmission Owner and NYISO at least one hundred eighty (180) Calendar Days prior to the Initial Synchronization Date; and final specifications for review and comment at least ninety (90) Calendar Days prior to the Initial Synchronization Date comments pursuant to the dates set forth in Appendix B. Connecting Transmission Owner and NYISO shall review such specifications to ensure that the DAF Network Upgrade Facilities are compatible with the technical specifications, operational control, and safety requirements of the Connecting Transmission Owner and NYISO and comment on such specifications within thirty (30) Calendar Days of Developer's submission pursuant to the dates set forth in Appendix B. All specifications provided hereunder shall be deemed to be Confidential Information.~~

SERVICE AGREEMENT NO. 2605

5.10.2 No Warranty.

The review of Transmission Developer's final specifications by Connecting Transmission Owner and NYISO shall not be construed as confirming, endorsing, or providing a warranty as to the design, fitness, safety, durability or reliability of the ~~Large Generating Facility, or the DAF.~~ Transmission Project or Network Upgrade Facilities. Transmission Developer shall make such changes to the ~~DAF~~Network Upgrade Facilities as may reasonably be required by Connecting Transmission Owner or NYISO, in accordance with Good Utility Practice, to ensure that the ~~DAF~~Network Upgrade Facilities are compatible with the technical specifications, operational control, and safety requirements of ~~the~~ Connecting Transmission Owner and NYISO.

5.10.3 DAF Construction.

~~The DAF shall be designed and constructed in accordance with Good Utility Practice. Within one hundred twenty (120) Calendar Days after the Commercial Operation Date, unless the Developer and Connecting Transmission Owner agree on another mutually acceptable deadline, the Developer shall deliver to the Connecting Transmission Owner and NYISO "as-built" drawings, information and documents for the DAF, such as: a one-line diagram, a site plan showing the Large Generating Facility and the DAF, plan and elevation drawings showing the layout of the DAF, a relay functional diagram, relaying AC and DC schematic wiring diagrams and relay settings for all facilities associated with the Developer's step-up transformers, the facilities connecting the Large Generating Facility to the step-up transformers and the DAF, and the impedances (determined by factory tests) for the associated step-up transformers and the Large Generating Facility. The Developer shall provide to, and coordinate with, Connecting Transmission Owner and NYISO with respect to proposed specifications for the excitation system, automatic voltage regulator, Large Generating Facility control and protection settings, transformer tap settings, and communications, if applicable.~~

5.11 Connecting Transmission Owner's Attachment Facilities Construction.

~~The~~Transmission Developer and Connecting Transmission ~~Owner's Attachment~~Owner shall design and construct the Network Upgrade Facilities ~~shall be designed and constructed for which each is responsible pursuant to Appendix A~~ in accordance with Good Utility Practice. ~~Upon request, within one hundred twenty (120) Calendar Days after the Commercial Operation Date, unless and~~ the Connecting Transmission ~~Owner and~~Owner's standards and specifications. Transmission Developer ~~agree on another mutually acceptable deadline, the~~and Connecting Transmission Owner shall ~~each~~ deliver to the ~~Developer~~other Parties pursuant to the dates set forth in Appendix B "as-built" drawings, ~~relay diagrams,~~ information and documents for the ~~Connecting Transmission Owner's Attachment~~Network Upgrade Facilities ~~set forth in Appendix A.~~

The Connecting Transmission Owner ~~{shall/shall not}~~ transfer operational control of the ~~Connecting Transmission Owner's Attachment Facilities and Stand Alone System~~Network Upgrade Facilities at a voltage of 345 kV upon completion of such facilities, but shall not

SERVICE AGREEMENT NO. 2605

transfer operational control of Network Upgrade Facilities of a voltage of less than 345 kV to the NYISO upon completion of such facilities.

5.8 ~~5.12~~ Access Rights.

Upon reasonable notice and supervision by ~~the~~ a Granting Party, and subject to any required or necessary regulatory approvals, ~~either~~ the Connecting Transmission Owner ~~or~~ and Transmission Developer (each a “Granting Party”) shall each furnish to the other ~~of those two~~ Parties (“Access Party”) at no cost any rights of use, licenses, rights of way and easements with respect to lands owned or controlled by the Granting Party, its agents (if allowed under the applicable agency agreement), or any Affiliate, that are necessary to enable the Access Party to obtain ingress and egress at the Point(s) of Interconnection, or any other necessary point to construct, operate, maintain, repair, test (or witness testing), inspect, replace or remove facilities and equipment to: (i) interconnect the ~~Large Generating Facility~~ Transmission Project and Network Upgrade Facilities with the New York State Transmission System; (ii) operate and maintain the ~~Large Generating Facility, the Attachment~~ Transmission Project, Network Upgrade Facilities, and the New York State Transmission System; and (iii) disconnect or remove the Access Party’s facilities and equipment upon termination of this Agreement. In exercising such licenses, rights of way and easements, the Access Party shall not unreasonably disrupt or interfere with normal operation of the Granting Party’s business and shall adhere to the safety rules and procedures established in advance, as may be changed from time to time, by the Granting Party and provided to the Access Party. The Access Party shall indemnify the Granting Party against all claims of injury or damage from third parties resulting from the exercise of the access rights provided for herein.

5.9 ~~5.13~~ Lands of Other Property Owners.

If any part of the ~~Connecting Transmission Owner’s Attachment Facilities and/or System~~ Network Upgrade Facilities ~~and/or System Deliverability Upgrades~~ is to be installed on property owned by persons other than Transmission Developer or Connecting Transmission Owner, the Connecting Transmission Owner shall at Transmission Developer’s expense use efforts, similar in nature and extent to those that it typically undertakes for its own or affiliated generation, including use of its eminent domain authority, and to the extent consistent with state law, to procure from such persons any rights of use, licenses, rights of way and easements that are necessary to construct, operate, maintain, test, inspect, replace or remove the ~~Connecting Transmission Owner’s Attachment Facilities and/or System~~ Network Upgrade Facilities ~~and/or System Deliverability Upgrades~~ upon such property.

5.10 ~~5.14~~ Permits.

NYISO, Connecting Transmission Owner and the Transmission Developer shall cooperate with each other in good faith in obtaining all permits, licenses and authorizations that are necessary to accomplish the interconnection in compliance with Applicable Laws and Regulations. With respect to this paragraph, Connecting Transmission Owner shall provide permitting assistance to the Transmission Developer comparable to that provided to the Connecting Transmission Owner’s own, or an Affiliate’s, generation or transmission facilities, if any.

SERVICE AGREEMENT NO. 2605

~~5.15 Early Construction of Base Case Facilities.~~

~~Developer may request Connecting Transmission Owner to construct, and Connecting Transmission Owner shall construct, subject to a binding cost allocation agreement reached in accordance with Attachment S to the ISO OATT, including Section 25.8.7 thereof, using Reasonable Efforts to accommodate Developer's In-Service Date, all or any portion of any System Upgrade Facilities or System Deliverability Upgrades required for Developer to be interconnected to the New York State Transmission System which are included in the Base Case of the Class Year Study for the Developer, and which also are required to be constructed for another Developer, but where such construction is not scheduled to be completed in time to achieve Developer's In-Service Date.~~

5.11 ~~5.16~~ Suspension.

Transmission Developer reserves the right, upon written notice to Connecting Transmission Owner and NYISO, to suspend at any time all work by Transmission Developer and Connecting Transmission Owner associated with the construction and installation of ~~Connecting Transmission Owner's Attachment Facilities and/or System~~ the Network Upgrade Facilities ~~and/or System Deliverability Upgrades~~ required for only that Transmission Developer under this Agreement with the condition that the New York State Transmission System shall be left in a safe and reliable condition in accordance with Good Utility Practice and the safety and reliability criteria of Connecting Transmission Owner and NYISO. If the suspension will impact the Transmission Developer's ability to meet any Advisory Milestones or Critical Path Milestones in the Development Agreement, Transmission Developer shall notify the NYISO in accordance with the requirements in Article 3.3 of the Development Agreement. NYISO reserves the right, upon written notice to Transmission Developer and Connecting Transmission Owner, to require the suspension of all work by Transmission Developer and Connecting Transmission Owner associated with the engineering, procurement, and/or construction services under this Agreement if the NYISO terminates the Development Agreement pursuant to Article 8 of the Development Agreement.

In ~~such~~ the event, of suspension under this Article 5.10, Transmission Developer shall be responsible for all reasonable and necessary costs and/or obligations in accordance with ~~Attachment S to~~ the ISO OATT and the Facilities Study report including those which Connecting Transmission Owner (i) has incurred pursuant to this Agreement prior to the suspension and (ii) incurs in suspending such work, including any costs incurred to perform such work as may be necessary to ensure the safety of persons and property and the integrity of the New York State Transmission System during such suspension and, if applicable, any costs incurred in connection with the cancellation or suspension of material, equipment and labor contracts which Connecting Transmission Owner cannot reasonably avoid; provided, however, that prior to canceling or suspending any such material, equipment or labor contract, Connecting Transmission Owner shall obtain Transmission Developer's authorization to do so.

Connecting Transmission Owner shall invoice Transmission Developer for such costs pursuant to ~~Article 12~~ Article 12 and shall use due diligence to minimize its costs. In the event Transmission Developer suspends work by the Transmission Developer and Connecting

SERVICE AGREEMENT NO. 2605

Transmission Owner required under this Agreement pursuant to this Article ~~5.16~~5.10, and has not informed the Parties that it is recommencing its work and requested Connecting Transmission Owner to recommence ~~theits~~ work required under this Agreement on or before the expiration of three (3) years following commencement of such suspension, this Agreement shall be deemed terminated. The three-year period shall begin on the date ~~the suspension is requested, or the date~~ of the written notice ~~to Connecting Transmission Owner and NYISO, if no effective~~required under this Article 5.11 or the date ~~is~~-specified in the written notice of suspension.

5.12 ~~5.17~~ Taxes.

5.12.1 ~~5.17.1~~ Developer Payments Not Taxable.

The Transmission Developer and Connecting Transmission Owner intend that all payments or property transfers made by Transmission Developer to Connecting Transmission Owner for the installation of the ~~Connecting Transmission Owner's Attachment Facilities and the System~~Network Upgrade Facilities ~~and the System Deliverability Upgrades~~ shall be non-taxable, either as contributions to capital, or as an advance, in accordance with the Internal Revenue Code and any applicable state income tax laws and shall not be taxable as contributions in aid of construction or otherwise under the Internal Revenue Code and any applicable state income tax laws.

5.12.2 ~~5.17.2~~ Representations and Covenants.

In accordance with IRS Notice 2001-82 and IRS Notice 88-129, Transmission Developer represents and covenants that (i) ownership of the electricity generated at the Large Generating Facility will pass to another party prior to the transmission of the electricity on the New York State Transmission System, (ii) for income tax purposes, the amount of any payments and the cost of any property transferred to the Connecting Transmission Owner for the ~~Connecting Transmission Owner's Attachment~~Network Upgrade Facilities will be capitalized by Transmission Developer as an intangible asset and recovered using the straight-line method over a useful life of twenty (20) years, and (iii) any portion of the ~~Connecting Transmission Owner's Attachment Facilities~~ Network Upgrade Facility that is a "dual-use intertie," within the meaning of IRS Notice 88-129, is reasonably expected to carry only a de minimis amount of electricity in the direction of the ~~Large Generating Facility~~Transmission Project. For this purpose, "de minimis amount" means no more than 5 percent of the total power flows in both directions, calculated in accordance with the "5 percent test" set forth in IRS Notice 88-129. This is not intended to be an exclusive list of the relevant conditions that must be met to conform to IRS requirements for non-taxable treatment.

At Connecting Transmission Owner's request, Transmission Developer shall provide Connecting Transmission Owner with a report from an independent engineer confirming its representation in clause (iii), above. Connecting Transmission Owner represents and covenants that the cost of the ~~Connecting Transmission Owner's Attachment~~Network Upgrade Facilities paid for by Transmission Developer will have no net effect on the base upon which rates are determined.

5.12.3 ~~5.17.3~~ Indemnification for the Cost Consequences of Current Tax Liability Imposed Upon the Connecting Transmission Owner.

Notwithstanding Article ~~5.17.1~~, 5.12.1, Transmission Developer shall protect, indemnify and hold harmless Connecting Transmission Owner from the cost consequences of any current tax liability imposed against Connecting Transmission Owner as the result of payments or property transfers made by Transmission Developer to Connecting Transmission Owner under this Agreement, as well as any interest and penalties, other than interest and penalties attributable to any delay caused by Connecting Transmission Owner.

Connecting Transmission Owner shall not include a gross-up for the cost consequences of any current tax liability in the amounts it charges Transmission Developer under this Agreement unless (i) Connecting Transmission Owner has determined, in good faith, that the payments or property transfers made by Transmission Developer to Connecting Transmission Owner should be reported as income subject to taxation or (ii) any Governmental Authority directs Connecting Transmission Owner to report payments or property as income subject to taxation; provided, however, that Connecting Transmission Owner may require Transmission Developer to provide security, in a form reasonably acceptable to Connecting Transmission Owner (such as a parental guarantee or a letter of credit), in an amount equal to the cost consequences of any current tax liability under this Article ~~5.17.~~ 5.12. Transmission Developer shall reimburse Connecting Transmission Owner for such costs on a fully grossed-up basis, in accordance with Article ~~5.17.4~~ 5.12.4, within thirty (30) Calendar Days of receiving written notification from Connecting Transmission Owner of the amount due, including detail about how the amount was calculated.

This indemnification obligation shall terminate at the earlier of (1) the expiration of the ten-year testing period and the applicable statute of limitation, as it may be extended by the Connecting Transmission Owner upon request of the IRS, to keep these years open for audit or adjustment, or (2) the occurrence of a subsequent taxable event and the payment of any related indemnification obligations as contemplated by this Article ~~5.17~~ 5.12.

5.12.4 ~~5.17.4~~ Tax Gross-Up Amount.

Transmission Developer's liability for the cost consequences of any current tax liability under this Article ~~5.17~~ 5.12 shall be calculated on a fully grossed-up basis. Except as may otherwise be agreed to by the parties, this means that Transmission Developer will pay Connecting Transmission Owner, in addition to the amount paid for the ~~Attachment Facilities and System~~ Network Upgrade Facilities and System Deliverability Upgrades, an amount equal to (1) the current taxes imposed on Connecting Transmission Owner ("Current Taxes") on the excess of (a) the gross income realized by Connecting Transmission Owner as a result of payments or property transfers made by Transmission Developer to Connecting Transmission Owner under this Agreement (without regard to any payments under this Article ~~5.17~~ 5.12) (the "Gross Income Amount") over (b) the present value of future tax deductions for depreciation that will be available as a result of such payments or property transfers (the "Present Value Depreciation Amount"), plus (2) an additional amount sufficient to permit the Connecting Transmission Owner to receive and retain, after the payment of all Current Taxes, an amount equal to the net amount described in clause (1).

SERVICE AGREEMENT NO. 2605

For this purpose, (i) Current Taxes shall be computed based on Connecting Transmission Owner's composite federal and state tax rates at the time the payments or property transfers are received and Connecting Transmission Owner will be treated as being subject to tax at the highest marginal rates in effect at that time (the "Current Tax Rate"), and (ii) the Present Value Depreciation Amount shall be computed by discounting Connecting Transmission Owner's anticipated tax depreciation deductions as a result of such payments or property transfers by Connecting Transmission Owner's current weighted average cost of capital. Thus, the formula for calculating Transmission Developer's liability to Connecting Transmission Owner pursuant to this Article ~~5.17.4~~5.12.4 can be expressed as follows: $(\text{Current Tax Rate} \times (\text{Gross Income Amount} - \text{Present Value Depreciation Amount})) / (1 - \text{Current Tax Rate})$. Transmission Developer's estimated tax liability in the event taxes are imposed shall be stated in Appendix A, ~~Attachment Facilities and System Upgrade Facilities and System Deliverability Upgrades~~.

5.12.5 ~~5.17.5~~ Private Letter Ruling or Change or Clarification of Law.

At Transmission Developer's request and expense, Connecting Transmission Owner shall file with the IRS a request for a private letter ruling as to whether any property transferred or sums paid, or to be paid, by Transmission Developer to Connecting Transmission Owner under this Agreement are subject to federal income taxation. Transmission Developer will prepare the initial draft of the request for a private letter ruling, and will certify under penalties of perjury that all facts represented in such request are true and accurate to the best of Transmission Developer's knowledge. Connecting Transmission Owner and Transmission Developer shall cooperate in good faith with respect to the submission of such request.

Connecting Transmission Owner shall keep Transmission Developer fully informed of the status of such request for a private letter ruling and shall execute either a privacy act waiver or a limited power of attorney, in a form acceptable to the IRS, that authorizes Transmission Developer to participate in all discussions with the IRS regarding such request for a private letter ruling. Connecting Transmission Owner shall allow Transmission Developer to attend all meetings with IRS officials about the request and shall permit Transmission Developer to prepare the initial drafts of any follow-up letters in connection with the request.

5.12.6 ~~5.17.6~~ Subsequent Taxable Events.

If, within 10 years from the date on which the relevant ~~Connecting Transmission Owner Attachment~~ Network Upgrade Facilities are placed in service, (i) Transmission Developer Breaches the covenants contained in Article ~~5.17.2~~5.12.2, (ii) a "disqualification event" occurs within the meaning of IRS Notice 88-129, or (iii) this Agreement terminates and Connecting Transmission Owner retains ownership of the ~~Attachment Facilities and System Network Upgrade Facilities and System Deliverability Upgrades~~, the Transmission Developer shall pay a tax gross-up for the cost consequences of any current tax liability imposed on Connecting Transmission Owner, calculated using the methodology described in Article ~~5.17.4~~5.12.4 and in accordance with IRS Notice 90-60.

SERVICE AGREEMENT NO. 2605

5.12.7 ~~5.17.7~~ **Contests.**

In the event any Governmental Authority determines that Connecting Transmission Owner's receipt of payments or property constitutes income that is subject to taxation, Connecting Transmission Owner shall notify Transmission Developer, in writing, within thirty (30) Calendar Days of receiving notification of such determination by a Governmental Authority. Upon the timely written request by Transmission Developer and at Transmission Developer's sole expense, Connecting Transmission Owner may appeal, protest, seek abatement of, or otherwise oppose such determination. Upon Transmission Developer's written request and sole expense, Connecting Transmission Owner may file a claim for refund with respect to any taxes paid under this Article ~~5.17.5.12~~, whether or not it has received such a determination. Connecting Transmission Owner reserves the right to make all decisions with regard to the prosecution of such appeal, protest, abatement or other contest, including the selection of counsel and compromise or settlement of the claim, but Connecting Transmission Owner shall keep Transmission Developer informed, shall consider in good faith suggestions from Transmission Developer about the conduct of the contest, and shall reasonably permit Transmission Developer or ~~ana~~ Transmission Developer representative to attend contest proceedings.

Transmission Developer shall pay to Connecting Transmission Owner on a periodic basis, as invoiced by Connecting Transmission Owner, Connecting Transmission Owner's documented reasonable costs of prosecuting such appeal, protest, abatement or other contest, including any costs associated with obtaining the opinion of independent tax counsel described in this Article ~~5.17.7~~5.12.7. The Connecting Transmission Owner may abandon any contest if the Transmission Developer fails to provide payment to the Connecting Transmission Owner within thirty (30) Calendar Days of receiving such invoice. At any time during the contest, Connecting Transmission Owner may agree to a settlement either with Transmission Developer's consent or after obtaining written advice from nationally-recognized tax counsel, selected by Connecting Transmission Owner, but reasonably acceptable to Transmission Developer, that the proposed settlement represents a reasonable settlement given the hazards of litigation. Transmission Developer's obligation shall be based on the amount of the settlement agreed to by Transmission Developer, or if a higher amount, so much of the settlement that is supported by the written advice from nationally-recognized tax counsel selected under the terms of the preceding sentence. The settlement amount shall be calculated on a fully grossed-up basis to cover any related cost consequences of the current tax liability. The Connecting Transmission Owner may also settle any tax controversy without receiving the Transmission Developer's consent or any such written advice; however, any such settlement will relieve the Transmission Developer from any obligation to indemnify Connecting Transmission Owner for the tax at issue in the contest (unless the failure to obtain written advice is attributable to the Transmission Developer's unreasonable refusal to the appointment of independent tax counsel).

5.12.8 ~~5.17.8~~ **Refund.**

In the event that (a) a private letter ruling is issued to Connecting Transmission Owner which holds that any amount paid or the value of any property transferred by Transmission Developer to Connecting Transmission Owner under the terms of this Agreement is not subject to federal income taxation, (b) any legislative change or administrative announcement, notice,

SERVICE AGREEMENT NO. 2605

ruling or other determination makes it reasonably clear to Connecting Transmission Owner in good faith that any amount paid or the value of any property transferred by Transmission Developer to Connecting Transmission Owner under the terms of this Agreement is not taxable to Connecting Transmission Owner, (c) any abatement, appeal, protest, or other contest results in a determination that any payments or transfers made by Transmission Developer to Connecting Transmission Owner are not subject to federal income tax, or (d) if Connecting Transmission Owner receives a refund from any taxing authority for any overpayment of tax attributable to any payment or property transfer made by Transmission Developer to Connecting Transmission Owner pursuant to this Agreement, Connecting Transmission Owner shall promptly refund to Transmission Developer the following:

(i) Any payment made by Transmission Developer under this Article ~~5.17~~5.12 for taxes that is attributable to the amount determined to be non-taxable, together with interest thereon,

(ii) Interest on any amounts paid by Transmission Developer to Connecting Transmission Owner for such taxes which Connecting Transmission Owner did not submit to the taxing authority, calculated in accordance with the methodology set forth in FERC's regulations at 18 C.F.R. §35.19a(a)(2)(iii) from the date payment was made by Transmission Developer to the date Connecting Transmission Owner refunds such payment to Transmission Developer, and

(iii) With respect to any such taxes paid by Connecting Transmission Owner, any refund or credit Connecting Transmission Owner receives or to which it may be entitled from any Governmental Authority, interest (or that portion thereof attributable to the payment described in clause (i), above) owed to the Connecting Transmission Owner for such overpayment of taxes (including any reduction in interest otherwise payable by Connecting Transmission Owner to any Governmental Authority resulting from an offset or credit); provided, however, that Connecting Transmission Owner will remit such amount promptly to Transmission Developer only after and to the extent that Connecting Transmission Owner has received a tax refund, credit or offset from any Governmental Authority for any applicable overpayment of income tax related to the ~~Connecting Transmission Owner's Attachment~~Network Upgrade Facilities.

The intent of this provision is to leave both the Transmission Developer and Connecting Transmission Owner, to the extent practicable, in the event that no taxes are due with respect to any payment for ~~Attachment Facilities and System~~Network Upgrade Facilities ~~and System Deliverability Upgrades~~ hereunder, in the same position they would have been in had no such tax payments been made.

5.12.9 ~~5.17.9~~ Taxes Other Than Income Taxes.

Upon the timely request by Transmission Developer, and at Transmission Developer's sole expense, Connecting Transmission Owner shall appeal, protest, seek abatement of, or otherwise contest any tax (other than federal or state income tax) asserted or assessed against Connecting Transmission Owner for which Transmission Developer may be required to

SERVICE AGREEMENT NO. 2605

reimburse Connecting Transmission Owner under the terms of this Agreement. Transmission Developer shall pay to Connecting Transmission Owner on a periodic basis, as invoiced by Connecting Transmission Owner, Connecting Transmission Owner's documented reasonable costs of prosecuting such appeal, protest, abatement, or other contest. Transmission Developer and Connecting Transmission Owner shall cooperate in good faith with respect to any such contest. Unless the payment of such taxes is a prerequisite to an appeal or abatement or cannot be deferred, no amount shall be payable by Transmission Developer to Connecting Transmission Owner for such taxes until they are assessed by a final, non-appealable order by any court or agency of competent jurisdiction. In the event that a tax payment is withheld and ultimately due and payable after appeal, Transmission Developer will be responsible for all taxes, interest and penalties, other than penalties attributable to any delay caused by Connecting Transmission Owner.

5.13 ~~5.18~~ Tax Status; Non-Jurisdictional Entities.

5.13.1 ~~5.18.1~~ Tax Status.

Each Party shall cooperate with the other Parties to maintain the other Parties' tax status. Nothing in this Agreement is intended to adversely affect the tax status of any Party including the status of NYISO, or the status of any Connecting Transmission Owner with respect to the issuance of bonds including, but not limited to, Local Furnishing Bonds. ~~Notwithstanding any other provisions of this Agreement, LIPA, NYPA and Consolidated Edison Company of New York, Inc. shall not be required to comply with any provisions of this Agreement that would result in the loss of tax-exempt status of any of their Tax-Exempt Bonds or impair their ability to issue future tax-exempt obligations. For purposes of this provision, Tax-Exempt Bonds shall include the obligations of the Long Island Power Authority, NYPA and Consolidated Edison Company of New York, Inc., the interest on which is not included in gross income under the Internal Revenue Code.~~

~~5.18.2 Non-Jurisdictional Entities.~~

~~LIPA and NYPA do not waive their exemptions, pursuant to Section 201(f) of the FPA, from Commission jurisdiction with respect to the Commission's exercise of the FPA's general ratemaking authority.~~

5.14 ~~5.19~~ Modification.

5.14.1 ~~5.19.1~~ General.

If, prior to the In-Service Date of the Transmission Project or Network Upgrade Facilities, either the Transmission Developer or Connecting Transmission Owner proposes to modify the Transmission Project or Network Upgrade Facilities, they must inform the other Parties of the proposed modification and must satisfy the requirements for such modifications in (i) Section 22.5.4 of Attachment P to the ISO OATT, and (ii) the Development Agreement. The Transmission Developer shall be responsible for the cost of any such additional modifications, including the cost of studying the materiality and impact of the modification.

SERVICE AGREEMENT NO. 2605

~~Either the~~ Following the In-Service Date of the Transmission Project or Network Upgrade Facilities, either the Transmission Developer or Connecting Transmission Owner may undertake modifications to its facilities covered by this Agreement. If either the Transmission Developer or Connecting Transmission Owner plans to undertake a modification that reasonably may be expected to affect the other Party's facilities, that Party shall provide to the other Party, and to NYISO, sufficient information regarding such modification so that the other Party and NYISO may evaluate the potential impact of such modification prior to commencement of the work. Such information shall be deemed to be Confidential Information hereunder and shall include information concerning the timing of such modifications and whether such modifications are expected to interrupt the ~~flow~~transmission of electricity ~~from the Large Generating Facility at the Point(s) of Interconnection~~. The Party desiring to perform such work shall provide the relevant drawings, plans, and specifications to the other Party and NYISO at least ninety (90) Calendar Days in advance of the commencement of ~~the~~construction regarding such work or such shorter period upon which the Parties may agree, which agreement shall not unreasonably be withheld, conditioned or delayed.

~~In the case of Large Generating Facility modifications that do not require Developer to submit an Interconnection Request, the NYISO shall provide, within sixty (60) Calendar Days (or such other time as the Parties may agree), an estimate of any additional modifications to the New York State Transmission System, Connecting Transmission Owner's Attachment Facilities or System Upgrade Facilities or System Deliverability Upgrades necessitated by such Developer modification and a good faith estimate of the costs thereof. The Developer shall be responsible for the cost of any such additional modifications, including the cost of studying the impact of the Developer modification.~~

5.14.2 ~~5.19.2~~ Standards.

Any additions, modifications, or replacements made to a Party's facilities shall be designed, constructed and operated in accordance with this Agreement, NYISO requirements and Good Utility Practice.

5.14.3 ~~5.19.3~~ Modification Costs.

Transmission Developer or Connecting Transmission Owner, as applicable, shall not be assigned the costs of any additions, modifications, or replacements that ~~Connecting Transmission Owner~~the other Party makes to ~~the Connecting Transmission Owner's Attachment Facilities or~~ the New York State Transmission System to facilitate the interconnection of a third party to the ~~Connecting Transmission Owner's Attachment Facilities or the~~ New York State Transmission System, or to provide Transmission Service to a third party under the ISO OATT, except in accordance with the cost allocation procedures in Attachment S of the ISO OATT. ~~Developer shall be responsible for the costs of any additions, modifications, or replacements to the Developer's Attachment Facilities that may be necessary to maintain or upgrade such Developer's Attachment Facilities consistent with Applicable Laws and Regulations, Applicable Reliability Standards or Good Utility Practice.~~

ARTICLE 6. TESTING AND INSPECTION

6.1 ~~Pre-Commercial-Operation~~Pre-In-Service Date Testing and Modifications.

Prior to the ~~Commercial-Operation-Date~~In-Service Date of the Transmission Project or Network Upgrade Facilities, as applicable, the Connecting Transmission Owner or Transmission Developer, as specified in Appendix A, shall test the Transmission Project and Network Upgrade Facilities in accordance with Connecting Transmission Owner's ~~Attachment Facilities (including required control technologies and protection systems) and System Upgrade Facilities and System Deliverability Upgrades and Developer shall test the Large Generating Facility and the Developer's Attachment Facilities~~specifications to ensure their safe and reliable operation. Similar testing may be required after initial operation. Transmission Developer and Connecting Transmission Owner shall each make any modifications to its facilities that are found to be necessary as a result of such testing. Transmission Developer shall bear the cost of all such testing and modifications. ~~Developer shall generate test energy at the Large Generating Facility only if it has arranged for the injection of such test energy in accordance with NYISO procedures.~~Transmission Developer and Connecting Transmission Owner shall coordinate with NYISO prior to performing the testing of the Transmission Project and Network Upgrade Facilities and prior to the facilities entering into service.

6.2 ~~Post-Commercial-Operation~~Post-In-Service Date Testing and Modifications.

Transmission Developer and Connecting Transmission Owner shall each at its own expense perform routine inspection and testing of its facilities and equipment in accordance with Good Utility Practice and Applicable Reliability Standards as may be necessary to ensure the continued interconnection of the ~~Large Generating Facility~~Transmission Project with the New York State Transmission System in a safe and reliable manner. Transmission Developer and Connecting Transmission Owner shall each have the right, upon advance written notice, to require reasonable additional testing of the other Party's facilities, at the requesting Party's expense, as may be in accordance with Good Utility Practice.

6.3 **Right to Observe Testing.**

Transmission Developer and Connecting Transmission Owner shall each notify the other Party, and the NYISO, in advance of its performance of tests of ~~its Attachment~~the Transmission Project and Network Upgrade Facilities. The other Party, and the NYISO, shall each have the right, at its own expense, to observe such testing.

6.4 **Right to Inspect.**

Transmission Developer and Connecting Transmission Owner shall each have the right, but shall have no obligation to: (i) observe the other Party's tests and/or inspection of any of its System Protection Facilities and other protective equipment, ~~including Power System Stabilizers~~; (ii) review the settings of the other Party's System Protection Facilities and other protective equipment; and (iii) review the other Party's maintenance records relative to the ~~Attachment Facilities, the~~ System Protection Facilities and other protective equipment. NYISO shall have these same rights of inspection as to the facilities and equipment of Transmission

SERVICE AGREEMENT NO. 2605

Developer and Connecting Transmission Owner. A Party may exercise these rights from time to time as it deems necessary upon reasonable notice to the other Party. The exercise or non-exercise by a Party of any such rights shall not be construed as an endorsement or confirmation of any element or condition of the ~~Attachment Facilities or the~~ System Protection Facilities or other protective equipment or the operation thereof, or as a warranty as to the fitness, safety, desirability, or reliability of same. Any information that a Party obtains through the exercise of any of its rights under this Article 6.4 shall be treated in accordance with ~~Article 22~~Article 22 of this Agreement and Attachment F to the ISO OATT.

ARTICLE 7. METERING

7.1 General.

~~Developer and Connecting Transmission Owner shall each comply with applicable requirements of NYISO and the New York Public Service Commission when exercising its rights and fulfilling its responsibilities under this Article 7. Unless otherwise agreed by the Connecting Transmission Owner and NYISO approved meter service provider and Developer, the Connecting Transmission Owner shall install Metering Equipment at the Point of Interconnection prior to any operation of the Large Generating Facility and shall own, operate, test and maintain such Metering Equipment. Net power flows including MW and MVAR, MWHR and loss profile data to and from the Large Generating Facility shall be measured at the Point of Interconnection. Connecting Transmission Owner shall provide metering quantities, in analog and/or digital form, as required, to Developer or NYISO upon request. Where the Point of Interconnection for the Large Generating Facility is other than the generator terminal, the Developer shall also provide gross MW and MVAR quantities at the generator terminal. Developer shall bear all reasonable documented costs associated with the purchase, installation, operation, testing and maintenance of the Metering Equipment.~~

Connecting Transmission Owner shall be responsible for the metering at any Metering Points identified by the NYISO in connection with the interconnection of the Transmission Project with Connecting Transmission Owner's system in accordance with the requirements in this Article 7. Connecting Transmission Owner and/or Transmission Developer shall, as such responsibilities are specified in Appendix A of this Agreement, procure and install any required Metering Equipment prior to any operation of the Transmission Project. Connecting Transmission Owner shall own, operate, test, maintain, and, if directed by the NYISO, relocate such Metering Equipment in accordance with ISO Procedures, as such requirements are amended from time to time. Connecting Transmission Owner shall provide the NYISO with metering data in accordance with the metering requirements set forth in this Agreement, the NYISO Tariffs, and ISO Procedures, as such requirements are amended from time to time. Transmission Developer shall bear all reasonable documented costs associated with the purchase, and installation of the Metering Equipment.

7.2 Check Meters.

Transmission Developer, at its option and expense, may install and operate, on its premises and on its side of the ~~Point~~Points of Interconnection, one or more check meters to

SERVICE AGREEMENT NO. 2605

check Connecting Transmission Owner's meters. Such check meters shall be for check purposes only and shall not be used for the measurement of power flows for purposes of this Agreement, except as provided in Article 7.4 below. ~~The check meters shall be subject at all reasonable times to inspection and examination by Connecting Transmission Owner or its designee.~~ The installation, operation and maintenance thereof shall be performed entirely by Transmission Developer in accordance with Good Utility Practice.

7.3 Standards.

Connecting Transmission Owner ~~shall~~ and Transmission Developer shall, as such responsibilities are specified in Appendix A of this Agreement, install, calibrate, and test revenue quality Metering Equipment including potential transformers and current transformers in accordance with ~~applicable ANSI and PSC standards as detailed in the NYISO Control Center Communications Manual and in the NYISO Revenue Metering Requirements Manual~~ ISO Procedures, as such requirements are amended from time to time.

7.4 Testing of Metering Equipment.

Connecting Transmission Owner shall inspect and test all of its Metering Equipment upon installation and at least once every two (2) years thereafter. ~~If requested to do so by NYISO or Developer~~ required by ISO Procedures, Connecting Transmission Owner shall, at ~~Developer's~~ sits own expense, inspect or test Metering Equipment more frequently than every two (2) years. Connecting Transmission Owner shall give reasonable notice of the time when any inspection or test shall take place, and ~~Developer and~~ NYISO and Transmission Developer may have representatives present at the test or inspection. If at any time Metering Equipment is found to be inaccurate or defective, it shall be adjusted, repaired or replaced at ~~Developer's~~ Connecting Transmission Owner's expense, in order to provide accurate metering, ~~unless the inaccuracy or defect is due to Connecting Transmission Owner's failure to maintain, then,~~ Connecting Transmission Owner shall pay. ~~If Metering Equipment fails to register, or if the measurement made by Metering Equipment during a test varies by more than two percent from the measurement made by the standard meter used in the test, Connecting Transmission Owner shall adjust the measurements by correcting all measurements for the period during which Metering Equipment was in error by using Developer's check meters, if installed. If no such check meters are installed or if the period cannot be reasonably ascertained, the adjustment shall be for the period immediately preceding the test of the Metering Equipment equal to one-half the time from the date of the last previous test of the Metering Equipment~~ and NYISO shall address the loss of meter data or meter data anomalies in accordance with ISO Procedures. The NYISO shall reserve the right to review all associated metering equipment installation on the Transmission Developer's or Connecting Transmission Owner's property at any time.

7.5 Metering Data.

At ~~Developer's~~ Connecting Transmission Owner's expense, the metered data shall be telemetered to one or more locations designated by ~~Connecting Transmission Owner,~~ Developer and NYISO. Such telemetered data shall be used, under normal operating

SERVICE AGREEMENT NO. 2605

conditions, as the official measurement of the amount of energy ~~delivered from the Large Generating Facility to the Point of Interconnection~~ at the Metering Points.

ARTICLE 8. COMMUNICATIONS

8.1 Transmission Developer Obligations.

~~In accordance with applicable NYISO requirements,~~ Transmission Developer shall maintain satisfactory operating communications, including providing analog and digital real-time telemetry, with Connecting Transmission Owner and NYISO, ~~in accordance with the requirements in this Agreement, the Operating Agreement (including Section 2.05, Local Control Center, Metering and Telemetry), NYISO Tariffs, and ISO Procedures, as such requirements are amended from time to time.~~ Transmission Developer shall provide standard voice line, dedicated voice line and facsimile communications at its ~~Large Generating Facility control room or central dispatch facility~~ center for the Transmission Project through use of either the public telephone system, or a voice communications system that does not rely on the public telephone system. Transmission Developer shall also provide the dedicated data circuit(s) necessary to provide Transmission Developer data to Connecting Transmission Owner and NYISO as set forth in Appendix D hereto. The data circuit(s) shall extend from the ~~Large Generating Facility~~ Transmission Project to the location(s) specified by Connecting Transmission Owner and NYISO. Any required maintenance of such communications equipment shall be performed by Transmission Developer. Operational communications shall be activated and maintained under, but not be limited to, the following events: system paralleling or separation, scheduled and unscheduled shutdowns, equipment clearances, and hourly and daily load data.

8.2 Remote Terminal Unit.

Prior to the Initial Synchronization Date of the ~~Large Generating Facility~~ Transmission Project, a Remote Terminal Unit, or equivalent data collection and transfer equipment acceptable to the Parties, shall be installed by Transmission Developer, or by Connecting Transmission Owner at Transmission Developer's expense, to gather accumulated and instantaneous data to be telemetered to the location(s) designated by Connecting Transmission Owner and NYISO through use of a dedicated point-to-point data circuit(s) as indicated in Article 8.1. The communication protocol for the data circuit(s) shall be specified by Connecting Transmission Owner and NYISO. Instantaneous bi-directional analog real power and reactive power flow information must be telemetered directly to the location(s) specified by Connecting Transmission Owner and NYISO.

Each Party will promptly advise the appropriate other Party if it detects or otherwise learns of any metering, telemetry or communications equipment errors or malfunctions that require the attention and/or correction by that other Party. The Party owning such equipment shall correct such error or malfunction as soon as reasonably feasible.

SERVICE AGREEMENT NO. 2605

8.3 No Annexation.

Any and all equipment placed on the premises of a Party shall be and remain the property of the Party providing such equipment regardless of the mode and manner of annexation or attachment to real property, unless otherwise mutually agreed by the Party providing such equipment and the Party receiving such equipment.

ARTICLE 9. OPERATIONS

9.1 General.

Each Party shall comply with Applicable Laws and Regulations and Applicable Reliability Standards. Each Party shall provide to the other Parties all information that may reasonably be required by the other Parties to comply with Applicable Laws and Regulations and Applicable Reliability Standards. Connecting Transmission Owner or Transmission Developer, as applicable, shall provide the NYISO with notifications of all of its power system equipment additions or modifications in accordance with ISO Procedures, including the NYISO's Reliability Analysis Data Manual (Manual 24).

9.2 NYISO and Connecting Transmission Owner Obligations.

Connecting Transmission Owner and NYISO shall cause the New York State Transmission System ~~and the Connecting Transmission Owner's Attachment Facilities~~ to be operated, maintained and controlled in a safe and reliable manner in accordance with this Agreement and the NYISO Tariffs. Connecting Transmission Owner and NYISO may provide operating instructions to Transmission Developer consistent with this Agreement, NYISO procedures and Connecting Transmission Owner's operating protocols and procedures as they may change from time to time. Connecting Transmission Owner and NYISO will consider changes to their respective operating protocols and procedures proposed by Transmission Developer.

9.3 Transmission Developer Obligations.

Transmission Developer shall at its own expense operate, maintain and control the ~~Large Generating Facility and the Developer's Attachment Facilities~~ Transmission Project in a safe and reliable manner and in accordance with this Agreement, ~~the NYISO Tariffs, ISO Procedures, and the Operating Agreement.~~ Transmission Developer shall operate the ~~Large Generating Facility and the Developer's Attachment Facilities~~ Transmission Project in accordance with NYISO and Connecting Transmission Owner requirements, as such requirements are set forth or referenced in Appendix C hereto. Appendix C will be modified to reflect changes to the requirements as they may change from time to time. Any Party may request that the appropriate other Party or Parties provide copies of the requirements set forth or referenced in Appendix C hereto.

~~9.4 Start-Up and Synchronization.~~

~~Consistent with the mutually acceptable procedures of the Developer and Connecting Transmission Owner, the Developer is responsible for the proper~~

~~synchronization of the Large Generating Facility to the New York State Transmission System in accordance with NYISO and Connecting Transmission Owner procedures and requirements.~~

~~9.5 Real and Reactive Power Control and Primary Frequency Response.~~

~~9.5.1 Power Factor Design Criteria.~~

~~9.5.1.1 Synchronous Generation. Developer shall design the Large Generating Facility to maintain effective composite power delivery at continuous rated power output at the Point of Interconnection at a power factor within the range of 0.95 leading to 0.95 lagging unless the NYISO or the Transmission Owner in whose Transmission District the Large Generating Facility interconnects has established different requirements that apply to all generators in the New York Control Area or Transmission District (as applicable) on a comparable basis, in accordance with Good Utility Practice.~~

~~The Developer shall design and maintain the plant auxiliary systems to operate safely throughout the entire real and reactive power design range.~~

~~9.5.1.2 Non-Synchronous Generation. Developer shall design the Large Generating Facility to maintain composite power delivery at continuous rated power output at the high side of the generator substation at a power factor within the range of 0.95 leading to 0.95 lagging, unless the NYISO or the Transmission Owner in whose Transmission District the Large Generating Facility interconnects has established a different power factor range that applies to all non-synchronous generators in the Control Area or Transmission District (as applicable) on a comparable basis, in accordance with Good Utility Practice. This power factor range standard shall be dynamic and can be met using, for example, power electronics designed to supply this level of reactive capability (taking into account any limitations due to voltage level, real power output, etc.) or fixed and switched capacitors, or a combination of the two. This requirement shall only apply to newly interconnection non-synchronous generators that have not yet executed a Facilities Study Agreement as of September 21, 2016.~~

~~The Developer shall design and maintain the plant auxiliary systems to operate safely throughout the entire real and reactive power design range.~~

~~9.5.2 Voltage Schedules.~~

~~Once the Developer has synchronized the Large Generating Facility with the New York State Transmission System, NYISO shall require Developer to operate the Large Generating Facility to produce or absorb reactive power within the design capability of the Large Generating Facility set forth in Article 9.5.1 (Power Factor Design Criteria). NYISO's voltage schedules shall treat all sources of reactive power in the New York Control Area in an equitable and not unduly discriminatory manner. NYISO shall exercise Reasonable Efforts to provide Developer with such schedules in accordance with NYISO procedures, and may make changes to such schedules as necessary to maintain the reliability of the New York State Transmission System. Developer shall operate the Large Generating Facility to maintain the specified output voltage or power factor at the Point of Interconnection within the design capability of the Large Generating Facility set forth in Article 9.5.1 (Power Factor Design Criteria) as directed by the Connecting Transmission Owner's system operator or the NYISO. If Developer is unable to maintain the specified voltage or power factor, it shall promptly notify NYISO.~~

SERVICE AGREEMENT NO. 2605

~~9.5.3 Payment for Reactive Power.~~

~~NYISO shall pay Developer for reactive power or voltage support service that Developer provides from the Large Generating Facility in accordance with the provisions of Rate Schedule 2 of the NYISO Services Tariff.~~

~~9.5.4 Voltage Regulators.~~

~~Whenever the Large Generating Facility is operated in parallel with the New York State Transmission System, the automatic voltage regulators shall be in automatic operation at all times. If the Large Generating Facility's automatic voltage regulators are not capable of such automatic operation, the Developer shall immediately notify NYISO, or its designated representative, and ensure that such Large Generating Facility's real and reactive power are within the design capability of the Large Generating Facility's generating unit(s) and steady state stability limits and NYISO system operating (thermal, voltage and transient stability) limits. Developer shall not cause its Large Generating Facility to disconnect automatically or instantaneously from the New York State Transmission System or trip any generating unit comprising the Large Generating Facility for an under or over frequency condition unless the abnormal frequency condition persists for a time period beyond the limits set forth in ANSI/IEEE Standard C37.106, or such other standard as applied to other generators in the New York Control Area on a comparable basis.~~

~~9.5.5 Primary Frequency Response.~~

~~Developer shall ensure the primary frequency response capability of its Large Generating Facility by installing, maintaining, and operating a functioning governor or equivalent controls. The term "functioning governor or equivalent controls" as used herein shall mean the required hardware and/or software that provides frequency responsive real power control with the ability to sense changes in system frequency and autonomously adjust the Large Generating Facility's real power output in accordance with the droop and deadband parameters and in the direction needed to correct frequency deviations. Developer is required to install a governor or equivalent controls with the capability of operating: (1) with a maximum 5 percent droop \pm 0.036 Hz deadband; or (2) in accordance with the relevant droop, deadband, and timely and sustained response settings from an approved Applicable Reliability Standard providing for equivalent or more stringent parameters. The droop characteristic shall be: (1) based on the nameplate capacity of the Large Generating Facility, and shall be linear in the range of frequencies between 59 and 61 Hz that are outside of the deadband parameter; or (2) based on an approved Applicable Reliability Standard providing for an equivalent or more stringent parameter. The deadband parameter shall be: the range of frequencies above and below nominal (60 Hz) in which the governor or equivalent controls is not expected to adjust the Large Generating Facility's real power output in response to frequency deviations. The deadband shall be implemented: (1) without a step to the droop curve, that is, once the frequency deviation exceeds the deadband parameter, the expected change in the Large Generating Facility's real power output in response to frequency deviations shall start from zero and then increase (for under frequency deviations) or decrease (for over-frequency deviations) linearly in proportion to the magnitude of the frequency deviation;~~

~~or (2) in accordance with an approved Applicable Reliability Standard providing for an equivalent or more stringent parameter. Developer shall notify NYISO that the primary frequency response capability of the Large Generating Facility has been tested and confirmed during commissioning. Once Developer has synchronized the Large Generating Facility with the New York State Transmission System, Developer shall operate the Large Generating Facility consistent with the provisions specified in Articles 9.5.5.1 and 9.5.5.2 of this Agreement. The primary frequency response requirements contained herein shall apply to both synchronous and non-synchronous Large Generating Facilities.~~

~~9.5.5.1 Governor or Equivalent Controls.~~

~~Whenever the Large Generating Facility is operated in parallel with the New York State Transmission System, Developer shall operate the Large Generating Facility with its governor or equivalent controls in service and responsive to frequency. Developer shall: (1) in coordination with NYISO, set the deadband parameter to: (1) a maximum of ± 0.036 Hz and set the droop parameter to a maximum of 5 percent; or (2) implement the relevant droop and deadband settings from an approved Applicable Reliability Standard that provides for equivalent or more stringent parameters. Developer shall be required to provide the status and settings of the governor and equivalent controls to NYISO and/or the Connecting Transmission Owner upon request. If Developer needs to operate the Large Generating Facility with its governor or equivalent controls not in service, Developer shall immediately notify NYISO and the Connecting Transmission Owner, and provide both with the following information: (1) the operating status of the governor or equivalent controls (i.e., whether it is currently out of service or when it will be taken out of service); (2) the reasons for removing the governor or equivalent controls from service; and (3) a reasonable estimate of when the governor or equivalent controls will be returned to service. Developer shall make Reasonable Efforts to return its governor or equivalent controls into service as soon as practicable. Developer shall make Reasonable Efforts to keep outages of the Large Generating Facility's governor or equivalent controls to a minimum whenever the Large Generating Facility is operated in parallel with the New York State Transmission System.~~

~~9.5.5.2 Timely and Sustained Response.~~

~~Developer shall ensure that the Large Generating Facility's real power response to sustained frequency deviations outside of the deadband setting is automatically provided and shall begin immediately after frequency deviates outside of the deadband, and to the extent the Large Generating Facility has operating capability in the direction needed to correct the frequency deviation. Developer shall not block or otherwise inhibit the ability of the governor or equivalent controls to respond and shall ensure that the response is not inhibited, except under certain operational constraints including, but not limited to, ambient temperature limitations, physical energy limitations, outages of mechanical equipment, or regulatory requirements. The Large Generating Facility shall sustain the real power response at least until system frequency returns to a value within the deadband setting of the governor or equivalent controls. An Applicable Reliability Standard with equivalent or more stringent requirements shall supersede the above requirements.~~

~~9.5.5.3 Exemptions.~~

~~Large Generating Facilities that are regulated by the United States Nuclear Regulatory Commission shall be exempt from Articles 9.5.5, 9.5.5.1, and 9.5.5.2 of this Agreement. Large Generating Facilities that are behind the meter generation that is sized-to-load (i.e., the thermal load and the generation are near-balanced in real-time operation and the generation is primarily controlled to maintain the unique thermal, chemical, or mechanical output necessary for the operating requirements of its host facility) shall be required to install primary frequency response capability requirements in accordance with the droop and deadband capability requirements specified in Article 9.5.5, but shall be otherwise exempt from the operating requirements in Articles 9.5.5, 9.5.5.1, 9.5.5.2, and 9.5.5.4 of this Agreement.~~

~~9.5.5.4 Electric Storage Resources.~~

~~Developer interconnecting an electric storage resource shall establish an operating range in Appendix C of its LGIA that specifies a minimum state of charge and a maximum state of charge between which the electric storage resource will be required to provide primary frequency response consistent with the conditions set forth in Articles 9.5.5, 9.5.5.1, 9.5.5.2, and 9.5.5.3 of this Agreement. Appendix C shall specify whether the operating range is static or dynamic, and shall consider (1) the expected magnitude of frequency deviations in the interconnection; (2) the expected duration that system frequency will remain outside of the deadband parameter in the interconnection; (3) the expected incidence of frequency deviations outside of the deadband parameter in the interconnection; (4) the physical capabilities of the electric storage resource; (5) operational limitations of the electric storage resources due to manufacturer specification; and (6) any other relevant factors agreed to by the NYISO, Connecting Transmission Owner, and Developer. If the operating range is dynamic, then Appendix C must establish how frequently the operating range will be reevaluated and the factors that may be considered during its reevaluation.~~

~~Developer's electric storage resource is required to provide timely and sustained primary frequency response consistent with Article 9.5.5.2 of this Agreement when it is online and dispatched to inject electricity to the New York State Transmission System and/or receive electricity from the New York State Transmission System. This excludes circumstances when the electric storage resource is not dispatched to inject electricity to the New York State Transmission System and/or dispatched to receive electricity from the New York State Transmission System. If Developer's electric storage resource is charging at the time of a frequency deviation outside of its deadband parameter, it is to increase (for over-frequency deviations) or decrease (for under-frequency deviations) the rate at which it is charging in accordance with its droop parameter. Developer's electric storage resource is not required to change from charging to discharging, or vice versa, unless the response necessitated by the droop and deadband settings requires it to do so and it is technically capable of making such a transition.~~

SERVICE AGREEMENT NO. 2605

9.4 ~~9.6~~ Outages and Interruptions.

9.4.1 ~~9.6.1~~ Outages.

9.4.1.1 ~~9.6.1.1~~ Outage Authority and Coordination.

Transmission Developer and Connecting Transmission Owner may each, in accordance with NYISO procedures and Good Utility Practice and in coordination with the other Party, remove from service any of its ~~respective Attachment Facilities or System~~ Transmission Project facilities or Network Upgrade Facilities and System Deliverability Upgrades that may impact the other Party's facilities as necessary to perform maintenance or testing or to install or replace equipment. Absent an Emergency or Emergency State, the Party scheduling a removal of such facility(ies) from service will use Reasonable Efforts to schedule such removal on a date and time mutually acceptable to both the Transmission Developer and the Connecting Transmission Owner. In all circumstances either Party planning to remove such facility(ies) from service shall use Reasonable Efforts to minimize the effect on the other Party of such removal.

9.4.1.2 ~~9.6.1.2~~ Outage Schedules.

~~The Connecting Transmission Owner shall post scheduled outages of its transmission facilities on the NYISO OASIS. Developer shall submit its planned maintenance schedules for the Large Generating Facility to Connecting Transmission Owner and NYISO for a minimum of a rolling thirty-six month period. Developer shall update its planned maintenance schedules as necessary. NYISO may direct, or the Connecting Transmission Owner may request, Developer to reschedule its maintenance as necessary to maintain the reliability of the New York State Transmission System. Compensation to Developer for any additional direct costs that the Developer incurs as a result of rescheduling maintenance, including any additional overtime, breaking of maintenance contracts or other costs above and beyond the cost the Developer would have incurred absent the request to reschedule maintenance, shall be in accordance with the ISO OATT. Developer will not be eligible to receive compensation, if during the twelve (12) months prior to the date of the scheduled maintenance, the Developer had modified its schedule of maintenance activities other than at the direction of the NYISO or request of the Connecting Transmission Owner.~~

The Transmission Developer or Connecting Transmission Owner, as applicable, and pursuant to ISO Procedures, shall post scheduled outages of its respective transmission facilities on the NYISO OASIS.

9.4.1.3 ~~9.6.1.3~~ Outage Restoration.

If an outage on the ~~Attachment Facilities or System~~ Transmission Project or Network Upgrade Facilities or System Deliverability Upgrades of the Connecting Transmission Owner or Developer adversely affects the other Party's operations or facilities, the Party that owns the facility that is out of service shall use Reasonable Efforts to promptly restore such facility(ies) to a normal operating condition consistent with the nature of the outage. The Party that owns the facility that is out of service shall provide the other Party and NYISO, to the extent

SERVICE AGREEMENT NO. 2605

such information is known, information on the nature of the Emergency or Emergency State, an estimated time of restoration, and any corrective actions required. Initial verbal notice shall be followed up as soon as practicable with written notice explaining the nature of the outage.

9.4.2 ~~9.6.2~~ **Interruption of Service.** If required by Good Utility Practice or Applicable Reliability Standards to do so, the NYISO ~~or~~, Connecting Transmission Owner, or Transmission Developer may require the Connecting Transmission Owner or Transmission Developer to interrupt ~~or reduce production~~ the transmission of electricity if such ~~production of transmission of~~ electricity could adversely affect the ability of NYISO and, as applicable, Connecting Transmission Owner or Transmission Developer to perform such activities as are necessary to safely and reliably operate and maintain the New York State Transmission System. The following provisions shall apply to any interruption ~~or reduction~~ permitted under this Article ~~9.6.2~~ **9.4.2**:

9.4.2.1 ~~9.6.2.1~~ The interruption ~~or reduction~~ shall continue only for so long as reasonably necessary under Good Utility Practice;

~~9.6.2.2—Any such interruption or reduction shall be made on an equitable, non-discriminatory basis with respect to all generating facilities directly connected to the New York State Transmission System;~~

9.4.2.2 ~~9.6.2.3~~ When the interruption ~~or reduction~~ must be made under circumstances which do not allow for advance notice, NYISO ~~or~~, Connecting Transmission Owner, or Transmission Owner shall notify, as applicable, Transmission Developer or Connecting Transmission Owner by telephone as soon as practicable of the reasons for the curtailment, or interruption, ~~or reduction~~, and, if known, its expected duration. Telephone notification shall be followed by written notification as soon as practicable;

9.4.2.3 ~~9.6.2.4~~ Except during the existence of an Emergency or Emergency State, when the interruption ~~or reduction~~ can be scheduled without advance notice, NYISO, Connecting Transmission Owner, or Transmission Developer shall notify, as applicable, Transmission Developer or Connecting Transmission Owner ~~shall notify Developer~~ in advance regarding the timing of such scheduling and ~~further notify Developer~~ of the expected duration. ~~NYISO or Connecting Transmission Owner~~ The Parties shall coordinate with each other ~~and the Developer~~ using Good Utility Practice to schedule the interruption ~~or reduction~~ during periods of least impact to the Transmission Developer, the Connecting Transmission Owner and the New York State Transmission System;

9.4.2.4 ~~9.6.2.5~~ The Parties shall cooperate and coordinate with each other to the extent necessary in order to restore the ~~Large Generating Facility, Attachment~~ Transmission Project, Network Upgrade Facilities, and the New York State Transmission System to their normal operating state, consistent with system conditions and Good Utility Practice.

~~9.6.3— Under-Frequency and Over-Frequency Conditions.~~

~~The New York State Transmission System is designed to automatically activate a load-shed program as required by the NPCC in the event of an under-frequency system~~

SERVICE AGREEMENT NO. 2605

~~disturbance. Developer shall implement under-frequency and over-frequency relay set points for the Large Generating Facility as required by the NPCC to ensure “ride through” capability of the New York State Transmission System. Large Generating Facility response to frequency deviations of predetermined magnitudes, both under-frequency and over-frequency deviations, shall be studied and coordinated with the NYISO and Connecting Transmission Owner in accordance with Good Utility Practice. The term “ride through” as used herein shall mean the ability of a Generating Facility to stay connected to and synchronized with the New York State Transmission System during system disturbances within a range of under-frequency and over-frequency conditions, in accordance with Good Utility Practice and with NPCC Regional Reliability Reference Directory # 12, or its successor.~~

9.4.3 ~~9.6.4~~ System Protection and Other Control Requirements.

~~9.4.3.1 9.6.4.1 System Protection Facilities. Transmission Developer shall, at its expense, install, operate and maintain System Protection Facilities as a part of the **Large Generating Facility or Developer’s Attachment Facilities** Transmission Project. Connecting Transmission Owner shall install at Transmission Developer’s expense any System Protection Facilities that may be required on the ~~Connecting Transmission Owner’s Attachment Facilities or the~~ New York State Transmission System as a result of the interconnection of the ~~Large Generating Facility and Developer’s Attachment Facilities~~ Transmission Project.~~

~~9.4.3.2 9.6.4.2 The protection facilities of both the Transmission Developer and Connecting Transmission Owner shall be designed and coordinated with other systems in accordance with Good Utility Practice and Applicable Reliability Standards.~~

~~9.4.3.3 9.6.4.3 The Transmission Developer and Connecting Transmission Owner shall each be responsible for protection of its respective facilities consistent with Good Utility Practice and Applicable Reliability Standards.~~

~~9.4.3.4 9.6.4.4 The protective relay design of the Transmission Developer and Connecting Transmission Owner shall each incorporate the necessary test switches to perform the tests required in ~~Article 6~~ Article 6 of this Agreement. The required test switches will be placed such that they allow operation of lockout relays while preventing breaker failure schemes from operating and causing unnecessary breaker operations and/or the tripping of the Transmission Developer’s **Large Generating Facility** Transmission Project.~~

~~9.4.3.5 9.6.4.5 The Transmission Developer and Connecting Transmission Owner will each test, operate and maintain System Protection Facilities in accordance with Good Utility Practice, NERC and NPCC criteria.~~

~~9.4.3.6 9.6.4.6 Prior to the In-Service ~~Date, and again prior to the Commercial Operation Date, the~~ Dates of the Network Upgrade Facilities and Transmission Project, the Transmission Developer and Connecting Transmission Owner shall each perform, or their agents shall perform, a complete calibration test and functional trip test of the System Protection Facilities. At intervals suggested by Good Utility Practice and following any apparent malfunction of the System Protection Facilities, the Transmission Developer and Connecting Transmission Owner shall each perform both calibration and functional trip tests of its System~~

SERVICE AGREEMENT NO. 2605

Protection Facilities. These tests do not require the tripping of any in-service generation unit. These tests do, however, require that all protective relays and lockout contacts be activated.

9.4.4 ~~9.6.5~~ Requirements for Protection.

In compliance with NPCC requirements and Good Utility Practice, Transmission Developer shall provide, install, own, and maintain relays, circuit breakers and all other devices necessary to remove any fault contribution of the ~~Large Generating Facility~~ Transmission Project to any short circuit occurring on the New York State Transmission System not otherwise isolated by Connecting Transmission Owner's equipment, such that the removal of the fault contribution shall be coordinated with the protective requirements of the New York State Transmission System. Such protective equipment shall include, without limitation, a disconnecting device or switch with load-interrupting capability located between the ~~Large Generating Facility~~ Transmission Project and the New York State Transmission System at a site selected upon mutual agreement (not to be unreasonably withheld, conditioned or delayed) of the Transmission Developer and Connecting Transmission Owner. Transmission Developer shall be responsible for protection of the ~~Large Generating Facility and~~ Transmission Project and Transmission Developer's other equipment from such conditions as negative sequence currents, over- or under-frequency, sudden load rejection, over- or under-voltage, and generator loss-of-field. Transmission Developer shall be solely responsible to disconnect the ~~Large Generating Facility and~~ Transmission Project and Transmission Developer's other equipment if conditions on the New York State Transmission System could adversely affect the ~~Large Generating Facility~~ Transmission Project.

9.4.5 ~~9.6.6~~ Power Quality.

Neither the facilities of Transmission Developer nor the facilities of Connecting Transmission Owner shall cause excessive voltage flicker nor introduce excessive distortion to the sinusoidal voltage or current waves as defined by ANSI Standard C84.1-1989, in accordance with IEEE Standard 519, or any applicable superseding electric industry standard. In the event of a conflict between ANSI Standard C84.1-1989, or any applicable superseding electric industry standard, ANSI Standard C84.1-1989, or the applicable superseding electric industry standard, shall control.

9.5 ~~9.7~~ Switching and Tagging Rules.

The Transmission Developer and Connecting Transmission Owner shall each provide the other Party a copy of its switching and tagging rules that are applicable to the other Party's activities. Such switching and tagging rules shall be developed on a nondiscriminatory basis. The Parties shall comply with applicable switching and tagging rules, as amended from time to time, in obtaining clearances for work or for switching operations on equipment.

~~9.8 Use of Attachment Facilities by Third Parties.~~

~~9.8.1 Purpose of Attachment Facilities.~~

~~Except as may be required by Applicable Laws and Regulations, or as otherwise agreed to among the Parties, the Attachment Facilities shall be constructed for the sole purpose of interconnecting the Large Generating Facility to the New York State Transmission System and shall be used for no other purpose.~~

~~9.8.2 Third Party Users.~~

~~If required by Applicable Laws and Regulations or if the Parties mutually agree, such agreement not to be unreasonably withheld, to allow one or more third parties to use the Connecting Transmission Owner's Attachment Facilities, or any part thereof, Developer will be entitled to compensation for the capital expenses it incurred in connection with the Attachment Facilities based upon the pro rata use of the Attachment Facilities by Connecting Transmission Owner, all third party users, and Developer, in accordance with Applicable Laws and Regulations or upon some other mutually agreed upon methodology. In addition, cost responsibility for ongoing costs, including operation and maintenance costs associated with the Attachment Facilities, will be allocated between Developer and any third party users based upon the pro rata use of the Attachment Facilities by Connecting Transmission Owner, all third party users, and Developer, in accordance with Applicable Laws and Regulations or upon some other mutually agreed upon methodology. If the issue of such compensation or allocation cannot be resolved through such negotiations, it shall be submitted to FERC for resolution.~~

9.6 ~~9.9 Disturbance Analysis Data Exchange.~~

The Parties will cooperate with one another and the NYISO in the analysis of disturbances to either the ~~Large Generating Facility~~Transmission Project or the New York State Transmission System by gathering and providing access to any information relating to any disturbance, including information from disturbance recording equipment, protective relay targets, breaker operations and sequence of events records, and any disturbance information required by Good Utility Practice.

~~9.10 Phasor Measurement Units~~

~~A Developer shall install and maintain, at its expense, phasor measurement units ("PMUs") if it meets the following criteria: (1) completed a Class Year after Class Year 2017; and (2) proposes a new Large Facility that either (a) has a maximum net output equal to or greater than 100 MW or (b) requires, as Attachment Facilities or System Upgrade Facilities, a new substation of 230kV or above.~~

~~PMUs shall be installed on the Large Facility on the low side of the generator step-up transformer, unless it is a non-synchronous generation facility, in which case the PMUs shall be installed on the Developer side of the Point of Interconnection. The PMUs must be capable of performing phasor measurements at a minimum of 60 samples per second which are synchronized via a high-accuracy satellite clock. To the extent Developer installs similar quality equipment, such as relays or digital fault recorders, that can collect data at~~

SERVICE AGREEMENT NO. 2605

~~least at the same rate as PMUs and which data is synchronized via a high-accuracy satellite clock, such equipment would satisfy this requirement.~~

~~Developer shall be required to install and maintain, at its expense, PMU equipment which includes the communication circuit capable of carrying the PMU data to a local data concentrator, and then transporting the information continuously to the Connecting Transmission Owner and the NYISO; as well as store the PMU data locally for thirty days. Developer shall provide to Connecting Transmission Owner and the NYISO all necessary and requested information through the Connecting Transmission Owner's and the NYISO's synchrophasor system, including the following: (a) gross MW and MVAR measured at the Developer side of the generator step-up transformer (or, for a non-synchronous generation facility, to be measured at the Developer side of the Point of Interconnection); (b) generator terminal voltage and current magnitudes and angles; (c) generator terminal frequency and frequency rate of change; and (d) generator field voltage and current, where available; and (e) breaker status, if available. The Connecting Transmission Owner will provide for the ongoing support and maintenance of the network communications linking the data concentrator to the Connecting Transmission Owner and the NYISO, consistent with ISO Procedures detailing the obligations related to SCADA data.~~

ARTICLE 10. MAINTENANCE

10.1 Connecting Transmission Owner Obligations.

Connecting Transmission Owner shall maintain its transmission facilities ~~and Attachment~~, including the Network Upgrade Facilities, in a safe and reliable manner and in accordance with this Agreement.

10.2 Transmission Developer Obligations.

Transmission Developer shall maintain its ~~Large-Generating-Facility and Attachment Facilities~~ Transmission Project in a safe and reliable manner and in accordance with this Agreement.

10.3 Coordination.

The Transmission Developer and Connecting Transmission Owner shall confer regularly to coordinate the planning, scheduling and performance of preventive and corrective maintenance on the ~~Large-Generating-Facility and the Attachment~~ Transmission Project and Network Upgrade Facilities. The Transmission Developer and Connecting Transmission Owner shall keep NYISO fully informed of the preventive and corrective maintenance that is planned, and shall schedule all such maintenance in accordance with NYISO procedures.

10.4 Secondary Systems.

The Transmission Developer and Connecting Transmission Owner shall each cooperate with the other in the inspection, maintenance, and testing of control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers,

SERVICE AGREEMENT NO. 2605

batteries, chargers, and voltage and current transformers that directly affect the operation of Transmission Developer or Connecting Transmission Owner's facilities and equipment which may reasonably be expected to impact the other Party. The Transmission Developer and Connecting Transmission Owner shall each provide advance notice to the other Party, and to NYISO, before undertaking any work on such circuits, especially on electrical circuits involving circuit breaker trip and close contacts, current transformers, or potential transformers.

10.5 Operating and Maintenance Expenses.

Subject to the provisions herein addressing the use of facilities by others, and except for operations and maintenance expenses associated with modifications made for providing interconnection or transmission service to a third party and such third party pays for such expenses, Transmission Developer shall be responsible for all reasonable expenses including overheads, associated with: ~~(1) owning, operating, maintaining, repairing, and replacing Developer's Attachment Facilities; and (2) operation, maintenance, repair and replacement of Connecting~~ the Transmission Owner's Attachment Facilities Project. The Connecting Transmission Owner shall be ~~entitled to the recovery of incremental operating and maintenance~~ responsible for all reasonable expenses that it incurs including overheads, associated with ~~System owning, operating, maintaining, repairing, and replacing the Network Upgrade Facilities and System Deliverability Upgrades if and to the extent provided for under Attachment S to the ISO OATT.~~

ARTICLE 11. PERFORMANCE OBLIGATION

11.1 ~~Developer's Attachment Facilities~~ Transmission Project.

Transmission Developer shall design, procure, construct, install, own and/or control the ~~Developer's Attachment Facilities~~ Transmission Project described in Appendix AC hereto, at its sole expense.

11.2 ~~Connecting Transmission Owner's Attachment~~ Network Upgrade Facilities.

Connecting Transmission Owner and Transmission Developer shall design, procure, construct, and install, ~~own and/or control the Connecting Transmission Owner's Attachment~~ the Network Upgrade Facilities ~~described as specified~~ in Appendix A hereto, ~~at the sole expense of the Developer.~~

~~11.3. System Upgrade Facilities and System Deliverability Upgrades.~~

Connecting Transmission Owner shall ~~design, procure, construct, install, and own the System~~ have ownership and control of the Network Upgrade Facilities ~~and System Deliverability Upgrades described in Appendix A hereto. The responsibility of the Developer for costs related to System Upgrade Facilities and System Deliverability Upgrades shall be determined in accordance with the provisions of Attachment S to the ISO OATT.~~

SERVICE AGREEMENT NO. 2605

11.3 ~~11.4~~ Special Provisions for Affected Systems.

For the re-payment of amounts advanced to Affected System Operator for ~~System~~Network Upgrade Facilities ~~or System Deliverability Upgrades~~, the Transmission Developer and Affected System Operator shall enter into an agreement that provides for such re-payment, but only if responsibility for the cost of such ~~System~~Network Upgrade Facilities ~~or System Deliverability Upgrades~~ is not to be allocated in accordance with ~~Attachment S to the ISO OATT Facilities Study report~~. The agreement shall specify the terms governing payments to be made by the Transmission Developer to the Affected System Operator as well as the re-payment by the Affected System Operator.

11.4 ~~11.5~~ Provision of Security.

~~At least~~Within thirty (30) Calendar Days ~~prior to the commencement of the procurement, installation, or construction of a discrete portion of a Connecting of the Effective Date of this Agreement~~, Transmission ~~Owner's Attachment Facilities~~, Developer shall provide Connecting Transmission Owner, ~~at Developer's option, a guarantee, a surety bond, letter of credit or other form of security that is reasonably acceptable to Connecting Transmission Owner and is consistent with the Uniform Commercial Code of the jurisdiction identified in Article 14.2.1 of this Agreement. Such security for payment shall be in an amount sufficient to cover the cost for the Developer's share of constructing, procuring and installing the applicable portion of Connecting Transmission Owner's Attachment Facilities, and~~ with Security in the amount of the cost estimate for the Network Upgrade Facilities in accordance with Section 22.9.3 of Attachment P of the ISO OATT, as documented in the Facilities Study report. This amount is set forth in Appendix A of this Agreement. If the Transmission Developer: (i) does not pay an invoice issued by the Connecting Transmission Owner pursuant to Article 12.1 within the timeframe set forth in Article 12.3 or (ii) does not pay any disputed amount into an independent escrow account pursuant to Article 12.4, the Connecting Transmission Owner may draw upon Transmission Developer's Security to recover such payment. The Security shall be reduced on a dollar-for-dollar basis for payments made to Connecting Transmission Owner for ~~these purposes~~the purpose of performing engineering design, constructing, procuring, and installing the Network Upgrade Facilities.

In addition:

~~11.5.11.4.1~~ 11.4.1 The guarantee must be made by an entity that meets the commercially reasonable creditworthiness requirements of Connecting Transmission Owner, and contains terms and conditions that guarantee payment of ~~any amount that may be due from Developer, up to an agreed-to maximum amount~~the Security amount set forth in Appendix A of this Agreement.

~~11.5.211.4.2~~ 11.4.2 The letter of credit must be issued by a financial institution reasonably acceptable to Connecting Transmission Owner and must specify a reasonable expiration date.

SERVICE AGREEMENT NO. 2605

~~11.5.3~~11.4.3 The surety bond must be issued by an insurer reasonably acceptable to Connecting Transmission Owner and must specify a reasonable expiration date.

11.5 Forfeiture of Security

The Security that the Transmission Developer provides the Connecting Transmission Owner in accordance with Article 11.4 of this Agreement shall be irrevocable and shall be subject to forfeiture in the event that the Transmission Developer subsequently terminates or abandons development of the Transmission Project. Any Security provided by the Transmission Developer to the Connecting Transmission Owner shall be subject to forfeiture to the extent necessary to defray the cost of: (1) Network Upgrade Facilities required for other Transmission Developers whose Transmission Project interconnection studies included the Transmission Developer's Transmission Project and Network Upgrade Facilities in their base cases; and (2) System Upgrade Facilities and System Deliverability Upgrade Facilities required for projects for which the Transmission Project and Network Upgrade Facilities were included in their Annual Transmission Reliability Assessment and/or Class Year Deliverability Study, as applicable. If Transmission Developer's Security is subject to forfeiture to defray the costs of an affected upgrade pursuant to this Article 11.5 and the Security is not in a form that can be readily drawn on by the Connecting Transmission Owner to defray the costs of the affected upgrade, Transmission Developer shall negotiate in good faith with the Connecting Transmission Owner to replace the Security with cash or an alternative form of Security that can be readily drawn on by Connecting Transmission Owner up to the amount required to satisfy Transmission Developer's Security obligations under this Agreement, including defraying the costs of the affected upgrade. Connecting Transmission Owner shall only be responsible for using Transmission Developer's Security to defray the costs of an affected upgrade to the extent Transmission Developer has provided cash or Security in a form that the Connecting Transmission Owner can readily draw on to defray such costs.

11.6 Network Upgrade Facility Costs

11.6.1 If the actual cost of Network Upgrade Facilities is less than the agreed-to and secured amount, Transmission Developer is responsible only for the actual cost figure.

~~11.5.4 Attachment S to the ISO-OATT shall govern the Security that Developer provides for System Upgrade Facilities and System Deliverability Upgrades.~~

11.6.2 If the actual cost of Network Upgrade Facilities is greater than the agreed-to and secured amount because other projects have been expanded, accelerated, otherwise modified or terminated, Transmission Developer is responsible only for the agreed-to and secured amount for the Network Upgrade Facilities. The additional cost is covered by the developers of the modified projects, or by the drawing on the cash that has been paid and the Security that has been posted for terminated projects, depending on the factors that caused the additional cost. Such forfeitable Security from other developers will be drawn on only as needed for this purpose, and only to the extent that the terminated project associated with that Security has caused additional cost and that the developer of the

SERVICE AGREEMENT NO. 2605

terminated project has provided cash or Security in a form that the Connecting Transmission Owner can readily draw on.

~~11.6 Developer Compensation for Emergency Services.~~

~~If, during an Emergency State, the Developer provides services at the request or direction of the NYISO or Connecting Transmission Owner, the Developer will be compensated for such services in accordance with the NYISO Services Tariff.~~

11.6.3 If the actual cost of the Network Upgrade Facilities is greater than the agreed-to and secured amount for reasons other than those set forth in Article 11.6.2, Transmission Developer will pay the additional costs to Connecting Transmission Owner as such costs are incurred. Disputes between Transmission Developer and Connecting Transmission Owner concerning costs in excess of the agreed-to and secured amount will be resolved by the parties in accordance with the terms and conditions of Article 27.

11.7 Line Outage Costs.

Notwithstanding anything in the ISO OATT to the contrary, the Connecting Transmission Owner may propose to recover line outage costs associated with the installation of ~~Connecting Transmission Owner's Attachment Facilities or System~~Network Upgrade Facilities ~~or System Deliverability Upgrades~~ on a case-by-case basis.

ARTICLE 12. INVOICE

12.1 General.

The Transmission Developer and Connecting Transmission Owner shall each submit to the other Party, on a monthly basis, invoices of amounts due for the preceding month. Each invoice shall state the month to which the invoice applies and fully describe the services and equipment provided. The Transmission Developer and Connecting Transmission Owner may discharge mutual debts and payment obligations due and owing to each other on the same date through netting, in which case all amounts one Party owes to the other Party under this Agreement, including interest payments or credits, shall be netted so that only the net amount remaining due shall be paid by the owing Party.

12.2 Final Invoice and Refund of Remaining Security.

Within six months after completion of the construction of the ~~Connecting Transmission Owner's Attachment Facilities and the System~~Network Upgrade Facilities ~~and System Deliverability Upgrades~~, Connecting Transmission Owner shall provide an invoice of the final cost of the construction of the ~~Connecting Transmission Owner's Attachment Facilities and the System~~Network Upgrade Facilities and ~~System Deliverability Upgrades, determined in accordance with Attachment S to the ISO OATT, and~~ shall set forth such costs in sufficient detail to enable Transmission Developer to compare the actual costs with the estimates and to ascertain deviations, if any, from the cost estimates. Connecting Transmission Owner shall refund to Transmission Developer any amount by which the actual payment by Transmission Developer for estimated costs exceeds the actual costs of construction within thirty (30) Calendar Days of the issuance of such final construction invoice. Following the later of the completion of the construction of the Network Upgrade Facilities and Transmission Developer's

SERVICE AGREEMENT NO. 2605

payment of any final invoice issued under this Article 12.2, Connecting Transmission Owner shall refund to the Transmission Developer any remaining portions of its Security, except as set forth in Article 11.5. Connecting Transmission Owner shall provide Transmission Developer with the refunded amount within thirty (30) Calendar Days of the Parties' satisfaction of the requirements in this Article 12.2.

12.3 Payment.

Invoices shall be rendered to the paying Party at the address specified in Appendix F hereto. The Party receiving the invoice shall pay the invoice within thirty (30) Calendar Days of receipt. All payments shall be made in immediately available funds payable to the other Party, or by wire transfer to a bank named and account designated by the invoicing Party. Payment of invoices will not constitute a waiver of any rights or claims the paying Party may have under this Agreement.

12.4 Disputes.

In the event of a billing dispute between Connecting Transmission Owner and Transmission Developer, Connecting Transmission Owner shall continue to perform under this Agreement as long as Transmission Developer: (i) continues to make all payments not in dispute; and (ii) pays to Connecting Transmission Owner or into an independent escrow account the portion of the invoice in dispute, pending resolution of such dispute. If Transmission Developer fails to meet these two requirements for continuation of service, then Connecting Transmission Owner may provide notice to Transmission Developer of a Default pursuant to ~~Article 17~~Article 17. Within thirty (30) Calendar Days after the resolution of the dispute, the Party that owes money to the other Party shall pay the amount due with interest calculated in accord with the methodology set forth in FERC's Regulations at 18 C.F.R. § 35.19a(a)(2)(iii).

ARTICLE 13. EMERGENCIES

13.1 Obligations.

Each Party shall comply with the Emergency State procedures of NYISO, the applicable Reliability Councils, Applicable Laws and Regulations, and any emergency procedures agreed to by the NYISO Operating Committee. Transmission Developer and Connecting Transmission Owner agree to coordinate with NYISO to develop procedures that will address the operations of the Transmission Project during Emergency conditions.

~~13.2 Notice.~~

13.2 Notice.

~~NYISO or, as applicable, Connecting Transmission Owner~~Each Party shall notify ~~Developer~~the other Parties promptly when it becomes aware of an Emergency or Emergency State that affects ~~the Connecting, or may reasonably be expected to affect, the~~ Transmission Owner's Attachment FacilitiesProject or the New York State Transmission System ~~that may reasonably be expected to affect Developer's operation of the Large Generating Facility or the Developer's Attachment Facilities.~~ ~~Developer shall notify NYISO and Connecting~~

SERVICE AGREEMENT NO. 2605

~~Transmission Owner promptly when it becomes aware of an Emergency State that affects the Large Generating Facility or the Developer's Attachment Facilities that may reasonably be expected to affect the New York State Transmission System or the Connecting Transmission Owner's Attachment Facilities.~~ To the extent information is known, the notification shall describe the Emergency or Emergency State, the extent of the damage or deficiency, the expected effect on the operation of Transmission Developer's or Connecting Transmission Owner's facilities and operations, its anticipated duration and the corrective action taken and/or to be taken. The initial notice shall be followed as soon as practicable with written notice.

13.3 Immediate Action.

Unless, in Transmission Developer's reasonable judgment, immediate action is required, Transmission Developer shall obtain the consent of Connecting Transmission Owner, such consent to not be unreasonably withheld, prior to performing any manual switching operations at the ~~Large Generating Facility or the Developer's Attachment Facilities~~ Transmission Project in response to an Emergency or Emergency State either declared by NYISO, Connecting Transmission Owner or otherwise regarding New York State Transmission System.

13.4 NYISO, Transmission Developer, and Connecting Transmission Owner Authority.

~~13.4.1 General.~~

~~NYISO or Connecting Transmission Owner may take whatever actions with regard to the New York State Transmission System or the Connecting Transmission Owner's Attachment Facilities it deems necessary during an Emergency State in order to (i) preserve public health and safety, (ii) preserve the reliability of the New York State Transmission System or the Connecting Transmission Owner's Attachment Facilities, (iii) limit or prevent damage, and (iv) expedite restoration of service.~~

~~NYISO and Connecting Transmission Owner shall use Reasonable Efforts to minimize the effect of such actions or inactions on the Large Generating Facility or the Developer's Attachment Facilities. NYISO or Connecting Transmission Owner may, on the basis of technical considerations, require the Large Generating Facility to mitigate an Emergency State by taking actions necessary and limited in scope to remedy the Emergency State, including, but not limited to, directing Developer to shut-down, start-up, increase or decrease the real or reactive power output of the Large Generating Facility; implementing a reduction or disconnection pursuant to Article 13.4.2; directing the Developer to assist with blackstart (if available) or restoration efforts; or altering the outage schedules of the Large Generating Facility and the Developer's Attachment Facilities. Developer shall comply with all of the NYISO and Connecting Transmission Owner's operating instructions concerning Large Generating Facility real power and reactive power output within the manufacturer's design limitations of the Large Generating Facility's equipment that is in service and physically available for operation at the time, in compliance with Applicable Laws and Regulations.~~

SERVICE AGREEMENT NO. 2605

~~13.4.2 Reduction and Disconnection.~~

~~NYISO or Connecting Transmission Owner may reduce or disconnect the Large Generating Facility or the Developer's Attachment Facilities, when such reduction or disconnection is necessary under Good Utility Practice due to an Emergency State. These rights are separate and distinct from any right of Curtailment of NYISO pursuant to the ISO OATT. When NYISO or Connecting Transmission Owner can schedule the reduction or disconnection in advance, NYISO or Connecting Transmission Owner shall notify Developer of the reasons, timing and expected duration of the reduction or disconnection. NYISO or Connecting Transmission Owner shall coordinate with the Developer using Good Utility Practice to schedule the reduction or disconnection during periods of least impact to the Developer and the New York State Transmission System. Any reduction or disconnection shall continue only for so long as reasonably necessary under Good Utility Practice. The Parties shall cooperate with each other to restore the Large Generating Facility, the Attachment Facilities, and the New York State Transmission System to their normal operating state as soon as practicable consistent with Good Utility Practice.~~

~~13.5 Developer Authority.~~

Consistent with ISO Procedures, Good Utility Practice, and this Agreement, ~~the Developer~~any Party may take whatever actions ~~or inactions~~ with regard to the ~~Large Generating Facility or the Developer's Attachment Facilities during an~~New York State Transmission System it deems necessary during an Emergency or Emergency State in order to (i) preserve public health and safety, (ii) preserve the reliability of the ~~Large Generating Facility or the Developer's Attachment Facilities~~New York State Transmission System, (iii) limit or prevent damage, and (iv) expedite restoration of service. ~~Developer shall use Reasonable Efforts to minimize the effect of such actions or inactions on the New York State Transmission System and the Connecting Transmission Owner's Attachment Facilities.~~NYISO Transmission Developer and Connecting Transmission Owner shall use Reasonable Efforts to assist ~~Developer~~the other in such actions.

13.5 ~~13.6~~ Limited Liability.

~~Except as otherwise provided in Article 11.6 of this Agreement, no~~No Party shall be liable to another Party for any action it takes in responding to an Emergency or Emergency State so long as such action is made in good faith and is consistent with Good Utility Practice and the NYISO Tariffs.

ARTICLE 14. REGULATORY REQUIREMENTS AND GOVERNING LAW

14.1 Regulatory Requirements.

Each Party's obligations under this Agreement shall be subject to its receipt of any required approval or certificate from one or more Governmental Authorities in the form and substance satisfactory to the applying Party, or the Party making any required filings with, or providing notice to, such Governmental Authorities, and the expiration of any time period

SERVICE AGREEMENT NO. 2605

associated therewith. Each Party shall in good faith seek and use its Reasonable Efforts to obtain such other approvals. Nothing in this Agreement shall require Transmission Developer to take any action that could result in its inability to obtain, or its loss of, status or exemption under the Federal Power Act or the Public Utility Holding Company Act of 2005 or the Public Utility Regulatory Policies Act of 1978, as amended.

14.2 Governing Law.

14.2.1 The validity, interpretation and performance of this Agreement and each of its provisions shall be governed by the laws of the state of New York, without regard to its conflicts of law principles.

14.2.2 This Agreement is subject to all Applicable Laws and Regulations.

14.2.3 Each Party expressly reserves the right to seek changes in, appeal, or otherwise contest any laws, orders, rules, or regulations of a Governmental Authority.

ARTICLE 15. NOTICES

15.1 General.

Unless otherwise provided in this Agreement, any notice, demand or request required or permitted to be given by a Party to the other Parties and any instrument required or permitted to be tendered or delivered by a Party in writing to the other Parties shall be effective when delivered and may be so given, tendered or delivered, by recognized national courier, or by depositing the same with the United States Postal Service with postage prepaid, for delivery by certified or registered mail, addressed to the Party, or personally delivered to the Party, at the address set out in Appendix F hereto.

A Party may change the notice information in this Agreement by giving five (5) Business Days written notice prior to the effective date of the change.

15.2 Billings and Payments.

Billings and payments shall be sent to the addresses set out in Appendix F hereto.

15.3 Alternative Forms of Notice.

Any notice or request required or permitted to be given by a Party to the other Parties and not required by this Agreement to be given in writing may be so given by telephone, facsimile or email to the telephone numbers and email addresses set out in Appendix F hereto.

15.4 Operations and Maintenance Notice.

Transmission Developer and Connecting Transmission Owner shall each notify the other Party, and NYISO, in writing of the identity of the person(s) that it designates as the point(s) of contact with respect to the implementation of Articles ~~99~~ and ~~1010~~ of this Agreement.

ARTICLE 16. FORCE MAJEURE

16.1 Economic hardship is not considered a Force Majeure event.

16.2 A Party shall not be responsible or liable, or deemed, in Default with respect to any obligation hereunder, ~~(including obligations under Article 4 of this Agreement)~~, other than the obligation to pay money when due, to the extent the Party is prevented from fulfilling such obligation by Force Majeure. A Party unable to fulfill any obligation hereunder (other than an obligation to pay money when due) by reason of Force Majeure shall give notice and the full particulars of such Force Majeure to the other Parties in writing or by telephone as soon as reasonably possible after the occurrence of the cause relied upon. Telephone notices given pursuant to this Article shall be confirmed in writing as soon as reasonably possible and shall specifically state full particulars of the Force Majeure, the time and date when the Force Majeure occurred and when the Force Majeure is reasonably expected to cease. The Party affected shall exercise due diligence to remove such disability with reasonable dispatch, but shall not be required to accede or agree to any provision not satisfactory to it in order to settle and terminate a strike or other labor disturbance.

ARTICLE 17. DEFAULT

17.1 General.

No Breach shall exist where such failure to discharge an obligation (other than the payment of money) is the result of Force Majeure as defined in this Agreement or the result of an act or omission of the other Parties. Upon a Breach, the non-Breaching Parties shall give written notice of such to the Breaching Party. The Breaching Party shall have thirty (30) Calendar Days from receipt of the Breach notice within which to cure such Breach; provided however, if such Breach is not capable of cure within thirty (30) Calendar Days, the Breaching Party shall commence such cure within thirty (30) Calendar Days after notice and continuously and diligently complete such cure within ninety (90) Calendar Days from receipt of the Breach notice; and, if cured within such time, the Breach specified in such notice shall cease to exist.

17.2 Right to Terminate.

If a Breach is not cured as provided in this ~~Article 17~~[Article 17](#), or if a Breach is not capable of being cured within the period provided for herein, the non-Breaching Parties acting together shall thereafter have the right to declare a Default and terminate this Agreement by written notice at any time until cure occurs, and be relieved of any further obligation hereunder and, whether or not those Parties terminate this Agreement, to recover from the defaulting Party all amounts due hereunder, plus all other damages and remedies to which they are entitled at law or in equity. The provisions of this Article will survive termination of this Agreement.

ARTICLE 18. INDEMNITY, CONSEQUENTIAL DAMAGES AND INSURANCE

18.1 Indemnity.

Each Party (the “Indemnifying Party”) shall at all times indemnify, defend, and save harmless, as applicable, the other Parties (each an “Indemnified Party”) from, any and all

SERVICE AGREEMENT NO. 2605

damages, losses, claims, including claims and actions relating to injury to or death of any person or damage to property, the alleged violation of any Environmental Law, or the release or threatened release of any Hazardous Substance, demand, suits, recoveries, costs and expenses, court costs, attorney fees, and all other obligations by or to third parties (any and all of these a “Loss”), arising out of or resulting from (i) the Indemnified Party’s performance of its obligations under this Agreement on behalf of the Indemnifying Party, except in cases where the Indemnifying Party can demonstrate that the Loss of the Indemnified Party was caused by the gross negligence or intentional wrongdoing of the Indemnified Party or (ii) the violation by the Indemnifying Party of any Environmental Law or the release by the Indemnifying Party of any Hazardous Substance.

18.1.1 Indemnified Party.

If a Party is entitled to indemnification under this ~~Article 18~~[Article 18](#) as a result of a claim by a third party, and the Indemnifying Party fails, after notice and reasonable opportunity to proceed under Article 18.1.3, to assume the defense of such claim, such Indemnified Party may at the expense of the Indemnifying Party contest, settle or consent to the entry of any judgment with respect to, or pay in full, such claim.

18.1.2 Indemnifying Party.

If an Indemnifying Party is obligated to indemnify and hold any Indemnified Party harmless under this ~~Article 18~~[Article 18](#), the amount owing to the Indemnified Party shall be the amount of such Indemnified Party’s actual Loss, net of any insurance or other recovery.

18.1.3 Indemnity Procedures.

Promptly after receipt by an Indemnified Party of any claim or notice of the commencement of any action or administrative or legal proceeding or investigation as to which the indemnity provided for in Article 18.1 may apply, the Indemnified Party shall notify the Indemnifying Party of such fact. Any failure of or delay in such notification shall not affect a Party’s indemnification obligation unless such failure or delay is materially prejudicial to the Indemnifying Party.

Except as stated below, the Indemnifying Party shall have the right to assume the defense thereof with counsel designated by such Indemnifying Party and reasonably satisfactory to the Indemnified Party. If the defendants in any such action include one or more Indemnified Parties and the Indemnifying Party and if the Indemnified Party reasonably concludes that there may be legal defenses available to it and/or other Indemnified Parties which are different from or additional to those available to the Indemnifying Party, the Indemnified Party shall have the right to select separate counsel to assert such legal defenses and to otherwise participate in the defense of such action on its own behalf. In such instances, the Indemnifying Party shall only be required to pay the fees and expenses of one additional attorney to represent an Indemnified Party or Indemnified Parties having such differing or additional legal defenses.

SERVICE AGREEMENT NO. 2605

The Indemnified Party shall be entitled, at its expense, to participate in any such action, suit or proceeding, the defense of which has been assumed by the Indemnifying Party. Notwithstanding the foregoing, the Indemnifying Party (i) shall not be entitled to assume and control the defense of any such action, suit or proceedings if and to the extent that, in the opinion of the Indemnified Party and its counsel, such action, suit or proceeding involves the potential imposition of criminal liability on the Indemnified Party, or there exists a conflict or adversity of interest between the Indemnified Party and the Indemnifying Party, in such event the Indemnifying Party shall pay the reasonable expenses of the Indemnified Party, and (ii) shall not settle or consent to the entry of any judgment in any action, suit or proceeding without the consent of the Indemnified Party, which shall not be unreasonably withheld, conditioned or delayed.

18.2 No Consequential Damages.

Other than the ~~liquidated damages heretofore described and the~~ indemnity obligations set forth in Article 18.1, in no event shall any Party be liable under any provision of this Agreement for any losses, damages, costs or expenses for any special, indirect, incidental, consequential, or punitive damages, including but not limited to loss of profit or revenue, loss of the use of equipment, cost of capital, cost of temporary equipment or services, whether based in whole or in part in contract, in tort, including negligence, strict liability, or any other theory of liability; provided, however, that damages for which a Party may be liable to another Party under separate agreement will not be considered to be special, indirect, incidental, or consequential damages hereunder.

18.3 Insurance.

Transmission Developer and Connecting Transmission Owner shall each, at its own expense, procure and maintain in force throughout the period of this Agreement and until released by the other Parties, the following minimum insurance coverages, with ~~insurance companies licensed to write insurance or approved eligible surplus lines carriers~~ insurers authorized to do business in the state of New York ~~with a minimum~~ and rated "A- (minus) VII" or better by A.M. Best ~~rating of A or better for financial strength, and an~~ & Co. (or if not rated by A.M. Best ~~financial size category of VIII or better~~ & Co., a rating entity acceptable to the NYISO):

18.3.1 Workers' Compensation and Employers' ~~Liability and Workers' Compensation~~ Insurance providing statutory benefits in accordance with the laws and regulations of New York State ~~under NCCI Coverage Form No. WC 00 00 00, as amended or supplemented from time to time, or an equivalent form acceptable to the NYISO; provided, however, if the Transmission Project will be located in part outside of New York State, Developer shall maintain such Employers' Liability Insurance coverage with a minimum limit of One Million Dollars (\$1,000,000).~~

18.3.2 Commercial General Liability ("CGL") Insurance including premises and operations, personal injury, broad form property damage, broad form blanket contractual liability coverage products and completed operations coverage, coverage for explosion, collapse and underground hazards, independent contractors coverage, coverage for

SERVICE AGREEMENT NO. 2605

~~pollution to the extent normally available and punitive damages to the extent normally available using Insurance Services Office, Inc. Commercial General Liability Coverage (“ISO CG”) Form CG 00 01 04 13 or a form equivalent to or better than CG 00 01 04 13, Insurance — under ISO Coverage Form No. CG 00 01 (04/13), as amended or supplemented from time to time, or an equivalent form acceptable to the NYISO —~~ with minimum limits of Two Million Dollars (\$2,000,000) per occurrence ~~and Two/Four~~ Million Dollars (~~\$2,000,000~~4,000,000) aggregate combined single limit for personal injury, bodily injury, including death and property damage.

18.3.3 Comprehensive Commercial Business Automobile Liability Insurance ~~— under ISO Coverage Form No. CA 00 01 10 13, as amended or supplemented from time to time, or an equivalent form acceptable to the NYISO —~~ for coverage of owned and non-owned and hired vehicles, trailers or semi-trailers designed for travel on public roads, with a minimum, combined single limit of One Million Dollars (\$1,000,000) per occurrence for bodily injury, including death, and property damage.

~~18.3.4 If applicable, the Commercial General Liability and Comprehensive Automobile Liability Insurance policies should include contractual liability for work in connection with construction or demolition work on or within 50 feet of a railroad, or a separate Railroad Protective Liability Policy should be provided.~~

18.3.4 ~~18.3.5~~ Umbrella/Excess Liability Insurance over and above the Employers’²¹ Liability, Commercial General Liability, and Comprehensive Commercial Business Automobile Liability Insurance ~~coverages coverage~~, with a minimum combined single limit of ~~Twenty~~Twenty-Five Million Dollars (~~\$20,000,000~~25,000,000) per occurrence ~~and~~ ~~Twenty~~Twenty-Five Million Dollars (~~\$20,000,000~~25,000,000) aggregate. ~~The Excess policies should contain the same extensions listed under the Primary policies.~~

18.3.5 Builder's Risk Insurance in a reasonably prudent amount consistent with Good Utility Practice.

18.3.6 The Commercial General Liability Insurance, Comprehensive Commercial Business Automobile Liability Insurance and Umbrella/Excess Liability Insurance policies of Transmission Developer and Connecting Transmission Owner shall each name the other Party, and its ~~parent, associated and Affiliate companies and their~~ respective directors, officers, agents, servants and employees (“Other Party Group”) as additional insureds ~~using ISO CG Endorsements: CG 20 33 04 13, and CG 20 37 04 13 or CG 20 10 04 13 and CG 20 37 04 13 or.~~ For Commercial General Liability Insurance, Transmission Developer and Connecting Transmission Owner each shall name the Other Party Group as additional insureds under the following ISO form numbers, as amended or supplemented from time to time, or an equivalent form acceptable to the NYISO: (i) ISO Coverage Form No. CG 20 37 04 13 (“Additional Insured — Owners, Lessees or Contractors — Completed Operations”) and (ii) (A) ISO Coverage Form No. CG 20 10 04 13 (“Additional Insured — Owner, Lessees or Contractors — Scheduled Person or Organization”), or (B) ISO Coverage Form No. CG 20 26 04 13 (“Additional Insured — Designated Person or Organization”). For Commercial Business Automobile Liability Insurance, Transmission Developer and Connecting Transmission Owner shall each name the Other Party Group

SERVICE AGREEMENT NO. 2605

as additional insureds under ISO Coverage Form No. CA 20 48 10 13 (“Designated Insured for Covered Autos Liability Coverage”), as amended or supplemented from time to time, or an equivalent ~~to or better forms.~~ form acceptable to the NYISO.

18.3.7 ~~18.3.6~~ All policies shall contain provisions whereby the insurers waive all rights of subrogation in accordance with the provisions of this Agreement against the Other Party Group and provide thirty (30) Calendar days advance written notice to the Other Party Group prior to ~~anniversary date of non-renewal,~~ cancellation or any material change in coverage or condition.

18.3.8 ~~18.3.7~~ The Commercial General Liability Insurance, ~~Comprehensive~~Commercial Business Automobile Liability Insurance and Umbrella/Excess Liability Insurance policies shall contain provisions that specify that the policies are primary and ~~non-contributory.~~ shall apply to such extent without consideration for other policies separately carried and shall state that each insured is provided coverage as though a separate policy had been issued to each, except the insurer's liability shall not be increased beyond the amount for which the insurer would have been liable had only one insured been covered. Each of Transmission Developer and Connecting Transmission Owner shall ~~each~~ be responsible for its respective deductibles or retentions.

18.3.9 ~~18.3.8~~ The Commercial General Liability Insurance, ~~Comprehensive~~Commercial Business Automobile Liability Insurance and Umbrella/Excess Liability Insurance policies, if written on a Claims First Made Basis in a form acceptable to the NYISO, shall be maintained in full force and effect for ~~at least threetwo~~ (32) years after termination of this Agreement, which coverage may be in the form of ~~tail coverage or an~~ extended reporting period coverage (ERP) or a separate policy, if agreed by ~~the~~Transmission Developer and Connecting Transmission Owner.

~~18.3.9 If applicable, Pollution Liability Insurance in an amount no less than \$7,500,000 per occurrence and \$7,500,000 in the aggregate. The policy will provide coverage for claims resulting from pollution or other environmental impairment arising out of or in connection with work performed on the premises by the other party, its contractors and and/or subcontractors. Such insurance is to include coverage for, but not be limited to, cleanup, third party bodily injury and property damage and remediation and will be written on an occurrence basis. The policy shall name the Other Party Group as additional insureds, be primary and contain a waiver of subrogation.~~

18.3.10 The requirements contained herein as to the types and limits of all insurance to be maintained by the Transmission Developer and Connecting Transmission Owner are not intended to and shall not in any manner, limit or qualify the liabilities and obligations assumed by those Parties under this Agreement.

18.3.11 ~~Within [insert term stipulated by the Parties]~~ Each of Transmission Developer and Connecting Transmission Owner shall provide certification of all insurance required in this Agreement, executed by each insurer or by an authorized representative of each insurer: (A) within ten (10) days following: (i) execution of this Agreement, or (ii) the NYISO's date of filing this Agreement if it is filed unexecuted with FERC, and (B) as

SERVICE AGREEMENT NO. 2605

soon as practicable after the end of each fiscal year or at the renewal of the insurance policy and in any event within ~~ninety~~thirty (9030) days thereafter, ~~Developer and Connecting Transmission Owner shall provide certificate of insurance for all insurance required in this Agreement, executed by each insurer or by an authorized representative of each insurer.~~

18.3.12 Notwithstanding the foregoing, Transmission Developer and Connecting Transmission Owner may each self-insure to meet the minimum insurance requirements of Articles 18.3.1 through 18.3.9 to the extent it maintains a self-insurance program; provided that, such Party's senior debt is rated at investment grade, or better, by Standard & Poor's and that its self-insurance program meets the minimum insurance requirements of Articles 18.3.1 through 18.3.9. For any period of time that such Party's senior debt is unrated by Standard & Poor's or is rated at less than investment grade by Standard & Poor's, the Party shall comply with the insurance requirements applicable to it under Articles 18.3.1 through 18.3.9. In the event that a Party is permitted to self-insure pursuant to this Article 18.3.12, it shall notify the other Party that it meets the requirements to self-insure and that its self-insurance program meets the minimum insurance requirements in a manner consistent with that specified in Articles 18.3.1 through 18.3.9 and provide evidence of such coverages. ~~For any period of time that a Party's senior debt is unrated by Standard & Poor's or is rated at less than investment grade by Standard & Poor's, such Party shall comply with the insurance requirements applicable to it under Articles 18.3.1 through 18.3.9.~~

18.3.13 Transmission Developer and Connecting Transmission Owner agree to report to each other in writing as soon as practical all accidents or occurrences resulting in injuries to any person, including death, and any property damage arising out of this Agreement.

~~**18.3.14** Subcontractors of each party must maintain the same insurance requirements stated under Articles 18.3.1 through 18.3.9 and comply with the Additional Insured requirements herein. In addition, their policies must state that they are primary and non-contributory and contain a waiver of subrogation.~~

18.3.14 Notwithstanding the minimum insurance coverage types and amounts described in this Article 18.3, each of Transmission Developer and Connecting Transmission Owner: (i) shall also maintain any additional insurance coverage types and amounts required under Applicable Laws and Regulations, including New York State law, and under Good Utility Practice for the work performed by such Party and its subcontractors under this Agreement, and (ii) shall satisfy the requirements set forth in Articles 18.3.6 through 18.3.13 with regard to the additional insurance coverages, including naming the Other Party Group as additional insureds under these policies.

ARTICLE 19. ASSIGNMENT

This Agreement may be assigned by a Party only with the written consent of the other Parties; provided that a Party may assign this Agreement without the consent of the other Parties to any Affiliate of the assigning Party with an equal or greater credit rating and with the legal authority and operational ability to satisfy the obligations of the assigning Party under this Agreement; provided further that a Party may assign this Agreement without the consent of the other Parties in connection with the sale, merger, restructuring, or transfer of a substantial portion or all of its assets, ~~including the Attachment Facilities it owns,~~ so long as the assignee

SERVICE AGREEMENT NO. 2605

in such a transaction directly assumes in writing all rights, duties and obligations arising under this Agreement; and provided further that the Transmission Developer shall have the right to assign this Agreement, without the consent of the NYISO or Connecting Transmission Owner, for collateral security purposes to aid in providing financing for the **Large-Generating Facility** Transmission Project, provided that the Transmission Developer will promptly notify the NYISO and Connecting Transmission Owner of any such assignment. Any financing arrangement entered into by the Transmission Developer pursuant to this Article will provide that prior to or upon the exercise of the secured party's, trustee's or mortgagee's assignment rights pursuant to said arrangement, the secured creditor, the trustee or mortgagee will notify the NYISO and Connecting Transmission Owner of the date and particulars of any such exercise of assignment right(s) and will provide the NYISO and Connecting Transmission Owner with proof that it meets the requirements of Articles ~~4.5~~11.4 and 18.3. Any attempted assignment that violates this Article is void and ineffective. Any assignment under this Agreement shall not relieve a Party of its obligations, nor shall a Party's obligations be enlarged, in whole or in part, by reason thereof. Where required, consent to assignment will not be unreasonably withheld, conditioned or delayed.

ARTICLE 20. SEVERABILITY

If any provision in this Agreement is finally determined to be invalid, void or unenforceable by any court or other Governmental Authority having jurisdiction, such determination shall not invalidate, void or make unenforceable any other provision, agreement or covenant of this Agreement; ~~provided that if the Developer (or any third party, but only if such third party is not acting at the direction of the Connecting Transmission Owner) seeks and obtains such a final determination with respect to any provision of the Alternate Option (Article 5.1.2), or the Negotiated Option (Article 5.1.4), then none of these provisions shall thereafter have any force or effect and the rights and obligations of Developer and Connecting Transmission Owner shall be governed solely by the Standard Option (Article 5.1.1).~~

ARTICLE 21. COMPARABILITY

The Parties will comply with all applicable comparability and code of conduct laws, rules and regulations, as amended from time to time.

ARTICLE 22. CONFIDENTIALITY

22.1 Confidentiality.

Certain information exchanged by the Parties during the term of this Agreement shall constitute confidential information ("Confidential Information") and shall be subject to this ~~Article 22~~ Article 22.

If requested by a Party receiving information, the Party supplying the information shall provide in writing, the basis for asserting that the information referred to in this Article warrants confidential treatment, and the requesting Party may disclose such writing to the appropriate

SERVICE AGREEMENT NO. 2605

Governmental Authority. Each Party shall be responsible for the costs associated with affording confidential treatment to its information.

22.2 Term.

During the term of this Agreement, and for a period of three (3) years after the expiration or termination of this Agreement, except as otherwise provided in this Article ~~22.2~~, each Party shall hold in confidence and shall not disclose to any person Confidential Information.

22.3 Confidential Information.

The following shall constitute Confidential Information: (1) any non-public information that is treated as confidential by the disclosing Party and which the disclosing Party identifies as Confidential Information in writing at the time, or promptly after the time, of disclosure; or (2) information designated as Confidential Information by the NYISO Code of Conduct contained in Attachment F to the ISO OATT.

22.4 Scope.

Confidential Information shall not include information that the receiving Party can demonstrate: (1) is generally available to the public other than as a result of a disclosure by the receiving Party; (2) was in the lawful possession of the receiving Party on a non-confidential basis before receiving it from the disclosing Party; (3) was supplied to the receiving Party without restriction by a third party, who, to the knowledge of the receiving Party after due inquiry, was under no obligation to the disclosing Party to keep such information confidential; (4) was independently developed by the receiving Party without reference to Confidential Information of the disclosing Party; (5) is, or becomes, publicly known, through no wrongful act or omission of the receiving Party or Breach of this Agreement; or (6) is required, in accordance with Article 22.9 of this Agreement, Order of Disclosure, to be disclosed by any Governmental Authority or is otherwise required to be disclosed by law or subpoena, or is necessary in any legal proceeding establishing rights and obligations under this Agreement. Information designated as Confidential Information will no longer be deemed confidential if the Party that designated the information as confidential notifies the other Party that it no longer is confidential.

22.5 Release of Confidential Information.

No Party shall release or disclose Confidential Information to any other person, except to its Affiliates (limited by FERC Standards of Conduct requirements), subcontractors, employees, consultants, or to parties who may be considering providing financing to or equity participation with Transmission Developer, or to potential purchasers or assignees of a Party, on a need-to-know basis in connection with this Agreement, unless such person has first been advised of the confidentiality provisions of this ~~Article 22~~ Article 22 and has agreed to comply with such provisions. Notwithstanding the foregoing, a Party providing Confidential Information to any person shall remain primarily responsible for any release of Confidential Information in contravention of this ~~Article 22~~ Article 22.

22.6 Rights.

Each Party retains all rights, title, and interest in the Confidential Information that each Party discloses to the other Party. The disclosure by each Party to the other Parties of Confidential Information shall not be deemed a waiver by any Party or any other person or entity of the right to protect the Confidential Information from public disclosure.

22.7 No Warranties.

By providing Confidential Information, no Party makes any warranties or representations as to its accuracy or completeness. In addition, by supplying Confidential Information, no Party obligates itself to provide any particular information or Confidential Information to the other Parties nor to enter into any further agreements or proceed with any other relationship or joint venture.

22.8 Standard of Care.

Each Party shall use at least the same standard of care to protect Confidential Information it receives as it uses to protect its own Confidential Information from unauthorized disclosure, publication or dissemination. Each Party may use Confidential Information solely to fulfill its obligations to the other Parties under this Agreement or its regulatory requirements, including the ISO OATT and NYISO Services Tariff. The NYISO shall, in all cases, treat the information it receives in accordance with the requirements of Attachment F to the ISO OATT.

22.9 Order of Disclosure.

If a court or a Government Authority or entity with the right, power, and apparent authority to do so requests or requires any Party, by subpoena, oral deposition, interrogatories, requests for production of documents, administrative order, or otherwise, to disclose Confidential Information, that Party shall provide the other Parties with prompt notice of such request(s) or requirement(s) so that the other Parties may seek an appropriate protective order or waive compliance with the terms of this Agreement. Notwithstanding the absence of a protective order or waiver, the Party may disclose such Confidential Information which, in the opinion of its counsel, the Party is legally compelled to disclose. Each Party will use Reasonable Efforts to obtain reliable assurance that confidential treatment will be accorded any Confidential Information so furnished.

22.10 Termination of Agreement.

Upon termination of this Agreement for any reason, each Party shall, within ten (10) Calendar Days of receipt of a written request from the other Parties, use Reasonable Efforts to destroy, erase, or delete (with such destruction, erasure, and deletion certified in writing to the other Parties) or return to the other Parties, without retaining copies thereof, any and all written or electronic Confidential Information received from the other Parties pursuant to this Agreement.

22.11 Remedies.

The Parties agree that monetary damages would be inadequate to compensate a Party for another Party's Breach of its obligations under this ~~Article 22~~Article 22. Each Party accordingly agrees that the other Parties shall be entitled to equitable relief, by way of injunction or otherwise, if the first Party Breaches or threatens to Breach its obligations under this ~~Article 22~~Article 22, which equitable relief shall be granted without bond or proof of damages, and the receiving Party shall not plead in defense that there would be an adequate remedy at law. Such remedy shall not be deemed an exclusive remedy for the Breach of this ~~Article 22~~Article 22, but shall be in addition to all other remedies available at law or in equity. The Parties further acknowledge and agree that the covenants contained herein are necessary for the protection of legitimate business interests and are reasonable in scope. No Party, however, shall be liable for indirect, incidental, or consequential or punitive damages of any nature or kind resulting from or arising in connection with this ~~Article 22~~Article 22.

22.12 Disclosure to FERC, its Staff, or a State.

Notwithstanding anything in this ~~Article 22~~Article 22 to the contrary, and pursuant to 18 C.F.R. section 1b.20, if FERC or its staff, during the course of an investigation or otherwise, requests information from one of the Parties that is otherwise required to be maintained in confidence pursuant to this Agreement or the ISO OATT, the Party shall provide the requested information to FERC or its staff, within the time provided for in the request for information. In providing the information to FERC or its staff, the Party must, consistent with 18 C.F.R. section 388.112, request that the information be treated as confidential and non-public by FERC and its staff and that the information be withheld from public disclosure. Parties are prohibited from notifying the other Parties to this Agreement prior to the release of the Confidential Information to the Commission or its staff. The Party shall notify the other Parties to the Agreement when it is notified by FERC or its staff that a request to release Confidential Information has been received by FERC, at which time the Parties may respond before such information would be made public, pursuant to 18 C.F.R. section 388.112. Requests from a state regulatory body conducting a confidential investigation shall be treated in a similar manner if consistent with the applicable state rules and regulations. A Party shall not be liable for any losses, consequential or otherwise, resulting from that Party divulging Confidential Information pursuant to a FERC or state regulatory body request under this paragraph.

22.13 Required Notices Upon Requests or Demands for Confidential Information

Except as otherwise expressly provided herein, no Party shall disclose Confidential Information to any person not employed or retained by the Party possessing the Confidential Information, except to the extent disclosure is (i) required by law; (ii) reasonably deemed by the disclosing Party to be required to be disclosed in connection with a dispute between or among the Parties, or the defense of litigation or dispute; (iii) otherwise permitted by consent of the other Party, such consent not to be unreasonably withheld; or (iv) necessary to fulfill its obligations under this Agreement, the ISO OATT or the NYISO Services Tariff. Prior to any disclosures of a Party's Confidential Information under this subparagraph, or if any third party or Governmental Authority makes any request or demand for any of the information described in this subparagraph, the disclosing Party agrees to promptly notify the other Party in writing and

SERVICE AGREEMENT NO. 2605

agrees to assert confidentiality and cooperate with the other Party in seeking to protect the Confidential Information from public disclosure by confidentiality agreement, protective order or other reasonable measures.

ARTICLE 23. TRANSMISSION DEVELOPER AND CONNECTING TRANSMISSION OWNER NOTICES OF ENVIRONMENTAL RELEASES

Transmission Developer and Connecting Transmission Owner shall each notify the other Party, first orally and then in writing, of the release of any Hazardous Substances, any asbestos or lead abatement activities, or any type of remediation activities related to the ~~Large Generating Facility or the Attachment~~ Transmission Project or Network Upgrade Facilities, each of which may reasonably be expected to affect the other Party. The notifying Party shall: (i) provide the notice as soon as practicable, provided such Party makes a good faith effort to provide the notice no later than twenty-four hours after such Party becomes aware of the occurrence; and (ii) promptly furnish to the other Party copies of any publicly available reports filed with any Governmental Authorities addressing such events.

ARTICLE 24. INFORMATION REQUIREMENT

24.1 Information Acquisition.

Connecting Transmission Owner and Transmission Developer shall each submit specific information regarding the electrical characteristics of their respective facilities to the other, and to NYISO, as described below and in accordance with Applicable Reliability Standards.

24.2 Information Submission ~~by Connecting Transmission Owner~~ Concerning the Network Upgrade Facilities.

The initial information submission by Connecting Transmission Owner shall occur no later than one hundred eighty (180) Calendar Days prior to Trial Operation of the Network Upgrade Facilities and shall include New York State Transmission System information necessary to allow the Transmission Developer to select equipment and meet any system protection and stability requirements, unless otherwise mutually agreed to by the Transmission Developer and Connecting Transmission Owner. On a ~~monthly~~ quarterly basis Connecting Transmission Owner ~~shall provide~~ and Transmission Developer ~~and NYISO shall each provide the other Parties~~ a status report on the construction and installation of ~~Connecting Transmission Owner's Attachment Facilities and System~~ the Network Upgrade Facilities and System Deliverability Upgrades for which it has construction responsibility pursuant to Appendix A, including, but not limited to, the following information: (1) progress to date; (2) a description of the activities since the last report; (3) a description of the action items for the next period; and (4) the delivery status of equipment ordered.

24.3 Updated Information Submission ~~by Developer~~ Concerning the Transmission Project.

The updated information submission by the Transmission Developer, including manufacturer information, shall occur no later than one hundred eighty (180) Calendar Days prior to the Trial Operation ~~-~~ of the Transmission Project. Transmission Developer shall

SERVICE AGREEMENT NO. 2605

submit a completed copy of the ~~Large Generating Facility~~Transmission Project data requirements contained in Appendix 1 to the ~~Standard Large Facility~~Transmission Interconnection Procedures. It shall also include any additional information provided to Connecting Transmission Owner for the ~~Interconnection~~Facilities Study. Information in this submission shall be the most current ~~Large Generating Facility~~Transmission Project design or expected performance data. Information submitted for stability models shall be compatible with NYISO standard models. If there is no compatible model, the Transmission Developer will work with a consultant mutually agreed to by the Parties to develop and supply a standard model and associated information.

If the Transmission Developer's data is different from what was originally provided to Connecting Transmission Owner and NYISO pursuant to ~~an~~a Transmission Interconnection Study ~~Agreement~~agreement among Connecting Transmission Owner, NYISO and Transmission Developer and this difference may be reasonably expected to affect the other Parties' facilities or the New York State Transmission System, but does not require the submission of a new Transmission Interconnection ~~Request~~Application, then NYISO will conduct appropriate studies to determine the impact on the New York State Transmission System based on the actual data submitted pursuant to this Article 24.3. Such studies will provide an estimate of any additional modifications to the New York State Transmission System; ~~Connecting Transmission Owner's Attachment Facilities or System or Network Upgrade Facilities or System Deliverability Upgrades~~ based on the actual data and a good faith estimate of the costs thereof. The Transmission Developer shall not begin Trial Operation for the Transmission Project until such studies are completed. The Transmission Developer shall be responsible for the cost of any modifications required by the actual data, including the cost of any required studies.

24.4 Information Supplementation.

Prior to the ~~Commercial Operation~~In-Service Date, the Transmission Developer and Connecting Transmission Owner shall supplement their information submissions described above in this ~~Article 24~~Article 24 with any and all "as-built" ~~Large Generating Facility~~Transmission Project and Network Upgrade Facilities information or "as-tested" performance information that differs from the initial submissions or, alternatively, written confirmation that no such differences exist. The Transmission Developer shall conduct tests on the ~~Large Generating Facility~~Transmission Project as required by Good Utility Practice ~~such as an open circuit "step voltage" test on the Large Generating Facility to verify proper operation of the Large Generating Facility's automatic voltage regulator.~~

~~Unless otherwise agreed, the test conditions shall include: (1) Large Generating Facility at synchronous speed; (2) automatic voltage regulator on and in voltage control mode; and (3) a five percent change in Large Generating Facility terminal voltage initiated by a change in the voltage regulators reference voltage. Developer shall provide validated test recordings showing the responses of Large Generating Facility terminal and field voltages. In the event that direct recordings of these voltages is impractical, recordings of other voltages or currents that mirror the response of the Large Generating Facility's terminal or field voltage are acceptable if information necessary to translate these alternate quantities to actual Large Generating Facility terminal or field voltages is provided. Large~~

SERVICE AGREEMENT NO. 2605

~~Generating Facility testing shall be conducted and results provided to the Connecting Transmission Owner and NYISO for each individual generating unit in a station.~~

Subsequent to the ~~Commercial Operation~~In-Service Date, the Transmission Developer shall provide Connecting Transmission Owner and NYISO any information changes concerning the Transmission Project due to equipment replacement, repair, or adjustment. Connecting Transmission Owner shall provide the Transmission Developer and NYISO any information changes concerning the Network Upgrade Facilities due to equipment replacement, repair or adjustment in the directly connected substation or any adjacent Connecting Transmission Owner substation that may affect the ~~Developer Attachment Facilities~~Transmission Project's equipment ratings, protection or operating requirements. The Transmission Developer and Connecting Transmission Owner shall provide such information no later than thirty (30) Calendar Days after the date of the equipment replacement, repair or adjustment.

ARTICLE 25. INFORMATION ACCESS AND AUDIT RIGHTS

25.1 Information Access.

Each Party (“Disclosing Party”) shall make available to another Party (“Requesting Party”) information that is in the possession of the Disclosing Party and is necessary in order for the Requesting Party to: (i) verify the costs incurred by the Disclosing Party for which the Requesting Party is responsible under this Agreement; and (ii) carry out its obligations and responsibilities under this Agreement. The Parties shall not use such information for purposes other than those set forth in this Article 25.1 of this Agreement and to enforce their rights under this Agreement.

25.2 Reporting of Non-Force Majeure Events.

Each Party (the “Notifying Party”) shall notify the other Parties when the Notifying Party becomes aware of its inability to comply with the provisions of this Agreement for a reason other than a Force Majeure event. The Parties agree to cooperate with each other and provide necessary information regarding such inability to comply, including the date, duration, reason for the inability to comply, and corrective actions taken or planned to be taken with respect to such inability to comply. Notwithstanding the foregoing, notification, cooperation or information provided under this Article shall not entitle the Party receiving such notification to allege a cause for anticipatory breach of this Agreement.

25.3 Audit Rights.

Subject to the requirements of confidentiality under ~~Article 22~~Article 22 of this Agreement, each Party shall have the right, during normal business hours, and upon prior reasonable notice to another Party, to audit at its own expense the other Party’s accounts and records pertaining to the other Party’s performance or satisfaction of its obligations under this Agreement. Such audit rights shall include audits of the other Party’s costs, calculation of invoiced amounts, and each Party’s actions in an Emergency or Emergency State. Any audit authorized by this Article shall be performed at the offices where such accounts and records are maintained and shall be limited to those portions of such accounts and records that relate to the Party’s performance and satisfaction of obligations under this Agreement. Each Party shall keep

SERVICE AGREEMENT NO. 2605

such accounts and records for a period equivalent to the audit rights periods described in Article 25.4 of this Agreement.

25.4 Audit Rights Periods.

25.4.1 Audit Rights Period for Construction-Related Accounts and Records.

Accounts and records related to the design, engineering, procurement, and construction of ~~Connecting Transmission Owner's Attachment Facilities and System~~ the Network Upgrade Facilities and System Deliverability Upgrades shall be subject to audit for a period of twenty-four months following Connecting Transmission Owner's issuance of a final invoice in accordance with Article 12.2 of this Agreement.

25.4.2 Audit Rights Period for All Other Accounts and Records.

Accounts and records related to a Party's performance or satisfaction of its obligations under this Agreement other than those described in Article ~~25.4.1~~ 25.4.1 of this Agreement shall be subject to audit as follows: (i) for an audit relating to cost obligations, the applicable audit rights period shall be twenty-four months after the auditing Party's receipt of an invoice giving rise to such cost obligations; and (ii) for an audit relating to all other obligations, the applicable audit rights period shall be twenty-four months after the event for which the audit is sought.

25.5 Audit Results.

If an audit by a Party determines that an overpayment or an underpayment has occurred, a notice of such overpayment or underpayment shall be given to the other Party together with those records from the audit which support such determination.

ARTICLE 26. SUBCONTRACTORS

26.1 General.

Nothing in this Agreement shall prevent a Party from utilizing the services of any subcontractor as it deems appropriate to perform its obligations under this Agreement; provided, however, that each Party shall require its subcontractors to comply with all applicable terms and conditions of this Agreement in providing such services and each Party shall remain primarily liable to the other Parties for the performance of such subcontractor.

26.2 Responsibility of Principal.

The creation of any subcontract relationship shall not relieve the hiring Party of any of its obligations under this Agreement. The hiring Party shall be fully responsible to the other Parties for the acts or omissions of any subcontractor the hiring Party hires as if no subcontract had been made; provided, however, that in no event shall the NYISO or Connecting Transmission Owner be liable for the actions or inactions of the Transmission Developer or its subcontractors with respect to obligations of the Transmission Developer under ~~Article 5~~ Article 5 of this Agreement. Any applicable obligation imposed by this Agreement upon the hiring Party shall be

SERVICE AGREEMENT NO. 2605

equally binding upon, and shall be construed as having application to, any subcontractor of such Party.

26.3 No Limitation by Insurance.

The obligations under this ~~Article 26~~Article 26 will not be limited in any way by any limitation of subcontractor's insurance.

ARTICLE 27. DISPUTES

27.1 Submission.

In the event any Party has a dispute, or asserts a claim, that arises out of or in connection with this Agreement or its performance (a "Dispute"), such Party shall provide the other Parties with written notice of the Dispute ("Notice of Dispute"). Such Dispute shall be referred to a designated senior representative of each Party for resolution on an informal basis as promptly as practicable after receipt of the Notice of Dispute by the other Parties. In the event the designated representatives are unable to resolve the Dispute through unassisted or assisted negotiations within thirty (30) Calendar Days of the other Parties' receipt of the Notice of Dispute, such Dispute may, upon mutual agreement of the Parties, be submitted to arbitration and resolved in accordance with the arbitration procedures set forth below. In the event the Parties do not agree to submit such Dispute to arbitration, each Party may exercise whatever rights and remedies it may have in equity or at law consistent with the terms of this Agreement.

27.2 External Arbitration Procedures.

Any arbitration initiated under this Agreement shall be conducted before a single neutral arbitrator appointed by the Parties. If the Parties fail to agree upon a single arbitrator within ten (10) Calendar Days of the submission of the Dispute to arbitration, each Party shall choose one arbitrator who shall sit on a three-member arbitration panel. In each case, the arbitrator(s) shall be knowledgeable in electric utility matters, including electric transmission and bulk power issues, and shall not have any current or past substantial business or financial relationships with any party to the arbitration (except prior arbitration). The arbitrator(s) shall provide each of the Parties an opportunity to be heard and, except as otherwise provided herein, shall conduct the arbitration in accordance with the Commercial Arbitration Rules of the American Arbitration Association ("Arbitration Rules") and any applicable FERC regulations or RTO rules; provided, however, in the event of a conflict between the Arbitration Rules and the terms of this ~~Article 27~~Article 27, the terms of this ~~Article 27~~Article 27 shall prevail.

27.3 Arbitration Decisions.

Unless otherwise agreed by the Parties, the arbitrator(s) shall render a decision within ninety (90) Calendar Days of appointment and shall notify the Parties in writing of such decision and the reasons therefor. The arbitrator(s) shall be authorized only to interpret and apply the provisions of this Agreement and shall have no power to modify or change any provision of this Agreement in any manner. The decision of the arbitrator(s) shall be final and binding upon the Parties, and judgment on the award may be entered in any court having jurisdiction. The decision of the arbitrator(s) may be appealed solely on the grounds that the conduct of the

SERVICE AGREEMENT NO. 2605

arbitrator(s), or the decision itself, violated the standards set forth in the Federal Arbitration Act or the Administrative Dispute Resolution Act. The final decision of the arbitrator must also be filed with FERC if it affects jurisdictional rates, terms and conditions of service, ~~Attachment Facilities, System~~ or Network Upgrade Facilities, ~~or System Deliverability Upgrades~~.

27.4 Costs.

Each Party shall be responsible for its own costs incurred during the arbitration process and for the following costs, if applicable: (1) the cost of the arbitrator chosen by the Party to sit on the three member panel; or (2) one-third the cost of the single arbitrator jointly chosen by the Parties.

27.5 Termination.

Notwithstanding the provisions of this ~~Article 27~~ Article 27, any Party may terminate this Agreement in accordance with its provisions or pursuant to an action at law or equity. The issue of whether such a termination is proper shall not be considered a Dispute hereunder.

ARTICLE 28. REPRESENTATIONS, WARRANTIES AND COVENANTS

28.1 General.

Each Party makes the following representations, warranties and covenants:

28.1.1 Good Standing.

Such Party is duly organized, validly existing and in good standing under the laws of the state in which it is organized, formed, or incorporated, as applicable; that it is qualified to do business in the state or states in which the ~~Large Generating Facility, Attachment Facilities and System~~ Transmission Project and Network Upgrade Facilities ~~and System Deliverability Upgrades~~ owned by such Party, as applicable, are located; and that it has the corporate power and authority to own its properties, to carry on its business as now being conducted and to enter into this Agreement and carry out the transactions contemplated hereby and perform and carry out all covenants and obligations on its part to be performed under and pursuant to this Agreement.

28.1.2 Authority.

Such Party has the right, power and authority to enter into this Agreement, to become a Party hereto and to perform its obligations hereunder. This Agreement is a legal, valid and binding obligation of such Party, enforceable against such Party in accordance with its terms, except as the enforceability thereof may be limited by applicable bankruptcy, insolvency, reorganization or other similar laws affecting creditors' rights generally and by general equitable principles (regardless of whether enforceability is sought in a proceeding in equity or at law).

SERVICE AGREEMENT NO. 2605

28.1.3 No Conflict.

The execution, delivery and performance of this Agreement does not violate or conflict with the organizational or formation documents, or bylaws or operating agreement, of such Party, or any judgment, license, permit, order, material agreement or instrument applicable to or binding upon such Party or any of its assets.

28.1.4 Consent and Approval.

Such Party has sought or obtained, or, in accordance with this Agreement will seek or obtain, each consent, approval, authorization, order, or acceptance by any Governmental Authority in connection with the execution, delivery and performance of this Agreement, and it will provide to any Governmental Authority notice of any actions under this Agreement that are required by Applicable Laws and Regulations.

ARTICLE 29. MISCELLANEOUS

29.1 Binding Effect.

This Agreement and the rights and obligations hereof, shall be binding upon and shall inure to the benefit of the successors and permitted assigns of the Parties hereto.

29.2 Conflicts.

If there is a discrepancy or conflict between or among the terms and conditions of this cover agreement and the Appendices hereto, the terms and conditions of this cover agreement shall be given precedence over the Appendices, except as otherwise expressly agreed to in writing by the Parties.

29.3 Rules of Interpretation.

This Agreement, unless a clear contrary intention appears, shall be construed and interpreted as follows: (1) the singular number includes the plural number and vice versa; (2) reference to any person includes such person's successors and assigns but, in the case of a Party, only if such successors and assigns are permitted by this Agreement, and reference to a person in a particular capacity excludes such person in any other capacity or individually; (3) reference to any agreement (including this Agreement), document, instrument or tariff means such agreement, document, instrument, or tariff as amended or modified and in effect from time to time in accordance with the terms thereof and, if applicable, the terms hereof; (4) reference to any Applicable Laws and Regulations means such Applicable Laws and Regulations as amended, modified, codified, or reenacted, in whole or in part, and in effect from time to time, including, if applicable, rules and regulations promulgated thereunder; (5) unless expressly stated otherwise, reference to any Article, Section or Appendix means such Article of this Agreement or such Appendix to this Agreement, or such Section to the ~~Standard Large Facility Transmission~~ Interconnection Procedures or such Appendix to the ~~Standard Large Facility Transmission~~ Interconnection Procedures, as the case may be; (6) "hereunder", "hereof", "herein", "hereto" and words of similar import shall be deemed references to this

SERVICE AGREEMENT NO. 2605

Agreement as a whole and not to any particular Article or other provision hereof or thereof; (7) “including” (and with correlative meaning “include”) means including without limiting the generality of any description preceding such term; and (8) relative to the determination of any period of time, “from” means “from and including”, “to” means “to but excluding” and “through” means “through and including”.

29.4 Compliance.

Each Party shall perform its obligations under this Agreement in accordance with Applicable Laws and Regulations, Applicable Reliability Standards, the ISO OATT and Good Utility Practice. To the extent a Party is required or prevented or limited in taking any action by such regulations and standards, such Party shall not be deemed to be in Breach of this Agreement for its compliance therewith. When any Party becomes aware of such a situation, it shall notify the other Parties promptly so that the Parties can discuss the amendment to this Agreement that is appropriate under the circumstances.

29.5 Joint and Several Obligations.

Except as otherwise stated herein, the obligations of NYISO, Transmission Developer and Connecting Transmission Owner are several, and are neither joint nor joint and several.

29.6 Entire Agreement.

This Agreement, including all Appendices and Schedules attached hereto, constitutes the entire agreement between the Parties with reference to the subject matter hereof, and supersedes all prior and contemporaneous understandings or agreements, oral or written, between the Parties with respect to the subject matter of this Agreement. There are no other agreements, representations, warranties, or covenants which constitute any part of the consideration for, or any condition to, either Party’s compliance with its obligations under this Agreement.

29.7 No Third Party Beneficiaries.

This Agreement is not intended to and does not create rights, remedies, or benefits of any character whatsoever in favor of any persons, corporations, associations, or entities other than the Parties, and the obligations herein assumed are solely for the use and benefit of the Parties, their successors in interest and permitted their assigns.

29.8 Waiver.

The failure of a Party to this Agreement to insist, on any occasion, upon strict performance of any provision of this Agreement will not be considered a waiver of any obligation, right, or duty of, or imposed upon, such Party. Any waiver at any time by either Party of its rights with respect to this Agreement shall not be deemed a continuing waiver or a waiver with respect to any other failure to comply with any other obligation, right, duty of this Agreement. Termination or Default of this Agreement for any reason by the Transmission Developer shall not constitute a waiver of the Transmission Developer’s legal rights to obtain Capacity Resource Interconnection Service and Energy Resource Interconnection Service from

SERVICE AGREEMENT NO. 2605

the NYISO and Connecting Transmission Owner in accordance with the provisions of the ISO OATT. Any waiver of this Agreement shall, if requested, be provided in writing.

29.9 Headings.

The descriptive headings of the various Articles of this Agreement have been inserted for convenience of reference only and are of no significance in the interpretation or construction of this Agreement.

29.10 Multiple Counterparts.

This Agreement may be executed in two or more counterparts, each of which is deemed an original but all constitute one and the same instrument.

29.11 Amendment.

The Parties may by mutual agreement amend this Agreement, by a written instrument duly executed by all three of the Parties.

29.12 Modification by the Parties.

The Parties may by mutual agreement amend the Appendices to this Agreement, by a written instrument duly executed by all three of the Parties. Such an amendment shall become effective and a part of this Agreement upon satisfaction of all Applicable Laws and Regulations.

29.13 Reservation of Rights.

NYISO and Connecting Transmission Owner shall have the right to make unilateral filings with FERC to modify this Agreement with respect to any rates, terms and conditions, charges, classifications of service, rule or regulation under section 205 or any other applicable provision of the Federal Power Act and FERC's rules and regulations thereunder, and Transmission Developer shall have the right to make a unilateral filing with FERC to modify this Agreement pursuant to section 206 or any other applicable provision of the Federal Power Act and FERC's rules and regulations thereunder; provided that each Party shall have the right to protest any such filing by another Party and to participate fully in any proceeding before FERC in which such modifications may be considered. Nothing in this Agreement shall limit the rights of the Parties or of FERC under sections 205 or 206 of the Federal Power Act and FERC's rules and regulations thereunder, except to the extent that the Parties otherwise mutually agree as provided herein.

29.14 No Partnership.

This Agreement shall not be interpreted or construed to create an association, joint venture, agency relationship, or partnership among the Parties or to impose any partnership obligation or partnership liability upon any Party. No Party shall have any right, power or authority to enter into any agreement or undertaking for, or act on behalf of, or to act as or be an agent or representative of, or to otherwise bind, any other Party.

SERVICE AGREEMENT NO. 2605

29.15 Other Transmission Rights.

Notwithstanding any other provision of this Agreement, nothing herein shall be construed as relinquishing or foreclosing any rights, including but not limited to firm transmission rights, capacity rights, or transmission congestion rights that the Transmission Developer shall be entitled to, now or in the future under any other agreement or tariff as a result of, or otherwise associated with, the transmission capacity, if any, created by the ~~System~~Transmission Project and Network Upgrade Facilities ~~and System Deliverability Upgrades~~.

SERVICE AGREEMENT NO. 2605

IN WITNESS WHEREOF, the Parties have executed this ~~LGIA~~Agreement in duplicate originals, each of which shall constitute and be an original effective Agreement between the Parties.

New York Independent System Operator, Inc.

By: _____

Name: _____

Title: _____

Date: _____

~~{Insert Name of Connecting Transmission Owner}~~

Central Hudson Gas & Electric Corp.

By: _____

Name: _____

Title: _____

Date: _____

~~{Insert Name of Developer}~~

New York Transco, LLC

By: _____

By: _____

Name: Victor Mullin
Haering

Name: Paul

SERVICE AGREEMENT NO. 2605

Title: President
Investment

Title: Vice President of Capital

Date: _____

_____ Date: _____

[SERVICE AGREEMENT NO. 2605](#)

APPENDICES

Appendix A

~~Attachment Facilities and System~~Network Upgrade Facilities

Appendix B

Milestones

Appendix C

Interconnection Details

Appendix D

Security Arrangements Details

Appendix E-1

Initial Synchronization Date

Appendix E-2

~~Commercial Operation~~In-Service Date

Appendix F

Addresses for Delivery of Notices and Billings

APPENDIX A

~~ATTACHMENT FACILITIES AND SYSTEM~~NETWORK UPGRADE FACILITIES

1. Network Upgrade Facilities (“NUFs”)

~~1. Attachment Facilities:~~

A. Network Upgrade Facilities for Connecting Transmission Owner’s Transmission System (i.e., Central Hudson Gas & Electric Corp.’s Transmission System)

~~(a) [insert Developer’s Attachment Facilities]:~~

The Transmission Project will interconnect to the New York State Transmission System at existing transmission facilities owned and operated by the Connecting Transmission Owner. The Facilities Study identified NUFs required to reliably interconnect the Transmission Project to the Connecting Transmission Owner’s system. The Connecting Transmission Owner shall design, procure, construct, and install the Network Upgrade Facilities described below, except for the work to be performed by Transmission Developer as specified below.

~~(b) [insert The NUFs on Connecting Transmission Owner’s Attachment Facilities]~~system are as follows:

i. NUFs at 115 kV Milan Substation

The NUFs at Connecting Transmission Owner’s Milan Substation include the following:

- Remove Connecting Transmission Owner’s T-7 and #10 line tap structures and spans connecting Milan Substation;
- Attach new T-7 and #10 lines to Milan Substation;
- Increase the current transformer (“CT”) ratio of the RT-7 breaker multi-ratio CTs;
- Install new SEL-411L, SEL-311L and SEL-351A relays to replace existing T-7 and #10 line relays;
 - The Facility Study report identified that power line carrier (“PLC”) equipment, including a line tuner, wave trap and universal power line carrier (“UPLC”)-II transceiver were to be utilized for Protection & Communications (“P&C”) for Lines T-7 and 10. However, subsequent to the Facility Study report being finalized, the Connecting Transmission Owner, the other Connecting Transmission Owners for the interconnection of the Transmission Project, and Transmission Developer coordinated concerning the P&C requirements and mutually agreed that fiber optic will be utilized instead of PLC for those lines.
 - This new optical ground wire (“OPGW”) fiber optic cable facility will be installed from National Grid’s Blue Stores Substation to Transmission Developer’s Churchtown Substation and from National Grid’s Blue Stores Substation to Connecting Transmission Owner’s Milan Substation by the Transmission Developer. This fiber will support communications between these three locations for Line 4 and Line T-7 protection. The circuits to Transmission

SERVICE AGREEMENT NO. 2605

Developer's Churchtown and Connecting Transmission Owner's Milan and Pleasant Valley 115kV Substations will be provisioned on the OPGW fiber facility to support Line 4, Line T-7, and Line 10 permissive overreaching transfer trip ("POTT") & direct transfer trip ("DTT").

- Perform a protection and coordination study to account for new transmission line impedances and area system configuration changes;
- Issue relay setting files for the T-7 and #10 line relays; and
- Stock necessary spare parts to accommodate the 954 MCM aluminum conductor steel supported ("ACSS") conductor.

ii. NUFs at 115 kV North Catskill Substation

The NUFs at Connecting Transmission Owner's North Catskill Substation include the following:

- Change the T-7 Line designations to represent the new #5 Line on all station equipment and prints;
- Perform a protection and coordination study to account for new transmission line impedance and area system configuration changes; and
- Issue relay setting files for the #5 Line relay; no fiber is planned for this section.

iii. NUFs at 115 kV Pleasant Valley Substation

The NUFs at Connecting Transmission Owner's Pleasant Valley Substation include the following:

- Retire and remove the #8, #12 and #13 transmission line terminals;
- Retire and remove the R8, R12 and R13 circuit breakers, associated disconnect switches and foundations;
- Connect the new #10 Line to the existing 10 line terminal;
- Decommission and remove the #8, #12 and #13 line protective relays;
- Install new SEL-411L, SEL-311L and SEL-351A relays to replace existing #10 Line relays;
 - The Facility Study report identified that PLC equipment, including a line tuner, wave trap and UPLC-II transceiver were to be utilized for P&C for Lines T-7 and 10. However, subsequent to the Facility Study report being finalized, the Connecting Transmission Owner, the other Connecting Transmission Owners for the interconnection of the Transmission Project, and Transmission Developer coordinated concerning the P&C requirements and mutually agreed that fiber optic will be utilized instead of PLC for those lines.
 - This new OPGW fiber optic cable facility will be installed from National Grid's Blue Stores Substation to Transmission Developer's Churchtown Substation and from National Grid's Blue Stores Substation to Connecting Transmission Owner's Milan Substation by the Transmission Developer. This fiber will support communications between these three locations for Line 4 and Line T-7 protection. The circuits to Transmission Developer's Churchtown Substation

SERVICE AGREEMENT NO. 2605

and Connecting Transmission Owner's Milan and Pleasant Valley 115kV Substations will be provisioned on the OPGW fiber facility to support Line 4, Line T-7, and Line 10 POTT & DTT.

- Perform a protection and coordination study to account for new transmission line impedance and area system configuration changes; and
- Issue relay setting files for the #10 Line protective relays.

iv. NUFs at 345 kV Rock Tavern Substation

The NUFs at Connecting Transmission Owner's Rock Tavern Substation include the following:

- Replace the CCRT-34 line wave trap and line tuner; a 4000 Amp trap will be used;
- Replace the CCRT-34 line station connections between the A-frame, wave trap, line disconnect switch and transmission line; two (2) 2500 MCM all aluminum conductor ("AAC") 91STR conductors will be used;
- Replace the DART-44 line station connections between the A-frame, wave trap, line disconnect switch and transmission line; two (2) 2500 MCM AAC 91STR conductors will be used; and
- Perform a relay setting review to ensure compliance with NERC standards.

v. NUFs at 345 kV Roseton Switchyard

The NUFs at Connecting Transmission Owner's Roseton Substation include the following:

- Replace the 30581 line disconnect switch with a 4000 Amp 53C rise switch; and
- Perform a relay setting review to ensure compliance with NERC standards.

vi. Rock Tavern 115kV SL Line Terminal

The NUFs concerning the Rock Tavern 115 kV SL Line include the following:

- Attach new SL Line conductor to Rock Tavern Substation and terminate new SL Line optical ground wire ("OPGW") fiber;
- Replace the 1200A SL-683 and SL-687 switches with 2000A motor operated switches;
- Install new SL Line terminal station connections;
- The Rock Tavern SL Line relaying recently was replaced with SEL-311C and GE D60 relays; an SEL-411L will be installed using line current differential protection to replace the GE D60 relay in order to use OPGW fiber for high speed protection; and
- Perform a protection and coordination study to account for new transmission line impedances and area system configuration changes; and issue relay setting files.

SERVICE AGREEMENT NO. 2605

Transmission Developer recently submitted a non-material determination (“NMD”) request to the NYISO to re-rate certain transmission facilities, which modification would modify the scope of work at the Roseton 345kV and RockTavern 345kV Substations as is currently contemplated in the final Facilities Study report. This Agreement was executed prior to the update of the work scope reduction resulting from the NYISO’s recent determination that the NMD request is not material. Accordingly, the Parties shall amend this Agreement pursuant to Articles 29.11 and 29.12 to reflect the requested modifications.

vii. Transmission Developer NUF Work

There are Network Upgrade Facilities which Connecting Transmission Owner will own, operate and maintain once they are completed, which will be engineered, procured, and paid for by Transmission Developer.

The existing connection point to the Consolidated Edison Company of New York, Inc. (“Con Edison”) 345kV South Syn bus for existing Connecting Transmission Owner’s S122 disconnect switch associated with S1 auto-transformer will be relocated to a physical location several feet from the current physical location to accommodate the extension of the South Syn bus to facilitate the creation of Bay 1 in the Pleasant Valley 345kV Substation. Transmission Developer will engineer and pay for all costs associated with work scope associated with the S122 disconnect switch relocation and reconnection. Note: the existing Point of Interconnection between Con Edison’s Pleasant Valley 345kV Substation and Connecting Transmission Owner’s S122 disconnect switch will remain the same (the South Syn bus). The physical switch and associated support structure will be procured and installed as part of the Pleasant Valley 345kV scope work. The switch will be controlled by South Bus Differential SEL-487B lockout relays and S1 autotransformer SEL-487E lockout relays. Connecting Transmission Owner will be responsible to run cable and conduit to the switch location within the Pleasant Valley 345kV Substation. The existing conduit within the Pleasant Valley 345kV Substation will be evaluated for reuse for a portion of the scope.

Additionally, for the fiber optic cable entering the Pleasant Valley 115kV Substation, the Transmission Developer will procure and provide the fiber pole that will be installed inside the Pleasant Valley 115kV Substation, its foundation design, and bringing the fiber into the Pleasant Valley 115kV Substation. Connecting Transmission Owner will perform the physical work to install the fiber pole, fiber splice and foundation at Transmission Developer cost.

2. Interconnection to and Network Upgrade Facilities for Other Connecting Transmission Owners’ Transmission Systems

A. Niagara Mohawk Power Corporation d/b/a National Grid

Portions of the Transmission Project will interconnect to the New York State Transmission System at existing transmission facilities owned and operated by National Grid, which is also a Connecting Transmission Owner for the Transmission Project. The Facilities Study identified certain Network Upgrade Facilities at National Grid’s Schodack

SERVICE AGREEMENT NO. 2605

115 kV Substation, Greenbush 115 kV Substation, Valkin 115 kV Substation, Hudson 115 kV Substation, New Scotland Substation and Alps Substation, along with upgrades at the Blue Stores 115 kV tap, Buckley Corners 115 kV tap, Fort Orange 115 kV tap, LaFarge 115 kV Tap, ADM Milling 115 kV tap, Hudson 115 kV tap, line 14N interconnection point, and Valkin 115 kV tap, which Network Upgrade Facilities are required to reliably interconnect the Transmission Project to National Grid's system. The Transmission Developer, National Grid, and the NYISO will enter into a separate Transmission Project Interconnection Agreement concerning the interconnection of the Transmission Project to National Grid's facilities and the construction or installation of the related Network Upgrade Facilities on National Grid's facilities.

B. New York State Electric & Gas Corporation

Portions of the Transmission Project will interconnect to the New York State Transmission System at existing transmission facilities owned and operated by New York State Electric & Gas Corporation ("NYSEG"), which is also a Connecting Transmission Owner for the Transmission Project. The draft NYSEG Facilities Study identified certain Network Upgrade Facilities at NYSEG's Fall Park 115 kV Substation, Craryville 115 kV Substation, Klinekill 115/34.5 kV Substation, and Coopers Corner 345 kV Substation that are required to reliably interconnect the Transmission Project to NYSEG's system. The Transmission Developer, NYSEG, and the NYISO will enter into a separate Transmission Project Interconnection Agreement concerning the interconnection of the Transmission Project to NYSEG's facilities and the construction or installation of the related Network Upgrade Facilities on NYSEG's facilities.

C. Consolidated Edison Company of New York, Inc.

Portions of the Transmission Project will interconnect to the New York State Transmission System at existing transmission facilities owned and operated by Con Edison, which is also a Connecting Transmission Owner for the Transmission Project. The Facilities Study identified certain Network Upgrade Facilities at Con Edison's Pleasant Valley 345 kV Substation and its Cricket Valley 345 kV Substation. The Pleasant Valley Substation upgrades will entail the creation of a new bay and relocation of existing 345kV feeders, which interconnect the Cricket Valley Substation, and the interconnection of the Transmission Project's new 345 kV feeder # Y59. In addition, there will be a reconductoring for approximately 0.8 miles of the existing feeders 91 and 92 from the Van Wagner Cap Bank Station into Pleasant Valley and the interconnection of two new parallel Phase Angle Regulators on line #398, that are required to reliably interconnect the Transmission Project to the New York State Transmission System. Transmission Developer, Con Edison, and the NYISO will enter into a separate Transmission Project Interconnection Agreement concerning the interconnection of the Transmission Project to Con Edison's facilities and the construction or installation of the related Network Upgrade Facilities on Con Edison's facilities.

D. Orange and Rockland Utilities, Inc.

SERVICE AGREEMENT NO. 2605

Portions of the Transmission Project will interconnect to the New York State Transmission System at existing transmission facilities owned and operated by Orange and Rockland Utilities, Inc. (“O&R”), which is also a Connecting Transmission Owner for the Transmission Project. The Facilities Study identified certain Network Upgrade Facilities at O&R’s Sugarloaf 138 kV Substation that are required to reliably interconnect the Transmission Project to O&R’s system. The Transmission Developer, O&R, and the NYISO will enter into a separate Transmission Project Interconnection Agreement concerning the interconnection of the Transmission Project to O&R’s facilities and the construction or installation of the related Network Upgrade Facilities on O&R’s facilities.

2. VI. Affected System Upgrade Facilities:

~~a. [insert Stand Alone System Upgrade Facilities]:~~

~~b. [insert Other System Upgrade Facilities]:~~

3. System Deliverability Upgrades:

The Transmission Interconnection Studies for the Transmission Project identified New York Power Authority (“NYPA”), Castleton Power, LLC (for the Fort Orange Substation), Holcim (US) Inc. (for the LaFarge Substation), and ADM Milling Co. (for the ADM Milling Substation) as Affected System Operators, which systems are impacted by the Transmission Project. The Facilities Studies conducted for the Transmission Project identified certain Network Upgrade Facilities required for these Affected Systems.

A. NYPA

The Transmission Interconnection Studies for the Transmission Project identified that certain Network Upgrade Facilities at NYPA’s East Transition 345 kV Substation, West Transition 345 kV Substation, and Dolson Ave. 345 kV Substation are required in connection with the Transmission Project. This work will be performed in accordance with the terms of an engineering, procurement, and construction agreement by and among the NYISO, Transmission Developer, and NYPA.

B. Fort Orange Substation

The Transmission Interconnection Studies for the Transmission Project identified that modifications to the relay settings at the Fort Orange Substation are required in connection with the Transmission Project. The relay resetting and drawing updates will be performed for the Fort Orange Substation to reflect the new Line 14N Tap location in accordance with the terms of an engineering, procurement, and construction agreement by and among the Transmission Developer, Castleton Power, LLC, and the NYISO.

C. LaFarge Substation

The Transmission Interconnection Studies for the Transmission Project identified that certain Network Upgrade Facilities at the LaFarge Substation are required in

SERVICE AGREEMENT NO. 2605

connection with the Transmission Project. This work including, but not limited to, relay resetting, and drawing updates will be performed for the LaFarge Substation to reflect the new Line 8 Tap location in accordance with the terms of an engineering, procurement, and construction agreement by and among the Transmission Developer, LaFarge, and the NYISO.

D. ADM Milling

The Transmission Interconnection Studies for the Transmission Project identified that certain Network Upgrade Facilities at the ADM Milling Substation are required in connection with the Transmission Project. This work will be performed in accordance with the terms of an engineering, procurement, and construction agreement by and among the NYISO, Transmission Developer, and ADM Milling. The work will include performance of calculations for the resetting of relays, and the update to drawings to reflect the new line nomenclature.

4. Cost Estimates

<u>Description</u>	<u>Estimated Cost</u>
<u><i>115 kV Milan Substation</i></u>	<u>\$1,128,000</u>
<u><i>115 kV North Catskill Substation (assumes metering located at Churchtown)</i></u>	<u>\$146,500</u>
<u><i>115 kV Pleasant Valley Substation</i></u>	<u>\$365,800</u>
<u><i>345 kV Rock Tavern Substation</i></u>	<u>\$379,200</u>
<u><i>345 kV Roseton Switchyard</i></u>	<u>\$171,500</u>
<u><i>Rock Tavern 115kV SL Line Terminal</i></u>	<u>\$572,000</u>
<u>Total</u>	<u>\$2,763,000</u>

5. Security

Pursuant to Article 11.4 of this Agreement, Transmission Developer will provide Connecting Transmission Owner with Security in the amount of \$0.

Figure A-1

[CONTAINS CEII – THIS PAGE REMOVED FROM PUBLIC VERSION]

SERVICE AGREEMENT NO. 2605

APPENDIX B

MILESTONES

1. Milestones for North Catskill, Milan, Pleasant Valley 115kV, Rock Tavern 345 kV, and Roseton 345 kV

	<u>Milestone</u>	<u>Date</u>	<u>Responsible Party</u>
<u>1.</u>	<u>Commence public involvement plan</u>	<u>Completed</u>	<u>Transmission Developer</u>
<u>2.</u>	<u>Commence NYISO Facilities Study</u>	<u>Completed</u>	<u>Transmission Developer</u>
<u>3.</u>	<u>Demonstrate adequate project financing to NYISO</u>	<u>Completed</u>	<u>Transmission Developer</u>
<u>4.</u>	<u>NYSPSC Article VII CECPN Application for Principal Components deemed complete</u>	<u>Completed</u>	<u>Transmission Developer</u>
<u>5.</u>	<u>Place orders of towers, poles, and conductors</u>	<u>Completed</u>	<u>Transmission Developer</u>
<u>6.</u>	<u>Complete the Facilities Study</u>	<u>Completed</u>	<u>Connecting Transmission Owner/ NYISO</u>
<u>7.</u>	<u>Complete 30% design drawings for Pleasant Valley Substation</u>	<u>Completed</u>	<u>Connecting Transmission Owner</u>
<u>8.</u>	<u>Complete 30 % design drawings for Milan Substation</u>	<u>Completed</u>	<u>Connecting Transmission Owner</u>
<u>9.</u>	<u>Complete design drawings for Rock Tavern Substation</u>	<u>Completed</u>	<u>Connecting Transmission Owner</u>
<u>10.</u>	<u>Complete design drawings for North Catskill Substation</u>	<u>March 2021</u>	<u>Connecting Transmission Owner</u>
<u>11.</u>	<u>Creation of a 3 way switch on new tower 2159.1, supporting temporary shoo-fly outage coordination (including affected</u>	<u>May 2021</u>	<u>Transmission Developer</u>

SERVICE AGREEMENT NO. 2605

	<u>Milestone</u>	<u>Date</u>	<u>Responsible Party</u>
	<u>CTO's and NYISO), installation, and operation,</u>		
<u>12.</u>	<u>Detailed engineering and design finalized for principle project components</u>	<u>July 2021</u>	<u>Connecting Transmission Owner/ Transmission Developer</u>
<u>13.</u>	<u>Complete Final Issue for Construction Packages for North Catskill Substation</u>	<u>September 2021</u>	<u>Connecting Transmission Owner</u>
<u>14.</u>	<u>Complete Final Issue for Construction Packages for Milan Substation</u>	<u>December 2021</u>	<u>Connecting Transmission Owner</u>
<u>15.</u>	<u>Complete Final Issue for Construction Packages for Rock Tavern Substation</u>	<u>December 2021</u>	<u>Connecting Transmission Owner</u>
<u>16.</u>	<u>Energize Churchtown Substation</u>	<u>May 2022</u>	<u>Transmission Developer</u>
<u>17.</u>	<u>Energize North Catkill Substation from Churchtown</u>	<u>May 2022</u>	<u>Transmission Developer</u>
<u>18.</u>	<u>Complete NUF construction</u>	<u>November 2023</u>	<u>Connecting Transmission Owner</u>
<u>19.</u>	<u>Complete testing and commissioning</u>	<u>December 2023</u>	<u>Connecting Transmission Owner</u>
<u>20.</u>	<u>Initial Synchronization Date for Transmission Project</u>	<u>December 2023</u>	<u>Connecting Transmission Owner</u>
<u>21.</u>	<u>In-Service Date for Transmission Project; issue written notification of In-Service Date</u>	<u>December 2023</u>	<u>Connecting Transmission Owner</u>
<u>22.</u>	<u>Complete As Builts</u>	<u>September 2024</u>	<u>Connecting Transmission Owner</u>
<u>23.</u>	<u>Complete close out and final invoicing</u>	<u>October 2024</u>	<u>Connecting Transmission Owner</u>

SERVICE AGREEMENT NO. 2605

This milestone schedule is contingent upon, but not limited to, outage scheduling, the Connecting Transmission Owner’s and the Transmission Developer’s successful compliance with the requirements and timely completion of its obligations under this Agreement.

2. Milestones for Rock Tavern 115 kV Substation – Rock Tavern to Sugarloaf (“RTS”)

	<u>Milestone</u>	<u>Date</u>	<u>Responsible Party</u>
<u>1.</u>	<u>Submit 30% Transmission Line Package for review</u>	<u>Completed</u>	<u>Transmission Developer</u>
<u>2.</u>	<u>Execution of Asset Purchase Agreement for Real Property Rights for the SL Line and associated assets</u>	<u>1Q2021</u>	<u>Connecting Transmission Owner/Transmission Developer</u>
<u>3.</u>	<u>Submit 30% Substation Package for review</u>	<u>February 2021</u>	<u>Connecting Transmission Owner</u>
<u>4.</u>	<u>Submit 60% Transmission Line Package for review</u>	<u>May 2021</u>	<u>Transmission Developer</u>
<u>5.</u>	<u>Submit 60% Substation Package for review</u>	<u>December 2021</u>	<u>Connecting Transmission Owner</u>
<u>6.</u>	<u>Submit 90% Substation Package for review</u>	<u>January 2021</u>	<u>Connecting Transmission Owner</u>
<u>7.</u>	<u>Submit 90% Transmission Line Package for review</u>	<u>February 2022</u>	<u>Transmission Developer</u>
<u>8.</u>	<u>Complete Environmental Management & Construction Plan (“EM&CP”) permitting for Rock Tavern:</u> <u>Site plan drawings, site section drawing, major equipment bill of material, foundation plan with limits of disturbance, erosion & sediment control plans and details</u>	<u>March 2022</u>	<u>Connecting Transmission Owner</u>
<u>9.</u>	<u>Issued for Construction Packages for Substation</u>	<u>April 2022</u>	<u>Connecting Transmission Owner</u>

SERVICE AGREEMENT NO. 2605

	<u>Milestone</u>	<u>Date</u>	<u>Responsible Party</u>
<u>10.</u>	<u>Submit to CTO for review the Transmission Developer EM&CP</u>	<u>April 2022</u>	<u>Transmission Developer</u>
<u>11.</u>	<u>Start construction</u>	<u>October 2022</u>	<u>Connecting Transmission Owner</u>
<u>12.</u>	<u>End to end testing for RTS project</u>	<u>October 2023</u>	<u>Connecting Transmission Owner/Transmission Developer</u>
<u>13.</u>	<u>Initial Synchronization Date for RTS project</u>	<u>October 2023</u>	<u>Connecting Transmission Owner</u>
<u>14.</u>	<u>In-Service Date for RTS project; issue written notification of In-Service Date</u>	<u>October 2023</u>	<u>Connecting Transmission Owner</u>
<u>15.</u>	<u>Complete As Builts</u>	<u>September 2024</u>	<u>Connecting Transmission Owner/Transmission Developer</u>
<u>16.</u>	<u>Complete project close out and final invoicing</u>	<u>October 2024</u>	<u>Connecting Transmission Owner</u>

This milestone schedule is contingent upon, but not limited to, outage scheduling, the Connecting Transmission Owner's and the Transmission Developer's successful compliance with the requirements and timely completion of its obligations under this Agreement.

APPENDIX C

INTERCONNECTION DETAILS

1. Description of the Transmission Project

The Transmission Project Q543 – the New York Energy Solution Project – was submitted by the Transmission Developer and National Grid and evaluated in the NYISO's Public Policy Transmission Planning Process to address Segment B of the AC Transmission Needs identified by the New York Public Service Commission in its December 17, 2015 order in its Case No. 12-T-0502. The NYISO Board of Directors selected the Transmission Project as the more efficient and cost-effective transmission solution to Segment B of the AC Transmission Needs on April 8, 2019. Transmission Developer and National Grid entered into the Development Agreement with the NYISO for purposes of constructing the Transmission Project and placing it in-service to satisfy the Public Policy Transmission Need. National Grid subsequently assigned its rights, duties, and obligations under the Development Agreement to Transmission Developer on March 10, 2020, giving Transmission Developer sole rights to the development of the Transmission Project. The Transmission Developer will develop the Transmission Project in accordance with the terms of the Development Agreement.

The Transmission Project will be mainly located in three counties (Rensselaer, Columbia and Dutchess) in the northern and mid-Hudson Valley, New York and includes the following new facilities that will be constructed, owned, and operated by the Transmission Developer:

- A new 345 kV/115 kV double-circuit transmission line from a new Knickerbocker switching station to the existing Pleasant Valley substation, and the rebuild of approximately 2.1 miles of the 115 kV Blue Stores Tap;
- A new 345 kV Knickerbocker switching station at the proposed, greenfield site in Schodack, New York, which will house a bypassable two step 16.67%, 33.33% and 50% series compensator for the new 345 kV Knickerbocker to Pleasant Valley transmission line;
- Rebuild of the existing NYSEG Churchtown 115 kV switching station in Claverack, New York, which will require decommissioning of the existing facility;
- Replacement of certain limiting element terminal equipment at the 345 kV Roseton substation to increase the thermal rating of Roseton to East Fishkill 345 kV transmission line #305 and the 345 kV New Scotland substation to increase the thermal ratings on the New Scotland to Knickerbocker 345 kV transmission line #2A; and
- Two new 135 MVAR 345 kV capacitor banks electrically connected to the Pleasant Valley 345 kV substation.

SERVICE AGREEMENT NO. 2605

The Transmission Project includes additional upgrades to existing transmission facilities as identified by the NYPSC in its December 17, 2015 order identifying the AC Transmission Public Policy Transmission Needs.

- Terminal upgrades of certain limiting elements to the Rock Tavern 345 kV substation and Coopers Corners substation; and
- Upgrades to the Shoemaker to Sugarloaf 138 kV facilities. These originally identified upgrades to the Shoemaker to Sugarloaf 138kV facilities have been modified through the NYISO sanctioned non-material determination (“NMD”) process. As was approved by the NYISO NMD evaluation/ vetting process, this portion of the Transmission Project now involves certain modifications to the Central Hudson 115 kV Rock Tavern Substation connecting to the Orange & Rockland 138 kV Sugarloaf Substation. These modification will be addressed in each of the Connecting Transmission Owner’s interconnection agreements.

Additional details concerning the Transmission Project are set forth in Appendices A and B of the Development Agreement.

2. Description of the Points of Interconnection and Points of Change of Ownership

The Points of Interconnection (“POI”) and Points of Change in Ownership (“PCO”) are identified in the table below and are shown in the POI one line diagrams that follow. The POI and PCO are the same location since the Transmission Project will not require any Connecting Transmission Owner’s Attachment Facilities. The POI/PCO locations are:

<u>Transmission Line</u>	<u>Line # Designation</u>	<u>Structure Number where POI/PCO Is Located</u>	<u>Structure Description where POI/PCO Is Located</u>	<u>Description of Change in Ownership</u>
<u>Rock Tavern 115 kV Substation towards Sugarloaf 115 kV Substation Taps</u>	<u>SL</u>	<u>1155</u>	<u>Deadend Tower</u>	<u>Transmission Developer ownership will include structure # 1155, jumper loops from the CTO end of the jumper loops, and conductor, and insulators on the Transmission Developer end of the jumper loops, heading back towards the Sugarloaf 115kV Substation. Transmission Developer owns the OPGW to an including the splice box at the base of Tower 1155. CTO owns OPGW</u>

SERVICE AGREEMENT NO. 2605

<u>Transmission Line</u>	<u>Line # Designation</u>	<u>Structure Number where POI/PCO Is Located</u>	<u>Structure Description where POI/PCO Is Located</u>	<u>Description of Change in Ownership</u>
				<u>from that point into the Rock Tavern Substation. (See Figures C-1 and C-6)</u>
<u>Sugarloaf 115 kV Substation Taps toward New Jersey</u>	<u>SD/SJ</u>	<u>1241</u>	<u>Deadend Tower</u>	<u>CTO ownership will include structure # 1241, jumper loops from the Transmission Developer end of the jumper loops, conductor, and insulators on the CTO end of the jumper loops, heading towards the JCP&L Vernon Substation. (See Figures C-2 and C-6)</u>
<u>Pleasant Valley towards Milan Substation Tap</u>	<u>10</u>	<u>2395</u>	<u>Deadend Tower</u>	<u>Transmission Developer ownership will include structure # 2395, jumper loops from the CTO end of the jumper loops, and conductor, and insulators on the Transmission Developer end of the jumper loops heading north towards Milan Substation. Transmission Developer owns the OPGW to and including the splice box at the base of Tower 2395. CTO owns OPGW from that point into the Pleasant Valley Substation, including the fiber transition structure within the Substation. (See Figures C-3 and C-6)</u>
<u>Milan towards Blue Store Substation Tap</u>	<u>T7</u>	<u>2269.3</u>	<u>Double circuit Deadend Tower</u>	<u>Transmission Developer ownership will include structure # 2269.3, jumper loops from the CTO side of the jumper loops, #T7 conductor, insulators from</u>

SERVICE AGREEMENT NO. 2605

<u>Transmission Line</u>	<u>Line # Designation</u>	<u>Structure Number where POI/PCO Is Located</u>	<u>Structure Description where POI/PCO Is Located</u>	<u>Description of Change in Ownership</u>
				<u>the Transmission Developer side of the jumper loops heading north towards the Blue Store Substation. CTO owns conductor from the POI into the Milan Substation. Transmission Developer owns OPGW to, and including, the splice box at base of structure 2269.3. CTO owns OPGW from that point into the Milan Substation. (See Figures C-4 and C-6)</u>
<u>Milan towards Pleasant Valley Substation Tap</u>	<u>10</u>	<u>2269.3</u>	<u>Double circuit Deadend Tower</u>	<u>Transmission Developer ownership will include structure # 2269.3, jumper loops from the CTO side of the jumper loops, #10 conductor, insulators from the Transmission Developer side of the jumper loops heading south towards the Pleasant Valley Substation. CTO owns conductor from the POI into the Milan Substation. Transmission Developer owns OPGW to, and including, the splice box at base of structure 2269.3. CTO owns OPGW from that point into the Milan Substation. (See Figures C-5 and C-6)</u>

Figure C-1




Figure C-2




Figure C-3




Figure C-4




Figure C-5





Figure C-6



3. Ownership/Control/Maintenance Responsibilities of Network Upgrade Facilities


Connecting Transmission Owner and Transmission Developer shall design, procure, construct, and install the Network Upgrade Facilities as specified in Appendix A hereto. Connecting Transmission Owner shall have physical ownership and control of the Network Upgrade Facilities. Transmission Developer shall retain financial ownership of the Network Upgrade Facilities to Connecting Transmission Owner and recover the costs associated with the Network Upgrade Facilities in accordance with Transmission Developer's FERC-approved formula rate under the ISO OATT.

4. Temporary Operation Configuration Concerning Churchtown Substation

In order to demo NYSEG's existing Churchtown Substation, and restore the existing transmission paths between NYSEG, Connecting Transmission Owner and National Grid back to service, Transmission Developer will install new transmission structures to establish a temporary "Shoo-Fly" interconnection arrangement to install new transmission structures that bypass the existing Churchtown Substation and interconnect the affected transmission feeders. National Grid will install a jumper between Line #13 and Line #14 to make a 3 line terminal. The new transmission towers (one tower will support a temporary 3 way switch) and conductor to be utilized to effectuate the "Shoo-Fly" design will be owned by Transmission Developer and will remain in place as an integral component routing the reconducted feeders into the new Churchtown Substation once completed. Once the Churchtown Substation is in-service, Transmission Developer will remove the temporary 3 way switch. The Points of Interconnection for the temporary Shoo-Fly connections with Connecting Transmission Owner are as follows: a temporary 3 way switch will be installed on new transmission tower # 2159.1. Each of the switch terminals will connect to: (i) Line #13 – the National Grid owned portion towards Central Hudson PV115 Substation (POI at 3 way switch); (ii) Line # 14 - NYSEG's Falls Park Substation (POI at 3 way switch) and (iii) Line # 984 to NYSEG's Craryville Substation (POI at tower # 2159.5). The temporary Shoo-Fly interconnection arrangement is illustrated in Figure C-7 below.

The Points of Interconnection for the temporary connections with the other affected Connecting Transmission Owners will be included in the respective Transmission Project Interconnection Agreements. The Transmission Developer will be responsible for the maintenance of the 3-way switch and the maintenance of the access road to the structure 2159.1.

Figure C-7



5. Transmission Developer Operating Requirements

(a) Transmission Developer must comply with all applicable NYISO tariffs and procedures, as amended from time to time.

(b) Transmission Developer and the affected Connecting Transmission Owners will coordinate the scheduling and, under the direction of the National Grid Transmission Control Center, the operation of the temporary 3 way switch on Structure 2159.1 until such time as the temporary 3 way switch is physically removed. Removal of the switch is anticipated to occur in May 2022.

APPENDIX D

SECURITY ARRANGEMENTS DETAILS

Infrastructure security of New York State Transmission System equipment and operations and control hardware and software is essential to ensure day-to-day New York State Transmission System reliability and operational security. The Commission will expect the NYISO, all Transmission Owners, all Transmission Developers and all other Market Participants to comply with the recommendations offered by the President's Critical Infrastructure Protection Board and, eventually, best practice recommendations from the electric reliability authority. All public utilities will be expected to meet basic standards for system infrastructure and operational security, including physical, operational, and cyber-security practices.

APPENDIX E-1

INITIAL SYNCHRONIZATION DATE

[Date]

~~{NYISO Address}~~

New York Independent System Operator, Inc.
Attn: Vice President, Operations
10 Krey Boulevard
Rensselaer, NY 12144

~~{Connecting Transmission Owner Address}~~

Central Hudson Gas & Electric Corporation
Attn: Greg Yozzo, Director - System Operations
284 South Avenue
Poughkeepsie, NY 12601
Email: gyozzo@cenhud.com
Phone: 845-486-5616

New York Transco, LLC.
Attn: Paul Haering
Vice President Capital Investments
One Hudson City Center
Hudson, NY 12534
Phone: (518) 444-4880
Email: paul.haering@nytransco.com

Re: _____ ~~Large Generating Facility~~ Transmission Project/Network Upgrade Facilities

Dear _____:

On [Date] [Transmission Developer/Connecting Transmission Owner] initially synchronized the ~~Large Generating Facility~~ ~~{specify units, if applicable}~~ {describe Transmission Project/Network Upgrade Facilities}. This letter confirms [Transmission Developer/Connecting Transmission Owner]'s Initial Synchronization Date was [specify].

Thank you.

SERVICE AGREEMENT NO. 2605

[Signature]

[Transmission Developer/Connecting Transmission Owner Representative]

APPENDIX E-2

~~COMMERCIAL OPERATION~~IN-SERVICE DATE

[Date]

~~[NYISO Address]~~New York Independent System Operator, Inc.
Attn: Vice President, Operations
10 Krey Boulevard
Rensselaer, NY 12144

~~[Connecting Transmission Owner Address]~~
Central Hudson Gas & Electric Corporation
Attn: Greg Yozzo, Director - System Operations
284 South Avenue
Poughkeepsie, NY 12601
Email: gyozzo@cenhud.com
Phone: 845-486-5616

New York Transco, LLC.
Attn: Paul Haering
Vice President Capital Investments
One Hudson City Center
Hudson, NY 12534
Phone: (518) 444-4880
Email: paul.haering@nytransco.com

Re: _____ ~~Large Generating Facility~~[Transmission Project/Network Upgrade Facilities]

Dear _____:

On [Date] [Transmission Developer/Connecting Transmission Owner] has completed Trial Operation of ~~Unit No. ____~~[describe Transmission Project/Network Upgrade Facilities]. This letter confirms that [~~Developer~~describe Transmission Project/Network Upgrade Facilities] [has/have] commenced ~~Commercial Operation of Unit No. ____ at the Large Generating Facility~~service, effective as of [Date plus one day].

Thank you.

[Signature]

[Transmission Developer/Connecting Transmission Owner Representative]

APPENDIX F

ADDRESSES FOR DELIVERY OF NOTICES AND BILLINGS

Notices:

NYISO:

~~{To be supplied.}~~

Before commercial operation of the Transmission Project:

New York Independent System Operator, Inc.
Attn: Vice President, System and Resource Planning
10 Krey Boulevard
Rensselaer, NY 12144
Phone: (518) 356-6000
Fax: (518) 356-6118

After commercial operation of the Transmission Project:

New York Independent System Operator, Inc.
Attn: Vice President, Operations
10 Krey Boulevard
Rensselaer, NY 12144
Phone: (518) 356-6000
Fax: (518) 356-6118

Connecting Transmission Owner:

~~{To be supplied.}~~

Central Hudson Gas & Electric Corporation
Attn: Greg Yozzo
Director - System Operations
284 South Avenue
Poughkeepsie, NY 12601
gyozzo@cenhud.com
(W) 845-486-5616

Transmission Developer:

~~{To be supplied.}~~

New York Transco, LLC.
Attn: Paul Haering
Vice President Capital Investments
One Hudson City Center
Hudson, NY 12534
Phone: (518) 444-4880
Email: paul.haering@nytransco.com

SERVICE AGREEMENT NO. 2605

Billings and Payments:

Connecting Transmission Owner:

~~{To be supplied.}~~

Central Hudson Gas & Electric Corporation

Attn: Accounts Payable

284 South Avenue

Poughkeepsie, NY 12601

Email: ap@cenhud.com

Fax: 845-486-5335

Transmission Developer:

~~{To be supplied.}~~

New York Transco, LLC

One Hudson City Center

Hudson, NY 12534

Attn: Vice President, Capital Investments

Phone: (518) 444-4880

Email: paul.haering@nytransco.com

Alternative Forms of Delivery of Notices (telephone, facsimile or email):

NYISO:

~~{To be supplied.}~~

Before commercial operation of the Transmission Project:

New York Independent System Operator, Inc.

Attn: Vice President, System and Resource Planning

10 Krey Boulevard

Rensselaer, NY 12144

Phone: (518) 356-6000

Fax: (518) 356-6118

E-mail: interconnectionsupport@nyiso.com

After commercial operation of the Transmission Project:

New York Independent System Operator, Inc.

Attn: Vice President, Operations

10 Krey Boulevard

Rensselaer, NY 12144

Phone: (518) 356-6000

Fax: (518) 356-6118

E-mail: interconnectionsupport@nyiso.com

SERVICE AGREEMENT NO. 2605

Connecting Transmission Owner:

~~{To be supplied.}~~

Central Hudson Gas & Electric Corporation

Attn: System Operations

284 South Avenue

Poughkeepsie, NY 12601

Phone: 845-452-2700

Transmission Developer:

~~{To be supplied.}~~

New York Transco, LLC

One Hudson City Center

Hudson, NY 12534

Attn: Vice President, Capital Investments

Phone: (518) 444-4880

Email: paul.haering@nytransco.com

