

Attachment I

2.18 Definitions - R

Ramp Capacity: The amount of change in the Desired Net Interchange that generation located in the NYCA can support at any given time. Ramp capacity may be calculated for all Interfaces between the NYCA and neighboring Control Areas as a whole or for any individual Interface between the NYCA and an adjoining Control Area.

RCRR TCC: As defined in the ISO OATT.

Reactive Power (MVar): The product of voltage and the out-of-phase component of alternating current. Reactive Power, usually measured in MVar, is produced by capacitors (synchronous condensers), Qualified Non-Generator Voltage Support Resources, and over-excited Generators and absorbed by reactors or under-excited Generators and other inductive devices including the inductive portion of Loads.

Real Power Losses: The loss of Energy, resulting from transporting power over the NYS Transmission System, between the Point of Injection and Point of Withdrawal of that Energy.

Real-Time Bid: A Bid submitted into the Real-Time Commitment before the close of the Real-Time Scheduling Window. A Real-Time Bid shall also include a CTS Interface Bid.

Real-Time Commitment (“RTC”): A multi-period security constrained unit commitment and dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves and Regulation Service on a least as-bid production cost basis over a two hour and fifteen minute optimization period. The optimization evaluates the next ten points in time separated by fifteen minute intervals. Each RTC run within an hour shall have a designation indicating the time at which its results are posted; “RTC₀₀,” “RTC₁₅,” “RTC₃₀,” and “RTC₄₅” post on the hour, and at fifteen, thirty, and forty-five minutes after the hour, respectively. Each RTC run will produce binding commitment instructions for the periods beginning fifteen and thirty minutes after its scheduled posting time and will produce advisory commitment guidance for the remainder of the optimization period. RTC₁₅ will also establish hourly External Transaction schedules, while all RTC runs may establish 15 minute External Transaction schedules at Variably Scheduled Proxy Generator Buses. Additional information about RTC’s functions is provided in Section 4.4.2 of this ISO Services Tariff.

Real-Time Dispatch (“RTD”): A multi-period security constrained dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves, and Regulation Service on a least-as-bid production cost basis over a fifty, fifty-five or sixty-minute period (depending on when each RTD run occurs within an hour). The Real-Time Dispatch dispatches, but does not commit, Resources, except that RTD may commit, for pricing purposes, Resources meeting Minimum Generation Levels and capable of starting in ten minutes. RTD may also establish 5 minute External Transaction schedules at Dynamically Scheduled Proxy Generator Buses. Real-Time Dispatch runs will normally occur every five minutes. Additional information about RTD’s functions is provided in Section 4.4.3 of this ISO Services Tariff. Throughout this ISO Services Tariff the term “RTD” will normally be used to refer to both the Real-Time Dispatch and to the specialized Real-Time Dispatch Corrective Action Mode software.

Real-Time Dispatch–Corrective Action Mode (“RTD-CAM”): A specialized version of the Real-Time Dispatch software that will be activated when it is needed to address unanticipated system conditions. RTD-CAM is described in Section 4.4.4 of this ISO Services Tariff.

Real-Time LBMP: The LBMPs established through the ISO Administered Real-Time Market.

Real-Time Market: The ISO Administered Markets for Energy and Ancillary Services resulting from the operation of the RTC and RTD.

Real-Time Minimum Run Qualified Gas Turbine: One or more gas turbines, offered in the Real-Time Market, which, because of their physical operating characteristics, may qualify for a minimum run time of two hours in the Real-Time Market. Characteristics that qualify gas turbines for this treatment are established by ISO Procedures and include using waste heat from the gas turbine-generated electricity to make steam for the generation of additional electricity via a steam turbine.

Real-Time Scheduled Energy: The quantity of Energy that a Supplier is directed to inject or withdraw in real-time by the ISO. Injections are indicated by positive Base Point Signals and withdrawals are indicated by negative Base Point Signals. Unless otherwise directed by the ISO, Dispatchable Supplier’s Real-Time Scheduled Energy is equal to its RTD Base Point Signal, or, if it is providing Regulation Service, to its AGC Base Point Signal, and an ISO Committed Fixed or Self-Committed Fixed Supplier’s Real-Time Scheduled Energy is equal to its bid output level in real-time.

Real-Time Scheduling Window: The period of time within which the ISO accepts offers and bids to sell and purchase Energy and Ancillary Services in the Real-Time Market for a given hour which period closes seventy-five (75) minutes before the start of that hour, or eighty-five (85) minutes before the start of that hour for Bids to schedule External Transactions at the Proxy Generator Buses associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, the Linden VFT Scheduled Line, or the HTP Scheduled Line.

Reconfiguration Auction: As defined in the ISO OATT.

Reference Bus: The location on the NYS Transmission System relative to which all mathematical quantities, including Shift Factors and penalty factors relating to physical operation, will be calculated. The NYPA Marcy 345 kV transmission substation is designated as the Reference Bus.

Reference Month: For purposes of the Net Benefits Test, the calendar month that is twelve months prior to the Study Month.

Regulation Capacity: The Energy or Demand Reduction capability, measured in MW, that a Regulation Service provider offers and/or which it is scheduled to provide for Regulation Service.

Regulation Capacity Market Price: The price for Regulation Capacity determined by the ISO pursuant to section 15.3 of this Services Tariff.

Regulation Capacity Response Rate: The Regulation Capacity a Resource is capable of providing over five minutes, measured in MW/minute which shall not exceed the lowest normal energy response rate provided for the Resource and which must be sufficient to permit that Resource to provide the Regulation Capacity (in MW) offered within a five-minute RTD interval. Reference to a Regulation response rate shall be a reference to the Regulation Capacity Response Rate.

Regulation Movement: The absolute value of the change in Energy or Demand Reduction over a six second interval, measured in MW, that a Regulation Service provider is instructed to deliver for the purpose of providing Regulation Service.

Regulation Movement Market Price: The price for Regulation Movement as determined by the ISO pursuant to section 15.3 of this Services Tariff.

Regulation Movement Multiplier: A factor with the value of thirteen (13), used with the Regulation Movement Bids, to schedule Regulation Service providers in both the Day-Ahead and Real-Time Energy markets. The ISO calculates the Regulation Movement Multiplier based on the historical relationship between the number of MW of Regulation Capacity that the ISO seeks to maintain in each hour and the number of Regulation Movement MW instructed by AGC in each hour.

Regulation Movement Response Rate: The amount of Regulation Movement a Regulation Service provider is capable of delivering in six seconds which shall not be less than, but can be equal to or greater than, the Regulation Capacity Response Rate equivalent.

Regulation Service: The Ancillary Service defined by the Commission as “frequency regulation” and that is instructed as Regulation Capacity in the Day-Ahead Market and as Regulation Capacity and Regulation Movement in the Real-Time Market as is further described in Section 15.3 of the Services Tariff. Day-Ahead and Real-Time Bids to provide Regulation Service shall include a Bid for Regulation Capacity and a Bid for Regulation Movement. The Regulation Service requirement or target level shall be for MW of Regulation Capacity.

Regulation Service Demand Curve: A series of quantity/price points that defines the maximum Shadow Price for Regulation Service corresponding to each possible quantity of Resources that the ISO’s software may schedule to satisfy the ISO’s Regulation Service constraint. A single Regulation Service Demand Curve will apply to both the Day-Ahead Market and the Real-Time Market for Regulation Service. The Shadow Price for Regulation Service shall be used to calculate Regulation Service payments under Rate Schedule 3 of this ISO Services Tariff.

Regulation Revenue Adjustment Charge (“RRAC”): A charge that will be assessed against certain Generators that are providing Regulation Service under Section 15.3.6 of Rate Schedule 3 to this ISO Services Tariff.

Regulation Revenue Adjustment Payment (“RRAP”): A payment that will be made to certain Generators that are providing Regulation Service under Section 15.3.6 of Rate Schedule 3 to this ISO Services Tariff.

Reliability Rules: Those rules, standards, procedures and protocols developed and promulgated by the NYSRC, including Local Reliability Rules, in accordance with NERC, NPCC, FERC, PSC and NRC standards, rules and regulations and other criteria and pursuant to the NYSRC Agreement.

Repair Plan: A work plan, set of actions, and time frame for such actions, that is necessary to repair a Generator and return it to service as described in Section 5.18.1 of this Services Tariff.

Required System Capability: Generation capability required to meet an LSE's peak Load plus Installed Capacity Reserve obligation as defined in the Reliability Rules.

Reserve Performance Index: An index created by the ISO for the purpose of calculating the Day Ahead Margin Assurance Payment pursuant to Attachment J of this Services Tariff made to Demand Side Resources scheduled to provide Operating Reserves in the Day-Ahead Market.

Residual Adjustment: The adjustment made to ISO costs that are recovered through Schedule 1 of the OATT. The Residual Adjustment is calculated pursuant to Schedule 1 of the OATT.

Residual Capacity Reservation Right ("RCRR"): As defined in the ISO OATT.

Residual Transmission Capacity: As defined in the ISO OATT.

Resource: An Energy Limited Resource, Energy Storage Resource, Limited Energy Storage Resource, Generator, Installed Capacity Marketer, Special Case Resource, Intermittent Power Resource, Limited Control Run of River Hydro Resource, municipally-owned generation, System Resource, BTM:NG Resource, Demand Side Resource or Control Area System Resource.

Responsible Interface Party ("RIP"): A Customer that is authorized by the ISO to be the Installed Capacity Supplier for one or more Special Case Resources and that agrees to certain notification and other requirements as set forth in this Services Tariff and in the ISO Procedures.

Rest of State: The set of all non-Locality NYCA LBMP Load Zones. As of the 2014/2015 Capability Year, Rest of State includes all NYCA LBMP Load Zones other than LBMP Load Zones G, H, I, J and K.

Retired: A Generator that has permanently ceased operating on or after May 1, 2015 either: i) pursuant to applicable notice; or ii) as a result of the expiration of its Mothball Outage or of its ICAP Ineligible Forced Outage.

RMR Agreement: shall have the meaning specified in Section 1.18 of the ISO's Open Access Transmission Tariff.

RMR Avoidable Costs: shall have the meaning specified in Section 1.18 of the ISO's Open Access Transmission Tariff.

RMR Generator: shall have the meaning specified in Section 1.18 of the ISO's Open Access Transmission Tariff.

Rolling RTC: The RTC run that is used to schedule a given 15-minute External Transaction. The Rolling RTC may be an RTC00, RTC15, RTC30 or RTC45 run.

Roundtrip Efficiency: The ratio of energy injections to energy withdrawals for an Energy Storage Resource.

23.2 Conduct Warranting Mitigation

23.2.1 Definitions

The following definitions are applicable to this Attachment H:

For purposes of Section 23.4.5 of this Attachment H, “**Additional CRIS MW**” shall mean the MW of Capacity for which CRIS was requested for an Examined Facility pursuant to the provisions in ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z), including either: (i) all, or a portion, of the MW of Capacity of that Examined Facility for which CRIS had not been obtained in prior Class Years through a prior Class Year process or through a transfer completed in accordance with OATT Section 25 (OATT Attachment S); and/or (ii) all, or a portion, of an increase in the Capacity of that Examined Facility. Additional CRIS MW does not include any MW quantity of CRIS that is exempt from an Offer Floor pursuant to Section 23.4.5.7.7(a) or (b), Section 23.4.5.7.8, or an increase of 2 MW or less in an Examined Facility’s MW quantity of CRIS obtained pursuant to Section 30.3.2.6 of Attachment X to the OATT.

“**Additional SDU Study**” shall mean a deliverability study that a Developer may elect to pursue as that term is defined in OATT Section 25 (OATT Attachment S).

For purposes of Section 23.4.5 of this Attachment H, “**Affiliated Entity**” shall mean, with respect to a person or Entity:

- i) all persons or Entities that directly or indirectly control such person or Entity;
- ii) all persons or Entities that are directly or indirectly controlled by or under common control with such person or Entity, and (1) are authorized under ISO Procedures to participate in a market for Capacity administered by the ISO, or (2) possess, directly or indirectly, an ownership, voting or equivalent interest of ten percent or more in a Mitigated Capacity Zone Installed Capacity Supplier;
- iii) all persons or Entities that provide services to such person or Entity, or for which such person or Entity provides services, if such services relate to the determination or submission of offers for Unforced Capacity in a market administered by the ISO or offers of capacity from a Generator electrically located in a MCZ Import Constrained Locality; or
- iv) all persons or Entities, except if for ISP UCAP MW or an RMR Generator, with which such person or Entity has any form of agreement under which such person or Entity has retained or has conferred rights of (i) Control of Unforced Capacity or (ii) the ability to determine the quantity or price of offers to supply capacity from a Generator that has Capacity Resource Interconnection Service, pursuant to the applicable provisions of Attachment X, Attachment S and Attachment Z and is electrically located in an MCZ Import Constrained Locality, even if such capacity does not meet the requirements to be Unforced Capacity.

In the foregoing definition, “**control**” means the possession, directly or indirectly, of the power to direct the management or policies of a person or Entity, and shall be rebuttably presumed from an ownership, voting or equivalent interest of ten percent or more.

Catastrophic Failure: shall mean a Forced Outage initially suffered by a Generator which would have reasonably required a repair time of at least 270 days, from the date of the event resulting in the Forced Outage, had it, or a comparable Forced Outage been suffered at a generating facility that is reasonably the same as or similar to the Generator’s, the owner of which is intending to return it to service. Repair time includes the reasonable number of days for initial clean up, safety inspections, engineering assessment; damage assessment, cost estimates; site prep and clean up, equipment orders, and actual repair, provided the foregoing are necessitated by the Catastrophic Failure. The determination that a Generator has suffered a Catastrophic Failure shall be based on a technical/engineering evaluation, shall be made by the ISO, and may be made at any time following the event that caused the Forced Outage provided that adequate information is provided to the ISO to support such determination.

“**Class Year Study**” means a Class Year Interconnection Facilities Study as that term is defined in OATT Section 25 (OATT Attachment S).

“**Cleared UCAP**” means the amount of MW (rounded down to the nearest tenth of a MW) that had been subject to an Offer Floor but has cleared in accordance with Section 23.4.5.7.

“**Commenced Construction**” shall mean (a) all of the following site preparation work is completed: ingress and egress routes exist; the site on which the project will be located is cleared and graded; there is power service to the site; footings are prepared; and foundations have been poured consistent with purchased equipment specifications and project design; or (b) the following financial commitments have been made: (i) (A) an engineering, procurement, and construction contract (“EPC”) has been executed by all parties and is effective; or (B) contracts (collectively, “EPC Equivalents”) for all of the following have been executed by all parties and is effective: (1) project engineering, (2) procurement of all major equipment, and (3) construction of the project, and (ii) the cumulative payments made by the Developer under the EPC or EPC Equivalents to the counterparties to those respective agreements is equal to at least thirty (30) percent of the total costs of the EPC or EPC Equivalents.

“**Competitive and Non-Discriminatory Hedging Contract**” shall mean a contract to hedge a risk associated with a product offered in the ISO Administered Markets between a Non-Qualifying Entry Sponsor and an Examined Facility with a term that shall not exceed three years (inclusive of all options to extend and extensions) and that the ISO determines has been executed pursuant to a procurement process that satisfies the requirements enumerated below.

Competitive and Non-Discriminatory Hedging Contracts shall not be deemed to be a non-qualifying contractual relationship that would prevent an Examined Facility from obtaining a Competitive Entry Exemption pursuant to 23.4.5.7.9 of Attachment H of this Services Tariff. The ISO shall determine that a contract is a Competitive and Non-Discriminatory Hedging Contract only if it concludes, and the Non-Qualifying Entry Sponsor executes a certification confirming that, the contract was executed through a procurement process that met all of the following requirements: (A) both new and existing resources satisfy the requirements of the procurement; (B) the requirements of the procurement were fully objective and transparent ; (C)

the contract was awarded based on the lowest cost offers of qualified bidders that responded to the solicitation; (D) the procurement terms did not restrict the type of capacity resources that may participate in, and satisfy the requirements of, the procurement; (E) the procurement terms did not include selection criteria that could otherwise give preference to new resources; and (F) the procurement terms did not use indirect means to discriminate against existing resources, including, but not limited to, by imposing geographic constraints, unit fuel requirements, maximum unit heat-rate requirements or requirements for new construction.

“Constrained Area” shall mean: (a) the In-City area, including any areas subject to transmission constraints within the In-City area that give rise to significant locational market power; and (b) any other area in the New York Control Area that has been identified by the ISO as subject to transmission constraints that give rise to significant locational market power, and that has been approved by the Commission for designation as a Constrained Area.

For purposes of Section 23.4.5 of this Attachment H, **“Control”** with respect to Unforced Capacity shall mean the ability to determine the quantity or price of offers to supply Unforced Capacity from a Mitigated Capacity Zone Installed Capacity Supplier submitted into an ICAP Spot Market Auction; but excluding ISP UCAP MW or UCAP from an RMR Generator.

For purposes of Section 23.4.5.7 **“CRIS MW”** shall mean the MW of Capacity for which CRIS was assigned to a Generator or UDR project pursuant to ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z).

“Developer” shall have the meaning specified in the ISO’s Open Access Transmission Tariff.

“Electric Facility” shall mean a Generator or an electric transmission facility.

For purposes of Section 23.4.5 of this Attachment H, **“Entity”** shall mean a corporation, partnership, limited liability corporation or partnership, firm, joint venture, association, joint-stock company, trust, unincorporated organization or other form of legal or juridical organization or entity.

“Examined Facility” shall mean (I) each proposed new Generator and proposed new UDR project, and each existing Generator that has ERIS only and no CRIS, that is a member of the Class Year Study, Additional SDU Study or Expedited Deliverability Study that requested CRIS, or that requested an evaluation of the transfer of CRIS rights from another location in the Class Year Facilities Study commencing in the calendar year in which the Class Year Facility Study determination is being made (the Capability Periods of expected entry as further described below in this Section, the “Mitigation Study Period”), and (II) each (i) existing Generator that did not have CRIS rights, and (ii) proposed new Generator and proposed new UDR project, provided such Generator under Subsection (i) or (ii) is an expected recipient of transferred CRIS rights at the same location regarding which the ISO has been notified by the transferor or the transferee of a transfer pursuant to OATT Attachment S Section 25.9.4 that will be effective on a date within the Mitigation Study Period (“Expected CRIS Transferee”). The term “Examined Facilities” does not include any facility exempt from an Offer Floor pursuant to the provisions of Section 23.4.5.7.7.

Exceptional Circumstances: shall mean one or more unavoidable circumstances, as determined by the ISO, that individually or collectively render as unavailable the data necessary for the ISO to perform an audit and review of a Market Party, pursuant to Section 23.4.5.6.2 of this Services Tariff. Exceptional Circumstances may include, but are not limited to: the inaccessibility of the physical facility; the inaccessibility of necessary documentation or other data; and the unavailability of information regarding the regulatory obligations with which the Market Party will be required to comply in order to return its Generator to service which regulatory obligations are not yet known but which will be made known by the applicable regulatory authority under existing laws and regulations provided that none of the above described circumstances are the result of delay or inaction by the Market Party. The magnitude of the repair cost, alone, shall not be an Exceptional Circumstance.

“Exempt Renewable Technology” shall mean, in all Mitigated Capacity Zones, an Intermittent Power Resource solely powered by wind or solar energy.

“Expedited Deliverability Study” shall mean a deliverability study that an eligible Developer may elect to pursue as that term is defined in OATT Section 25 (OATT Attachment S) that may determine the extent to which an existing or proposed facility satisfies the NYISO Deliverability Interconnection Standard at its requested CRIS level without the need for System Deliverability Upgrades. The schedule and scope of the study is defined in Sections 25.5.9.2.1 and 25.7.1.2 of this Attachment S.

“Final Decision Round” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Going-Forward Costs”** shall mean: either (a) the costs, including but not limited to mandatory capital expenditures necessary to comply with federal or state environmental, safety or reliability requirements that must be met in order to supply Installed Capacity, net of anticipated energy and ancillary services revenues, as determined by the ISO as specified in Section 23.4.5.3, for each of the following instances, as applicable, of supplying Installed Capacity that could be avoided if an Installed Capacity Supplier otherwise capable of supplying Installed Capacity were either (1) to cease supplying Installed Capacity and Energy for a period of one year or more while retaining the ability to re-enter such markets, or (2) to retire permanently from supplying Installed Capacity and Energy; or (b) the opportunity costs of foregone sales outside of a Mitigated Capacity Zone, net of costs that would have been incurred as a result of the foregone sale if it had taken place.

For purposes of Section 23.4.5 of this Attachment H, **“Indicative Mitigation Net CONE”** shall mean the capacity price calculated by the NYISO for informational purposes only if there is not an effective ICAP Demand Curve and the Commission (i) has accepted an ICAP Demand Curve for the Mitigated Capacity Zone that will become effective when the Mitigated Capacity Zone is first effective, in which case, the Indicative Mitigation Net CONE shall be the capacity price on such ICAP Demand Curve for the Mitigated Capacity Zone corresponding to the average amount of excess capacity above the Indicative NCZ Locational Minimum Installed Capacity Requirement, as applicable, expressed as a percentage of that requirement that formed the basis for the ICAP Demand Curve accepted by the Commission; or, (ii) has not accepted an ICAP Demand Curve for the Mitigated Capacity Zone, but the ISO has filed an ICAP Demand Curve

for the Mitigated Capacity Zone pursuant to Services Tariff Section 5.14.1.2.2.4.11, in which case the Indicative Mitigation Net CONE shall be the capacity price on such ICAP Demand Curve corresponding to the average amount of excess capacity above the Indicative NCZ Locational Minimum Installed Capacity Requirement, expressed as a percentage of that requirement, that formed the basis for such ICAP Demand Curve.

“Incremental Regulatory Retirement” shall mean, for purposes of Section 23.4.5 of this Attachment H, the loss of ICAP Supply MW identified by the ISO in accordance with Section 23.4.5.7.13.5.3 in Class Year 2019, and subsequent Class Year Studies, Additional SDU Studies, and Expedited Deliverability Studies that start after July 1, 2020 and will be used in the ISO’s calculation of the Renewable Exemption Limit.

“Initial Decision Period” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“Interconnection Customer” shall have the meaning specified in Section 32 (Attachment Z) of the ISO’s Open Access Transmission Tariff.

“Interconnection Facilities Study Agreement” shall have the meaning specified in Section 30 (Attachment X) of the ISO’s Open Access Transmission Tariff.

“Market Monitoring Unit” shall have the same meaning in these Mitigation Measures as it has in Attachment O.

“Market Party” shall mean any person or entity that is, or for purposes of the determinations to be made pursuant to Section 23.4.5.7 of this Attachment H proposes or plans a project that would be, a buyer or a seller in; or that makes bids or offers to buy or sell in; or that schedules or seeks to schedule Transactions with the ISO in or affecting any of the ISO Administered Markets including through the submission of bids or offers into any External Control Area, or any combination of the foregoing.

“Mitigation Study Period” shall mean the duration of time extending six consecutive Capability Periods and beginning with the Starting Capability Period associated with a Class Year Study, Additional SDU Study, and/or Expedited Deliverability Study.

For purposes of Section 23.4.5 of this Attachment H, **“Mitigated UCAP”** shall mean one or more megawatts of Unforced Capacity that are subject to Control by a Market Party that has been identified by the ISO as a Pivotal Supplier.

For purposes of Section 23.4.5 of this Attachment H, **“Mitigation Net CONE”** shall mean the capacity price on the currently effective ICAP Demand Curve for the Mitigated Capacity Zone corresponding to the average amount of excess capacity above the Mitigated Capacity Zone Installed Capacity requirement, expressed as a percentage of that requirement, that formed the basis for the ICAP Demand Curve approved by the Commission.

“NCZ Examined Project” shall mean any Generator or UDR project that is not exempt pursuant to 23.4.5.7.8 and either (i) is in a Class Year on the date the Commission accepts the first ICAP Demand Curve to apply to a Mitigated Capacity Zone or (ii) meets the criteria specified in

23.4.5.7.3(II). An NCZ Examined Project may be at any phase of development or in operation or an Installed Capacity Supplier.

For purposes of Section 23.4.5 of this Attachment H, “**Net CONE**” shall mean the localized levelized embedded costs of a peaking unit in a Mitigated Capacity Zone, net of the likely projected annual Energy and Ancillary Services revenues of such unit, as determined in connection with establishing the Demand Curve for a Mitigated Capacity Zone pursuant to Section 5.14.1.2 of the Services Tariff, or as escalated as specified in Section 23.4.5.7 of Attachment H.

“**New Capacity**” shall mean a new Generator, a substantial addition to the capacity of an existing Generator, or the reactivation of all or a portion of a Generator that has been out of service for five years or more that commences commercial service after the effective date of this definition.

For purposes of Section 23.4.5 of this Attachment H, “**Offer Floor**” for a Mitigated Capacity Zone Installed Capacity Supplier that is not a Special Case Resource shall mean the lesser of (i) a numerical value equal to 75% of the Mitigation Net CONE translated into a seasonally adjusted monthly UCAP value (“Mitigation Net CONE Offer Floor”), or (ii) the numerical value that is the first year value of the Unit Net CONE determined as specified in Section 23.4.5.7, translated into a seasonally adjusted monthly UCAP value using an appropriate class outage rate, (“Unit Net CONE Offer Floor”). The Offer Floor for a Mitigated Capacity Zone Installed Capacity Supplier that is a Special Case Resource shall mean a numerical value determined as specified in Section 23.4.5.7.5. The Offer Floor for Additional CRIS MW shall mean a numerical value determined as specified in Section 23.4.5.7.6.

For the purposes of Section 23.4.5 of this Attachment H, “**Non-Qualifying Entry Sponsors**” shall mean a Transmission Owner, Public Power Entity, or any other entity with a Transmission District in the NYCA, or an agency or instrumentality of New York State or a political subdivision thereof.

“**Owner**” shall have the meaning specified in Section 31.1.1 of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, “**Pivotal Supplier**” shall mean (i) for the New York City Locality, a Market Party that, together with any of its Affiliated Entities, (a) Controls 500 MW or more of Unforced Capacity, and (b) Controls Unforced Capacity some portion of which is necessary to meet the New York City Locality Locational Minimum Installed Capacity Requirement in an ICAP Spot Market Auction; (ii) for the G-J Locality, a Market Party that, together with any of its Affiliated Entities, (a) Controls 650 MW or more of Unforced Capacity; and (b) Controls Unforced Capacity some portion of which is necessary to meet the G-J Locality Locational Minimum Installed Capacity Requirement in an ICAP Spot Market Auction; and (iii) for each Mitigated Capacity Zone except the New York City Locality and the G-J Locality, if any, a Market Party that Controls at least the quantity of MW of Unforced Capacity specified for the Mitigated Capacity Zone and accepted by the Commission. Unforced Capacity that are MW of an External Sale of Capacity shall not be included in the foregoing calculations

“Project Cost Allocation” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Responsible Market Party”** shall mean the Market Party that is authorized, in accordance with ISO Procedures, to submit offers in an ICAP Spot Market Auction to sell Unforced Capacity from a specified Installed Capacity Supplier.

“Revised Project Cost Allocation” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“Self Supply LSE” shall mean a Load Serving Entity in one or more Mitigated Capacity Zones that operates under a long-standing business model to meet more than fifty percent of its Load obligations through its own generation and that is a Public Power Entity, “Single Customer Entity,” or “Vertically Integrated Utility.” For purposes of this definition only: (i) “Vertically Integrated Utility” means a utility that owns generation, includes such generation in a non-bypassable charge in its regulated rates, earns a regulated return on its investment in such generation, and that as of the date of its request for a Self Supply Exemption, has not divested more than seventy-five percent of its generation assets owned on May 20, 1996; and (ii) “Single Customer Entity” means an LSE that serves at retail only customers that are under common control with such LSE, where such control means holding 51% or more of the voting securities or voting interests of the LSE and all its retail customers.

“Starting Capability Period” is the Summer Capability Period that will commence three years from the start of the year of the Class Year Study and shall be the start of the Mitigation Study Period for any Examined Facility in a Class Year Study, as well as any Additional SDU Studies and Expedited Deliverability Studies and that are completed while the Class Year Study is ongoing. If no Class Year Study is ongoing when an Expedited Deliverability Study or Additional SDU Study arrives at the Decision Period, the Starting Capability Period used for the purposes of Section 23.4.5 of this Attachment H shall be the Starting Capability Period that applied to the most recently completed Class Year Study.

“Subsequent Decision Period” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Surplus Capacity”** shall mean the amount of Installed Capacity, in MW, available in a Mitigated Capacity Zone in excess of the Locational Minimum Installed Capacity Requirement for such Mitigated Capacity Zone.

“Total Evaluated CRIS MW” shall mean the Additional CRIS MW requested plus either (i) if the Installed Capacity Supplier previously received an exemption under Sections 23.4.5.7.2(b), 23.4.5.7.6(b), 23.4.5.7.7 or 23.4.5.7.8, all prior Additional CRIS MW since the facility was last exempted under Sections 23.4.5.7.2(b), 23.4.5.7.6(b), or 23.4.5.7.8, or (ii) for all other Installed Capacity Suppliers, all MW of Capacity for which an Examined Facility obtained CRIS pursuant to the provisions in ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z).

For purposes of Section 23.4.5 of this Attachment H, **“UCAP Offer Reference Level”** shall mean a dollar value equal to the projected clearing price for each ICAP Spot Market Auction

determined by the ISO on the basis of the applicable ICAP Demand Curve and the total quantity of Unforced Capacity from all Installed Capacity Suppliers in a Mitigated Capacity Zone for the period covered by the applicable ICAP Spot Market Auction.

For purposes of Section 23.4.5 of this Attachment H, “**Unit Net CONE**” shall mean localized levelized embedded costs of a specified Installed Capacity Supplier, including interconnection costs, and for an Installed Capacity Supplier located outside a Mitigated Capacity Zone including embedded costs of transmission service, in either case net of likely projected annual Energy and Ancillary Services revenues, and revenues associated with other energy products (such as energy services and renewable energy credits, as determined by the ISO, translated into a seasonally adjusted monthly UCAP value using an appropriate class outage rate. The Unit Net CONE of an Installed Capacity Supplier that has functions beyond the generation or transmission of power shall include only the embedded costs allocated to the production and transmission of power, and shall not net the revenues from functions other than the generation or transmission of power.

“**Unforced Capacity Reserve Margin**” or “**URM**” shall mean the megawatt value calculated by the ISO when converting the (a) the Installed capacity Reserve Margin (IRM) for the NYCA or (b) the Locational Minimum Installed Capacity Requirement (LCR) for a given Locality within the NYCA into UCAP terms using ICAP to UCAP conversion factors consistent with the corresponding resource adequacy study.

23.2.2 Conduct Subject to Mitigation

Mitigation Measures may be applied: (i) to the bidding, scheduling or operation of an “Electric Facility”; or (ii) as specified in Section 23.2.4.2.

23.2.3 Conditions for the Imposition of Mitigation Measures

23.2.3.1 To achieve the foregoing purpose and objectives, Mitigation Measures should only be imposed to remedy conduct that would substantially distort or impair the competitiveness of any of the ISO Administered Markets.

Accordingly, the ISO shall seek to impose Mitigation Measures only to remedy conduct that:

23.2.3.1.1 is significantly inconsistent with competitive conduct; and

23.2.3.1.2 would result in a material change in one or more prices in an ISO Administered Market or production cost guarantee payments (“guarantee payments”) to a Market Party.

23.2.3.2 In general, the ISO shall consider a Market Party's or its Affiliates' conduct to be inconsistent with competitive conduct if the conduct would not be in the economic interest of the Market Party or its Affiliates in the absence of market power. The categories of conduct that are inconsistent with competitive conduct include, but may not be limited to, the three categories of conduct specified in Section 23.2.4 below.

23.2.4 Categories of Conduct that May Warrant Mitigation

23.2.4.1 The following categories of conduct, whether by a single firm or by multiple firms acting in concert, may cause a material effect on prices or guarantee payments in an ISO Administered Market if exercised from a position of market power. Accordingly, the ISO shall monitor the ISO Administered Markets for the following categories of conduct, and shall impose appropriate Mitigation Measures if such conduct is detected and the other applicable conditions for the imposition of Mitigation Measures are met:

23.2.4.1.1 Physical withholding of an Electric Facility, that is, not offering to sell or schedule the output of or services provided by an Electric Facility capable of serving an ISO Administered Market. Such withholding may include, but not be limited to, (i) falsely declaring that an Electric Facility has been forced out of service or otherwise become unavailable, (ii) refusing to offer Bids or schedules for an Electric Facility when such conduct would not be in the economic interest of the Market Party or its Affiliates in the absence of market power (includes refusing to offer Bids or schedules to withdraw Energy for a Generator that must withdraw Energy in order to be able to later inject Energy); (iii); making an

unjustifiable change to one or more operating parameters of a Generator that reduces its ability to provide Energy or Ancillary Services or (iv) operating a Generator in real-time at a lower output level than the Generator would have been expected to produce had the Generator followed the ISO's dispatch instructions, in a manner that is not attributable to the Generator's verifiable physical operating capabilities and that would not be in the economic interest of the Market Party or its Affiliates in the absence of market power.

For purposes of this Section and Section 23.4.3.2, the term "unjustifiable change" shall mean a change in an Electric Facility's operating parameters that is: (a) not attributable to the Electric Facility's verifiable physical operating capabilities, and (b) is not a rational competitive response to economic factors other than market power.

23.2.4.1.2 Economic withholding of an Electric Facility, that is, submitting Bids for an Electric Facility that are unjustifiably high so that (i) the Electric Facility is not or will not be dispatched or scheduled, or (ii) the Bids will set a market clearing price; or submitting Bids for a Withdrawal-Eligible Generator to withdraw Energy that are unjustifiably high, so that (i) the Electric Facility is or will be dispatched or scheduled to withdraw Energy, or (ii) the Bids will set a market clearing price.

23.2.4.1.3 Uneconomic production from an Electric Facility, that is, increasing the output of an Electric Facility to levels that would otherwise be uneconomic in order to cause, and obtain benefits from, a transmission constraint.

23.2.4.2 Mitigation Measures may also be imposed, subject to FERC's approval, to mitigate the market effects of a rule, standard, procedure or design feature of an

ISO Administered Market that allows a Market Party or its Affiliate to manipulate market prices or otherwise impair the efficient operation of that market, pending the revision of such rule, standard, procedure or design feature to preclude such manipulation of prices or impairment of efficiency.

23.2.4.3 Taking advantage of opportunities to sell at a higher price or buy at a lower price in a market other than an ISO Administered Market shall not be deemed a form of withholding or otherwise inconsistent with competitive conduct.

23.2.4.4 The ISO and the Market Monitoring Unit shall monitor the ISO Administered Markets for other categories of conduct, whether by a single firm or by multiple firms acting in concert, that have material effects on prices or guarantee payments in an ISO Administered Market. The ISO shall: (i) seek to amend the foregoing list as may be appropriate, in accordance with the procedures and requirements for amending the Plan, to include any such conduct that would substantially distort or impair the competitiveness of any of the ISO Administered Markets; and (ii) seek such other authorization to mitigate the effects of such conduct from the FERC as may be appropriate. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.2 of Attachment O.