25 Attachment J – Determination of Day-Ahead Margin Assurance Payments and Import Curtailment Guarantee Payments

25.1 Introduction

If a Supplier that is eligible pursuant to Section 25.2 of this Attachment J buys out of a Day-Ahead Energy, Regulation Service or Operating Reserve schedule in a manner that reduces its Day-Ahead Margin it shall receive a Day-Ahead Margin Assurance Payment, except as noted in Sections 25.4, and 25.5 of this Attachment J. The purpose of such payments is to protect Suppliers' Day-Ahead Margins associated with real-time reductions after accounting for: (I) any real-time profits associated with offsetting increases in real-time Energy, Regulation Service, or Operating Reserve schedules; and (ii) any Supplier-requested real-time de-rate granted by the ISO.

In addition, a Supplier may be eligible to receive an Import Curtailment Guarantee

Payment if its Import is curtailed at the request of the ISO as determined pursuant to Section 25.6 of this Attachment J.

25.2 Eligibility for Receiving Day-Ahead Margin Assurance Payments

25.2.1 General Eligibility Requirements for Suppliers to Receive Day-Ahead Margin Assurance Payments

Subject to Section 25.2.2 of this Attachment J, the following categories of Resources bid by Suppliers shall be eligible to receive Day-Ahead Margin Assurance Payments: (I) all Self-Committed Flexible and ISO-Committed Flexible Generators that are online and dispatched by RTD; (ii) Demand Side Resources committed to provide Operating Reserves or Regulation Service; (iii) any Resource that is scheduled out of economic merit order by the ISO in response to an ISO or Transmission Owner system security need or to permit the ISO to procure additional Operating Reserves; (iv) any Resource internal to the NYCA that is derated or decommitted by the ISO in response to an ISO or Transmission Owner system security need or to permit the ISO to procure additional Operating Reserves; and (v) Energy Limited Resources with an ISO-approved real-time reduction in scheduled output from its Day-Ahead schedule.

25.2.2 Exceptions

Notwithstanding Section 25.2.1 of this Attachment J, no Day-Ahead Margin Assurance Payment shall be paid to:

25.2.2.1 a Resource otherwise eligible for a Day-Ahead Margin Assurance

Payment in hours in which the NYISO has increased the Resource's minimum operating level either: (i) at the Resource's request; or (ii) in order to reconcile the ISO's dispatch with the Resource's actual output or to address reliability concerns that arise because the Resource is not following Base Point Signals; or

25.2.2.2 (iii) an Intermittent Power Resource that depends on wind as its fuel.

25.3 Calculation of Day-Ahead Margin Assurance Payments

25.3.1 Formula for Day-Ahead Margin Assurance Payments for Generators, Except for Limited Energy Storage Resources

Subject to Sections 25.4 and 25.5 of this Attachment J, Day-Ahead Margin Assurance Payments for Generators, except for Limited Energy Storage Resources, shall be determined by applying the following equations to each individual Generator using the terms as defined in Section 25.3.4:

$$DMAP_{hu} = \max\left(0, \sum_{i \in h} CDMAP_{iu}\right)$$
 where:

$$CDMAP_{iu} = CDMAPen_{iu} + \sum_{P} CDMAPres_{iup} + CDMAPreg_{iu}$$

If the Generator's real-time Energy schedule is lower than its Day-Ahead Energy schedule then:

$$\begin{aligned} CDMAPen_{iu} = \left\{ \begin{bmatrix} DASen_{hu} - LL_{iu} \end{bmatrix} \times RTPen_{iu} \\ - \int\limits_{LL_{iu}}^{DASen_{hu}} DABen_{hu} \\ \end{bmatrix} * \frac{Seconds}{3600} \text{ ,} \end{aligned} \right. \end{aligned}$$

If the Generator's real-time Energy schedule is greater than or equal to its Day-Ahead Energy schedule then:

$$CDMAPen_{iu} = MIN \begin{cases} \left[DASen_{hu} - UL_{iu} \right] \times RTPen_{iu} \\ + \int\limits_{DASen_{hu}}^{UL_{iu}} RTBen_{iu} \end{cases} * \frac{Seconds}{3600}, 0 \end{cases}$$

If the Generator's real-time schedule for a given Operating Reserve product, p, is lower than its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[\left(DASres_{hup} - RTSres_{iup} \right) \times \left(RTPres_{iup} - DABres_{hup} \right) \right] * \frac{Seconds}{3600}$$

If the Generator's real-time schedule for a given Operating Reserve product, p, is greater than or equal to its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[\left(DASres_{hup} - RTSres_{iup} \right) \times \left(RTPres_{iup} \right) \right] * \frac{Seconds}{3600}$$

If the Generator's real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[\left(DASreg_{hu} - RTSreg_{iu} \right) \times \left(RTPreg_{iu} - DABreg_{hu} \right) \right] * \frac{Seconds_{iu}}{3600}$$

If the Generator's real-time Regulation Schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[\left(DASreg_{hu} - RTSreg_{iu} \right) \times MAX \left(\left(RTPreg_{iu} - RTBreg_{iu} \right), 0 \right) \right] * \frac{Seconds}{3600} \; .$$

25.3.2 Formula for Day-Ahead Margin Assurance Payments for Demand Side Resources

25.3.2.1 Formula for Day-Ahead Margin Assurance Payment for Demand Side Resources

Subject to Section 25.5 of this Attachment J, Day-Ahead Margin Assurance Payments for Demand Side resources scheduled to provide Operating Reserves or Regulation Service shall be determined by applying the following equations to each individual Demand Side Resource using the terms as defined in Section 25.3.4, except for RPIiu, which is defined in Section 25.3.2.2:

$$DMAP_{hu} = max \left(0, \sum_{i \in h} CDMAP_{iu}\right)$$
 where:

$$CDMAP_{iu} = \sum_{p} CDMAPres_{iup} + CDMAPreg_{iu},$$

If the Demand Side Resource's real-time schedule for a given Operating Reserve product, p, is lower than its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[\left(DASres_{hup} - RTSres_{iup} \right) \times \left(RTPres_{iup} - DABres_{hup} \right) \right] * RPIiu * \frac{Seconds_{iup}}{3600}$$

If the Demand Side Resource's real-time schedule for a given Operating Reserve product, p, is greater than or equal to its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[\left(DASres_{hup} - RTSres_{iup} \right) \times \left(RTPres_{iup} \right) \right] * RPI iu * \frac{Seconds_{iup}}{3600}$$

If the Demand Side Resource's real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[\left(DASreg_{hu} - RTSreg_{iu} \right) \times \left(RTPreg_{iu} - DABreg_{hu} \right) \right] * \frac{Sec \, onds_{iu}}{3600}$$

If the Demand Side Resource's real-time Regulation Schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[\left(DASreg_{hu} - RTSreg_{iu} \right) \times MAX \left(\left(RTPreg_{iu} - RTBreg_{iu} \right), 0 \right) \right] * \frac{Seconds}{3600} \; .$$

25.3.2.2 Reserve Performance Index for Demand Side Resource Suppliers of Operating Reserves

The ISO shall produce a Reserve Performance Index for purposes of calculating a Day Ahead Margin Assurance Payment for a Demand Side Resource providing Operating Reserves.

The Reserve Performance Index shall take account of the actual Demand Reduction achieved by the Supplier of Operating Reserves following the ISO's instruction to convert Operating Reserves to Demand Reduction.

The Reserve Performance Index shall be a factor with a value between 0.0 and 1.0 inclusive. For each interval in which the ISO has not instructed the Demand Side Resource to convert its Operating Reserves to Demand Reduction, the Reserve Performance Index shall have a value of one. For each interval in which the ISO has instructed the Demand Side Resource to convert its Operating Reserves to Demand Reduction the Reserve Performance Index shall be

calculated pursuant to the following formula, provided however when UAGi is zero or less, the Reserve Performance Index shall be set to zero:

$$RPI_{iu} = Min \left[(UAGi / ADGi + .1), 1 \right]$$

Where:

= Reserve Performance Index in interval i for Demand Side Resource u; RPI

UAGi = average actual Demand Reduction for interval i, represented as a positive

generation value; and

ADGi = average scheduled Demand Reduction for interval i, represented as a positive generation base point.

25.3.3 Formula for Day-Ahead Margin Assurance Payments for Limited Energy **Storage Resources**

Day-Ahead Margin Assurance Payments for Limited Energy Storage Resources scheduled to provide Regulation Service shall be determined by applying the following equations to each Resource using the terms as defined in Section 25.3.4; provided, however, that a Day-Ahead Margin Assurance Payment is payable only for intervals in which the NYISO has reduced the real-time Regulation Service offer (in MWs) of a Limited Energy Storage Resource and the NYISO is not pursuing LESR Energy Management for such Resource for such interval, pursuant to ISO Procedures:

If the LESR's real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

CDMAPreg_{iu} =
$$\left[\left(DASreg_{hu} - RTSreg_{iu} \right) * \left(RTPreg_{iu} - DABreg_{hu} \right) \right] * K_{DI} * \frac{Seconds_{hu}}{3600}$$

If the LESR's real-time Regulation Service schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = [(DASreg_{hu} - RTSreg_{iu}) \times MAX((RTPreg_{iu} - RTBreg_{iu}), 0)] * \frac{Seconds}{3600}$$

25.3.4 Terms Used in this Attachment J

The terms used in the formulas in this Attachment J shall be defined as follows:

h is the hour that includes interval i;

DMAPhu = the Day-Ahead Margin Assurance Payment attributable in any hour h to

any Supplier u;

 $CDMAP_{iu}$ = the contribution of RTD interval *i* to the Day-Ahead Margin Assurance

Payment for Supplier *u*;

 $CDMAPen_{iu}$ = the Energy contribution of RTD interval i to the Day-Ahead Margin

Assurance Payment for Supplier *u*;

 $CDMAPreg_{iu}$ = the Regulation Service contribution of RTD interval *i* to the Day-Ahead

Margin Assurance Payment for Supplier *u*;

 $CDMAPres_{iup} = the Operating Reserve contribution of RTD interval i to the Day-Ahead$

Margin Assurance Payment for Supplier *u* determined separately for each

Operating Reserve product p;

DASen_{hu} = Day-Ahead Energy schedule for Supplier u in hour h;

DASreg_{hu} = Day-Ahead schedule for Regulation Service for Supplier u in hour h;

DASres_{hup} = Day-Ahead schedule for Operating Reserve product p, for Supplier u in

hour h;

DABen_{hu} = Day-Ahead Energy bid curve for Supplier u in hour h;

DABreg_{hu} = Day-Ahead Availability Bid for Regulation Service for Supplier u in hour

h:

DABres_{hup} = Day-Ahead Availability Bid for Operating Reserve product p for Supplier

u in hour h;

RTSen_{iu} = real-time Energy scheduled for Supplier u in interval i, and calculated as

the arithmetic average of the 6-second AGC Base Point Signals sent to

Supplier *u* during the course of interval *i*;

 $RTSreg_{iu}$ = real-time schedule for Regulation Service for Supplier u in interval i.

RTSres_{iup} = real-time schedule for Operating Reserve product p for Supplier u in interval i.

mor var vi

= real-time Availability Bid for Regulation Service for Supplier *u* in interval *i*.

RTBen_{iu} = real-time Energy bid curve for Supplier u in interval i.

 AEI_{iu} = average Actual Energy Injection by Supplier u in interval i but not more

than RTSeniu plus Compensable Overgeneration;

RTPen_{iu} = real-time price of Energy at the location of Supplier u in interval i;

 $RTPreg_{iu}$ = real-time price of Regulation Service at the location of Supplier u in

interval i;

RTBreg_{iu}

RTPres_{iup} = real-time price of Operating Reserve product p at the location of Supplier

u in interval i;

 LL_{iu} = either, as the case may be:

(a) if $RTSen_{iu} < EOP_{iu}$, then $LL_{iu} = min(max \ (RTSen_{iu}, min(AEI_{iu}, EOP_{iu}))$, $DASen_{hu}$); or

(b) if $RTSen_{iu} \ge EOP_{iu}$, then $LL_{iu} = min (RTSen_{iu}, max(AEI_{iu}, EOP_{iu}), DASen_{hu})$,

 UL_{iu} = either, as the case may be:

(a) if $RTSen_{iu} \ge EOP_{iu} \ge DASen_{hu}$, then $UL_{iu} = max$ (min $(RTSen_{iu}, max(AEI_{iu}, EOP_{iu}))$, $DASen_{hu}$); or

(b) otherwise, then $UL_{iu} = max (RTSen_{iu}, min(AEI_{iu}, EOP_{iu}), DASen_{hu}); EOP_{iu}$ = the Economic Operating Point of Supplier u in interval i calculated without regard to ramp rates;

Secondsi = number of seconds in interval i

K_{PI} = the factor derived from the Regulation Service Performance index for Resource u for interval i as defined in Rate Schedule 3 of this Services

Tariff which shall initially be set at 1.0 for LESRs.

25.4 Exception for Generators Lagging Behind RTD Base Point Signals

If an otherwise eligible Generator's average Actual Energy Injection in an RTD interval (*i.e.*, its Actual Energy Injections averaged over the RTD interval) is less than or equal to its penalty limit for under-generation value for that interval, as computed below, it shall not be eligible for Day-Ahead Margin Assurance Payments for that interval.

The penalty limit for under-generation value is the tolerance described in Section 15.3A.1 of Rate Schedule 3-A of this ISO Services Tariff, which is used in the calculation of the persistent under-generation charge applicable to Generators that are not providing Regulation Service.

25.5 Rules Applicable to Supplier Derates

Suppliers that request and are granted a derate of their real-time Operating Capacity, but that are otherwise eligible to receive Day-Ahead Margin Assurance Payments may receive a payment up to a Capacity level consistent with their revised Emergency Upper Operating Limit or Normal Upper Operating Limit, whichever is applicable. The foregoing rule shall also apply to a Generator otherwise eligible for a Day-Ahead Margin Assurance Payment in hours in which the ISO has derated the Generator's Operating Capacity in order to reconcile the ISO's dispatch with the Generator's actual output, or to address reliability concerns that arise because the Generator is not following Base Point Signals. If a Supplier's derated real-time Operating Capacity is lower than the sum of its Day-Ahead Energy Regulation Services and Operating Reserve schedules then when the ISO conducts the calculations described in Section 25.3 above, the DASen, DASeg and DASres_p variables will be reduced by REDen, REDreg and REDres_p respectively. REDen, REDreg and REDres_p shall be calculated using the formulas below:

RED tot_{iu} = max(DAS en_{hu} + DAS reg_{hu} + Σ_{p} DAS res_{hup} -RTUOLiu,0)

 $POTREDen_{iu} = max(DASen_{hu} - RTSen_{iu}, 0)$

 $POTREDreg_{iu} = max(DASreg_{hu} - RTSreg_{iu}, 0)$

 $POTREDres_{iup} = max(DASres_{hup} - RTSres_{iup}, 0)$

 $REDen_{iu} = ((POTREDen_{iu}/(POTREDen_{iu} + POTREDreg_{iu} +$

 $\Sigma_p POTREDres_{iup})$ *REDtot_{iu}

REDreg_{iu} = $((POTREDreg_{iu}/(POTREDen_{iu} + POTREDreg_{iu} + \Sigma_{p}))$

POTREDres_{iup}))*REDtot_{iu}

REDres_{iup} = $((POTREDres_{iup}/(POTREDen_{iu}+POTREDreg_{iu}+\Sigma_p))$

POTREDres_{iup}))*REDtot_{iu}

where:

RTUOLin = The real-time Emergency Upper Operating Limit or Normal Upper Operating Limit whichever is applicable of Supplier u in interval i REDtot_{iu} = The total amount in MW that Day-Ahead schedules need to be reduced to account for the derate of Supplier u in interval i; The amount in MW that the Day-Ahead Energy schedule is reduced for REDen_{in} the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i; REDreg_{iu} The amount in MW that Supplier u's Day-Ahead Regulation Service schedule is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment in interval i; The amount in MW that Supplier u's Day-Ahead Operating Reserve REDres_{iup} schedule for Operating Reserves product p is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment in interval i; $POTREDen_{iu} =$ The potential amount in MW that Supplier u's Day-Ahead Energy schedule could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i; $POTREDreg_{iu} =$ The potential amount in MW that Supplier u's Day-Ahead Regulation Service schedule could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i; The potential amount in MW that Supplier u's Day-Ahead Operating POTREDres_{iup} =

Reserve Schedule for Operating Reserve product p could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier in interval;

All other variables are as defined above.

25.6 Import Curtailment Guarantee Payments

25.6.1 Eligibility for an Import Curtailment Guarantee Payment for an Import Curtailed by the ISO

In the event that the Energy injections scheduled by RTC₁₅ at a Proxy Generator Bus are Curtailed at the request of the ISO, then the Supplier or Transmission Customer that is subjected to the Curtailment, in addition to the charge for Energy Imbalance, shall be eligible for an Import Curtailment Guarantee Payment as determined in Section 25.6.2 of this Attachment J.

25.6.2 Formula for an Import Curtailment Guarantee Payment for a Supplier Whose Import Was Curtailed by the ISO

A Supplier eligible under Section 25.6.1 of this Attachment J shall receive an Import Curtailment Guarantee Payment for its curtailed Energy injections that is equal to the sum for each hour of the interval payments determined in the formula below.

Import Curtailment Guarantee Payment to Supplier u in association with Import t=

$$\max \left[\left(RTLBMP_{ii} - \max \left(DecBid_{ii}, 0 \right) \right) \cdot \left(RTCen_{ii} - RTDen_{ii} \right) \cdot \frac{S_i}{3600}, 0 \right].$$

Where

DecBid_{t i}

i = the relevant interval:

S_i = number of seconds in interval i:

 $RTLBMP_{t,i}$ = the real-time LBMP, in \$/MWh, for interval i at the Proxy Generator Bus which is the source of the Import t.

= the Decremental Bid, in \$/MWh, for Import t in hour h containing interval i;

RTCen_{t.i} = the scheduled Energy injections, in MWh, for Import t in hour h containing

interval i as determined by Real-Time Commitment (RTC₁₅); and

 $RTDen_{t,i}$ = the scheduled Energy injections, in MWh, for Import t in interval i as

determined by Real-Time Dispatch (RTD).