

# Attachment I

## 2.3 Definitions - C

**Capability Period:** Six-month periods which are established as follows: (i) from May 1 through October 31 of each year (“Summer Capability Period”); and (ii) from November 1 of each year through April 30 of the following year (“Winter Capability Period”).

**Capability Period Auction:** An auction conducted no later than thirty (30) days prior to the start of each Capability Period in which Unforced Capacity may be purchased and sold in a six-month strip.

**Capability Period SCR Load Zone Peak Hours:** The top forty (40) coincident peak hours that, prior to the Summer 2014 Capability Period include hour beginning thirteen through hour beginning eighteen and beginning with the Summer 2014 Capability Period include hour beginning eleven through hour beginning nineteen. The Capability Period SCR Load Zone Peak Hours shall be determined by the NYISO from the Prior Equivalent Capability Period and shall be used by RIPs to report ACL values for the purpose of SCR enrollment. For a SCR enrolled with a Provisional ACL that requires verification data to be reported at the end of the Capability Period in which the SCR was enrolled, the Capability Period SCR Load Zone Peak Hours shall be determined from the Capability Period in which the SCR was enrolled. Such hours shall not include (i) hours in which Special Case Resources located in the specific Load Zone were called by the ISO to respond to a reliability event or test and (ii) hours for which the Emergency Demand Response Program resources were deployed by the ISO in each specific Load Zone. In addition, beginning with the Summer 2014 Capability Period, the NYISO shall not include, in descending rank order of NYCA Load up to a maximum of eight hours per Capability Period, a) the hour before the start time of a reliability event or performance test, in which SCRs located in the specific Load Zone were called by the ISO to respond to a reliability event or performance test, or b) the hour immediately following the end time of such reliability event or performance test.

**Capability Year:** A Summer Capability Period, followed by a Winter Capability Period (*i.e.*, May 1 through April 30).

**Capacity:** The capability to generate or transmit electrical power, or the ability to control demand at the direction of the ISO, measured in megawatts (“MW”).

**Capacity Limited Resource:** A Resource that is constrained in its ability to supply Energy above its Normal Upper Operating Limit by operational or plant configuration characteristics. Capacity Limited Resources must register their Capacity limiting characteristics with, and justify them to, the ISO consistent with ISO Procedures. Capacity Limited Resources may submit a schedule indicating that their Normal Upper Operating Limit is a function depending on one or more variables, such as temperature or pondage levels, in which case the Normal Upper Operating Limit applicable at any time shall be determined by reference to that schedule.

**Capacity Reservation Cap:** The maximum percentage of transmission Capacity from a Transmission Owner’s sets of ETCNL that may be converted into ETCNL TCCs or the maximum percentage of a Transmission Owner’s RCRRs that may be converted into RCRR

TCCs, as the case may be, as established by the ISO pursuant to Section 19.4.3 of Attachment M of the OATT.

**CARL Data:** Control Area Resource and Load (“CARL”) data submitted by Control Area System Resources to the ISO.

**Centralized Transmission Congestion Contracts (“TCC”) Auction (“Auction”):** The process by which TCCs are released for sale for the Centralized TCC Auction period, through a bidding process administered by the ISO or an auctioneer.

**Code of Conduct:** The rules, procedures and restrictions concerning the conduct of the ISO directors and employees, contained in Attachment F to the ISO Open Access Transmission Tariff.

**Commission (“FERC”):** The Federal Energy Regulatory Commission, or any successor agency.

**Compensable Overgeneration:** A quantity of Energy injected over a given RTD interval in which a Supplier has offered Energy that exceeds the Real-Time Scheduled Energy Injection established by the ISO for that Supplier and for which the Supplier may be paid pursuant to this Section and ISO Procedures.

For Suppliers not covered by other provisions of this Section and Intermittent Power Resources depending on wind as their fuel for which the ISO has imposed a Wind Output Limit in the given RTD interval, Compensable Overgeneration shall initially equal three percent ( 3%) of the Supplier’s Normal Upper Operating Limit which may be modified by the ISO if necessary to maintain good Control Performance.

For a Generator which is operating in Start-Up or Shutdown Periods, or Testing Periods, or which is an Intermittent Power Resource that depends on solar energy or landfill gas for its fuel and which has offered its Energy to the ISO in a given interval not using the ISO-committed Flexible or Self-Committed Flexible bid mode, Compensable Overgeneration shall mean all Energy actually injected by the Generator that exceeds the Real-Time Scheduled Energy Injection established by the ISO for that Generator. For a Generator operating in intervals when it has been designated as operating Out of Merit at the request of a Transmission Owner or the ISO, Compensable Overgeneration shall mean all Energy actually injected by the Generator that exceeds the Real-Time Scheduled Energy Injection up to the Energy level directed by the Transmission Owner or the ISO.

For Intermittent Power Resources that depend on wind as their fuel and Limited Control Run of River Hydro Resources not using the ISO-Committed Flexible or Self-Committed Flexible bid mode, that were in operation on or before November 18, 1999 within the NYCA, plus an additional 3,300 MW of such Resources, Compensable Overgeneration shall mean that quantity of Energy injected by a Generator, over a given RTD interval that exceeds the Real-Time Scheduled Energy Injection established by the ISO for that Generator and for which the Generator may be paid pursuant to ISO Procedures; provided however, this definition of Compensable Overgeneration shall not apply to an Intermittent Power Resource depending on wind as its fuel for any interval for which the ISO has imposed a Wind Output Limit.

For a Generator comprised of a group of generating units at a single location, which grouped generating units are separately committed and dispatched by the ISO, and for which Energy injections are measured at a single location, Compensable Overgeneration shall mean that quantity of Energy injected by the Generator, during the period when one of its grouped generating units is operating in a Start-Up or Shutdown Period, that exceeds the Real-Time Scheduled Energy Injection established by the ISO for that period, for that Generator, and for which the Generator may be paid pursuant to ISO Procedures.

**Completed Application:** An Application that satisfies all of the information and other requirements for service under the ISO Services Tariff.

**Confidential Information:** Information and/or data that has been designated by a Customer to be proprietary and confidential, provided that such designation is consistent with the ISO Procedures, the ISO Services Tariff, and the ISO Code of Conduct.

**Congestion:** A characteristic of the transmission system produced by a constraint on the optimum economic operation of the power system, such that the marginal price of Energy to serve the next increment of Load, exclusive of losses, at different locations on the transmission system is unequal.

**Congestion Component:** The component of the LBMP measured at a location or the Transmission Usage Charge between two locations that is attributable to the cost of transmission Congestion as is more completely defined in Attachment B of the Services Tariff.

**Congestion Rent:** The opportunity costs of transmission Constraints on the NYS Transmission System. Congestion Rents are collected by the ISO from Loads through its facilitation of LBMP Market Transactions and the collection of Transmission Usage Charges from Bilateral Transactions.

**Congestion Rent Shortfall:** A condition in which the Congestion Rent revenue collected by the ISO in the Day-Ahead Market for Energy is less than the amount of Congestion Rent revenue in the Day-Ahead Market for Energy that the ISO is obligated under the ISO OATT to pay out to the Primary Holders of TCCs.

**Constraint:** An upper or lower limit placed on a variable or set of variables that are used by the ISO in its SCUC, RTC, or RTD programs to control and/or facilitate the operation of the NYS Transmission System.

**Contingency:** An actual or potential unexpected failure or outage of a system component, such as a Generator, transmission line, circuit breaker, switch or other electrical element. A Contingency also may include multiple components, which are related by situations leading to simultaneous component outages.

**Control Area:** An electric system or combination of electric power systems to which a common Automatic Generation Control scheme is applied in order to: (1) match, at all times, the power output of the Generators within the electric power system(s) and Capacity and Energy purchased from entities outside the electric power system(s), with the Load within the electric power

system(s); (2) maintain scheduled interchange with other Control Areas, within the limits of Good Utility Practice; (3) maintain the frequency of the electric power system(s) within reasonable limits in accordance with Good Utility Practice; and (4) provide sufficient Capacity to maintain Operating Reserves in accordance with Good Utility Practice.

**Control Area System Resource:** A set of Resources owned or controlled by an entity within a Control Area that also is the operator of such Control Area. Entities supplying Unforced Capacity using Control Area System Resources will not designate particular Resources as the suppliers of Unforced Capacity.

**Control Performance:** A standard for measuring the degree to which a Control Area is providing Regulation Service in conformance with NERC requirements.

**Controllable Transmission:** Any Transmission facility over which power-flow can be directly controlled by power-flow control devices without having to re-dispatch generation.

**Commenced Repair:** A determination by the ISO that a Market Participant with a Generator i) has decided to pursue the repair of its Generator, and based on the ISO's technical/engineering evaluation ii) has a Repair Plan for the Generator that is consistent with a Credible Repair Plan, and iii) has made appropriate progress in pursuing the repair of its Generator when measured against the milestones of a Credible Repair Plan.

**Credible Repair Plan:** A Repair Plan that meets the requirements described in Section 5.18.1.4 of this Services Tariff and in ISO Procedures.

**Credit Assessment:** An assessment of a Customer's creditworthiness, conducted by the ISO in accordance with Section 26.5.3 of Attachment K to this Services Tariff.

**Cross-Sound Scheduled Line:** A transmission facility that interconnects the NYCA to the New England Control Area at Shoreham, New York and terminates near New Haven, Connecticut.

**CTS Enabled Interface:** An External Interface at which the ISO has authorized the use of Coordinated Transaction Scheduling ("CTS") market rules and which includes a CTS Enabled Proxy Generator Bus for New York and a CTS Enabled Proxy Generator Bus for the neighboring Control Area.

**CTS Enabled Proxy Generator Bus:** A Proxy Generator Bus at which the ISO either requires or permits the use of CTS Interface Bids for Import and Export Transactions in the Real-Time Market and requires the use of Decremental Bids for Wheels Through in the Real-Time Market. A CTS Enabled Proxy Generator Bus at which the ISO permits CTS Interface Bids will also permit Decremental and Sink Price Cap Bids.

**CTS Interface Bid:** A Real-Time Bid provided by an entity engaged in an External Transaction at a CTS Enabled Interface. CTS Interface Bids shall include a MW amount, a direction indicating whether the proposed Transaction is to Import Energy to, or Export Energy from, the New York Control Area, and a Bid Price.

**CTS Sink:** Representation of the location(s) within a Control Area where energy associated with a CTS Interface Bid is withdrawn. The NYCA CTS Sinks are Proxy Generator Buses.

**CTS Sink Price:** The price at a CTS Sink.

**CTS Source:** Representation of the location(s) within a Control Area where energy associated with a CTS Interface Bid is injected. The NYCA CTS Sources are Proxy Generator Buses.

**CTS Source Price:** The price at a CTS Source.

**Curtailement or Curtail:** A reduction in Firm or Non-Firm Transmission Service in response to a transmission Capacity shortage as a result of system reliability conditions.

**Curtailement Customer Aggregator:** A Curtailement Services Provider that produces real-time verified reductions in NYCA load of at least 100 kW through contracts with retail end-users. The procedure for qualifying as a Curtailement Customer Aggregator is set forth in ISO procedures.

**Curtailement Initiation Cost:** The fixed payment, separate from a variable Demand Reduction Bid, required by a qualified Demand Reduction Provider in order to cover the cost of reducing demand.

**Curtailement Services Provider:** A qualified entity that can produce real-time, verified reductions in NYCA Load of at least 100 kW in a single Load Zone, pursuant to the Emergency Demand Response Program and related ISO procedures. The procedure for qualifying as a Curtailement Services Provider is set forth in Section 3 below and in ISO Procedures.

**Curtailement Services Provider Capacity:** Capacity from a Demand Side Resource nominated by a Curtailement Services Provider for participation in the Emergency Demand Response Program.

**Customer:** An entity which has complied with the requirements contained in the ISO Services Tariff, including having signed a Service Agreement, and is qualified to utilize the Market Services and the Control Area Services provided by the ISO under the ISO Services Tariff; provided, however, that a party taking services under the Tariff pursuant to an unsigned Service Agreement filed with the Commission by the ISO shall be deemed a Customer.

## **26.4 Operating Requirement and Bidding Requirement**

### **26.4.1 Purpose and Function**

The Operating Requirement is a measure of a Customer's expected financial obligations to the ISO based on the nature and extent of that Customer's participation in ISO-Administered Markets. A Customer shall be required to allocate Unsecured Credit, where allowed, and/or provide collateral in an amount equal to or greater than its Operating Requirement. Upon a Customer's written request, the ISO will provide a written explanation for any changes in the Customer's Operating Requirement.

The Bidding Requirement is a measure of a Customer's potential financial obligation to the ISO based upon the bids that Customer seeks to submit in an ISO-administered TCC or ICAP auction. A Customer shall be required to allocate Unsecured Credit, where allowed, and/or provide collateral in an amount equal to or greater than its Bidding Requirement prior to submitting bids in an ISO-administered TCC or ICAP auction.

### **26.4.2 Calculation of Operating Requirement**

The Operating Requirement shall be equal to the sum of (i) the Energy and Ancillary Services Component; (ii) the External Transaction Component; (iii) the UCAP Component; (iv) the TCC Component; (v) the WTSC Component; (vi) the Virtual Transaction Component; (vii) the DADRP Component; and (viii) the DSASP Component where:

#### **26.4.2.1 Energy and Ancillary Services Component**

The Energy and Ancillary Services Component shall be equal to:

- (a) For Customers without a prepayment agreement, the greater of either:

$$\frac{\text{Basis Amount for Energy and Ancillary Services}}{\text{Days in Basis Month}} \times 16$$

- or -

$$\frac{\text{Total Charges Incurred for Energy and Ancillary Services for Previous Ten (10) Days}}{10} \times 16$$

- (b) For Customers that qualify for a prepayment agreement, subject to the ISO's credit analysis and approval, and execute a prepayment agreement in the form provided in Appendix K-1, the greater of either:

$$\frac{\text{Basis Amount for Energy and Ancillary Services}}{\text{Days in Basis Month}} \times 3$$

or-

$$\frac{\text{Total Charges Incurred for Energy and Ancillary Services for Previous Ten (10) Days}}{10} \times 3$$

- (c) For new Customers, the ISO shall determine a substitute for the Basis Amount for Energy and Ancillary Services for use in the appropriate formula above equal to:

$$\text{EPL} \times 720 \times \text{AEP}$$

where:

- EPL = estimated peak Load for the Capability Period; and  
AEP = average Energy and Ancillary Services price during the Prior Equivalent Capability Period after applying the Price Adjustment.

#### **26.4.2.2 External Transaction Component**

The External Transaction Component shall equal the sum of the Customer's (i) Import Credit Requirement, (ii) Export Credit Requirement, (iii) Wheels Through Credit Requirement, and (iv) the net amount owed to the ISO for the settled External Transaction Component Transactions.

#### **26.4.2.2.1 Import Credit Requirement**

For a given month, the Import Credit Requirement shall apply to any Customer that Bids to Import in the Day-Ahead Market (“DAM”), excluding Non-Firm Transactions, unless (i) the Customer has at least 50 scheduled Day-Ahead Import Bids in the three-month period ending on the 15<sup>th</sup> day of the preceding month (or the six-month period ending on the 15<sup>th</sup> day of the preceding month if the Customer has fewer than 50 scheduled Day-Ahead Import Bids in the immediately preceding three-month period), and (ii) fewer than 25% of the MWhs of such scheduled Day-Ahead Import Bids were settled at a loss to the Customer.

The Import Credit Requirement shall equal the sum of the amounts calculated for each Bid in accordance with the appropriate formulas below:

**(1) Upon submission of a DAM Import Bid until posting of the applicable DAM schedule/price.**

The ISO will categorize each Import Bid into one of the 18 Import Price Differential (IPD) groups set forth in the IPD chart in Section 26.4.2.2.5 below, as appropriate, based upon the season and time-of-day of the Import Bid. The amount of credit support required in \$/MWh that applies to an Import Bid shall equal the 97<sup>th</sup> percentile level of the following: the hourly average Energy price calculated in the Real-Time Market at the location associated with the Import Bid, minus the Energy price calculated in the DAM at the same location and time, with the dataset used to perform this calculation consisting of all hours that are in the same IPD group as the hour to which the Import Bid applies, and that occurred no earlier than April 1, 2005 nor later than the end of the calendar month preceding the month to which the Import Bid applies. The amount of credit support required in \$/MWh shall not be less than \$0/MWh.

The credit requirement for each Import Bid shall be calculated as follows:

$$\text{Bid}_{\text{MWhB}} * \text{Max} (\text{IPD}_{\text{CS}}, 0)$$

Where:

$\text{Bid}_{\text{MWhB}}$  = the total quantity of MWhs that a Customer Bids to Import in a particular hour and at a particular location.

$\text{IPD}_{\text{CS}}$  = the amount of credit support required, in \$/MWh, for an Import Bid as described above, for the location associated with the Import Bid and for the IPD group that contains the hour to which the Import Bid applies.

**(2) Upon posting of the applicable DAM schedule/price until completion of the hour Bid in real-time for a DAM Import Bid.**

The credit requirement for each Import Bid shall be calculated as follows:

$$\text{SchBid}_{\text{MWhI}} * \text{Max} (\text{IPD}_{\text{CS}}, 0)$$

Where:

$\text{SchBid}_{\text{MWhI}}$  = the total quantity of MWhs that is scheduled in the DAM in a particular hour and at a particular location as a result of the Customer's Import Bid.

$\text{IPD}_{\text{CS}}$  = the amount of credit support required, in \$/MWh, for an Import Bid as described above, for the location associated with the Import Bid and for the IPD group that contains the hour to which the Import Bid applies.

**(3) Upon completion of the hour Bid in real-time for a DAM Import Bid until the net amount owed to the ISO is determined for settled External Transactions.**

The credit requirement for each Import Bid shall be calculated as follows:

$$\text{Max} ((\text{BalPay\$} - \text{DAMPay\$}), 0)$$

Where:

$\text{BalPay\$}$  =  $(\text{SchBid}_{\text{MWhI}} - \text{Actual}_{\text{MWhI}}) * \text{RT LBMP}_I$

$\text{DAMPay\$}$  =  $\text{SchBid}_{\text{MWhI}} * \text{DAM LBMP}_I$

$\text{SchBid}_{\text{MWhI}}$  = the total quantity of MWhs that is scheduled in the DAM in a particular hour at a particular location as a result of the Customer's Import Bid.

$Actual_{MWhI}$  = the total quantity of MWhs that is scheduled in real-time associated with the Customer's Import Bid in a particular hour and at a particular location for the hour completed.

$DAM\ LBMP_1$  = the Day-Ahead LBMP in a particular hour and at a particular location associated with the Customer's Import Bid.

$RT\ LBMP_1$  = the Real-Time LBMP in a particular hour and at a particular location associated with the Customer's Import Bid.

#### **26.4.2.2.2 Export Credit Requirement**

The Export Credit Requirement shall apply to any Customer that Bids to Export from the DAM or Hour-Ahead Market ("HAM"), excluding Non-Firm Transactions.

The Export Credit Requirement shall equal the sum of the amounts calculated for each Bid in accordance with the appropriate formulas below:

**(1) Upon submission of a DAM Export Bid until posting of the applicable DAM schedule/price.**

The ISO will categorize each Export Bid into one of the 18 Export Price Differential (EPD) groups set forth in the EPD chart in Section 26.4.2.2.5 below, as appropriate, based upon the season and time-of-day of the Export Bid. The amount of credit support required in \$/MWh that applies to an Export Bid shall equal the 97<sup>th</sup> percentile level of the following: the Energy price calculated in the DAM at the location associated with the Export Bid, minus the hourly average Energy price calculated in the Real-Time Market at the same location and time, with the dataset used to perform this calculation consisting of all hours that are in the same EPD group as the hour to which the Export Bid applies, and that occurred no earlier than April 1, 2005 nor later than the end of the calendar month preceding the month to which the Export Bid applies. The amount of credit support required in \$/MWh shall not be less than \$0/MWh.

The credit requirement for all DAM Export Bids with the same hour/date and location shall be calculated as follows:

$$(\text{Max} ((\text{Max}_N(\text{Bid}_{\text{MWh}} * \text{Bid}_{\$E})), (\text{BidMax}_{\text{MWhB}} * \text{EPD}_{\text{CS}})))$$

Where:

- $\text{Bid}_{\text{MWh}}$  = the total quantity of MWhs that a Customer Bids to Export in the DAM in a particular hour and at a particular location at or below each Bid Price.
- $\text{Bid}_{\$E}$  = the Bid Price in \$/MWh at which the Customer Bids to purchase the  $\text{Bid}_{\text{MWh}}$  of Exports in a particular hour and at a particular location.
- $N$  = the set of hourly Export Bid Prices in a particular hour and at a particular location.
- $\text{BidMax}_{\text{MWhB}}$  = the total quantity of MWhs that a Customer Bids to Export in the DAM in a particular hour and at a particular location.
- $\text{EPD}_{\text{CS}}$  = the amount of credit support required, in \$/MWh, for an Export Bid as described above, for the location associated with the Export Bid and for the EPD group that contains the hour to which the Export Bid applies.

**(2) Upon posting of the applicable DAM schedule/price until completion of hour Bid in real-time for a DAM Export Bid.**

The credit requirement for each Export Bid shall be calculated as follows:

$$(\text{SchBid}_{\text{MWhE}} * (\text{Max} (\text{EPD}_{\text{CS}}, \text{DAM LBMP}_E)))$$

Where:

- $\text{SchBid}_{\text{MWhE}}$  = the total quantity of MWhs that is scheduled in the DAM in a particular hour at a particular location as a result of the Customer's Export Bid.
- $\text{EPD}_{\text{CS}}$  = the amount of credit support required, in \$/MWh, for an Export Bid as described above, for the location associated with the Export Bid and for the EPD group that contains the hour to which the Export Bid applies.
- $\text{DAM LBMP}_E$  = the Day-Ahead LBMP in a particular hour and at a particular location associated with the Customer's Export Bid.

**(3) From submission of a HAM Export Bid until completion of the hour Bid in real-time.**

**i. For non-CTS Interface Bid HAM Bids to Export credit support will be calculated upon submission.**

The amount of credit support required in \$/MWh that applies to HAM Export Bids in the same hour/date and at the same location shall equal the maximum amount of the payment potentially due to the ISO based on the MWhs of Exports Bid for purchase at each bid price in a particular hour and at a particular location.

The credit requirement for all HAM Export Bids with the same hour/date and location shall be calculated as follows:

$$(\text{Max}_N ((\text{Max} (\text{Bid}_{\text{MWhE}}, 0)) * \text{Bid}_{\$E}))$$

Where:

$\text{Bid}_{\text{MWhE}}$  = the total quantity of MWhs that a Customer Bids to Export in the HAM in a particular hour and at a particular location at or below each bid price minus the MWhs of Exports scheduled in the DAM in the same hour at the same location.

$\text{Bid}_{\$E}$  = the bid price in \$/MWh at which the Customer Bids to purchase the  $\text{Bid}_{\text{MWhE}}$  of Exports in a particular hour and at a particular location.

$N$  = the set of hourly Export bid prices in a particular hour and at a particular location.

**ii. For CTS Interface Bids to Export credit support will be calculated at HAM market close.**

The amount of credit support required in \$/MWh that applies to such bid shall equal the sum of the time-weighted hourly RTC price for each of the 15-minute intervals within the bid hour, not to be less than zero.

The credit requirement for each CTS Interface Bid to Export shall be calculated as follows:

$$\text{Max} (\sum_N (\text{RTC}_{\$/\text{MWhcts}} * \text{Bid}_{\text{MWhscts}} * \text{Hourly Weight}), 0)$$

Where:

N	=	each 15-minute interval within the bid hour.
$\text{RTC}_{\$/\text{MWhcts}}$	=	most recently available RTC price for N in \$/MWh at the location associated with the CTS Interface Bid to Export
$\text{Bid}_{\text{MWhscts}}$	=	the total quantity of MWhs in a Customer's CTS Interface Bid to Export for N in a particular hour and at a particular location minus the MWhs of Exports scheduled in the DAM in same hour at the same location.
Hourly Weight	=	0.25

**(4) Upon completion of the hour Bid in real-time for an Export Bid until the net amount owed to the ISO is determined for settled External Transactions.**

The amount of credit support required will equal the sum of the Day-Ahead Credit Calculation and Real-Time Credit Calculation for each completed hour.

The credit requirement for each Export Bid shall be calculated as follows:

$$\text{Day-Ahead Credit Calculation} + \text{Real-Time Credit Calculation}$$

The Day-Ahead Credit Calculation only applies to DAM Export Bids and the Real-Time Credit Calculation applies to all HAM Export Bids including HAM Bids associated with a DAM Bid.

Where:

$$\text{Day-Ahead Credit Calculation} = \text{Max} (\text{Adjusted Export Day-Ahead Credit Calculation}, 0)$$

Adjusted Export Day-Ahead Credit Calculation = the credit requirement calculated in accordance with section 26.4.2.2.2(2) minus the Balancing Payment.

$$\text{Balancing Payment} = \text{Max} ((\text{SchBid}_{\text{MWhE}} - \text{Actual}_{\text{MWhE}}), 0) * \text{RT LBMP}_E$$

$\text{SchBid}_{\text{MWhE}}$  = the total quantity of MWhs that is scheduled in the DAM in a particular hour and at a particular location as a result of the Customer's Export Bid.

$Actual_{MWhE}$  = the total quantity of MWhs that is scheduled in real-time associated with the Customer's Export Bid in a particular hour and at a particular location for the hour completed.

$RT\ LBMP_E$  = the Real-Time LBMP in a particular hour and at a particular location associated with the Customer's Export Bid.

Real-Time Credit Calculation =  $\text{Max} ((\text{Max} ((Actual_{MWhE} - SchBid_{MWhE}), 0) * RT\ LBMP_E), 0)$

$Actual_{MWhE}$  = the total quantity of MWhs that is scheduled in real-time associated with the Customer's Export Bid in a particular hour and at a particular location for the hour completed.

$SchBid_{MWhE}$  = the total quantity of MWhs that is scheduled in the DAM in a particular hour and at a particular location as a result of the Customer's Export Bid.

$RT\ LBMP_E$  = the Real-Time LBMP in a particular hour and at a particular location associated with the Customer's Export Bid.

#### **26.4.2.2.3 Wheels Through Credit Requirement**

The Wheels Through Credit Requirement shall apply to any Customer that Bids to

Wheel Through in the DAM or HAM, excluding Non-Firm Transactions.

The Wheels Through Credit Requirement shall equal the sum of the amounts

calculated for each Bid in accordance with the appropriate formulas below:

##### **(1) Upon submission of a DAM Wheels Through Bid until posting of the applicable DAM schedule/price.**

The amount of credit support required in \$/MWh that applies to the DAM Wheels

Through Bid shall equal the maximum payment potentially due to the ISO based

on the Customer's Bid Prices on the Bid curve.

The credit requirement for each Wheels Through Bid shall be calculated as

follows:

$$\text{Max} (\text{Max}_N (BidPt_{MWhN} * Bid\$/_{MWhN}), 0)$$

Where:

$N$  = each Bid Price on the Bid curve.

$BidPt_{MWhN}$  = the MWhs associated with the Bid Price on the Bid curve.

$Bid\$/MWhN$  = the amount that the customer is willing to pay for congestion in \$/MWh on the Bid curve associated with the Customer's Wheels Through Bid.

**(2) Upon posting of the applicable Wheels Through DAM schedule/price until completion of the hour Bid in real-time.**

The credit requirement for each DAM Wheels Through Bid shall be calculated as follows:

$$\text{Max} (\text{SchBid}_{MWhW} * (\text{DAM LBMP}_{POW} - \text{DAM LBMP}_{POI}), 0))$$

Where:

$\text{SchBid}_{MWhW}$  = the total quantity of MWhs scheduled in the DAM as a result of the Customer's Bid to schedule Wheels Through.

$\text{DAM LBMP}_{POI}$  = the Day-Ahead LBMP in the hour and at the Point of Injection associated with the Wheels Through Bid.

$\text{DAM LBMP}_{POW}$  = the Day-Ahead LBMP in the hour and at the Point of Withdrawal associated with the Wheels Through Bid.

**(3) Upon creation of a HAM Wheels Through Bid until the completion of the hour Bid in real-time.**

The amount of credit support required in \$/MWh that applies to HAM Wheels Through Bid shall equal the price of the maximum value of exposure based on bid prices on the Bid curve.

The credit requirement for each Wheels Through Bid shall be calculated as follows:

$$\text{Max}(\text{Max}_N (\text{Max} (BidPt_{MWhW}, 0) * Bid\$/MWhN), 0)$$

Where:

$N$  = each bid price on the Bid curve.

$BidPt_{MWhW}$  = the MWhs associated with the bid price on the Bid curve minus the MWhs of the DAM Bid with same hour/date, location and Bid transaction ID.

$Bid\$/MWhN$  = the amount that the customer is willing to pay for congestion in \$/MWh on the Bid curve associated with the Customer's Wheels Through Bid.

**(4) Upon completion of the hour Bid in real-time for a Wheels Through Bid until the net amount owed to the ISO is determined for settled External Transactions.**

The amount of credit support required will equal the sum of the Day-Ahead Credit Calculation and Real-Time Credit Calculation for each completed hour.

The credit requirement for each Wheels Through Bid shall be calculated as follows:

Day-Ahead Credit Calculation + Real-Time Credit Calculation

The Day-Ahead Credit Calculation only applies to DAM Wheels Through Bids and the Real-Time Credit Calculation applies to all HAM Wheels Through Bids including HAM Bids associated with a DAM Bid.

Where:

Day-Ahead Credit Calculation = Max (Adjusted Wheels Through Day-Ahead Credit Calculation, 0)

Adjusted Wheels Through Day-Ahead Credit Calculation = the credit requirement calculated in section 26.4.2.2.3(2) minus the Balancing Payment.

Balancing Payment =  $\text{Max} ((\text{SchBid}_{MWhW} - \text{Actual}_{MWhW}), 0) * (\text{RT LBMP}_{\text{POW}} - \text{RT LBMP}_{\text{POI}})$

$\text{SchBid}_{MWhW}$  = the total quantity of MWhs that is scheduled in the DAM as a result of the Customer's Wheels Through Bid.

$\text{Actual}_{MWhW}$  = the total quantity of MWhs that is scheduled in real-time associated with the Customer's Wheels Through Bid for the hour completed.

$\text{RT LBMP}_{\text{POI}}$  = the Real-Time LBMP in the hour and at the Point of Injection associated with the Wheels Through Bid.

$\text{RT LBMP}_{\text{POW}}$  = the Real-Time LBMP in the hour and at the Point of Withdrawal associated with the Wheels Through Bid.

$$\text{Real-Time Credit Calculation} = \text{Max} (\text{Max} ((\text{Actual}_{\text{MWhW}} - \text{SchBid}_{\text{MWhW}}), 0) * (\text{RT LBMP}_{\text{POW}} - \text{RT LBMP}_{\text{POI}}), 0)$$

$\text{SchBid}_{\text{MWhW}}$  = the total quantity of MWhs that is scheduled in the DAM as a result of the Customer's Bid to Wheel Through Energy.

$\text{Actual}_{\text{MWhW}}$  = the total quantity of MWhs that is scheduled in real-time associated with the Customer's Wheels Through Bid for the hour completed.

$\text{RT LBMP}_{\text{POI}}$  = the Real-Time LBMP in the hour and at the Point of Injection associated with the Wheels Through Bid.

$\text{RT LBMP}_{\text{POW}}$  = the Real-Time LBMP in the hour and at the Point of Withdrawal associated with the Wheels Through Bid.

#### 26.4.2.2. 4 Calculation of Price Differentials

##### Import Price Differential (IPD) Groups

	For each Proxy Generator Bus
<b>Summer</b>	
HB07–10	IPD-1
HB11–14	IPD-2
HB15–18	IPD-3
HB19–22	IPD-4
Weekend/ Holiday (HB07–22)	IPD-5
Night (HB23–06)	IPD-6
<b>Winter</b>	
HB07–10	IPD-7
HB11–14	IPD-8
HB15–18	IPD-9
HB19–22	IPD-10
Weekend/ Holiday (HB07–22)	IPD-11
Night (HB23–06)	IPD-12
<b>Rest-of-Year</b>	
HB07–10	IPD-13
HB11–14	IPD-14
HB15–18	IPD-15
HB19–22	IPD-16
Weekend/ Holiday (HB07–22)	IPD-17
Night (HB23–06)	IPD-18

Where:

Summer = May, June, July, and August

Winter	=	December, January, and February
Rest-of-Year	=	March, April, September, October, and November
HB07–10	=	weekday hours beginning 07:00–10:00
HB11–14	=	weekday hours beginning 11:00–14:00
HB15–18	=	weekday hours beginning 15:00–18:00
HB19–22	=	weekday hours beginning 19:00– 22:00
Weekend/Holiday	=	weekend and holiday hours beginning 07:00–22:00
Night	=	all hours beginning 23:00– 06:00

### Export Price Differential (EPD) Groups

	For each Proxy Generator Bus
<b>Summer</b>	
HB07–10	EPD-1
HB11–14	EPD-2
HB15–18	EPD-3
HB19–22	EPD-4
Weekend/ Holiday (HB07–22)	EPD-5
Night (HB23–06)	EPD-6
<b>Winter</b>	
HB07–10	EPD-7
HB11–14	EPD-8
HB15–18	EPD-9
HB19–22	EPD-10
Weekend/ Holiday (HB07–22)	EPD-11
Night (HB23–06)	EPD-12
<b>Rest-of-Year</b>	
HB07–10	EPD-13
HB11–14	EPD-14
HB15–18	EPD-15
HB19–22	EPD-16
Weekend/ Holiday (HB07–22)	EPD-17
Night (HB23–06)	EPD-18

Where:

Summer	=	May, June, July, and August
Winter	=	December, January, and February

Rest-of-Year	=	March, April, September, October, and November
HB07–10	=	weekday hours beginning 07:00–10:00
HB11–14	=	weekday hours beginning 11:00–14:00
HB15–18	=	weekday hours beginning 15:00–18:00
HB19–22	=	weekday hours beginning 19:00– 22:00
Weekend/Holiday	=	weekend and holiday hours beginning 07:00–22:00
Night	=	all hours beginning 23:00– 06:00

#### **26.4.2.3 UCAP Component**

The UCAP Component shall be equal to the total of all amounts then-owed (billed and unbilled) for UCAP purchased in the ISO-administered markets.

#### **26.4.2.4 TCC Component**

The TCC Component shall be equal to the greater of either the amount calculated in accordance with Section 26.4.2.4.1 or Section 26.4.2.4.2 below.

##### **26.4.2.4.1 TCC Award Calculation**

The sum of the amounts calculated in accordance with the appropriate per TCC term-based formula listed below for TCC purchases less the amounts calculated in accordance with the appropriate per TCC term-based formula listed below for TCC sales; *provided however*, that upon initial award of a TCC until the ISO receives payment for the TCC (or payment for the first year of a two-year TCC), the NYISO will hold the greater of the payment obligation for the TCC or the credit requirement for the TCC calculated in accordance with this Section 26.4.2.4.1.

#### 26.4.2.4.1.1 Two-Year TCCs:

- (1) upon initial award of a two-year TCC until completion of the final round of the current two-year Sub-Auction, the sum of the first year and second year amounts, which will be calculated as follows:

##### First Year:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a one-year TCC in the final round of the one-year Sub-Auction in the prior Capability Period Centralized TCC Auction with the same POI and POW combination as the two-year TCC.

##### Second Year:

$$+1.909\sqrt{e^{10.9729 + .6514 \left( \ln \left( \frac{P_{ijt}}{P_{ijt}} \right) + e \right) + .6633 * Zone J + 1.1607 * Zone K}}$$

where:

$P_{ijt}$  = market clearing price of that two-year TCC minus the market clearing price of a one-year TCC in the final round of the one-year Sub-Auction in the prior Capability Period Centralized TCC Auction with the same POI and POW combination as the two-year TCC

- (2) upon completion of the final round of the current two-year Sub-Auction until completion of the final round of the current one-year Sub-Auction, the sum of the first year and second year amounts, which will be calculated as follows:

##### First Year:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a one-year TCC in the final round of the one-year Sub-Auction in the prior Capability Period Centralized TCC Auction with the same POI and POW combination as the two-year TCC

Second Year:

$$+1.909 \sqrt{e^{10.9729 + .6514 (\ln(p_{ijt} + e)) + .6633 * Zone J + 1.1607 * Zone K}}$$

where:

Pijt = market clearing price of a two-year TCC in the final round of the current two-year Sub-Auction with the same POI and POW combination as the two-year TCC minus the market clearing price of a one-year TCC in the final round of the one-year Sub-Auction in the prior Capability Period Centralized TCC Auction with the same POI and POW combination as the two-year TCC

- (3) upon completion of the final round of the current one-year Sub-Auction until the ISO receives payment for the second year of the two-year TCC, the sum of the first year and second year amounts, which will be calculated as follows:

First Year:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

Pijt = market clearing price of a one-year TCC in the final round of the current one-year Sub-Auction with the same POI and POW combination as the two-year TCC

Second Year:

$$+1.909 \sqrt{e^{10.9729 + .6514 (\ln(p_{ijt} + e)) + .6633 * Zone J + 1.1607 * Zone K}}$$

where:

Pijt = market clearing price of a two-year TCC in the final round of the current two-year Sub-Auction with the same POI and POW combination as the two-year TCC minus the market clearing price of a one-year TCC in the final round of the current one-year Sub-Auction with the same POI and POW combination as the two-year TCC

- (4) upon ISO receipt of payment for the second year of the two-year TCC until commencement of year two of the two-year TCC, the sum of the first year and second year amounts, which will be calculated as follows:

First Year:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

Pijt = market clearing price of a one-year TCC in the final round of the one-year Sub-Auction in the prior equivalent Capability Period Centralized TCC Auction with the same POI and POW combination as the two-year TCC

Second Year:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

Pijt = market clearing price of a one-year TCC in the final round of the one-year Sub-Auction in the prior equivalent Capability Period Centralized TCC Auction with the same POI and POW combination as the two-year TCC

- (5) upon commencement of year two of a two-year TCC until commencement of the final six months of the two-year TCC:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

Pijt = market clearing price of a one-year TCC in the final round of the most recently completed one-year Sub-Auction with the same POI and POW combination as the two-year TCC

- (6) upon commencement of the final six months of a two-year TCC until commencement of the final month of the two-year TCC:

the amount calculated in accordance with the six-month TCC formula set forth in Section 26.4.2.4.1.5 below

where:

Pijt = market clearing price of a six-month TCC in the final round of the most recently completed six-month Sub-Auction with the same POI and POW combination as the two-year TCC

- (7) upon commencement of the final month of a two-year TCC:

the amount calculated in accordance with the one-month TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a one-month TCC in the most recently completed monthly reconfiguration auction with the same POI and POW combination as the two-year TCC

#### **26.4.2.4.1.2 One-Year TCCs:**

- (1) upon initial award of a one-year TCC until completion of the final round of the current one-year Sub-Auction:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

- (2) upon completion of the final round of the current one-year Sub-Auction until commencement of the final six months of the one-year TCC:

the amount calculated in accordance with the one-year TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a one-year TCC in the final round of the current one-year Sub-Auction with the same POI and POW combination as the one-year TCC

- (3) upon commencement of the final six months of a one-year TCC until commencement of the final month of the one-year TCC:

the amount calculated in accordance with the six-month TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a six-month TCC in the final round of the most recently completed six-month Sub-Auction with the same POI and POW combination as the one-year TCC

- (4) upon commencement of the final month of a one-year TCC:

the amount calculated in accordance with the one-month TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a one-month TCC in the most recently completed monthly reconfiguration auction with the same POI and POW combination as the one-year TCC

#### **26.4.2.4.1.3 Six-Month TCCs:**

- (1) upon initial award of a six-month TCC until completion of the final round of the current six-month Sub-Auction:

the amount calculated in accordance with the six-month TCC formula set forth in Section 26.4.2.4.1.5 below

- (2) upon completion of the final round of the current six-month Sub-Auction until commencement of the final month of a six-month TCC:

the amount calculated in accordance with the six-month TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a six-month TCC in the final round of the current six-month Sub-Auction with the same POI and POW combination as the one-year TCC

- (3) upon commencement of the final month of a six-month TCC:

the amount calculated in accordance with the one-month TCC formula set forth in Section 26.4.2.4.1.5 below

where:

$P_{ijt}$  = market clearing price of a one-month TCC in the most recently completed monthly reconfiguration auction with the same POI and POW combination as the six-month TCC

#### **26.4.2.4.1.4 One-Month TCCs:**

upon initial award of a one-month TCC:

the amount calculated in accordance with the one-month TCC formula set forth in Section 26.4.2.4.1.5 below

#### 26.4.2.4.1.5 TCC formulas:

for one-year TCCs, representing a 5% probability curve:

$$+1.909 \sqrt{e^{10.9729 + .6514 (\ln(|p_{ijt}| + e)) + .6633 * Zone J + 1.1607 * Zone K}} - 1 P_{ijt}$$

for six-month TCCs, representing a 3% probability curve:

$$+2.565 - 1 P_{ijt}$$

for one-month TCCs, representing a 3% probability curve:

$$+2.221 \sqrt{e^{11.2682 + 0.3221 (\ln(|p_{ijt}| + e)) + 1.3734 * Zone J + 2.001 * Zone K + Month}} - 1 P_{ijt}$$

where:

$P_{ijt}$  = market clearing price of i to j TCC in round t of the auction in which the TCC was purchased;

Zone J = 1 if TCC sources or sinks but not both in Zone J, zero otherwise;

Zone K = 1 if TCC sources or sinks but not both in Zone K and does not source or sink in Zone J, 0 otherwise;

Summer = 1 for six-month TCCs sold in the spring auction, 0 otherwise; and

Month = the following values:

January	=	0
February	=	-0.0201
March	=	0
April	=	0
May	=	0.8181
June	=	0.2835
July	=	0.5201
August	=	0.7221
September	=	0
October	=	0.32
November	=	-0.7681
December	=	0

Provided, however, for purposes of determining the credit holding requirement for a Fixed Price TCC, the market clearing price shall be replaced by the fixed price associated with

that Fixed Price TCC, as determined in Section 19.2.1 or Section 19.2.2, of Attachment M as appropriate, of the OATT.

Further, when calculating “Pijt” in Section 26.4.2.4.1, in the event there is no market clearing price for a two-year, one-year, six-month, or one-month TCC in the appropriate prior Capability Period Centralized TCC Auction with the same POI and POW combination as the awarded two-year, one-year, six-month, or one-month TCC, as appropriate, then the market clearing price shall equal a proxy price, assigned by the ISO, for a TCC with like characteristics.

Further, the NYISO may adjust any of the Zone K multipliers in Section 26.4.2.4.1 if, for TCCs of the same duration, the percentage ratio between collateral and congestion rents for Zone K TCCs deviates from the percentage ratio for Zone J TCCs by more than ten percent (10.0%).

#### **26.4.2.4.2 Mark-to-Market Calculation**

The projected amount of the Primary Holder’s payment obligation to the NYISO, if any, considering the net mark-to-market value of all TCCs in the Primary Holder’s portfolio, as defined for these purposes, according to the formula below:

$$\sum_{n \in N} \left\{ \frac{NAP_n}{90} \times RD_n \right\} + \sum ACR_n$$

where:

- NAP = the net amount of Congestion Rents between the POI and POW composing each TCC<sub>n</sub> during the previous ninety days
- RD = the remaining number of days in the life of TCC<sub>n</sub>; *provided, however*, that in the case of Grandfathered TCCs, RD shall equal the remaining number of days in the life of the longest duration TCC sold in an ISO-administered auction then outstanding;
- N = the set of TCCs held by the Primary Holder; and

ACR = the net amount owed to the ISO for Congestion Rents between the POI and POW composing each TCC<sub>n</sub>.

#### **26.4.2.5 WTSC Component**

The WTSC Component shall be equal to the greater of either:

$$\frac{\text{Greatest Amount Owed for WTSC During Any Single Month in the Prior Equivalent Capability Period}}{\text{Days in Month}} \times 50$$

- or -

$$\frac{\text{Total Charges Incurred for WTSC Based Upon the Most Recent Monthly Data Provided by the Transmission Owner}}{\text{Days in Month}} \times 50$$

#### **26.4.2.6 Virtual Transaction Component**

The Virtual Transaction Component shall be equal to the sum of the Customer's

(i) Virtual Supply credit requirement ("VSCR") for all outstanding Virtual Supply Bids, plus (ii) Virtual Load credit requirement ("VLCR") for all outstanding Virtual Load Bids, plus (iii) net amount owed to the ISO for settled Virtual Transactions.

Where:

$$\text{VSCR} = \sum (\text{VSG}_{\text{MWh}} \times \text{VSG}_{\text{CS}})$$

$$\text{VLCR} = \sum (\text{VLG}_{\text{MWh}} \times \text{VLG}_{\text{CS}})$$

Where:

$\text{VSG}_{\text{MWh}}$  = the total quantity of MWhs of Virtual Supply that a Customer Bids for all Virtual Supply positions in the Virtual Supply group

$\text{VSG}_{\text{CS}}$  = the amount of credit support required in \$/MWh for the Virtual Supply group

$\text{VLG}_{\text{MWh}}$  = the total quantity of MWhs of Virtual Load that a Customer Bids for all Virtual Load positions in the Virtual Load group

$\text{VLG}_{\text{CS}}$  = the amount of credit support required in \$/MWh for the Virtual Load group

The ISO will categorize each Virtual Supply Bid into one of the 72 Virtual Supply groups set forth in the Virtual Supply chart below, as appropriate, based upon the season, Load Zone,

and time-of-day of the Virtual Supply Bid. The amount of credit support required in \$/MWh for a Virtual Transaction in a particular Virtual Supply group shall equal the price differential between the Energy price in the Day-Ahead Market and the Energy price in the Real-Time Market, at the 97<sup>th</sup> percentile, based upon all possible Virtual Supply positions in the Virtual Supply group for the period of time from April 1, 2005, through the end of the preceding calendar month.

The ISO will categorize each Virtual Load Bid into one of the 30 Virtual Load groups set forth in the Virtual Load chart below, as appropriate, based upon the season, Load Zone, and time-of-day of the Virtual Load Bid. The amount of credit support required in \$/MWh for a Virtual Transaction in a particular Virtual Load group shall equal the price differential between the Energy price in the Day-Ahead Market and the Energy price in the Real-Time Market, at the 97<sup>th</sup> percentile, based upon all possible Virtual Load positions in the Virtual Load group for the period of time from April 1, 2005, through the end of the preceding calendar month.

If a Customer submits Bids for both Virtual Load and Virtual Supply for the same day, hour, and Load Zone, then for those Bids, until such time as those Bids have been evaluated by SCUC, only the greater of the Customer's (i) VLCR for the total MWhs Bid for Virtual Load, or (ii) VSCR for the total MWhs Bid for Virtual Supply will be included when calculating the Customer's Virtual Transaction Component. After evaluation of those Bids by SCUC, then only the credit requirement for the net position of the accepted Bids (in MWhs of Virtual Load or Virtual Supply) will be included when calculating the Customer's Virtual Transaction Component.

#### **Virtual Supply Groups**

<b>Summer</b>	<b>Load Zones A–F</b>	<b>Load Zones G–I</b>	<b>Load Zone J</b>	<b>Load Zone K</b>
---------------	---------------------------	---------------------------	--------------------	--------------------

HB07–10	VSG-1	VSG-7	VSG-13	VSG-19
HB11–14	VSG-2	VSG-8	VSG-14	VSG-20
HB15–18	VSG-3	VSG-9	VSG-15	VSG-21
HB19–22	VSG-4	VSG-10	VSG-16	VSG-22
Weekend/ Holiday (HB07–22)	VSG-5	VSG-11	VSG-17	VSG-23
Night (HB23–06)	VSG-6	VSG-12	VSG-18	VSG-24
<b>Winter</b>				
HB07–10	VSG-25	VSG-31	VSG-37	VSG-43
HB11–14	VSG-26	VSG-32	VSG-38	VSG-44
HB15–18	VSG-27	VSG-33	VSG-39	VSG-45
HB19–22	VSG-28	VSG-34	VSG-40	VSG-46
Weekend/ Holiday (HB07–22)	VSG-29	VSG-35	VSG-41	VSG-47
Night (HB23–06)	VSG-30	VSG-36	VSG-42	VSG-48
<b>Rest-of-Year</b>				
HB07–10	VSG-49	VSG-55	VSG-61	VSG-67
HB11–14	VSG-50	VSG-56	VSG-62	VSG-68
HB15–18	VSG-51	VSG-57	VSG-63	VSG-69
HB19–22	VSG-52	VSG-58	VSG-64	VSG-70
Weekend/ Holiday (HB07–22)	VSG-53	VSG-59	VSG-65	VSG-71
Night (HB23–06)	VSG-54	VSG-60	VSG-66	VSG-72

Where:

Summer	=	May, June, July, and August
Winter	=	December, January, and February
Rest-of-Year	=	March, April, September, October, and November
HB07–10	=	weekday hours beginning 07:00–10:00
HB11–14	=	weekday hours beginning 11:00–14:00
HB15–18	=	weekday hours beginning 15:00–18:00
HB19–22	=	weekday hours beginning 19:00– 22:00
Weekend/Holiday	=	weekend and holiday hours beginning 07:00–22:00
Night	=	all hours beginning 23:00– 06:00

### Virtual Load Groups

Summer	Load Zones A–F	Load Zones G–I	Load Zone J	Load Zone K
HB07–10	VLG-1	VLG-4	VLG-8	VLG-12

HB11–14	VLG-2	VLG-5	VLG-9	VLG-13
HB15–18	VLG-2	VLG-6	VLG-10	VLG-14
HB19–22	VLG-1	VLG-4	VLG-8	VLG-15
Weekend/ Holiday (HB07–22)	VLG-3	VLG-4	VLG-8	VLG-16
Night (HB23–06)	VLG-1	VLG-7	VLG-11	VLG-12
<b>Winter</b>				
HB07–10	VLG-17	VLG-19	VLG-21	VLG-23
HB11–14	VLG-17	VLG-20	VLG-21	VLG-23
HB15–18	VLG-18	VLG-19	VLG-22	VLG-24
HB19–22	VLG-17	VLG-20	VLG-21	VLG-24
Weekend/ Holiday (HB07–22)	VLG-17	VLG-20	VLG-21	VLG-23
Night (HB23–06)	VLG-17	VLG-20	VLG-21	VLG-23
<b>Rest-of-Year</b>				
HB07–10	VLG-25	VLG-26	VLG-27	VLG-29
HB11–14	VLG-25	VLG-26	VLG-28	VLG-29
HB15–18	VLG-25	VLG-26	VLG-28	VLG-30
HB19–22	VLG-25	VLG-26	VLG-27	VLG-30
Weekend/ Holiday (HB07–22)	VLG-25	VLG-26	VLG-27	VLG-30
Night (HB23–06)	VLG-25	VLG-26	VLG-27	VLG-29

Where:

Summer	=	May, June, July, and August
Winter	=	December, January, and February
Rest-of-Year	=	March, April, September, October, and November
HB07–10	=	weekday hours beginning 07:00–10:00
HB11–14	=	weekday hours beginning 11:00–14:00
HB15–18	=	weekday hours beginning 15:00–18:00
HB19–22	=	weekday hours beginning 19:00– 22:00
Weekend/Holiday	=	weekend and holiday hours beginning 07:00–22:00
Night	=	all hours beginning 23:00– 06:00

#### **26.4.2.7 DADRP Component**

The DADRP Component shall be equal to the product of: (i) the Demand Reduction Provider's monthly average of MWh of accepted Demand Reduction Bids during the prior summer Capability Period or, where the Demand Reduction Provider does not have a history of

accepted Demand Reduction bids, a projected monthly average of the Demand Reduction Provider's accepted Demand Reduction bids; (ii) the average Day-Ahead LBMP at the NYISO Reference Bus during the prior summer Capability Period; (iii) twenty percent (20%); and (iv) a factor of four (4). The ISO shall adjust the amount of Unsecured Credit and/or collateral that a Demand Reduction Provider is required to provide whenever the DADRP Component increases or decreases by ten percent (10%) or more.

#### **26.4.2.8 DSASP Component**

The DSASP Component is calculated every two months based on the Demand Side Resource's Operating Capacity available for the scheduling of such services, the delta between the Day-Ahead and hourly market clearing prices for such products in the like two-month period of the previous year, and the location of the Demand Side Resource. Resources located East of Central-East shall pay the Eastern reserves credit support requirement and Resources located West of Central-East shall pay the Western reserves credit support requirement. The DSASP Component shall be equal to:

- (a) For Demand Side Resources eligible to offer only Operating Reserves, the product of (i) the maximum hourly Operating Capacity (MW) for which the Demand Side Resource may be scheduled to provide Operating Reserves, (ii) the amount of Eastern or Western reserves credit support, as appropriate, in \$/MW per day, and (iii) three (3) days.

Where:

The amount of Eastern reserves credit support (\$/MW/day) for each two-month period	=	Eastern Price Differential for the same two-month period in the previous year * the higher of two (2) or the maximum number of daily Reserve Activations for the same two-month period in the previous year
---	---	---

The amount of Western reserves credit support (\$/MW/day) for each two-month period	=	Western Price Differential for the same two-month period in the previous year * the higher of two (2) or the maximum number of daily Reserve Activations for the same two-month period in the previous year
Two-month periods:	=	January and February March and April May and June July and August September and October November and December
$MCP_{SRh}$	=	Hourly, time-weighted Market Clearing Price for Spinning Reserves
Eastern Price Differential	=	The hourly differential at the 97 <sup>th</sup> percentile of all hourly differentials between the Day-Ahead and Real-Time $MCP_{SRh}$ for Eastern Spinning Reserves for hours in the two-month period of the previous year when the Real-Time $MCP_{SRh}$ for Eastern Spinning Reserves exceeded the Day-Ahead $MCP_{SRh}$ for Eastern Spinning Reserves
Western Price Differential	=	The hourly differential at the 97 <sup>th</sup> percentile of all hourly differentials between the Day-Ahead and Real-Time $MCP_{SRh}$ for Western Spinning Reserves for hours in the two-month period of the previous year when the Real-Time $MCP_{SRh}$ for Western Spinning Reserves exceeded the Day-Ahead $MCP_{SRh}$ for Western Spinning Reserves
Reserve Activations	=	The number of reserve activations at the 97 <sup>th</sup> percentile of daily reserve activations for days in each two month period of the previous year that had reserve activations.

- (b) For Demand Side Resources eligible to offer only Regulation Service, or Operating Reserves and Regulation Service, the product of (i) the maximum hourly Operating Capacity (MW) for which the Demand Side Resource may be scheduled to provide Regulation Service and Operating Reserves, (ii) the amount

of regulation credit support, as appropriate, in \$/MW per day, and (iii) three (3) days.

Where:

The amount of regulation credit support (\$/MW/day) for each two-month period	=	Price Differential for the same two-month period in the previous year * 24 hours
Two-month periods:	=	January and February March and April May and June July and August September and October November and December
$MCP_{RegH}$	=	Hourly, time-weighted Market Clearing Price for Regulation Services
Price Differential	=	The hourly differential at the 97 <sup>th</sup> percentile of all hourly differentials between the Day-Ahead and Hour-Ahead $MCP_{RegH}$ for hours in the two-month period of the previous year when the Real-Time MCP exceeded the Day-Ahead MCP

### 26.4.3 Calculation of Bidding Requirement

The Bidding Requirement shall be an amount equal to the sum of:

- (i) the amount of bidding or nominating authorization that the Customer has requested for use in or during, as appropriate, an upcoming ISO-administered TCC auction, which shall account for all positive bids or nominations to purchase TCCs and the absolute value of all negative offers to sell TCCs; *provided, however,* that the amount of credit required for each TCC that the Customer bids or nominates to purchase, whether positive, negative, or zero shall not be less than (a) (2 x \$/MW for one-year TCCs) per MW for two-year TCCs, (b) \$1,500 per

MW for one-year TCCs, (c) \$2,000 per MW for six-month TCCs, and (d) \$600 per MW for one-month TCCs;

- (ii) the approximate amount that the Customer may owe following an upcoming TCC auction as a result of converting expired ETAs into Historic Fixed Price TCCs pursuant to Section 19.2.1 of Attachment M to the OATT, which shall be calculated in accordance with the provisions of Section 19.2.1 regarding the purchase of TCCs with a duration of ten years;
- (iii) the amount of bidding authorization that the Customer has requested for use in an upcoming ISO-administered ICAP auction; and
- (iv) five (5) days prior to any ICAP Spot Market Auction, the amount that the Customer may be required to pay for UCAP in the auction, calculated as follows:

$$\sum_{L \in S} \left[ \begin{aligned} &ICPM_L \times 1000 \times Deficiency_L \\ &+ \\ &ICPM_L \times 1000 \times \frac{(ZCP_L - 1)}{2} \times RQT_L \end{aligned} \right]$$

Where:

$S$  equals a set containing the following locations: each Locality and Rest of State,

$L$  equals a location in the set  $S$ ,

$ICPM_L$  equals the lesser of  $UBRP_L$  or  $LM_L$ ,

$UBRP_L$  equals the UCAP based reference point (in \$/kW-Month) for location  $L$ , as determined on the ICAP Demand Curve for that location (or for NYCA, if  $L$  is Rest of State) for the applicable Obligation Procurement Period,

$LM_L$  equals (1) for any Locality  $L$  that is contained within another Locality  $X$ , the greater of  $CPM_L$  or  $CPM_X$ , or (2) for any other Locality or Rest of State,  $CPM_L$ ,

$CPM_L$	equals for location $L$ , $(1 + Margin_L) * MCP_L$ ,
$CPM_X$	equals for location $X$ , $(1 + Margin_X) * MCP_X$ ,
$Margin_L$	equals 25% if location $L$ is New York City and 100% if location $L$ is G-J Locality, Long Island or Rest of State,
$MCP_L$	equals the Market-Clearing Price for location $L$ in the most recent Monthly Auction that established such a price for the month covered by the ICAP Spot Market Auction, measured in dollars per kilowatt-month,
$Deficiency_L$	equals the number of megawatts of Unforced Capacity that are to be procured in location $L$ on behalf of that Customer in the ICAP Spot Market Auction in order to cover any deficiency for that Customer that exists in that location after the certification deadline for that ICAP Spot Market Auction less any deficiency calculated for that Customer for any Localities contained within location $L$ , such value not to be less than zero,
$ZCP_L$	equals the percentage determined in accordance with Services Tariff Section 5.14.1.2 for the applicable ICAP Demand Curves as established at the \$0.00 point for the appropriate Capability Year, and
$RQT_L$	equals (1) if $L$ is New York City or Long Island, that Customer's share of the Locational Minimum Unforced Capacity Requirement for location $L$ or (2) if $L$ is G-J Locality, that Customer's share of the Locational Minimum Unforced Capacity Requirement for the G-J Locality that remains after reducing this amount by its share of the Locational Minimum Unforced Capacity Requirements for New York City or, (3) if $L$ is Rest of State, that Customer's share of the NYCA Minimum Unforced Capacity Requirement that remains after reducing this amount by (a) its share of the Locational Minimum Unforced Capacity Requirements for New York City and Long Island and (b) that Customer's share of the Locational Minimum Unforced Capacity Requirement for the G-J Locality remaining after accounting for New York City, as calculated in (2) above; such value not to be less than zero.