

5.11 Requirements Applicable to LSEs

5.11.1 Allocation of the NYCA Minimum Unforced Capacity Requirement

Each Transmission Owner must submit aggregate Adjusted Load data, coincident with the hour of the NYCA Peak Load Forecast, for all customers served by each LSE active within its Transmission District. The aggregate Load data may be derived from direct meters or Load profiles of the customers served. Each Transmission Owner shall be required to submit such forecasts and aggregate peak Load data in accordance with the ISO Procedures. Each municipal electric utility may choose to submit its peak Load forecast based on the Transmission District's peak Load forecast provided by a Transmission Owner or to provide its own. Any disputes arising out of the submittals required in this paragraph shall be resolved through the Expedited Dispute Resolution Procedures set forth in Section 5.17 of this Tariff.

All aggregate Load data submitted by a Transmission Owner must be accompanied by documentation indicating that each affected LSE has been provided the data regarding the assignment of customers to the affected LSE. Any disputes between LSEs and Transmission Owners regarding such data or assignments shall be resolved through the Expedited Dispute Resolution Procedures set forth in Section 5.17 of this Tariff, or the Transmission Owner's retail access procedures, as applicable.

The ISO shall allocate the NYCA Minimum Unforced Capacity Requirement among all LSEs serving Load in the NYCA prior to the beginning of each Capability Year. It shall then adjust the NYCA Minimum Unforced Capacity Requirement and reallocate it among LSEs before each Winter Capability Period as necessary to reflect changes in the factors used to translate ICAP requirements into Unforced Capacity requirements. Each LSE's share of the NYCA Minimum Unforced Capacity Requirement will equal the product of: (i) the NYCA

Minimum Installed Capacity Requirement as translated into a NYCA Minimum Unforced Capacity Requirement; and (ii) the ratio of the sum of the Load forecasts coincident with the NYCA Peak Load Forecast for that LSE's customers in each Transmission District to the NYCA Peak Load Forecast.

Each LSE Unforced Capacity Obligation will equal the product of (i) the ratio of that LSE's share of the NYCA Minimum Unforced Capacity Requirement to the total NYCA Minimum Unforced Capacity Requirement and (ii) the total of all of the LSE Unforced Capacity Obligations for the NYCA established by the ICAP Spot Market Auction. The LSE Unforced Capacity Obligation will be determined in each Obligation Procurement Period by the ICAP Spot Market Auction, in accordance with the ISO Procedures. Each LSE will be responsible for acquiring sufficient Unforced Capacity to satisfy its LSE Unforced Capacity Obligations. LSEs with Load in more than one Locality will have an LSE Unforced Capacity Obligation for each Locality.

Prior to the beginning of each Capability Period, Transmission Owners shall submit the required Load-shifting information to the ISO and to each LSE affected by the Load-shifting, in accordance with the ISO Procedures. In the event that there is a pending dispute regarding a Transmission Owner's forecast, the ISO shall nevertheless establish each LSE's portion of the NYCA Minimum Unforced Capacity Requirement applicable at the beginning of each Capability Period in accordance with the schedule established in the ISO Procedures, subject to possible adjustments that may be required as a result of resolution of the dispute through the Expedited Dispute Resolution Procedures set forth in Section 5.17 of this Tariff.

Each month, as Transmission Owners report customers gained and lost by LSEs through Load-shifting, the ISO will adjust each LSE's portion of the NYCA Minimum Unforced

Capacity Requirement such that (i) the total Transmission District Installed Capacity requirement remains constant and (ii) an individual LSE's allocated portion reflects the gains and losses. If an LSE loses a customer as a result of that customer leaving the Transmission District, the Load-losing LSE shall be relieved of its obligation to procure Unforced Capacity to cover the Load associated with the departing customer as of the date that the customer's departure is accepted by the ISO and shall be free to sell any excess Unforced Capacity. In addition, when a customer leaves the Transmission District, the ISO will adjust each LSE's portion of the NYCA Minimum Unforced Capacity Requirement so that the total Transmission District's share of the NYCA Minimum Unforced Capacity Requirement remains constant.

5.11.2 LSE Obligations

Each LSE must procure Unforced Capacity in an amount equal to its LSE Unforced Capacity Obligation from any Installed Capacity Supplier through Bilateral Transactions with purchases in ISO-administered Installed Capacity auctions, by self-supply from qualified sources, or by a combination of these methods. Each LSE must certify the amount of Unforced Capacity it has or has obtained prior to the beginning of each Obligation Procurement Period by submitting completed Installed Capacity certification forms to the ISO by the date specified in the ISO Procedures. The Installed Capacity certification forms submitted by the LSEs shall be in the format and include all the information prescribed by the ISO Procedures.

All LSEs shall participate in the ICAP Spot Market Auction pursuant to Section 5.14.1 of this Tariff.

5.11.3 Load-Shifting Adjustments

The ISO shall account for Load-shifting among LSEs each month using the best available information provided to it and the affected LSEs by the individual Transmission Owners. The

ISO shall, upon notice of Load-shifting by a Transmission Owner and verification by the relevant Load-losing LSE, increase the Load-gaining LSE's LSE Unforced Capacity Obligation, as applicable, and decrease the Load-losing LSE's LSE Unforced Capacity Obligation, as applicable, to reflect the Load-shifting.

The Load-gaining LSE shall pay the Load-losing LSE an amount, pro-rated on a daily basis, based on the Market-Clearing Price of Unforced Capacity determined in the most recent previous applicable ICAP Spot Market Auction until the first day of the month after the nearest following Monthly Installed Capacity Auction is held. The amount paid by a Load-gaining LSE shall reflect any portion of the Load-losing LSE's LSE Unforced Capacity Obligation that is attributable to the shifting Load for the applicable Obligation Procurement Period, in accordance with the ISO Procedures. In addition, the amount paid by a Load-gaining LSE shall be reduced by the Load-losing LSE's share of any rebate associated with the lost Load paid pursuant to Section 5.15 of this Tariff.

Each Transmission Owner shall report to the ISO and to each LSE serving Load in its Transmission District the updated, aggregated LSE Loads with documentation in accordance with and by the date set forth in the ISO Procedures. The ISO shall reallocate a portion of the NYCA Minimum Unforced Capacity Requirement and the Locational Minimum Unforced Capacity Requirement, as applicable, to each LSE for the following Obligation Procurement Period, which shall reflect all documented Load-shifts as of the end of the current Obligation Procurement Period. Any disputes among Market Participants concerning Load-shifting shall be resolved through the Expedited Dispute Resolution Procedures set forth in Section 5.17 of this Tariff, or the Transmission Owner's retail access procedures, as applicable. In the event of a pending dispute concerning a Load-shift, the ISO shall make its Obligation Procurement Period

Installed Capacity adjustments as if the Load-shift reported by the Transmission Owners had occurred, or if the dispute pertains to the timing of a Load-shift, as if the Load-shift occurred on the effective date reported by the Transmission Owner, but will retroactively modify these allocations, as necessary, based on determinations made pursuant to the Expedited Dispute Resolution Procedures set forth in Section 5.17 of this Tariff, or the Transmission Owner's retail access procedures, as applicable.

5.11.4 LSE Locational Minimum Installed Capacity Requirements

The ISO will determine the Locational Minimum Installed Capacity Requirements, stated as a percentage of the Locality's forecasted Capability Year peak Load and expressed in Unforced Capacity terms, that shall be uniformly applicable to each LSE serving Load within a Locality. In establishing Locational Minimum Installed Capacity Requirements, the ISO will take into account all relevant considerations, including the total NYCA Minimum Installed Capacity Requirement, the NYS Power System transmission Interface Transfer Capability, the election by the holder of rights to UDRs that can provide Capacity from an External Control Area with a capability year start date that is different than the corresponding ISO Capability Year start date ("dissimilar capability year"), the Reliability Rules and any other FERC-approved Locational Minimum Installed Capacity Requirements.

The ISO shall compute the Locational Minimum Installed Capacity Requirements in accordance with ISO Procedures:

- (a) to minimize the total cost of capacity at the prescribed level of excess. For purposes of this computation, the ISO shall use the prescribed level of excess (as such term is defined in Section 5.14.1.2.2 of this Tariff,) and shall take into account the cost curves established with the results of net Energy and Ancillary

Services revenue offset (as such term is defined in Section 5.14.1.2.2 of this Tariff,) that are (i) if for the first Capability Year covered by the applicable periodic review (as described in Section 5.14.1.2.2 of this Tariff,) the values utilized by the ISO in calculating the reference points for each ICAP Demand Curve as proposed by the ISO to be applicable for such first year in the ISO's filing referenced in Section 5.14.1.2.2.4.11 of this Tariff; and (ii) if for any subsequent Capability Year covered by such periodic review, the values utilized by the ISO in calculating the reference points for each ICAP Demand Curve for the respective Capability Year.

- (b) to maintain the loss of load expectation of no more than 0.1 days per year; and
- (c) so that the transmission security limits determined by the ISO in accordance with this paragraph and ISO Procedures, are respected. The ISO will determine these limits using inputs consistent with the NYSRC Installed Reserve Margin base case for the Capability Year to which the Locational Minimum Installed Capacity Requirements will apply. The ISO will compute such limits by determining the bulk power system transmission capability into the Locality, the MW of generation within the Locality accounting for capacity unavailability, the minimum MW of available capacity required for each Locality based on forecasted Load, and using the N-1-1 system planning criteria (*i.e.*, a sequence of a primary contingency event followed by a secondary contingency event) to analyze thermal limits affecting the Locality. The ISO will post on its web site a report of its determination.

In computing the Locational Minimum Installed Capacity Requirements, the ISO shall utilize results from probabilistic modeling of reliability simulations, recognizing system constraints.

The Installed Capacity Supplier holding rights to UDRs from an External Control Area with a dissimilar capability year shall have one opportunity for a Capability Year in which the Scheduled Line will first be used to offer Capacity associated with the UDRs, to elect that the ISO determine Locational Minimum Installed Capacity Requirements without a quantity of MW from the UDRs for the first month in the Capability Year, and with the same quantity of MW as Unforced Capacity for the remaining months, in each case (a) consistent with and as demonstrated by a contractual arrangement to utilize the UDRs to import the quantity of MW of Capacity into a Locality, and (b) in accordance with ISO Procedures (a “capability year adjustment election”). If there is more than one Installed Capacity Supplier holding rights to UDRs concurrently, an Installed Capacity Supplier’s election pursuant to the preceding sentence (x) shall be binding on the entity to which the NYISO granted the UDRs up to the quantity of MW to which the Installed Capacity Supplier holds rights, and a subsequent assignment of these UDRs to another rights holder will not create the option for another one-time election by the new UDR rights holder, and (y) shall not affect the right another Installed Capacity Supplier may have to make an election. The right to make an election shall remain unless and until an election has been made by one or more holders of rights to the total quantity of MW corresponding to the UDRs. Absent this one-time election, the UDRs shall be modeled consistently for all months in each Capability Year as elected by the UDR rights holder in its notification to the ISO in accordance with ISO Procedures. Upon such an election, the ISO shall determine the Locational Minimum Unforced Capacity Requirement (i) for the first month of the Capability Year without

the quantity of MW of Capacity associated with the UDRs, and (ii) for the remaining eleven months as Unforced Capacity. After the Installed Capacity Supplier has made its one-time election for a quantity of MW, the quantity of MW associated with the UDRs held by the Installed Capacity Supplier shall be modeled consistently for all months in any future Capability Period.

Notwithstanding anything to the contrary in the ISO Tariffs and ISO Procedures, the Locational Minimum Installed Capacity Requirements for the 2020/2021 Capability Year that were approved by the Operating Committee on January 16, 2020 shall not be modified based on the revised ICAP Demand Curves set forth in Section 5.14.1.2.2.5 of this Tariff that are applicable for all months covered by the 2020/2021 Winter Capability Period.

5.11.5 The Locational Minimum Unforced Capacity Requirement

The Locational Minimum Unforced Capacity Requirement represents a minimum level of Unforced Capacity that must be secured by LSEs in each Locality in which it has Load for each Obligation Procurement Period. The Locational Minimum Unforced Capacity Requirement for each Locality shall equal the product of the Locational Minimum Installed Capacity Requirement for a given Locality ((A) with or without the UDRs if there is a capability year adjustment election by a rights holder and (B) without the Locality Exchange MW) and the ratio of (1) the total amount of Unforced Capacity that the specified Resources are qualified to provide (with or without the UDRs associated with dissimilar capability periods, as so elected by the rights holder) during each month in the Capability Period, as of the time the Locational Minimum Unforced Capacity Requirement is determined as specified in ISO Procedures, to (2) the sum of the Adjusted Installed Capacity values used to determine the Unforced Capacities of such

Resources for such Capability Period (with or without the DMNCs associated with the UDRs, as so elected by the rights holder).

The foregoing calculation shall be determined using the Resources in the given Locality in the most recent final version of the ISO's annual Load and Capacity Data Report, with the addition of Resources commencing commercial operation since completion of that report and the deletion of Resources with scheduled or planned retirement dates before or during such Capability Period. The ISO will apply the Locality Exchange Factor for the applicable External Control Area to the MW of Locational Export Capacity that are the lesser of (i) the lesser of the Generator's CRIS and its most recent DMNC, and (ii) the MW pursuant to the notice provided pursuant to Section 5.9.2.2.1 of this Services Tariff.

Under the provisions of this Services Tariff and the ISO Procedures, each LSE will be obligated to procure its LSE Unforced Capacity Obligation. The LSE Unforced Capacity Obligation will be determined for each Obligation Procurement Period by the ICAP Spot Market Auction, in accordance with the ISO Procedures.

Installed Capacity Suppliers will have the opportunity to supply amounts of Unforced Capacity to meet the LSE Unforced Capacity Obligation as established by the ICAP Spot Market Auction.

To be counted towards the locational component of the LSE Unforced Capacity Obligation, Unforced Capacity owned by the holder of UDRs or contractually combined with UDRs must be deliverable to the NYCA interface with the UDR transmission facility pursuant to NYISO requirements and consistent with the election of the holder of the rights to the UDRs set forth in this Section.

The ISO shall have the right to audit all executed Installed Capacity contracts and related documentation of arrangements by an LSE to use its own generation to meet its Locational Minimum Installed Capacity Requirement for an upcoming Obligation Procurement Period.

5.11.6 Determination of Locality Exchange Factor:

No later than January 31 each year, the ISO shall determine the Locality Exchange Factor for each Import Constrained Locality relative to each neighboring Control Area.

The ISO shall make each such determination by performing a power flow based analysis according to applicable transmission system planning practices for the determination of interface transfer limits used for the resource adequacy topology. Base case data from the most recent Reliability Planning Process will be incorporated. The Locality Exchange Factor is the ratio of the shift factor on the applicable NYCA interface of a transfer from the Import Constrained Locality to the respective neighboring Control Area, to the shift factor of a transfer from Rest of State to the Import Constrained Locality, calculated in accordance with ISO Procedures. Only the AC circuits comprising the respective neighboring Control Area's interface with the NYCA will participate in the shift. The ISO shall post its Locality Exchange Factors on its website prior to the opening of the Summer Capability Period Auction, and notify the New York State Reliability Council.

23.2 Conduct Warranting Mitigation

23.2.1 Definitions

The following definitions are applicable to this Attachment H:

For purposes of Section 23.4.5 of this Attachment H, “**Additional CRIS MW**” shall mean the MW of Capacity for which CRIS was requested for an Examined Facility pursuant to the provisions in ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z), including either: (i) all, or a portion, of the MW of Capacity of that Examined Facility for which CRIS had not been obtained in prior Class Years through a prior Class Year process or through a transfer completed in accordance with OATT Section 25 (OATT Attachment S); and/or (ii) all, or a portion, of an increase in the Capacity of that Examined Facility. Additional CRIS MW does not include any MW quantity of CRIS that is exempt from an Offer Floor pursuant to Section 23.4.5.7.7(a) or (b), Section 23.4.5.7.8, or an increase of 2 MW or less in an Examined Facility’s MW quantity of CRIS obtained pursuant to Section 30.3.2.6 of Attachment X to the OATT.

“**Additional SDU Study**” shall mean a deliverability study that a Developer may elect to pursue as that term is defined in OATT Section 25 (OATT Attachment S).

For purposes of Section 23.4.5 of this Attachment H, “**Affiliated Entity**” shall mean, with respect to a person or Entity:

- i) all persons or Entities that directly or indirectly control such person or Entity;
- ii) all persons or Entities that are directly or indirectly controlled by or under common control with such person or Entity, and (1) are authorized under ISO Procedures to participate in a market for Capacity administered by the ISO, or (2) possess, directly or indirectly, an ownership, voting or equivalent interest of ten percent or more in a Mitigated Capacity Zone Installed Capacity Supplier;
- iii) all persons or Entities that provide services to such person or Entity, or for which such person or Entity provides services, if such services relate to the determination or submission of offers for Unforced Capacity in a market administered by the ISO or offers of capacity from a Generator electrically located in a MCZ Import Constrained Locality; or
- iv) all persons or Entities, except if for ISP UCAP MW or an RMR Generator, with which such person or Entity has any form of agreement under which such person or Entity has retained or has conferred rights of (i) Control of Unforced Capacity or (ii) the ability to determine the quantity or price of offers to supply capacity from a Generator that has Capacity Resource Interconnection Service, pursuant to the applicable provisions of Attachment X, Attachment S and Attachment Z and is electrically located in an MCZ Import Constrained Locality, even if such capacity does not meet the requirements to be Unforced Capacity.

In the foregoing definition, “**control**” means the possession, directly or indirectly, of the power to direct the management or policies of a person or Entity, and shall be rebuttably presumed from an ownership, voting or equivalent interest of ten percent or more.

Catastrophic Failure: shall mean a Forced Outage initially suffered by a Generator which would have reasonably required a repair time of at least 270 days, from the date of the event resulting in the Forced Outage, had it, or a comparable Forced Outage been suffered at a generating facility that is reasonably the same as or similar to the Generator’s, the owner of which is intending to return it to service. Repair time includes the reasonable number of days for initial clean up, safety inspections, engineering assessment; damage assessment, cost estimates; site prep and clean up, equipment orders, and actual repair, provided the foregoing are necessitated by the Catastrophic Failure. The determination that a Generator has suffered a Catastrophic Failure shall be based on a technical/engineering evaluation, shall be made by the ISO, and may be made at any time following the event that caused the Forced Outage provided that adequate information is provided to the ISO to support such determination.

“**Class Year Study**” means a Class Year Interconnection Facilities Study as that term is defined in OATT Section 25 (OATT Attachment S).

“**Cleared UCAP**” means the amount of MW (rounded down to the nearest tenth of a MW) that had been subject to an Offer Floor but has cleared in accordance with Section 23.4.5.7.

“**Commenced Construction**” shall mean (a) all of the following site preparation work is completed: ingress and egress routes exist; the site on which the Project will be located is cleared and graded; there is power service to the site; footings are prepared; and foundations have been poured consistent with purchased equipment specifications and project design; or (b) the following financial commitments have been made: (i) (A) an engineering, procurement, and construction contract (“EPC”) has been executed by all parties and is effective; or (B) contracts (collectively, “EPC Equivalents”) for all of the following have been executed by all parties and is effective: (1) project engineering, (2) procurement of all major equipment, and (3) construction of the Project, and (ii) the cumulative payments made by the Developer under the EPC or EPC Equivalents to the counterparties to those respective agreements is equal to at least thirty (30) percent of the total costs of the EPC or EPC Equivalents.

“**Competitive and Non-Discriminatory Hedging Contract**” shall mean a contract to hedge a risk associated with a product offered in the ISO Administered Markets between a Non-Qualifying Entry Sponsor and the Developer, Owner or Operator of an Examined Facility with a term that shall not exceed three years (inclusive of all options to extend and extensions) and that the ISO determines has been executed pursuant to a procurement process that satisfies the requirements enumerated below. Competitive and Non-Discriminatory Hedging Contracts shall not be deemed to be a non-qualifying contractual relationship that would prevent an Examined Facility from obtaining a Competitive Entry Exemption pursuant to 23.4.5.7.9 of Attachment H of this Services Tariff. The ISO shall determine that a contract is a Competitive and Non-Discriminatory Hedging Contract only if it concludes, and the Non-Qualifying Entry Sponsor executes a certification confirming that, the contract was executed through a procurement process that met all of the following requirements: (A) both new and existing resources satisfy the requirements of the procurement; (B) the requirements of the procurement were fully

objective and transparent ; (C) the contract was awarded based on the lowest cost offers of qualified bidders that responded to the solicitation; (D) the procurement terms did not restrict the type of capacity resources that may participate in, and satisfy the requirements of, the procurement; (E) the procurement terms did not include selection criteria that could otherwise give preference to new resources; and (F) the procurement terms did not use indirect means to discriminate against existing resources, including, but not limited to, by imposing geographic constraints, unit fuel requirements, maximum unit heat-rate requirements or requirements for new construction.

“**Constrained Area**” shall mean: (a) the In-City area, including any areas subject to transmission constraints within the In-City area that give rise to significant locational market power; and (b) any other area in the New York Control Area that has been identified by the ISO as subject to transmission constraints that give rise to significant locational market power, and that has been approved by the Commission for designation as a Constrained Area.

For purposes of Section 23.4.5 of this Attachment H, “**Control**” with respect to Unforced Capacity shall mean the ability to determine the quantity or price of offers to supply Unforced Capacity from a Mitigated Capacity Zone Installed Capacity Supplier submitted into an ICAP Spot Market Auction; but excluding ISP UCAP MW or UCAP from an RMR Generator.

For purposes of Section 23.4.5.7 “**CRIS MW**” shall mean the MW of Capacity for which CRIS was assigned to a Generator or UDR project pursuant to ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z).

“**Developer**” shall have the meaning specified in the ISO’s Open Access Transmission Tariff.

“**Electric Facility**” shall mean a Generator or an electric transmission facility.

For purposes of Section 23.4.5 of this Attachment H, “**Entity**” shall mean a corporation, partnership, limited liability corporation or partnership, firm, joint venture, association, joint-stock company, trust, unincorporated organization or other form of legal or juridical organization or entity.

“**Examined Facility**” shall mean (I) each proposed new Generator and proposed new UDR project, and each existing Generator that has ERIS only and no CRIS, that is a member of the Class Year Study, Additional SDU Study or Expedited Deliverability Study that requested CRIS, or that requested an evaluation of the transfer of CRIS rights from another location in the Class Year Facilities Study commencing in the calendar year in which the Class Year Facility Study determination is being made (the Capability Periods of expected entry as further described below in this Section, the “Mitigation Study Period”), and (II) each (i) existing Generator that did not have CRIS rights, and (ii) proposed new Generator and proposed new UDR project, provided such Generator under Subsection (i) or (ii) is an expected recipient of transferred CRIS rights at the same location regarding which the ISO has been notified by the transferor or the transferee of a transfer pursuant to OATT Attachment S Section 25.9.4 that will be effective on a date within the Mitigation Study Period (“Expected CRIS Transferee”). In the case of Co-located Storage Resources, the Intermittent Power Resource and the co-located Energy Storage Resource will each be a separate Examined Facility for purposes of the Buyer Side Mitigation Measures

enumerated in Section 23.4.5.7 *et al.* of the Services Tariff. The term “Examined Facilities” does not include any facility exempt from an Offer Floor pursuant to the provisions of Section 23.4.5.7.7.

Exceptional Circumstances: shall mean one or more unavoidable circumstances, as determined by the ISO, that individually or collectively render as unavailable the data necessary for the ISO to perform an audit and review of a Market Party, pursuant to Section 23.4.5.6.2 of this Services Tariff. Exceptional Circumstances may include, but are not limited to: the inaccessibility of the physical facility; the inaccessibility of necessary documentation or other data; and the unavailability of information regarding the regulatory obligations with which the Market Party will be required to comply in order to return its Generator to service which regulatory obligations are not yet known but which will be made known by the applicable regulatory authority under existing laws and regulations provided that none of the above described circumstances are the result of delay or inaction by the Market Party. The magnitude of the repair cost, alone, shall not be an Exceptional Circumstance.

“Exempt Renewable Technology” shall mean, in all Mitigated Capacity Zones, an Intermittent Power Resource solely powered by wind or solar energy, or a Limited Control Run-of-River Hydro Resource.

“Expedited Deliverability Study” shall mean a deliverability study that an eligible Developer may elect to pursue as that term is defined in OATT Section 25 (OATT Attachment S) that may determine the extent to which an existing or proposed facility satisfies the NYISO Deliverability Interconnection Standard at its requested CRIS level without the need for System Deliverability Upgrades. The schedule and scope of the study is defined in Sections 25.5.9.2.1 and 25.7.1.2 of this Attachment S.

“Final Decision Round” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, **“Going-Forward Costs”** shall mean: either (a) the costs, including but not limited to mandatory capital expenditures necessary to comply with federal or state environmental, safety or reliability requirements that must be met in order to supply Installed Capacity, net of anticipated energy and ancillary services revenues, as determined by the ISO as specified in Section 23.4.5.3, for each of the following instances, as applicable, of supplying Installed Capacity that could be avoided if an Installed Capacity Supplier otherwise capable of supplying Installed Capacity were either (1) to cease supplying Installed Capacity and Energy for a period of one year or more while retaining the ability to re-enter such markets, or (2) to retire permanently from supplying Installed Capacity and Energy; or (b) the opportunity costs of foregone sales outside of a Mitigated Capacity Zone, net of costs that would have been incurred as a result of the foregone sale if it had taken place.

For purposes of Section 23.4.5 of this Attachment H, **“Indicative Mitigation Net CONE”** shall mean the capacity price calculated by the NYISO for informational purposes only if there is not an effective ICAP Demand Curve and the Commission (i) has accepted an ICAP Demand Curve for the Mitigated Capacity Zone that will become effective when the Mitigated Capacity Zone is first effective, in which case, the Indicative Mitigation Net CONE shall be the capacity price on

such ICAP Demand Curve for the Mitigated Capacity Zone corresponding to the average amount of excess capacity above the Indicative NCZ Locational Minimum Installed Capacity Requirement, as applicable, expressed as a percentage of that requirement that formed the basis for the ICAP Demand Curve accepted by the Commission; or, (ii) has not accepted an ICAP Demand Curve for the Mitigated Capacity Zone, but the ISO has filed an ICAP Demand Curve for the Mitigated Capacity Zone pursuant to Services Tariff Section 5.14.1.2.2.4.11, in which case the Indicative Mitigation Net CONE shall be the capacity price on such ICAP Demand Curve corresponding to the average amount of excess capacity above the Indicative NCZ Locational Minimum Installed Capacity Requirement, expressed as a percentage of that requirement, that formed the basis for such ICAP Demand Curve.

“Incremental Regulatory Retirement” shall mean, for purposes of Section 23.4.5 of this Attachment H, the loss of ICAP Supply MW identified by the ISO in accordance with Section 23.4.5.7.13.5.3 in Class Year 2019, and subsequent Class Year Studies, Additional SDU Studies, and Expedited Deliverability Studies that start after July 1, 2020 and will be used in the ISO’s calculation of the Renewable Exemption Limit.

“Initial Decision Period” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“Interconnection Customer” shall have the meaning specified in Section 32 (Attachment Z) of the ISO’s Open Access Transmission Tariff.

“Interconnection Facilities Study Agreement” shall have the meaning specified in Section 30 (Attachment X) of the ISO’s Open Access Transmission Tariff.

“Market Monitoring Unit” shall have the same meaning in these Mitigation Measures as it has in Attachment O.

“Market Party” shall mean any person or entity that is, or for purposes of the determinations to be made pursuant to Section 23.4.5.7 of this Attachment H proposes or plans a Project that would be, a buyer and /or a seller in; or that makes bids or offers to buy or sell in; or that schedules or seeks to schedule Transactions with the ISO in or affecting any of the ISO Administered Markets including through the submission of bids or offers into any External Control Area, or any combination of the foregoing.

“Minimum Renewable Exemption Limit” shall mean, for purposes of Section 23.4.5 of this Attachment H, the UCAP value calculated by the ISO in Class Year 2019 and subsequent Class Year Studies in accordance with Section 23.4.5.7.13.5.1 to be used in the ISO’s calculation of the Renewable Exemption Limit.

“Mitigation Study Period” shall mean the duration of time extending six consecutive Capability Periods and beginning with the Starting Capability Period associated with a Class Year Study, Additional SDU Study, and/or Expedited Deliverability Study.

For purposes of Section 23.4.5 of this Attachment H, **“Mitigated UCAP”** shall mean one or more megawatts of Unforced Capacity that are subject to Control by a Market Party that has been identified by the ISO as a Pivotal Supplier.

For purposes of Section 23.4.5 of this Attachment H, “**Mitigation Net CONE**” shall mean the capacity price on the currently effective ICAP Demand Curve for the Mitigated Capacity Zone corresponding to the average amount of excess capacity above the Mitigated Capacity Zone Installed Capacity requirement, expressed as a percentage of that requirement, that formed the basis for the ICAP Demand Curve approved by the Commission.

“**NCZ Examined Project**” shall mean any Generator or UDR project that is not exempt pursuant to 23.4.5.7.8 and either (i) is in a Class Year on the date the Commission accepts the first ICAP Demand Curve to apply to a Mitigated Capacity Zone or (ii) meets the criteria found in (II) of the definition of Examined Facility above. An NCZ Examined Project may be at any phase of development or in operation or an Installed Capacity Supplier.

For purposes of Section 23.4.5 of this Attachment H, “**Net CONE**” shall mean the localized levelized embedded costs of a peaking unit in a Mitigated Capacity Zone, net of the likely projected annual Energy and Ancillary Services revenues of such unit, as determined in connection with establishing the Demand Curve for a Mitigated Capacity Zone pursuant to Section 5.14.1.2 of the Services Tariff, or as escalated as specified in Section 23.4.5.7 of Attachment H.

“**New Capacity**” shall mean a new Generator, a substantial addition to the capacity of an existing Generator, or the reactivation of all or a portion of a Generator that has been out of service for five years or more that commences commercial service after the effective date of this definition.

For purposes of Section 23.4.5 of this Attachment H, “**Offer Floor**” for a Mitigated Capacity Zone Installed Capacity Supplier that is not a Special Case Resource shall mean the lesser of (i) a numerical value equal to 75% of the Mitigation Net CONE translated into a seasonally adjusted monthly UCAP value (“Mitigation Net CONE Offer Floor”), or (ii) the numerical value that is the first year value of the Unit Net CONE determined as specified in Section 23.4.5.7, translated into a seasonally adjusted monthly UCAP value using an appropriate class outage rate, (“Unit Net CONE Offer Floor”). The Offer Floor for a Mitigated Capacity Zone Installed Capacity Supplier that is a Special Case Resource shall mean a numerical value determined as specified in Section 23.4.5.7.5. The Offer Floor for Additional CRIS MW shall mean a numerical value determined as specified in Section 23.4.5.7.6.

For the purposes of Section 23.4.5 of this Attachment H, “**Non-Qualifying Entry Sponsors**” shall mean a Transmission Owner, Public Power Entity, or any other entity with a Transmission District in the NYCA, or an agency or instrumentality of New York State or a political subdivision thereof.

“**Owner**” shall have the meaning specified in Section 31.1.1 of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, “**Pivotal Supplier**” shall mean (i) for the New York City Locality, a Market Party that, together with any of its Affiliated Entities, (a) Controls 500 MW or more of Unforced Capacity, and (b) Controls Unforced Capacity some portion of which is necessary to meet the New York City Locality Locational Minimum Installed

Capacity Requirement in an ICAP Spot Market Auction; (ii) for the G-J Locality, a Market Party that, together with any of its Affiliated Entities, (a) Controls 650 MW or more of Unforced Capacity; and (b) Controls Unforced Capacity some portion of which is necessary to meet the G-J Locality Locational Minimum Installed Capacity Requirement in an ICAP Spot Market Auction; and (iii) for each Mitigated Capacity Zone except the New York City Locality and the G-J Locality, if any, a Market Party that Controls at least the quantity of MW of Unforced Capacity specified for the Mitigated Capacity Zone and accepted by the Commission. Unforced Capacity that are MW of an External Sale of Capacity shall not be included in the foregoing calculations

“**Project Cost Allocation**” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“**Project**” shall have the meaning specified in Section 30.1 of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, “**Responsible Market Party**” shall mean the Market Party that is authorized, in accordance with ISO Procedures, to submit offers in an ICAP Spot Market Auction to sell Unforced Capacity from a specified Installed Capacity Supplier.

“**Qualified Renewable Exemption Applicant**” shall mean a Renewable Exemption Applicant that the ISO has determined met the requirements to receive a Renewable Exemption as specified in Section 23.4.5.7.13.1.1 and may be awarded a Renewable Exemption as part of Class Year 2019, and any subsequent Class Year Studies, Additional SDU Studies or Expedited Deliverability Studies subject to the Renewable Exemption Limit calculated and implemented by the ISO as described in Sections 23.4.5.7.13.5 and 23.4.5.7.13.6 of this Attachment H to the Services Tariff.

“**Renewable Exemption Applicant**” shall mean, for purposes of Section 23.4.5 of this Attachment H, a Developer of an Examined Facility in Class Year 2019, and any subsequent Class Year Studies, Additional SDU Studies or Expedited Deliverability Studies that has requested that the ISO evaluate the Examined Facility for a Renewable Exemption. A UDR project may not be a Renewable Exemption Applicant, however, the Intermittent Power Resource that participates in a CSR may be a Renewable Exemption Applicant and Qualified Renewable Exemption Applicant.

“**Renewable Exemption Bank**” shall mean the amount of UCAP MW calculated separately for each Mitigated Capacity Zone by the ISO to remain available as described in Section 23.4.5.7.13.5.5 from the most recently completed Class Year Study, Additional SDU Study or Expedited Deliverability Study after deducting the UCAP equivalent MW of awarded Renewable Exemptions in that most recent study from the Renewable Exemption Limit.

“**Renewable Exemption Limit**” shall mean the maximum amount of UCAP MW calculated by the ISO in accordance with Section 23.4.5.7.13.5.5 in Class Year 2019 and any subsequent Class Year Studies, Additional SDU Studies, and Expedited Deliverability Studies that start after July

1, 2020 that is available for Qualified Renewable Exemption Applicants to receive Renewable Exemptions pursuant to section 23.4.5.7.13.

“**Revised Project Cost Allocation**” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

“**Self Supply LSE**” shall mean a Load Serving Entity in one or more Mitigated Capacity Zones that operates under a long-standing business model to meet more than fifty percent of its Load obligations through its own generation and that is (i) a municipally owned electric system that was created by an act of one or more local governments pursuant to the laws of the State of New York to own or control distribution facilities and/or provide electric service, (ii) a cooperatively owned electric system that was created by an act of one or more local governments pursuant to the laws of State of New York or otherwise created pursuant to the Rural Electric Cooperative Law of New York to own or control distribution facilities and/or provide electric service, (iii) a “Single Customer Entity,” or (iv) a “Vertically Integrated Utility.” A Self Supply LSE cannot be an entity that is a public authority or corporate municipal instrumentality created by the State of New York (including a subsidiary of such an authority or instrumentality) that owns or operates generation or transmission and that is authorized to produce, transmit or distribute electricity for the benefit of the public unless it meets the criteria provided in section (i), (ii), or (iii) of this definition. For purposes of this definition only: “Vertically Integrated Utility” means a utility that owns generation, includes such generation in a non-bypassable charge in its regulated rates, earns a regulated return on its investment in such generation, and that as of the date of its request for a Self Supply Exemption, has not divested more than seventy-five percent of its generation assets owned on May 20, 1996; and “Single Customer Entity” means an LSE that serves at retail only customers that are under common control with such LSE, where such control means holding 51% or more of the voting securities or voting interests of the LSE and all its retail customers.

“**Starting Capability Period**” is the Summer Capability Period that will commence three years from the start of the year of the Class Year Study and shall be the start of the Mitigation Study Period for any Examined Facility in a Class Year Study, as well as any Additional SDU Studies and Expedited Deliverability Studies and that are completed while the Class Year Study is ongoing. If no Class Year Study is ongoing when an Expedited Deliverability Study or Additional SDU Study arrives at the Decision Period, the Starting Capability Period used for the purposes of Section 23.4.5 of this Attachment H shall be the Starting Capability Period that applied to the most recently completed Class Year Study.

“**Subsequent Decision Period**” shall have the meaning specified in Section 25 (Attachment S) of the ISO’s Open Access Transmission Tariff.

For purposes of Section 23.4.5 of this Attachment H, “**Surplus Capacity**” shall mean the amount of Installed Capacity, in MW, available in a Mitigated Capacity Zone in excess of the Locational Minimum Installed Capacity Requirement for such Mitigated Capacity Zone.

“**Total Evaluated CRIS MW**” shall mean the Additional CRIS MW requested plus either (i) if the Installed Capacity Supplier previously received an exemption under Sections 23.4.5.7.2(b), 23.4.5.7.6(b), 23.4.5.7.7 or 23.4.5.7.8, all prior Additional CRIS MW since the facility was last

exempted under Sections 23.4.5.7.2(b), 23.4.5.7.6(b), or 23.4.5.7.8, or (ii) for all other Installed Capacity Suppliers, all MW of Capacity for which an Examined Facility obtained CRIS pursuant to the provisions in ISO OATT Sections 25, 30, or 32 (OATT Attachments S, X, or Z).

For purposes of Section 23.4.5 of this Attachment H, “**UCAP Offer Reference Level**” shall mean a dollar value equal to the projected clearing price for each ICAP Spot Market Auction determined by the ISO on the basis of the applicable ICAP Demand Curve and the total quantity of Unforced Capacity from all Installed Capacity Suppliers in a Mitigated Capacity Zone for the period covered by the applicable ICAP Spot Market Auction.

For purposes of Section 23.4.5 of this Attachment H, “**Unit Net CONE**” shall mean localized levelized embedded costs of a specified Installed Capacity Supplier, including interconnection costs, and for an Installed Capacity Supplier located outside a Mitigated Capacity Zone including embedded costs of transmission service, in either case net of likely projected annual Energy and Ancillary Services revenues, and revenues associated with other energy products (such as energy services and renewable energy credits, as determined by the ISO, translated into a seasonally adjusted monthly UCAP value using an appropriate class outage rate. The Unit Net CONE of an Installed Capacity Supplier that has functions beyond the generation or transmission of power shall include only the embedded costs allocated to the production and transmission of power, and shall not net the revenues from functions other than the generation or transmission of power.

“**Unforced Capacity Reserve Margin**” or “**URM**” shall mean the megawatt value calculated by the ISO when converting the (a) the Installed capacity Reserve Margin (IRM) for the NYCA or (b) the Locational Minimum Installed Capacity Requirement (LCR) for a given Locality within the NYCA into UCAP terms using ICAP to UCAP conversion factors consistent with the corresponding resource adequacy study.

23.2.2 Conduct Subject to Mitigation

Mitigation Measures may be applied: (i) to the bidding, scheduling or operation of an “Electric Facility”; or (ii) as specified in Section 23.2.4.2.

23.2.3 Conditions for the Imposition of Mitigation Measures

23.2.3.1 To achieve the foregoing purpose and objectives, Mitigation Measures should only be imposed to remedy conduct that would substantially distort or impair the competitiveness of any of the ISO Administered Markets.

Accordingly, the ISO shall seek to impose Mitigation Measures only to remedy conduct that:

23.2.3.1.1 is significantly inconsistent with competitive conduct; and

23.2.3.1.2 would result in a material change in one or more prices in an ISO Administered Market or production cost guarantee payments (“guarantee payments”) to a Market Party.

23.2.3.2 In general, the ISO shall consider a Market Party's or its Affiliates' conduct to be inconsistent with competitive conduct if the conduct would not be in the economic interest of the Market Party or its Affiliates in the absence of market power. The categories of conduct that are inconsistent with competitive conduct include, but may not be limited to, the three categories of conduct specified in Section 23.2.4 below.

23.2.4 Categories of Conduct that May Warrant Mitigation

23.2.4.1 The following categories of conduct, whether by a single firm or by multiple firms acting in concert, may cause a material effect on prices or guarantee payments in an ISO Administered Market if exercised from a position of market power. Accordingly, the ISO shall monitor the ISO Administered Markets for the following categories of conduct, and shall impose appropriate Mitigation Measures if such conduct is detected and the other applicable conditions for the imposition of Mitigation Measures are met:

23.2.4.1.1 Physical withholding of an Electric Facility, that is, not offering to sell or schedule the output of or services provided by an Electric Facility capable of serving an ISO Administered Market. Such withholding may include, but not be limited to, (i) falsely declaring that an Electric Facility has been forced out of service or otherwise become unavailable, (ii) refusing to offer Bids or schedules for an Electric Facility when such conduct would not be in the economic interest

of the Market Party or its Affiliates in the absence of market power (includes refusing to offer Bids or schedules to withdraw Energy for a Generator that must withdraw Energy in order to be able to later inject Energy); (iii); making an unjustifiable change to one or more operating parameters of an Electric Facility that reduces a Resource's ability to provide Energy or Ancillary Services or (iv) operating a Generator in real-time at a lower output level than the Generator would have been expected to provide had the Generator followed the ISO's dispatch instructions, in a manner that is not attributable to the Generator's verifiable physical operating capabilities and that would not be in the economic interest of the Market Party or its Affiliates in the absence of market power.

For purposes of this Section and Section 23.4.3.2, the term "unjustifiable change" shall mean a change in an Electric Facility's operating parameters that is: (a) not attributable to an Electric Facility's verifiable physical operating capabilities, and (b) is not a rational competitive response to economic factors other than market power.

23.2.4.1.2 Economic withholding of an Electric Facility, that is, submitting Bids for an Electric Facility that are unjustifiably high so that (i) the Electric Facility is not or will not be dispatched or scheduled, or (ii) the Bids will set a market clearing price; or submitting Bids for a Withdrawal-Eligible Generator to withdraw Energy that are unjustifiably high, so that (i) the Electric Facility is or will be dispatched or scheduled to withdraw Energy, or (ii) the Bids will set a market clearing price.

23.2.4.1.3 Uneconomic production from an Electric Facility is increasing the output of an Electric Facility to levels that would not be in the economic interest of the

Market Party or its Affiliates in the absence of market power. Uneconomic withdrawal by an Electric Facility is withdrawing Energy that would not be in the economic interest of the Market Party or its Affiliates in the absence of market power.

23.2.4.2 Mitigation Measures may also be imposed, subject to FERC's approval, to mitigate the market effects of a rule, standard, procedure or design feature of an ISO Administered Market that allows a Market Party or its Affiliate to manipulate market prices or otherwise impair the efficient operation of that market, pending the revision of such rule, standard, procedure or design feature to preclude such manipulation of prices or impairment of efficiency.

23.2.4.3 Taking advantage of opportunities to sell at a higher price or buy at a lower price in a market other than an ISO Administered Market shall not be deemed a form of withholding or otherwise inconsistent with competitive conduct.

23.2.4.4 The ISO and the Market Monitoring Unit shall monitor the ISO Administered Markets for other categories of conduct, whether by a single firm or by multiple firms acting in concert, that have material effects on prices or guarantee payments in an ISO Administered Market. The ISO shall: (i) seek to amend the foregoing list as may be appropriate, in accordance with the procedures and requirements for amending the Plan, to include any such conduct that would substantially distort or impair the competitiveness of any of the ISO Administered Markets; and (ii) seek such other authorization to mitigate the effects of such conduct from the FERC as may be appropriate. The responsibilities of the Market

Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.2 of Attachment O.

23.4.6 Virtual Bidding Measures

23.4.6.1 Purpose

The provisions of this Section 23.4.6 specify the market monitoring and mitigation measures applicable to “Virtual Bids.” “Virtual Bids” are bids to purchase or supply energy that are not backed by physical load or generation that are submitted in the ISO Day-Ahead Market in accordance with the procedures and requirements specified in the ISO Services Tariff.

To implement the mitigation measures set forth in this Section 23.4.6, the ISO shall monitor and assess the impact of Virtual Bidding on the ISO Administered Markets.

23.4.6.2 Implementation

23.4.6.2.1 Day-Ahead LBMPs and Real-Time LBMPs in each load zone shall be monitored to determine whether there is a persistent hourly deviation between them in any zone that would not be expected in a workably competitive market. Monitoring of Day-Ahead and real-time LBMPs shall include examination of the following two metrics (along with any additional monitoring tools and procedures that the ISO determines to be appropriate to achieve the purpose of this Section 23.4.6):

(1) The ISO shall compute a rolling average of the hourly deviation of real-time zonal LBMPs from Day-Ahead zonal LBMPs. The hourly deviation shall be measured as: $(\text{zonal LBMP}_{\text{real time}} - \text{zonal LBMP}_{\text{day ahead}})$. Each observation of the rolling-average time series shall be a simple average of all the hourly deviations over the previous four weeks, or such other averaging period determined by the ISO to be appropriate to achieve the purpose of this Section 23.4.6.

(2) The ISO shall also compute the rolling average *percentage* deviation of real-time zonal LBMPs from Day-Ahead zonal LBMPs. This percentage deviation shall be calculated by dividing the rolling-average hourly deviation (defined in Section 23.4.6.2.1 (1) above) by the rolling-average level of Day-Ahead zonal LBMP over the same time period, using the averaging period(s) described in Section 23.4.6.2.1 (1), above.

23.4.6.2.2 If the ISO determines that (i) the relationship between zonal LBMPs in a zone in the Day-Ahead Market and the Real-Time Market is not what would be expected under conditions of workable competition, and that (ii) the Virtual Bidding practices of one or more Market Participants has contributed to an unwarranted divergence of LBMPs between the two markets, then the following mitigation measure may be imposed. Any such measure shall be rescinded upon a determination by the ISO that the foregoing conditions are not met.

23.4.6.3 Description of the Measure

23.4.6.3.1 If the ISO determines that the conditions specified in Section 23.4.6.2 exist, the ISO may limit the hourly quantities of Virtual Bids for supply or load that may be offered in a zone by a Market Participant whose Virtual Bidding practices have been determined to contribute to an unwarranted divergence of LBMPs between the Day-Ahead and Real-Time Markets. Any such limitation shall be set at such level that, and shall remain in place for such period as, in the best judgment of the ISO, would be sufficient to prevent any unwarranted divergence between Day-Ahead and Real-Time LBMPs.

23.4.6.3.2 As part of the foregoing determination, the ISO shall request explanations of the relevant Virtual Bidding practices from any Market Participant submitting such Bids. Prior to imposing a Virtual Bidding quantity limitation as specified above, the ISO shall notify the affected Market Participant of the limitation.

23.4.6.4 Limitation of Virtual Bidding

If the ISO determines that such action is necessary to avoid substantial deviations of LBMPs between the Day-Ahead and Real-Time Markets, the ISO may impose limits on the quantities of Virtual Bids that may be offered by all Market Participants. Any such restriction shall limit the quantity of Virtual Bids for supply or load that may be offered by each Market Participant by hour and by zone. Any such limit shall remain in place for the minimum period necessary to avoid substantial deviations of LBMPs between the Day-Ahead and Real-Time Markets, or to maintain the reliability of the New York Control Area.

23.4.7 Increasing Bids in Real-Time for Day-Ahead Scheduled Incremental Energy Injections or Decreasing Bids in Real-Time for Day-Ahead Scheduled Incremental Energy Withdrawals

23.4.7.1 Purpose

This Section 23.4.7 specifies the monitoring applicable and the mitigation measures that may be applicable to a Market Party with submitted Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids made in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), for a portion of the Capacity of one or more of its Generators that has been scheduled in the Day-Ahead Market.

This Section 23.4.7 also specifies the monitoring applicable and the mitigation measures that may be applicable to a Market Party with submitted Bids in the real-time market that are less than the Incremental Energy Bids made in the Day-Ahead Market (or mitigated Day-Ahead

Incremental Energy Bids where appropriate), for one or more of its Generators that has been scheduled in the Day-Ahead Market to withdraw Energy.

The purpose of the Services Tariff rules authorizing the submission of Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids made in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), of the portion of the Capacity of a Market Party's Generator that was scheduled in the Day-Ahead Market is to permit the inclusion of additional costs of providing incremental Energy in real-time Incremental Energy Bids for Generators scheduled in the Day-Ahead Market, where the additional costs of providing incremental Energy were not known prior to the close of the Day-Ahead Market.

The purpose of the Services Tariff rules authorizing the submission of Incremental Energy Bids in the real-time market less than the Incremental Energy Bids made in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), of the portion of the Capacity of a Market Party's Generator that was scheduled to withdraw energy in the Day-Ahead Market is to permit changes in opportunity costs to be reflected in real-time Incremental Energy Bids for Generators scheduled to withdraw energy in the Day-Ahead Market, where the opportunity costs of withdrawing incremental Energy has changed relative to the opportunity costs expected prior to the close of the Day-Ahead Market.

23.4.7.2 Monitoring and Implementation

23.4.7.2.1 The ISO will monitor Market Parties for unjustified interactions between a Market Party's virtual bidding and the submission of real-time Incremental Energy Bids that exceed the Incremental Energy Bids submitted in the Day-Ahead Market (or mitigated Day-

Ahead Incremental Energy Bids where appropriate), for the portion of a Generator's Capacity that was scheduled in the Day-Ahead Market.

If the Market Party has a scheduled Virtual Load Bid for the same hour of the Dispatch Day as the hour for which submitted real-time Incremental Energy Bids exceeded the Incremental Energy Bids submitted in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), for a portion of its Generator's Capacity that was scheduled in the Day-Ahead Market, and any such real-time Incremental Energy Bids exceed the reference level for those Bids that can be justified after-the-fact by more than:

- (i) the lower of \$100/MWh or 300%; or
- (ii) if the Market Party's Generator is located in a Constrained Area for intervals in which an interface or facility into the area in which the Generator or generation is located has a Shadow Price greater than zero, then a threshold calculated in accordance with Sections 23.3.1.2.2.1 and 23.3.1.2.2.2 of these Mitigation Measures;

and a calculation of a virtual market penalty pursuant to the formula set forth in Section 23.4.3.3.4 of these Mitigation Measures for the Market Party would produce a penalty in excess of \$1000, then the mitigation measure specified below in Section 23.4.7.3.1 shall be imposed for the Market Party's Generator, along with a penalty calculated in accordance with Section 23.4.3.3.4 of these Mitigation Measures. The application of a penalty under Section 23.4.3.3.4 of these Mitigation Measures shall not preclude the simultaneous application of a penalty pursuant to Section 23.4.3.3.3 of these Mitigation Measures.

23.4.7.2.2 The ISO will monitor Market Parties for unjustified interactions between a Market Party's virtual bidding and the submission of real-time Incremental Energy Bids that are

less than the Incremental Energy Bids made in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), for one or more of its Generators that has been scheduled in the Day-Ahead Market to withdraw Energy.

If the Market Party has a scheduled Virtual Supply Bid for the same hour of the Dispatch Day as the hour for which submitted real-time Incremental Energy Bids at a price that is lower than the Incremental Energy Bids submitted in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), for one or more of its Generators that has been scheduled in the Day-Ahead Market to withdraw Energy, and any such real-time Incremental Energy Bids is less than the reference level for those Bids that can be justified after-the-fact by more than:

- (i) the lower of \$100/MWh or 300%; provided however, that Bids to withdraw Incremental Energy that have an associated reference level that is between -\$25 and \$25 per MWh (inclusive) shall instead be subject to a threshold of \$75/MWh; or
- (ii) if the Market Party's Generator is located in a Constrained Area for intervals in which an interface or facility into the area in which the Generator or generation is located has a Shadow Price greater than zero, then a threshold calculated in accordance with Sections 23.3.1.2.2.1 and 23.3.1.2.2.2 of these Mitigation Measures;

and a calculation of a virtual market penalty pursuant to the formula set forth in Section 23.4.3.3.4 of these Mitigation Measures for the Market Party would produce a penalty in excess of \$1000, then the mitigation measure specified below in Section 23.4.7.3.1 shall be imposed for the Market Party's Generator, along with a penalty calculated in accordance with Section

23.4.3.3.4 of these Mitigation Measures. The application of a penalty under Section 23.4.3.3.4 of these Mitigation Measures shall not preclude the simultaneous application of a penalty pursuant to Section 23.4.3.3.3 of these Mitigation Measures.

23.4.7.3 Mitigation Measure

23.4.7.3.1 If the ISO determines that the conditions specified in Section 23.4.7.2.1 exist the ISO shall revoke the opportunity for any bidder of that Generator to submit Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), for portions of that Generator's Capacity that were scheduled Day-Ahead.

If the ISO determines that the conditions specified in Section 23.4.7.2.2 exist the ISO shall revoke the opportunity for the Market Party and its Affiliates to submit Virtual Bids in the Load Zone(s) where the Withdrawal-Eligible Generator(s) that has been scheduled in the Day-Ahead Market to withdraw Energy, and for which the Market Party submitted real-time Incremental Energy Bids that were less than the Incremental Energy Bids made in the Day-Ahead Market, are located.

23.4.7.3.1.1 The first time the ISO revokes the opportunity for bidders of a Generator to submit Incremental Energy Bids in the Real-Time Market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market (or mitigated Day-Ahead Incremental Energy Bids where appropriate), for portions of that Generator's Capacity that were scheduled Day-Ahead, mitigation shall be imposed for 90 days. The 90 day period shall start two business days after the

date that the ISO provides written notice of its determination that the application of mitigation is required.

The first time the ISO revokes the opportunity for the Market Party and its Affiliates to submit Virtual Bids in the Load Zone(s) where the Generator(s) that has been scheduled in the Day-Ahead Market to withdraw Energy, and for which the Market Party submitted real-time Incremental Energy Bids that were less than the Incremental Energy Bids made in the Day-Ahead Market, are located, mitigation shall be imposed for 90 days. The 90 day period shall start two business days after the date that the ISO provides written notice of its determination that the application of mitigation is required.

23.4.7.3.1.2 Any subsequent time the ISO revoked the opportunity for bidders of a Generator to submit Incremental Energy Bids in the Real-Time Market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that Generator's Capacity that were scheduled Day-Ahead, mitigation shall be imposed for 180 days. The 180 day period shall start two business days after the date that the ISO provides written notice of its determination that the application of mitigation is required.

Any subsequent time the ISO revokes the opportunity for the Market Party and its Affiliates to submit Virtual Bids in the Load Zone(s) where the Generator(s) that has been scheduled in the Day-Ahead Market to withdraw Energy, and for which the Market Party submitted real-time Incremental Energy Bids that were less than the Incremental Energy Bids made in the Day-Ahead

Market, are located, mitigation shall be imposed for 180 days. The 180 day period shall start two business days after the date that the ISO provides written notice of its determination that the application of mitigation is required.

23.4.7.3.1.3 If bidders of a Generator that has previously been mitigated under this Section 23.4.7.3 become and remain continuously eligible to submit Incremental Energy Bids in the Real-Time Market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that Generator's Capacity that were scheduled Day-Ahead, for a period of one year or more, then the ISO shall apply the mitigation measure set forth in Section 23.4.7.3 of the Mitigation Measures as if the Generator had not previously been subject to this mitigation measure.

23.4.7.3.1.4 Market Parties that transfer, sell, assign, or grant to another Market Party the right or ability to Bid a Generator that is subject to the mitigation measure in this Section 23.4.7.3 are required to inform the new Market Party that the Generator is subject to mitigation under this measure, and to inform the new Market Party of the expected duration of such mitigation.

23.4.8 Duration of Mitigation Measures

Except as specified in Section 23.4.5 of this Attachment H, any mitigation measure imposed as specified above shall expire not later than six months after the occurrence of the conduct giving rise to the measure, or at such earlier time as may be specified by the ISO.

23.5 Other Mitigation Measures

23.5.1 Facilitation of Real-Time Mitigation in Constrained Areas

To facilitate the application of the Real-Time mitigation measures specified in this Attachment H for Constrained Areas, all Generators located in a Constrained Area that are capable of doing so shall respond to RTD Base Point Signals, unless such a Generator is subject to contractual obligations in existence prior to June 1, 2002 that would preclude such operation.

23.5.2 Market Power Mitigation Measures Applicable to In-City Unit Commitments for Local Reliability

23.5.2.1 If an In-City Generator is scheduled in any hour in the Day-Ahead Market to meet the reliability needs of a local system, the ISO will set the In-City Generator's Start-Up Bid to the lower of the Bid or the applicable reference level, which may include a Start-Up reference level calculated in accordance with Section 23.3.1.4.4.3 of these Mitigation Measures. In each hour an In-City Generator is scheduled in the Day-Ahead Market to meet the reliability needs of a local system, the ISO will set the In-City Generator's Minimum Generation Bid to the lower of the Bid or the applicable reference level.

23.5.3 Market Power Mitigation Measures Applicable to Sales of Spinning Reserves

23.5.3.1 Local reliability rules require that specified amounts of Spinning Reserves be provided by In-City Generators. The Spinning Reserve-capable portion of each Generator located in New York City must be made available to the ISO for purposes of meeting the New York City Spinning Reserve requirement.

23.5.3.2 The market power mitigation measures applicable to Spinning Reserves will be implemented when the ISO's least-cost dispatch requires that one or more of the Generators located in New York City be committed to meet the In-City Spinning Reserve requirement. For any day that an In-City Generator is committed to meet the In-City Spinning Reserve requirement under circumstances where the Generator would not otherwise have been committed under the ISO's least-cost dispatch, the market power mitigation measures applicable to unit commitments, as described in Section 23.5.2, would apply.

23.5.4 FERC-Ordered Measures

In addition to any mitigation measures specified above, the ISO shall administer, and apply when appropriate in accordance with their terms, such other mitigation measures as it may be directed to implement by order of the FERC.