

## 2.18 Definitions - R

**Ramp Capacity:** The amount of change in the Desired Net Interchange that generation located in the NYCA can support at any given time. Ramp capacity may be calculated for all Interfaces between the NYCA and neighboring Control Areas as a whole or for any individual Interface between the NYCA and an adjoining Control Area.

**RCRR TCC::** A zone-to-zone TCC created when a Transmission Owner with a RCRR exercises its right to convert the RCRR into a TCC pursuant to Section 19.5.4 of Attachment M of the ISO OATT.

**Reactive Power (MVar):** The product of voltage and the out-of-phase component of alternating current. Reactive Power, usually measured in MVar, is produced by capacitors (synchronous condensers), Qualified Non-Generator Voltage Support Resources, and over-excited Generators and absorbed by reactors or under-excited Generators and other inductive devices including the inductive portion of Loads.

**Real Power Losses:** The loss of Energy, resulting from transporting power over the NYS Transmission System, between the Point of Injection and Point of Withdrawal of that Energy.

**Real-Time Bid:** A Bid submitted into the Real-Time Commitment at least seventy-five minutes before the start of a dispatch hour, or at least eighty-five minutes before the start of a dispatch hour if the Bid seeks to schedule an External Transaction at the Proxy Generator Bus associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, or the Linden VFT Scheduled Line.

**Real-Time Commitment (“RTC”):** A multi-period security constrained unit commitment and dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves and Regulation Service on a least as-bid production cost basis over a two hour and fifteen minute optimization period. The optimization evaluates the next ten points in time separated by fifteen minute intervals. Each RTC run within an hour shall have a designation indicating the time at which its results are posted; “RTC<sub>00</sub>,” “RTC<sub>15</sub>,” “RTC<sub>30</sub>,” and “RTC<sub>45</sub>” post on the hour, and at fifteen, thirty, and forty-five minutes after the hour, respectively. Each RTC run will produce binding commitment instructions for the periods beginning fifteen and thirty minutes after its scheduled posting time and will produce advisory commitment guidance for the remainder of the optimization period. RTC<sub>15</sub> will also establish External Transaction schedules. Additional information about RTC’s functions is provided in Section 4.4.2 of this ISO Services Tariff.

**Real-Time Dispatch (“RTD”):** A multi-period security constrained dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves, and Regulation Service on a

least-as-bid production cost basis over a fifty, fifty-five or sixty-minute period (depending on when each RTD run occurs within an hour). The Real-Time Dispatch dispatches, but does not commit, Resources, except that RTD may commit, for pricing purposes, Resources meeting Minimum Generation Levels and capable of starting in ten minutes. Real-Time Dispatch runs will normally occur every five minutes. Additional information about RTD's functions is provided in Section 4.4.3 of this ISO Services Tariff. Throughout this ISO Services Tariff the term "RTD" will normally be used to refer to both the Real-Time Dispatch and to the specialized Real-Time Dispatch Corrective Action Mode software.

**Real-Time Dispatch–Corrective Action Mode ("RTD-CAM"):** A specialized version of the Real-Time Dispatch software that will be activated when it is needed to address unanticipated system conditions. RTD-CAM is described in Section 4.4.4 of this ISO Services Tariff.

**Real-Time LBMP:** The LBMPs established through the ISO Administered Real-Time Market.

**Real-Time Market:** The ISO Administered Markets for Energy and Ancillary Services resulting from the operation of the RTC and RTD.

**Real-Time Minimum Run Qualified Gas Turbine:** One or more gas turbines, offered in the Real-Time Market, which, because of their physical operating characteristics, may qualify for a minimum run time of two hours in the Real-Time Market. Characteristics that qualify gas turbines for this treatment are established by ISO Procedures and include using waste heat from the gas turbine-generated electricity to make steam for the generation of additional electricity via a steam turbine.

**Real-Time Scheduled Energy:** The quantity of Energy that a Supplier is directed to inject or withdraw in real-time by the ISO. Injections are indicated by positive Base Point Signals and withdrawals are indicated by negative Base Point Signals. Unless otherwise directed by the ISO, Dispatchable Supplier's Real-Time Scheduled Energy is equal to its RTD Base Point Signal, or, if it is providing Regulation Service, to its AGC Base Point Signal, and an ISO Committed Fixed or Self-Committed Fixed Supplier's Real-Time Scheduled Energy is equal to its bid output level in real-time.

**Real-Time Scheduling Window:** The period of time within which the ISO accepts offers and Bids to sell and purchase Energy and Ancillary Services in the real-time market which period closes seventy-five (75) minutes before each hour, or eighty-five (85) minutes before each hour for Bids to schedule External Transactions at the Proxy Generator Buses associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, or the Linden VFT Scheduled Line.

**Reconfiguration Auction:** The monthly auction administered by the ISO in which Market Participants may purchase and sell one-month TCCs.

**Reduction or Reduce:** The partial or complete reduction in Non-Firm Transmission Service as a result of transmission Congestion (either anticipated or actual).

**Reference Bus:** The location on the NYS Transmission System relative to which all mathematical quantities, including Shift Factors and penalty factors relating to physical operation, will be calculated. The NYPA Marcy 345 kV transmission substation is designated as the Reference Bus.

**Regulation Service Demand Curve:** A series of quantity/price points that defines the maximum Shadow Price for Regulation Service corresponding to each possible quantity of Resources that the ISO's software may schedule to satisfy the ISO's Regulation Service constraint. A single Regulation Service Demand Curve will apply to both the Day-Ahead Market and the Real-Time Market for Regulation Service. The Shadow Price for Regulation Service shall be used to calculate Regulation Service payments under Rate Schedule 3 of this ISO Services Tariff.

**Regulation Revenue Adjustment Charge ("RRAC"):** A charge that will be assessed against certain Generators that are providing Regulation Service under Section 15.3.6 of Rate Schedule 3 to this ISO Services Tariff.

**Regulation Revenue Adjustment Payment ("RRAP"):** A payment that will be made to certain Generators that are providing Regulation Service under Section 15.3.6 of Rate Schedule 3 to this ISO Services Tariff.

**Reliability Rules:** Those rules, standards, procedures and protocols developed and promulgated by the NYSRC, including Local Reliability Rules, in accordance with NERC, NPCC, FERC, PSC and NRC standards, rules and regulations and other criteria and pursuant to the NYSRC Agreement.

**Required System Capability:** Generation capability required to meet an LSE's peak Load plus Installed Capacity Reserve obligation as defined in the Reliability Rules.

**Reserve Performance Index:** An index created by the ISO for the purpose of calculating the Day Ahead Margin Assurance Payment pursuant to Attachment J of this Services Tariff made to Demand Side Resources scheduled to provide Operating Reserves in the Day-Ahead Market.

**Residual Adjustment:** The adjustment made to ISO costs that are recovered through Schedule 1 of the OATT. The Residual Adjustment is calculated pursuant to Schedule 1 of the OATT.

**Residual Capacity Reservation Right ("RCRR"):** A megawatt of transmission Capacity from one Load Zone to an electrically contiguous Load Zone, each of which is internal to the NYCA,

that may be converted into an RCRR TCC by a Transmission Owner allocated the RCRR pursuant to Section 19.5 of Attachment M of the ISO OATT.

**Residual Transmission Capacity:** The transmission capacity determined by the ISO before, during and after the Centralized TCC Auction which is conceptually equal to the following:

$$\text{Residual Transmission Capacity} = \text{TTC} - \text{TRM} - \text{CBM} - \text{GTR} - \text{GTCC} - \text{ETCNL}$$

The TCCs associated with Residual Transmission Capacity cannot be accurately determined until the Centralized TCC Auction is conducted.

TTC is the Total Transfer Capability that can only be determined after the Residual Transmission Capacity is known.

GTR is the transmission capacity associated with Grandfathered Rights.

GTCC is the transmission capacity associated with Grandfathered TCCs.

ETCNL is the transmission capacity associated with Existing Transmission Capacity for Native Load.

TRM is the Transmission Reliability Margin.

CBM is the Capacity Benefit Margin.

**Resource:** An Energy Limited Resource, Generator, Installed Capacity Marketer, Special Case Resource, Intermittent Power Resource, Limited Control Run of River Hydro Resource, municipally-owned generation, System Resource, Demand Side Resource or Control Area System Resource.

**Rest of State:** The set of all non-Locality NYCA LBMP Load Zones. As of the 2002-2003 Capability Year, Rest of State includes all NYCA LBMP Load Zones other than LBMP Load Zones J and K.

## 2.19 Definitions - S

**Safe Operations:** Actions which avoid placing personnel and equipment in peril with regard to the safety of life and equipment damage.

**Scheduled Energy Injections:** As defined in the ISO OATT.

**Scheduled Energy Withdrawals:** As defined in the ISO OATT.

**Scheduled Line:** A transmission facility or set of transmission facilities: (a) that provide a distinct scheduling path interconnecting the ISO with an adjacent control area, (b) over which Customers are permitted to schedule External Transactions, (c) for which the ISO separately posts TTC and ATC, and (d) for which there is the capability to maintain the Scheduled Line actual interchange at the DNI, or within the tolerances dictated by Good Utility Practice. Each Scheduled Line is associated with a distinct Proxy Generator Bus. Transmission facilities shall only become Scheduled Lines after the Commission accepts for filing revisions to the NYISO's tariffs that identify a specific set or group of transmission facilities as a Scheduled Line. The following transmission facilities are Scheduled Lines: the Cross-Sound Scheduled Line, the Neptune Scheduled Line, the Dennison Scheduled Line, the Northport Norwalk Scheduled Line, and the Linden VFT Scheduled Line.

**SCUC:** Security Constrained Unit Commitment, described in Section 4.2.4 of this ISO Services Tariff.

**Secondary Holders:** Entities that: (1) purchase TCCs in the Secondary Market; (2) purchase TCCs in a Direct Sale from a Transmission Owner and have not been certified as a Primary Holder by the ISO; or (3) receive an allocation of Native Load TCCs from a Transmission Owner (See Attachment M). A Transmission Customer purchasing TCCs in a Direct Sale may qualify as a Primary Holder with respect to those TCCs purchased in that Direct Sale.

**Second Settlement:** The process of: (1) identifying differences between Energy production, Energy consumption or NYS Transmission System usage scheduled in a First Settlement and actual production, consumption, or usage during the Dispatch Day; and (2) assigning financial responsibility for those differences to the appropriate Customers and Market Participants. Charges for Energy supplied (to replace generation deficiencies or unscheduled consumption), and payments for Energy consumed (to absorb consumption deficiencies or excess Energy supply) or changes in transmission usage will be based on the Real-Time LBMPs.

**Secondary Market:** A market in which Primary and Secondary Holders sell TCCs by mechanisms other than through the Centralized TCC Auction or by Direct Sale. Buyers of TCCs

in the Secondary Market shall neither pay nor receive Congestion Rents directly to or from the ISO.

**Security Coordinator:** An entity that provides the security assessment and Emergency operations coordination for a group of Control Areas. A Security Coordinator must not participate in the wholesale or retail merchant functions.

**Self-Committed Fixed:** A bidding mode in which a Generator is self-committed and opts not to be Dispatchable over any portion of its operating range.

**Self-Committed Flexible:** A bidding mode in which a Dispatchable Generator follows Base Point Signals within a portion of its operating range, but self-commits.

**Self-Supply:** The provision of certain Ancillary Services, or the provision of Energy to replace Marginal Losses by a Transmission Customer using either the Transmission Customer's own Generators or generation obtained from an entity other than the ISO.

**Service Agreement:** The agreement, in the form of Attachment A to the Tariff, and any amendments or supplements thereto entered into by a Customer and the ISO of service under the Tariff, or any unexecuted Service Agreement, amendments or supplements thereto, that the ISO unilaterally files with the Commission.

**Service Commencement Date:** The date that the ISO begins to provide service pursuant to the terms of a Service Agreement, or in accordance with the Tariff.

**Settlement:** The process of determining the charges to be paid to, or by, a Customer to satisfy its obligations.

**Shadow Price:** The marginal value of relieving a particular Constraint which is determined by the reduction in system cost that results from an incremental relaxation of that Constraint.

**Shift Factor ("SF"):** A ratio, calculated by the ISO, that compares the change in power flow through a transmission facility resulting from the incremental injection and withdrawal of power on the NYS Transmission System.

**Shutdown Period:** An ISO approved period of time immediately following a shutdown order, such as a zero base point, that has been designated by the Customer, during which unstable operation prevents the unit from accurately following its base points.

**Sink Price Cap Bid:** A Bid Price provided by an entity engaged in an Export to indicate the relevant Proxy Generator Bus LBMP below which that entity is willing to either purchase Energy in the LBMP Markets or, in the case of Bilateral Transactions, to accept Transmission Service.

**Special Case Resource:** Demand Side Resources capable of being interrupted upon demand, and Local Generators, rated 100 kW or higher, that are not visible to the ISO's Market Information System and that are subject to special rules, set forth in Section 5.12.11.1 of this ISO Services Tariff and related ISO Procedures, in order to facilitate their participation in the Installed Capacity market as Installed Capacity Suppliers. Special Case Resources that are not Local Generators, may be offered as synchronized Operating Reserves and Regulation Service and Energy in the Day-Ahead Market. Special Case Resources, using Local Generators rated 100 kw or higher, that are not visible to the ISO's Market Information System may also be offered as non-synchronized Operating Reserves.

**Special Case Resource Capacity:** The Installed Capacity Equivalent of the Unforced Capacity which has been sold by a Special Case Resource in the Installed Capacity market during the current Capability Period.

**Start-Up Period:** An ISO approved period of time immediately following synchronization to the Bulk power system, which has been designated by a Customer and bid into the Real-Time Market, during which unstable operation prevents the unit from accurately following its base points.

**Station Power:** Station Power shall mean the Energy used by a Generator:

1. for operating electric equipment located on the Generator site, or portions thereof, owned by the same entity that owns the Generator, which electrical equipment is used by the Generator exclusively for the production of Energy and any useful thermal energy associated with the production of Energy; and
2. for the incidental heating, lighting, air conditioning and office equipment needs of buildings, or portions thereof, that are: owned by the same entity that owns the Generator; located on the Generator site; and
3. used by the Generator exclusively in connection with the production of Energy and any useful thermal energy associated with the production of Energy.

Station Power does not include any Energy: (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility or for charging a Limited Energy Storage Resource; or (iii) provided during a Black Start restoration by Generators that provide Black Start Capability Service.

**Start-Up Bid:** A Bid parameter that may vary hourly and that identifies the payment a Supplier requires to bring a Generator up to its specified minimum operating level from an offline state or a Demand Side Resource from a level of no Demand Reduction to its specified minimum level of Demand Reduction.

Start-Up Bids submitted for a Generator that is not able to complete its specified minimum run time (of up to a maximum of 24 hours) within the Dispatch Day are expected to include expected net costs related to the hour(s) that a Generator needs to run on the day following the Dispatch Day in order to complete its minimum run time. The component of the Start-Up Bid that incorporates costs that the Generator expects to incur on the day following the Dispatch Day is expected to reflect the operating costs that the Supplier does not expect to be able to recover through LBMP revenues while operating to meet the Generator's minimum run time, at the minimum operating level Bid for that Generator for the hour of the Dispatch Day in which the Generator is scheduled to start-up. Settlement rules addressing Start-Up Bids that incorporates costs related to the hours that a Generator needs to run on the day following the Dispatch Day on which the Generator is committed are set forth in Attachment C to this ISO Services Tariff.

**Storm Watch:** Actual or anticipated severe weather conditions under which region-specific portions of the NYS Transmission System are operated in a more conservative manner by reducing transmission transfer limits.

**Strandable Costs:** Prudent and verifiable expenditures and commitments made pursuant to a Transmission Owner's legal obligations that are currently recovered in the Transmission Owner's retail or wholesale rate that could become unrecoverable as a result of a restructuring of the electric utility industry and/or electricity market, or as a result of retail-turned-wholesale customers, or customers switching generation or Transmission Service suppliers.

**Stranded Investment Recovery Charge:** A charge established by a Transmission Owner to recover Strandable Costs.

**Subzone:** That portion of a Load Zone in a Transmission Owner's Transmission District.

**Supplemental Event Interval:** Any RTD interval in which there is a maximum generation pickup or a large event reserve pickup or which is one of the three RTD intervals following the termination of the maximum generation pickup or the large event reserve pickup.

**Supplemental Resource Evaluation ("SRE"):** A determination of the least cost selection of additional Generators, which are to be committed, to meet: (i) changed or local system conditions for the Dispatch Day that may cause the Day-Ahead schedules for the Dispatch Day to be inadequate to meet the reliability requirements of the Transmission Owner's local system or to meet Load or reliability requirements of the ISO; or (ii) forecast Load and reserve requirements over the six-day period that follows the Dispatch Day.



**Supplier:** A Party that is supplying the Capacity, Demand Reduction, Energy and/or associated Ancillary Services to be made available under the ISO OATT or the ISO Services Tariff, including Generators and Demand Side Resources that satisfy all applicable ISO requirements.

**System Resource:** A portfolio of Unforced Capacity provided by Resources located in a single ISO-defined Locality, the remainder of the NYCA, or any single External Control Area, that is owned by or under the control of a single entity, which is not the operator of the Control Area where such Resources are located, and that is made available, in whole or in part, to the ISO.

## **4.1 Market Services - General Rules**

### **4.1.1 Overview**

Market Services include all services and functions performed by the ISO under this Tariff related to the sale and purchase of Energy, Capacity or Demand Reductions, and the payment to Suppliers who provide Ancillary Services in the ISO Administered Markets.

### **4.1.2 Independent System Operator Authority**

The ISO shall provide all Market Services in accordance with the terms of the ISO Services Tariff and the ISO Related Agreements. The ISO shall be the sole point of Application for all Market Services provided in the NYCA. Each Market Participant that sells or purchases Energy, including Demand Side Resources, Special Case Resources and Emergency Demand Response Program participants, sells or purchases Capacity, or provides Ancillary Services in the ISO Administered Markets utilizes Market Services and must take service as a Customer under this Tariff and enter into a Service Agreement under the Tariff, as set forth in Attachment A; each entity that withdraws Energy to supply Load within the NYCA or provides Installed Capacity to an LSE serving Load within the NYCA utilizes the Control Area Services provided by the ISO and benefits from the reliability achieved as a result of ISO Control Area Services, must take service as a Customer under this Tariff and enter into a Service Agreement under this Tariff, as set forth in Attachment A; and each entity that has its virtual bids accepted and thereby engages in Virtual Transactions and each entity that purchases Transmission Congestion Contracts, excluding Transmission Congestion Contracts that are created prior to January 1, 2010, utilizes Market Services and must take service as a Customer under this Tariff and enter into a Services Agreement under this Tariff, as set forth in Attachment A.

#### **4.1.3 Informational and Reporting Requirements**

The ISO shall operate and maintain an OASIS, including a Bid/Post System that will facilitate the posting of Bids to supply Energy, Ancillary Services and Demand Reductions by Suppliers for use by the ISO and the posting of Locational Based Marginal Prices (“LBMP”) and schedules for accepted Bids for Energy, Ancillary Services and Demand Reductions. The Bid/Post System will be used to post schedules for Bilateral Transactions. The Bid Post System also will provide historical data regarding Energy and Capacity market clearing prices in addition to Congestion Costs.

#### **4.1.4 Scheduling Prerequisites**

Each Customer shall be subject to a minimum Transaction size of one (1) megawatt (“MW”) between each Point of Injection and Point of Withdrawal in any given hour. Each Transaction must be scheduled in whole megawatts.

#### **4.1.5 Communication Requirements for Market Services**

Customers may utilize a variety of communications facilities to access the ISO’s OASIS and Bid/Post System, including but not limited to, conventional Internet service providers, wide area networks such as NERC net, and dedicated communications circuits. Customers shall arrange for and maintain all communications facilities for the purpose of communication of commercial data to the ISO. Each Customer shall be the customer of record for the telecommunications facilities and services it uses and shall assume all duties and responsibilities associated with the procurement, installation and maintenance of the subject equipment and software.

#### **4.1.6 Customer Responsibilities**

All purchasers in the Day-Ahead or Real-Time Markets who withdraw Energy within the NYCA or at an NYCA Interconnection with another Control Area must obtain Transmission Service under the ISO OATT. All Customers requesting service under the ISO Services Tariff to engage in Virtual Transactions must obtain Transmission Service under the ISO OATT.

All LSEs serving Load in the NYCA must comply with the Installed Capacity requirements set forth in Article 5 of this ISO Services Tariff.

All Customers taking service under the ISO Services Tariff must pay the Market Administration and Control Area Services Charge, as specified in Rate Schedule 1 of this ISO Services Tariff.

A Generator or Demand Side Resource with a real time physical operating problem that makes it impossible for it to operate in the bidding mode in which it was scheduled shall notify the NYISO.

#### **4.1.7 Customer Compliance with Laws, Regulations and Orders**

All Customers shall comply with all applicable federal, state and local laws, regulations and orders, including orders from the ISO.

4.1.7.1 Violations of FERC's orders, rules and regulations also violate this Section 4.1.7 of the ISO Services Tariff. In particular, if FERC or a court of competent jurisdiction determines there has been a violation of FERC's regulations related to electric energy market manipulation (*see* 18 C.F.R. Section 1c.2, or any successor provision thereto), such violation is also a violation of this ISO Services Tariff if such violation affects or is related to the ISO Administered Markets.

4.1.7.2 If the ISO becomes aware that a Customer may be engaging in, or might have engaged in, electric energy market manipulation, it shall promptly inform its Market Monitoring Unit.

4.1.7.3 This Section 4.1.7 of the ISO Services Tariff does not independently empower the ISO or its Market Monitoring Unit to impose penalties for, or to provide a remedy for, violations of FERC's prohibition against electric energy market manipulation, or for other violations of the ISO's Tariffs.

#### 4.1.8 Commitment for Reliability

Suppliers with ~~G~~generating units committed by the ISO for service to ensure NYCA reliability or local system reliability will recover startup and minimum generation costs that were not bid, that were not known before the close of the Real-Time Scheduling Window, and that were not recovered in the Dispatch Day, provided however, eligibility to recover such additional costs shall not be available for megawatts scheduled Day-Ahead. Payment for such costs shall be determined, as if bid, pursuant to the provisions of Attachment C of this Tariff. ~~Such~~ ~~p~~Payments for securing NYCA reliability and local system reliability shall be recovered by the ISO ~~from the local customers for whose benefit the generation was committed~~ in accordance with Rate Schedule 1 of the ISO OATT.

Re-dispatching costs incurred as a result of reductions in Transfer Capability caused by Storm Watch ("Storm Watch Costs") shall be aggregated and recovered on a monthly basis by the ISO exclusively from Transmission Customers in Load Zone J. The ISO shall calculate Storm Watch Costs by multiplying the real-time Shadow Price of any binding constraint associated with a Storm Watch, by the higher of (a) zero; or (b) the scheduled Day-Ahead flow across the constraint minus the actual real-time flow across the constraint.

#### **4.1.9 Incremental Cost Recovery for Units Responding to Local Reliability Rule I-R3 or I-R5**

Generating units designated pursuant to the New York State Reliability Council's Local Reliability Rule I-R3 -- Loss of Generator Gas Supply (New York City) or I-R5 -- Loss of Generator Gas Supply (Long Island), as being required to burn an alternate fuel at designated minimum levels based on forecast Load levels in Load Zones J and K (for purposes of this Section 4.1.9, "eligible units"), shall be eligible to recover the variable operating costs associated with burning the required alternate fuel pursuant to the provisions of this Section 4.1.9. For purposes of this Section 4.1.9, the periods of time for which Consolidated Edison invokes Local Reliability Rule I-R3 or LIPA invokes Local Reliability Rule I-R5 and in which the eligible unit burns its required alternate fuel, including that period of time required to move into and out of Rule I-R3 or I-R5 compliance, shall be referred to as the "Eligibility Period." For Eligibility Periods, the eligible unit shall recover its variable operating costs associated with burning the required alternate fuel if and to the extent that such variable operating costs are not reflected in the reference level for that unit for the hours included in the Eligibility Period, pursuant to ISO procedures. To be recoverable, variable operating costs associated with burning the required alternate fuel must be incurred during an Eligibility Period and must be incurred only because Local Reliability Rule I-R3 or I-R5 was invoked.

Rules for determining: (i) variable operating costs associated with burning the required alternate fuel that would not have been incurred but for the requirement to burn the required alternate fuel as established by Local Reliability Rules I-R3 and I-R5; and (ii) Eligibility Periods shall be specified in ISO Procedures. Payments made by the ISO to the eligible unit to reimburse the variable operating costs paid pursuant to this Section 4.1.9 shall be in addition to any LBMP,

Ancillary Service or other revenues received as a result of the eligible unit's Day-Ahead or Real-Time dispatch for that day.

There shall be no recovery of costs pursuant to this Section 4.1.9 for any hour for which the indexed variable operating costs of the required alternate fuel that is being burned pursuant to Rule I-R3 or I-R5 is less than the indexed variable operating costs for natural gas, as determined by the ISO.

The ISO shall make available for the Transmission Owner in whose subzone the Generator is located: (i) the identity of Generators determined by the ISO to be eligible to recover the variable operating costs associated with burning the required alternate fuel pursuant to the provisions of this section; (ii) the start and stop hours for each claimed Eligibility Period and (iii) the amount of alternative fuel for which the Generator has sought to recover variable operating costs.

## **4.4 Real-Time Markets and Schedules**

### **4.4.1 Real-Time Commitment (“RTC”)**

#### **4.4.1.1 Overview**

RTC will make binding unit commitment and de-commitment decisions for the periods beginning fifteen minutes (in the case of Resources that can respond in ten minutes) and thirty minutes (in the case of Resources that can respond in thirty minutes) after the scheduled posting time of each RTC run, will provide advisory commitment information for the remainder of the two and a half hour optimization period, and will produce binding schedules for External Transactions to begin at the start of each hour. RTC will co-optimize to solve simultaneously for all Load, Operating Reserves and Regulation Service requirements and to minimize the total as-bid production costs over its optimization timeframe. RTC will consider SCUC’s Resource commitment for the day, load and loss forecasts that RTC itself will produce each quarter hour, binding transmission constraints, and all Real-Time Bids and Bid parameters submitted pursuant to Section 4.4.1.2 below.

#### **4.4.1.2 Bids and Other Requests**

After the Day-Ahead schedule is published and no later than seventy-five (75) minutes before each hour (or no later than eighty-five minutes before each hour for Bids to schedule External Transactions at the Proxy Generator Buses associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, or the Linden VFT Scheduled Line), Customers may submit Real-Time Bids into RTC for real-time evaluation.



#### 4.4.1.2.1 Real-Time Bids to Supply Energy and Ancillary Services

Intermittent Power Resources that depend on wind as their fuel submitting new or revised offers to supply Energy shall bid as ISO-Committed Flexible and shall not include a Minimum Generation Bid or a Start-Up Bid. Eligible Customers may submit new or revised Bids to supply Energy, Operating Reserves and/or Regulation Service. Customers that submit such Bids may specify different Bid parameters in RTC than they did Day-Ahead. Incremental Energy Bids may be submitted for ISO-Committed Fixed Generators, ISO-Committed Flexible Generators and Demand Side Resources, and Self-Committed Flexible Generators ~~may not increase their Day-Ahead Incremental Energy Bids that are applicable to any~~that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or the mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of their Capacity of such Resources that ~~was~~were scheduled in the Day-Ahead Market, if not otherwise prohibited pursuant to other provisions of the tariff, and may not increase their Minimum Generation Bids; ~~or and~~ Start-Up Bids; for any hour in which such Resources ~~they~~ received a Day-Ahead Energy schedule may not exceed the Minimum Generation Bids and Start-up Bids submitted for those Resources in the Day-Ahead Market. Additionally, Real-Time Minimum Run Qualified Gas Turbine Customers shall not increase their previously submitted Real-Time Incremental Energy Bids, Minimum Generation Bids, or Start-Up Bids within 135 minutes of the dispatch hour. Bids to supply Energy or Ancillary Services shall be subject to the rules set forth in Section 4.2.1 above and in Attachment D to this ISO Services Tariff.

Generators that did not submit a Day-Ahead Bid for a given hour may offer to be ISO-Committed Flexible, Self-Committed Flexible, Self-Committed Fixed or, with ISO approval, as ISO-Committed Fixed in real-time. Demand Side Resources that did not submit a Day-Ahead Bid to provide Operating Reserves or Regulation Service for a given hour or that submitted a

Day-Ahead Bid to provide Operating Reserves or Regulation Service but did not receive a Day-Ahead schedule for a given hour may offer to provide Operating Reserves or Regulation Service as ISO-Committed Flexible for that hour in the Real-Time Market provided, however, that the Demand Side Resource shall have an Energy price Bid no lower than \$75 /MW hour.

Generators that submitted a Day-Ahead Bid but did not receive a Day-Ahead schedule for a given hour may change their bidding mode for that hour to be ISO-Committed Flexible, Self-Committed Flexible, Self-Committed Fixed or, with ISO approval, ISO-Committed Fixed in real-time without restriction.

Generators that received a Day-Ahead schedule for a given hour may not change their bidding mode between Day-Ahead and real-time provided, however, that Generators that were scheduled Day-Ahead in Self-Committed Fixed mode may switch, with ISO approval, to ISO-Committed Fixed bidding mode in real-time. Generators that were scheduled Day-Ahead in ISO-Committed Fixed mode will be scheduled as Self-Committed Fixed in the Real-Time Market unless, with ISO approval, they change their bidding mode to ISO-Committed Fixed.

A Generator with a real time physical operating problem that makes it impossible for it to operate in the bidding mode in which it was scheduled Day-Ahead should notify the NYISO.

Generators and Demand Side Resources may not submit separate Operating Reserves Availability Bids in real-time and will instead automatically be assigned a real-time Operating Reserves Availability Bid of zero for the amount of Operating Reserves they are capable of providing in light of their response rate (as determined under Rate Schedule 4).

#### **4.4.1.2.2 Bids Associated with Internal and External Bilateral Transactions**

Customers may seek to modify Bilateral Transactions that were previously scheduled Day-Ahead or propose new Bilateral Transactions, including External Transactions, for

economic evaluation by RTC, provided however, that Bilateral Transactions with Trading Hubs as their POWs that were previously scheduled Day-Ahead may not be modified. Bids associated with Internal Bilateral Transactions shall be subject to the rules set forth above in Section 4.2.1.7.

Except as noted in Attachment N to this ISO Services Tariff, Sink Price Cap Bids or Decremental Bids for External Transactions may be submitted into RTC up to seventy five minutes before the hour in which the External Transaction would flow. External Transaction Bids must have a one hour duration, must start and stop on the hour, and must have constant magnitude for the hour. Intra-hour schedule changes, or Bid modifications, associated with External Transactions will not be accommodated.

#### **4.4.1.2.3 Self-Commitment Requests**

Self-Committed Flexible Resources must provide the ISO with schedules of their expected minimum operating points in quarter hour increments. Self-Committed Fixed Resources must provide their expected actual operating points in quarter hour increments or, with ISO approval, bid as an ISO-Committed Fixed Generator.

#### **4.4.1.2.4 ISO-Committed Fixed**

The ability to use the ISO-Committed Fixed bidding mode in the Real-Time Market shall be subject to ISO approval pursuant to procedures, which shall be published by the ISO. Generators that do not have the communications systems, operational control mechanisms or hardware to be able to respond to five-minute dispatch basepoints are eligible to bid as ISO-Committed in the Real-Time Market. Real-Time Bids by ISO-Committed Fixed Generators shall identify variable Energy price Bids, consisting of up to eleven monotonically increasing, constant cost incremental Energy steps, and other parameters described in Attachment D of this

ISO Services Tariff and the ISO Procedures. Real-Time Bids by ISO-Committed Fixed Generators shall also include Minimum Generation Bids and hourly Start-Up Bids. ISO-Committed Fixed Bids shall specify that the Generator is offering to be ISO-Committed Fixed.

RTC shall schedule ISO-Committed Fixed Generators.

#### **4.4.1.3 External Transaction Scheduling**

RTC<sub>15</sub> will schedule External Transactions on an hour-ahead basis as part of its development of a co-optimized least-bid cost real-time commitment. RTC will alert the ISO when it appears that scheduled External Transactions need to be reduced for reliability reasons but will not automatically Curtail them. Curtailment decisions will be made by the ISO, guided by the information that RTC provides, pursuant to the rules established by Attachment B of this ISO Services Tariff and the ISO Procedures.

#### **4.4.1.4 Posting Commitment/De-Commitment and External Transaction Scheduling Decisions**

Except as specifically noted in Section 4.4.2 and 4.4.3 of this ISO Services Tariff, RTC will make all Resource commitment and de-commitment decisions. RTC will make all economic commitment/de-commitment decisions based upon available offers assuming Suppliers internal to the NYCA have a one-hour minimum run time; provided however, Real-Time Minimum Run Qualified Gas Turbines shall be assumed to have a two-hour minimum run time.

RTC will produce advisory commitment information and advisory real-time prices. RTC will make decisions and post information in a series of fifteen-minute “runs” which are described below.

RTC<sub>15</sub> will begin at the start of the first hour of the RTC co-optimization period and will post its commitment, de-commitment, and External Transaction scheduling decisions no later than fifteen minutes after the start of that hour. During the RTC<sub>15</sub> run, RTC will:

- (i) Commit Resources with 10-minute start-up times that should be synchronized by the time that the results of the next RTC run are posted so that they will be synchronized and running at their minimum generation levels by that time;
- (ii) Commit Resources with 30-minute start-up times that should be synchronized by the time that the results of the RTC run following the next RTC run are posted so that they will be synchronized and running at their minimum generation levels by that time;
- (iii) De-commit Resources that should be disconnected from the network by the time that the results of the next RTC run are posted so that they will be disconnected by that time;
- (iv) Issue advisory commitment and de-commitment guidance for periods more than thirty minutes in the future and advisory dispatch information;
- (v) Schedule economic External Transactions to run during the entirety of the next hour; and
- (vi) Schedule ISO-Committed Fixed Resources.

All subsequent RTC runs in the hour, i.e., RTC<sub>30</sub>, RTC<sub>45</sub>, and RTC<sub>00</sub> will begin executing at fifteen minutes before their designated posting times (for example, RTC<sub>30</sub> will begin in the fifteenth minute of the hour), and will take the following steps:

- (i) Commit Resources with 10-minute start-up times that should be synchronized by the time that the results of the next RTC run are posted so that they will be synchronized and running at that time;
- (ii) Commit Resources with 30-minute start-up times that should be synchronized by the time that the results of the RTC run following the next RTC run are posted so that they will be synchronized and running at that time;
- (iii) De-commit Resources that should be disconnected from the network by the time that the results of the next RTC run are posted so that they will be disconnected at that time;
- (iv) Issue advisory commitment, de-commitment, and dispatching guidance for the period from thirty minutes in the future until the end of the RTC co-optimization period;
- (v) Either reaffirm that the External Transactions scheduled by RTC<sub>15</sub> to flow in the next hour should flow, or inform the ISO that External Transactions may need to be reduced; and
- (vi) Schedule ISO-Committed Fixed Resources.

#### **4.4.1.5 External Transaction Settlements**

RTC<sub>15</sub> will calculate the Real-Time LBMP for all External Transactions if constraints at the interface associated with that External Transaction are binding. In addition, RTC<sub>15</sub> will calculate Real-Time LBMPs at Proxy Generator Buses for any hour in which: (i) proposed economic Transactions over the Interface between the NYCA and the External Control Area that the Proxy Generator Bus is associated with would exceed the Available Transfer Capability for the Proxy Generator Bus or for that Interface; (ii) proposed interchange schedule changes

pertaining to the NYCA as a whole would exceed any Ramp Capacity limits in place for the NYCA as a whole; or (iii) proposed interchange schedule changes pertaining to the Interface between the NYCA and the External Control Area that the Proxy Generator Bus is associated with would exceed any Ramp Capacity limit imposed by the ISO for the Proxy Generator Bus or for that Interface. Finally, Real-Time LBMPs will be determined at certain times at Non-Competitive Proxy Generator Buses and Proxy Generator Buses associated with designated Scheduled Lines that are subject to the Special Pricing Rules as is described in Attachment B to this ISO Services Tariff.

Real-Time LBMPs will be calculated by RTD for all other purposes, including for pricing External Transactions during intervals when the interface associated with an External Transaction is not binding pursuant to Section 4.4.2.2.

#### **4.4.2 Real-Time Dispatch**

##### **4.4.2.1 Overview**

The Real-Time Dispatch will make dispatching decisions, send Base Point Signals to Internal Generators and Demand Side Resources, calculate Real-Time Market clearing prices for Energy, Operating Reserves, and Regulation Service, and establish real-time schedules for those products on a five-minute basis, starting at the beginning of each hour. The Real-Time Dispatch will not make commitment decisions and will not consider start-up costs in any of its dispatching or pricing decisions, except as specifically provided in Section 4.4.2.3 below. Each Real-Time Dispatch run will co-optimize to solve simultaneously for Load, Operating Reserves, and Regulation Service and to minimize the total cost of production over its bid optimization horizon (which may be fifty, fifty-five, or sixty minutes long depending on where the run falls in the hour.) In addition to producing a binding schedule for the next five minutes, each Real-Time

Dispatch run will produce advisory schedules for the remaining four time steps of its bid-optimization horizon (which may be five, ten, or fifteen minutes long depending on where the run falls in the hour). RTD will use the most recent system information and the same set of Bids and constraints that are considered by RTC.

#### **4.4.2.2 Calculating Real-Time Market LBMPs and Advisory Prices**

With the exceptions noted above in Section 4.4.1.5, RTD shall calculate *ex ante* Real-Time LBMPs at each Generator bus, and for each Load Zone in each RTD cycle, in accordance with the procedures set forth in Attachment B to this ISO Services Tariff. RTD will also calculate and post advisory Real-Time LBMPs for the next four quarter hours in accordance with the procedures set forth in Attachment B.

#### **4.4.2.3 Real-Time Pricing Rules for Scheduling Ten Minute Resources**

RTD may commit and dispatch, for pricing purposes, Resources meeting Minimum Generation Levels and capable of starting within ten minutes (“eligible Resources”) when necessary to meet load. Eligible Resources committed and dispatched by RTD for pricing purposes may be physically started through normal ISO operating processes. In the RTD cycle in which RTD commits and dispatches an eligible Resource, RTD will consider the Resource’s start-up and incremental energy costs and will assume the Resource has a zero downward response rate for purposes of calculating *ex ante* Real-Time LBMPs at each Generator Bus, and for each Load Zone.



#### **4.4.2.4     Converting to Demand Reduction, Special Case Resource Capacity scheduled as Operating Reserves, Regulation or Energy in the Real-Time Market**

The ISO shall convert to Demand Reductions, in hours in which the ISO requests that Special Case Resources reduce their demand pursuant to ISO Procedures, any Operating Reserves, Regulation Service or Energy scheduled in the Day-Ahead Market from Demand Side Resources that are also providing Special Case Resource Capacity. The ISO shall settle the Demand Reduction provided by that portion of the Special Case Resource Capacity that was scheduled Day-Ahead as Operating Reserves, Regulation Service or Energy as being provided by a Supplier of Operating Reserves, Regulation Service or Energy as appropriate. The ISO shall settle any remaining Demand Reductions provided beyond Capacity that was scheduled Day-Ahead as Ancillary Services or Energy as being provided by a Special Case Resource, provided such Demand Reduction is otherwise payable as a reduction by a Special Case Resource.

Operating Reserves or Regulation Service scheduled Day-Ahead and converted to Energy in real time pursuant to this Section 4.4.2.4, will be eligible for a Day-Ahead Margin Assurance Payment, pursuant to Attachment J of this ISO Services Tariff.

Special Case Resource Capacity that has been scheduled in the Day-Ahead Market to provide Operating Reserves, Regulation Service or Energy and that has been instructed as a Special Case Resource to reduce demand shall be considered, for the purpose of applying Real-Time special scarcity pricing rules described in Attachment B of this Services Tariff, to be a Special Case Resource.

The ISO shall not accept offers of Operating Reserves or Regulation Service in the Real-Time Market from Demand Side Resources that are also providing Special Case Resource Capacity for any hour in which the ISO has requested Special Case Resources to reduce demand.

#### **4.4.2.5      Converting to Demand Reduction Curtailment Services Provider Capacity scheduled as Operating Reserves, Regulation or Energy in the Real-Time Market**

The ISO shall convert to Demand Reductions, in hours in which the ISO requests Demand Reductions from the Emergency Demand Response Program pursuant to ISO Procedures, any Operating Reserves, Regulation Service or Energy scheduled in the Day-Ahead Market by Demand Side Resources that are also providing Curtailment Services Provider Capacity. The ISO shall settle the Demand Reduction provided by that portion of the Curtailment Services Provider Capacity that was scheduled Day-Ahead as Operating Reserves, Regulation Service or Energy as being provided by a Supplier of Operating Reserves, Regulation Service or Energy as appropriate. The ISO shall settle Demand Reductions provided beyond Capacity that was scheduled Day-Ahead as ancillary services or Energy as being provided by a Curtailment Services Provider.

Operating Reserves or Regulation Service scheduled Day-Ahead and converted to Energy in real time pursuant to this Section 4.4.2.5, will be eligible for a Day-Ahead Margin Assurance Payment, pursuant to Attachment J of this ISO Services Tariff.

Curtailment Services Provider Capacity that has been scheduled in the Day-Ahead Market as Operating Reserves, Regulation Service or Energy and that has been instructed to reduce demand shall be considered, for the purpose of applying Real-Time special scarcity pricing rules described in Attachment B of this Services Tariff, to be a Emergency Demand Response Program Resource.

The ISO shall not accept offers of Operating Reserves and Regulation Service in the Real-Time Market from Demand Side Resources that are also providing Curtailment Services Provider Capacity for any hour in which the ISO has requested participants in the Emergency Demand Response Program pursuant to ISO Procedures to reduce demand.

#### **4.4.2.6 Real-Time Scarcity Pricing Rules Applicable to Regulation Service and Operating Reserves During EDRP and/or SCR Activations**

Under Sections 17.1.1.2 and 17.1.1.3 of Attachment B to this ISO Services Tariff, and Sections 16.1.1.2 and 16.1.1.3 of Attachment J to the ISO OATT, the ISO will use special scarcity pricing rules to calculate Real-Time LBMPs during intervals when it has activated the EDRP and/or SCRs in order to avoid reserves shortages. During these intervals, the ISO will also implement special scarcity pricing rules for real-time Regulation Service and Operating Reserves. These rules are set forth in Section 15.3.2.5.2 of Rate Schedule 15.3 and Section 15.4.6.2 of Rate Schedule 15.4 of this ISO Services Tariff.

#### **4.4.3 Real-Time Dispatch - Corrective Action Mode**

When the ISO needs to respond to system conditions that were not anticipated by RTC or the regular Real-Time Dispatch, *e.g.*, the unexpected loss of a major Generator or Transmission line, it will activate the specialized RTD-CAM program. RTD-CAM runs will be nominally either five or ten minutes long, as is described below. Unlike the Real-Time Dispatch, RTD-CAM will have the ability to commit certain Resources. When RTD-CAM is activated, the ISO will have discretion to implement various measures to restore normal operating conditions. These RTD-CAM measures are described below.

The ISO shall have discretion to determine which specific RTD-CAM mode should be activated in particular situations. In addition, RTD-CAM may require all Resources to run above their UOL<sub>NS</sub>, up to the level of their UOL<sub>ES</sub> as is described in the ISO Procedures. Self-Committed Fixed Resources will not be expected to move in response to RTD-CAM Base Point Signals except when a maximum generation pickup is activated.

Except as expressly noted in this section, RTD-CAM will dispatch the system in the same manner as the normal Real-Time Dispatch.

#### **4.4.3.1 RTD-CAM Modes**

##### **4.4.3.1.1 Reserve Pickup**

The ISO will enter this RTD-CAM mode when necessary to re-establish schedules when large area control errors occur. When in this mode, RTD-CAM will send 10-minute Base Point Signals and produce schedules for the next ten minutes. RTD-CAM may also commit, or if necessary de-commit, Resources capable of starting or stopping within 10-minutes. The ISO will continue to optimize for Energy and Operating Reserves, will recognize locational Operating Reserve requirements, but will suspend Regulation Service requirements. If Resources are committed or de-committed in this RTD-CAM mode the schedules for them will be passed to RTC and the Real-Time Dispatch for their next execution.

The ISO will have discretion to classify a reserve pickup as a “large event” or a “small event.” In a small event the ISO will have discretion to reduce Base Point Signals in order to reduce transmission line loadings. The ISO will not have this discretion in large events. ~~As is explained in Section 4.10 below, t~~The distinction also has significance with respect to a Supplier’s Resources’ eligibility to receive Bid Production Cost guarantee payments in accordance with Section 4.6.6 and Attachment C of this ISO Services Tariff.

##### **4.4.3.1.2 Maximum Generation Pickup**

The ISO will enter this RTD-CAM mode when an Emergency makes it necessary to maximize Energy production in one or more location(s), i.e., Long Island, New York City, East of Central East and/or NYCA-wide. RTD-CAM will produce schedules directing all Generators located in a targeted location to increase production at their emergency response rate up to their UOL<sub>E</sub> level and to stay at that level until instructed otherwise. Security constraints will be obeyed to the extent possible. The ISO will continue to optimize for Energy and Operating

Reserves, will recognize locational Operating Reserve requirements, but will suspend its Regulation Service requirements.

#### **4.4.3.1.3 Base Points ASAP -- No Commitments**

The ISO will enter this RTD-CAM mode when changed circumstances make it necessary to issue an updated set of Base Point Signals. Examples of changed circumstances that could necessitate taking this step include correcting line, contingency, or transfer overloads and/or voltage problems caused by unexpected system events. When operating in this mode, RTD-CAM will produce schedules and Base Point Signals for the next five minutes but will only redispatch Generators that are capable of responding within five minutes. RTD-CAM will not commit or de-commit Resources in this mode.

#### **4.4.3.1.4 Base Points ASAP -- Commit As Needed**

This operating mode is identical to Base Points ASAP – No Commitments, except that it also allows the ISO to commit Generators that are capable of starting within 10 minutes when doing so is necessary to respond to changed system conditions.

#### **4.4.3.1.5 Re-Sequencing Mode**

When the ISO is ready to de-activate RTD-CAM, it will often need to transition back to normal Real-Time Dispatch operation. In this mode, RTD-CAM will calculate normal five-minute Base Point Signals and establish five minute schedules. Unlike the normal RTD-Dispatch, however, RTD-CAM will only look ahead 10-minutes. RTD-CAM re-sequencing will terminate as soon as the normal Real-Time Dispatch software is reactivated and is ready to produce Base Point signals for its entire optimization period.

#### 4.4.3.2 Calculating Real-Time LBMPs

When RTD-CAM is activated, except when it is in reserve pickup mode, ~~it shall calculate~~ *ex ante* Real-Time LBMPs will be calculated at each Generator bus, and for each Load Zone, every five minutes, in accordance with the procedures set forth above in Section 4.4.2.2. When it is in reserve pickup mode, ~~RTD-CAM will calculate~~ *ex ante* Real-Time LBMPs will be calculated every ten minutes, but RTD-CAM shall otherwise follow the procedures set forth above in Section 4.4.2.2. In addition, when RTD-CAM is activated, Suppliers will ~~may be calculate Bid Production Cost payments for~~ eligible for Bid Production Cost guarantee payments ~~Generators~~ during large event, but not small event, reserve pickups and during maximum generation pickups in accordance with ~~These payments are described in~~ Section 4.6.6 ~~10, and in Rate Schedule 15.4. and Attachment C~~ of this ISO Services Tariff.

#### 4.4.3.3 Posting Commitment Decisions

To the extent that RTD-CAM makes commitment and de-commitment decisions they will be posted at the same time as Real-Time LBMPs.

## **4.6 Payments**

### **4.6.1 Payments to Suppliers of Regulation Service**

Suppliers of Regulation Service shall receive a payment that is calculated pursuant to Rate Schedule 15.3 of this ISO Services Tariff

### **4.6.2 Payments to Suppliers of Reactive Supply and Voltage Support Service (“Voltage Support Service”)**

Suppliers of Voltage Support Service shall receive a Voltage Support Service payment in accordance with the criteria and formula in Rate Schedule 15.2.

### **4.6.3 Payments to Suppliers for Operating Reserves**

Suppliers of each type of Operating Reserve will receive payments for each MW of Operating Reserve that they provide, as requested by the ISO, pursuant to Rate Schedule 15.4.

Additionally, Generators providing Operating Reserves shall receive a payment for Energy when the ISO requests Energy under a reserve activation. The Energy payment shall be calculated as the product of: (a) the Energy provided; and (b) the Real-Time Market LBMP.

### **4.6.4 Payments to Generators for Black Start Capability**

Black Start Capability providers shall receive a payment for Black Start Capability as set forth in Rate Schedule 15.5.

### **4.6.5 Day-Ahead Margin Assurance Payments**

~~If an eligible Supplier is forced to buy out of a Day Ahead Energy, Regulation Service or Operating Reserve schedule in a manner that reduces its Day Ahead Margin, that Supplier shall receive a Day Ahead Margin Assurance Payment. Such payments shall be calculated pursuant to Attachment J of this ISO Services Tariff~~ A Supplier that is scheduled in the Day-Ahead Market to

provide Energy, Regulation Service, or Operating Reserves may be eligible to receive a Day-Ahead Margin Assurance Payment pursuant to Attachment J of this ISO Services Tariff.

#### **4.6.6 Bid Production Cost Guarantee ~~and Curtailment Initiation Cost~~ Payments**

##### **4.6.6.1 Day-Ahead BPCG for Generators**

The ISO shall determine, ~~on a daily basis, if any ISO Committed Fixed or ISO-Committed Flexible Generator, other than a Limited Energy Storage Resource, or Customer that schedules imports, that is committed by the ISO in the Day Ahead Market~~ Supplier eligible under Section 18.2.1 of Attachment C of this ISO Services Tariff for a Day-Ahead Bid Production Cost guarantee payment will not recover its Day-Ahead Minimum Generation Bid, Start-Up Bid, and Incremental Energy Bid ~~Priceto produce Energy in the Day-Ahead Market~~ through Day-Ahead LBMP revenues and net Day-Ahead Ancillary Services revenues for Voltage Support Service, Regulation Service, and synchronized Operating Reserves. Such determination shall be made for an entire Day-Ahead Market day, and such determination shall be made separately for each Generator. On the basis of such determination (and subject to any mitigation that may apply) the ISO shall pay a Day-Ahead BPCG to the Supplier pursuant to Section 18.2 of Attachment C to this ISO Services Tariff.

##### **4.6.6.2 Day-Ahead BPCG for Imports**

The ISO shall determine if a Supplier supplying an Import Sale to the LBMP Market and eligible under Section 18.3.1 of Attachment C of this ISO Services Tariff for a Day-Ahead Bid Production Cost guarantee payment will not recover its Day-Ahead Decremental Bid through Day-Ahead LBMP revenues. Such determination shall be made for an entire Day-Ahead Market day and such determination shall be made separately for each Import transaction. On the basis of



such determination, the ISO shall pay a Day-Ahead Bid Production Cost guarantee payment to the Supplier pursuant to Section 18.3 of Attachment C of this ISO Services Tariff.

~~If the sum of the Minimum Generation Bid, Start-Up Bid and the net Energy Bid Price over the twenty-four (24) hour day of such a Generator or Importer exceeds its Day Ahead LBMP revenue over the twenty-four (24) hour day, then that Generator or Importer's Day Ahead LBMP revenue may be augmented by a supplemental Day Ahead Bid Production Cost guarantee payment calculated pursuant to the provisions of Attachment C to this ISO Services Tariff. However, the amount of the shortfall of such a Generator will be compared to the margin that the Generator receives from being scheduled to provide Ancillary Services that it can provide only if scheduled to operate. The Generator's Ancillary Service margin is equal to the revenue it would have received for providing these Ancillary Services prior to any reductions based on a failure to provide these services less its Bid to provide these services, if any. If, and only to the extent that, the shortfall exceeds these Ancillary Service margins, the Generator will receive a payment pursuant to the provisions of Attachment C to this ISO Services Tariff. Suppliers bidding on behalf of Resources that were not committed by the ISO to operate in a given Dispatch Day, but which continue to operate due to minimum run time Constraints, shall not receive such a supplemental payment. The ISO shall make a supplemental payment pursuant to the terms of Attachment C to this Tariff if any Demand Side Resource scheduled to provide synchronized Operating Reserves in the Day Ahead Market will not recover its synchronized Operating Reserves offers through its Day Ahead synchronized Operating Reserves revenues and Regulation Service margin.~~

~~Demand Side Resources committed Day Ahead to provide non-synchronized Operating Reserves shall be treated the same as Generators with respect to the determination of supplemental payments.~~

#### **4.6.6.3 Real-Time BPCG for Generators in RTD Intervals Other than Supplemental Event Intervals**

~~In addition, the ISO shall: (i) use Real Time Market prices and schedules to calculate and pay real time Bid Production Cost guarantee payments to ISO Committed Flexible Generators and to Customers that schedule imports provided however, no real time Bid Production Cost guarantee payment shall be made to a Limited Energy Storage Resource; (ii) use RTD prices and schedules to calculate and pay real time Bid Production Cost guarantee payments to any Self Committed Flexible Generator if its self-committed minimum generation level does not exceed its Day Ahead schedule at any point during the Dispatch Day; and (iii) use RTD prices and schedules to calculate and pay real time Bid Production Cost guarantee payments for Minimum Generation Bids and Start-Up Bids to ISO Committed Fixed Generators. All such payments shall be calculated in the manner described in Attachment C to this ISO Services Tariff. No such payments shall be made to Customers that schedule Exports or Wheels-Through.~~

~~Except as expressly noted in this Section 4.6.6, Self Committed Flexible and Self Committed Fixed Resources shall not be eligible to receive Bid Production Cost guarantee payments.~~

The ISO shall determine if a Supplier eligible under Section 18.4.1 of Attachment C of this ISO Services Tariff for a real-time Bid Production Cost guarantee payment will not recover its real-time Minimum Generation Bid, Start-Up Bid, and Incremental Energy Bid to produce Energy that was not scheduled in the Day-Ahead Market through real-time LBMP

revenues and net real-time Ancillary Services revenues for Voltage Support Service, Regulation Service, and synchronized Operating Reserves. Such determination shall be made for an entire Dispatch Day (except for Supplemental Event Intervals). Such determination shall be made separately for each Generator. On the basis of such determination, and subject to any mitigation that may apply, the ISO shall pay a real-time Bid Production Cost guarantee payment to the Supplier pursuant to Section 18.4 of Attachment C to this ISO Services Tariff.

~~Resources committed via SRE, or committed or dispatched by the ISO as Out-of-Merit Generation to ensure NYCA or local system reliability, shall remain eligible to receive a real-time Bid Production Cost guarantee payment for the hours of the day that they are committed via SRE or are committed or dispatched by the ISO as Out-of-Merit Generation to meet NYCA or local reliability without regard to the Bid mode(s) employed during the Dispatch Day.~~

~~Generators that Bid in Self-Committed mode only during ISO authorized Start-Up, Shutdown or Testing Periods, and hours when they are committed via SRE or are committed or dispatched by the ISO as Out-of-Merit Generation to meet NYCA or local reliability, will not be precluded from receiving a real-time Bid Production Cost guarantee payment for the other hours of the Dispatch Day due to these Self-Committed mode Bids.~~ Suppliers bidding on behalf of Resources that were not committed by the ISO to operate in a given Dispatch Day, but which continue to operate due to minimum run time Constraints, shall not receive such a supplemental payment.

~~Both Bid costs, and LBMP and Ancillary Services revenues received during ISO authorized Start-Up, Shutdown or Testing Periods shall be excluded from the calculation of the daily Bid Production Cost guarantee payment.~~

~~The ISO shall make a supplemental payment pursuant to the terms of Attachment C to this Tariff if any Demand Side Resource scheduled to provide synchronized Operating Reserves in the Real Time Market will not recover its synchronized Operating Reserves offers through its Real Time synchronized Operating Reserves revenues and Regulation Service margin.~~

#### **4.6.6.4 BPCG for Generators for Supplemental Event Intervals**

The ISO shall determine if a Supplier eligible under Section 18.5.1 of Attachment C of this ISO Services Tariff for a Bid Production Cost guarantee payment for a Supplemental Event Interval will not recover its real-time Minimum Generation Bid and Incremental Energy Bid to produce Energy that was not scheduled Day-Ahead through real-time LBMP revenues and net real-time Ancillary Services revenues for Voltage Support Service, Regulation Service, and Operating Reserves in that interval. Such determination shall be made separately for each Supplemental Event Interval, and such determination shall be made separately for each Generator. On the basis of such determination, the ISO shall pay a Bid Production Cost guarantee payment to the Supplier for a Supplemental Event Interval pursuant to Section 18.5 of Attachment C of this ISO Services Tariff.

~~An ISO Committed Flexible Generator that is eligible to receive a Day Ahead Bid Production Cost guarantee payment but that then self-commits in certain hours, thus becoming ineligible for a real time Bid Production Cost guarantee payment, shall not be disqualified from receiving a Day Ahead Bid Production Cost guarantee payment. Any Supplier that provides Energy during a large event reserve pickup or a maximum generation event, as described in Sections 4.4.4.1, 4.4.4.1.1 and 4.4.4.1.2 of this ISO Services Tariff shall be eligible for a Bid Production Cost guarantee payment calculated, under Attachment C, for the duration of the large~~

~~event reserve pickup or maximum generation pickup and the three RTD intervals following the termination of the large event reserve pickup or maximum generation pickup. Such payments shall be excluded from the ISO's calculation of real-time Bid Production Cost guarantee payments otherwise payable to Suppliers on that Dispatch Day.~~

#### **4.6.6.5 Real-Time BPCG for Imports**

The ISO shall determine if a Supplier supplying an Import sale to the LBMP Market and eligible under Section 18.6.1 of Attachment C of this ISO Services Tariff for a real-time Bid Production Cost guarantee payment will not recover its real-time Decremental Bid through real-time LBMP revenues. Such determination shall be made for an entire Dispatch Day. Such determination shall be made separately for each Import transaction. On the basis of such determination, the ISO shall pay a real-time Bid Production Cost guarantee payment to the Supplier pursuant to Section 18.6 of Attachment C of this ISO Services Tariff.

#### **4.6.6.6 BPCG for Long Start-Up Time Generators Whose Starts Are Aborted by the ISO Prior to their Dispatch**

The ISO shall pay a Supplier eligible under Section 18.7.1 of Attachment C of this ISO Services Tariff for a Bid Production Cost guarantee payment for a long start-up time Generator (i.e., a Generator that cannot be scheduled by SCUC to start up in time for the next Dispatch Day) whose start is aborted by the ISO prior to its dispatch that portion of its Start-Up Bid that corresponds to that portion of its start-up sequence that it completed prior to being aborted. Such determination shall be made for an entire Dispatch Day, and such determination shall be made separately for each long start-up time Generator. On the basis of such determination, the ISO shall pay a Bid Production Cost guarantee payment to the Supplier pursuant to Section 18.7 of Attachment C of this ISO Services Tariff.

#### **4.6.6.7 BPCG for Demand Reduction in the Day-Ahead Market**

The ISO shall determine, ~~on a daily basis, if any Demand Reduction Provider committed to provide Energy by the ISO in the Day-Ahead Market~~ if a Demand Reduction Provider eligible under Section 18.8.1 of Attachment C of this ISO Services Tariff for a Bid Production Cost guarantee payment for Demand Reduction in the Day-Ahead Market will not recover its Day-Ahead Curtailment Initiation Cost and its Day-Ahead Demand Reduction Bid ~~price~~ through Day-Ahead LBMP revenues. Such determination shall be made for an entire Day-Ahead Market day, and such determination shall be made separately for each Demand Side Resource. On the basis of such determination, the ISO shall pay a Bid Production Cost guarantee payment to the Demand Reduction Provider pursuant to Section 18.8 of Attachment C of this ISO Services Tariff.~~If a Demand Reduction Provider's Curtailment Initiation Cost Bid plus its Demand Reduction Bid Price over the twenty-four (24) hour day exceeds its Day-Ahead LBMP revenue over the twenty-four (24) hour day, its Day-Ahead LBMP revenue may be augmented by a supplemental Bid Production Cost guarantee payment pursuant to the provisions of Attachment C.~~

#### **4.6.6.8 BPCG for Special Case Resources**

The ISO shall determine, ~~on a daily basis, if any Special Case Resource committed by the ISO~~ if a Supplier eligible under Section 18.9.1 of Attachment C of this ISO Services Tariff for a Bid Production Cost guarantee payment for a Special Case Resource will not recover its Minimum Payment Nomination through real-time LBMP revenues. Such determination shall be made for an entire Dispatch Day, and such determination shall be made separately for each Special Case Resource. On the basis of such determination, the ISO shall make a Bid Production Cost guarantee payment to the Supplier pursuant to Section 18.9 of Attachment C of this ISO

Services Tariff. ~~If a Special Case Resource's Minimum Payment Nomination over the period of requested performance, or four (4) hour period, whichever is greater, exceeds the LBMP revenue received as a Special Case Resource over that same period, its LBMP revenue may be augmented by a supplemental payment pursuant to the provisions of Attachment C, provided however, that the ISO shall set to zero the Minimum Payment Nomination for that amount of Special Case Resource Capacity in each interval that was scheduled Day Ahead to provide Operating Reserves, Regulation Service or Energy.~~

~~Each Generator committed by the ISO in the Real Time Market whose Real Time LBMP payments for Energy produced are less than its Minimum Generation and Start Up Bids to produce that Energy will be compensated by the ISO for the shortfall, in accordance with Attachment C. When a Non-Competitive Proxy Generator Bus or the Interface between the NYCA and the Control Area in which the Non-Competitive Proxy Generator Bus is located is export constrained due to limits on Available Interface Capacity or Ramp Capacity limits for that Interface in an hour, External Generators and other Suppliers scheduling Imports at such Non-Competitive Proxy Generator Bus in that hour will not be eligible for Real Time shortfall payments for those Transactions.~~

~~When a Proxy Generator Bus that is associated with a designated Scheduled Line is export constrained due to limits on Available Interface Capacity in an hour, External Generators and other Suppliers scheduling Imports at such Proxy Generator Bus in that hour will not be eligible for real-time shortfall payments for those Transactions.~~

~~The ISO shall recover supplemental payments and Demand Reduction Incentive Payments to Demand Reduction Providers pursuant to Rate Schedule 6.1 of its Open Access Transmission Services Tariff, from all Loads excluding exports and Wheels Through on a zonal basis in~~

~~proportion to the benefits received after accounting for, pursuant to ISO Procedures, Demand Reduction imbalance charges paid by Demand Reduction Providers pursuant to Section 4.4.4.1.5.~~

**4.6.6.9 Day-Ahead BPCG for Demand Side Resources Scheduled to Provide Synchronized Operating Reserves**

The ISO shall determine if a Supplier that bids Demand Side Resources committed by the ISO to provide synchronized Operating Reserves in the Day-Ahead Market will not recover its Day-Ahead synchronized Operating Reserves Bid to provide the amount of synchronized Operating Reserves that it was scheduled to provide. Such supplier shall be eligible under Section 18.10.1 of Attachment C to this ISO Services Tariff for a Day-Ahead Bid Production Cost guarantee payment. Such determination shall be made for an entire Day-Ahead Market day, and such determination shall be made separately for each Demand Side Resource. On the basis of such determination, the ISO shall make a Bid Production Cost guarantee payment to the Customer pursuant to Section 18.10 of Attachment C of this ISO Services Tariff.

**4.6.6.10 Real-Time BPCG for Demand Side Resources Scheduled to Provide Synchronized Operating Reserves**

The ISO shall determine if a Supplier that bids Demand Side Resources committed by the ISO to provide synchronized Operating Reserves will not recover its real-time synchronized Operating Reserves Bid to provide the amount of synchronized Operating Reserves that it was scheduled to provide. Such Supplier shall be eligible under Section 18.11.1 of Attachment C to this ISO Services Tariff for a real-time Bid Production Cost guarantee payment. Such determination shall be made for an entire Dispatch Day, and such determination shall be made separately for each Demand Side Resource. On the basis of such determination, the ISO shall



make a Bid Production Cost guarantee payment to the Customer pursuant to Section 18.11 of Attachment C of this ISO Services Tariff.

## **5.2 Independent System Operator Authority**

The ISO will act as the Control Area operator, as defined by NERC, for the NYCA. The ISO will provide all Control Area Services in the NYCA. Control Area Services provided by the ISO will be in accordance with the terms of the ISO Services Tariff, the Reliability Rules, the ISO Related Agreements and Good Utility Practice. The ISO will interact with other Control Area operators as required to effect External Transactions pursuant to this Tariff and to ensure the effective and reliable coordination with the interconnected Control Areas. In acting as the Control Area operator, the ISO will be responsible for maintaining the safety and the short-term reliability of the NYCA and for the implementation of reliability standards promulgated by NERC and NPCC and for the Reliability Rules promulgated by the NYSRC. To be included within NYCA, a Market Participant must meet the requirements of Section 5.6. Each Market Participant that (1) withdraws Energy to supply Load within the NYCA; or (2) provides installed Capacity to an LSE serving Load within the NYCA, benefits from the Control Area Services provided by the ISO and from the reliability achieved as a result of ISO Control Area Services and therefore must take service as a Customer under the Tariff. To be included within NYCA, a Market Participant must meet the requirements of Section 5.6. A Market Participant that is not included within the NYCA may take service as a Customer under the Tariff, provided that it meets the requirements of Section 5.7.

### **5.2.1 Suspension of Virtual Transactions**

The ISO may temporarily suspend Virtual Transactions if it determines that:

- 5.2.1.1 The financial exposure of customers engaged in Virtual Transactions cannot be determined with a reasonable degree of accuracy or to factors such as software or system failures;

5.2.1.2 A market aberration associated with Virtual Transactions substantially impairs the functioning of the ISO-administered markets; or

5.2.1.3 Virtual Transactions substantially impair the ability of the ISO to maintain the reliability of the electric system.

As soon as reasonably practicable, the ISO shall notify the Commission and Market Participants of the reason(s) for any suspension of Virtual Transactions, the action(s) necessary to restore Virtual Transactions, and the estimated time required to restore Virtual Transactions.

## **5.2.2 Suspension of the Ability of Generators to Increase Their Bids in Real-Time**

The ISO may temporarily suspend the ability to submit Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or the mitigated Day-Ahead Incremental Energy Bids where appropriate for the portions of Generators' Capacity that were scheduled in the Day-Ahead Market, if the ISO determines that:

5.2.2.1 a market aberration associated with Incremental Energy Bids submitted in the real-time market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market for the portions of Generators' Capacity that were scheduled in the Day-Ahead Market substantially impairs the functioning of the ISO-administered markets; or

5.2.2.2 Permitting Incremental Energy Bids submitted in the real-time market to exceed the Incremental Energy Bids submitted in the Day-Ahead Market or the mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of Generators' Capacity that were scheduled in the Day-Ahead Market substantially impairs the ability of the ISO to maintain the reliability of the electric system.

As soon as reasonably practicable, the ISO shall notify the Commission and Market Participants of the reason(s) for any suspension of the ability for Incremental Energy Bids submitted in the real-time market to exceed the Incremental Energy Bids submitted in the Day-Ahead Market or the mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of Generators' Capacity that were scheduled in the Day-Ahead Market; the action(s) necessary to restore this feature to the ISO-Administered Markets; and the estimated time required to restore this feature to the ISO-Administered Markets.

**18      Attachment C -Formulas For Determining Bid Production Cost Guarantee  
Payments**

## **18.1 Supplemental Payments to Generators and Demand ResourcesIntroduction**

~~Ten~~Three Bid Production Cost Guarantee (BPCG) ~~supplemental~~ payments for eligible Suppliers~~Generators~~ are described in this attachment: (i) a Day-Ahead BPCG for Generators~~Bid Production Cost guarantees~~; (ii) a Day-Ahead BPCG for Imports; (iii) a Real-time BPCG for Generators~~Bid Production guarantees for all in RTD intervals other than Supplemental Event Intervals except maximum generation pickups and large event reserve pickups~~; and (iviii) a BPCG for Generators for Supplemental Event Intervals; ~~Real-time Bid Production Cost guarantees for maximum generation pickups and large event reserve pickups~~. (v) a real-time BPCG for Imports; (vi) a BPCG for long start-up time Generators (i.e., Generators that cannot be scheduled by SCUC to start up in time for the next Dispatch Day) whose start is aborted by the ISO prior to their dispatch; (vii) a BPCG for Demand Reduction in the Day-Ahead Market; (viii) a Special Case Resources BPCG; (ix) a BPCG for Demand Side Resources providing synchronized Operating Reserves in the Day-Ahead Market; and (x) a BPCG for Demand Side Resources providing synchronized Operating Reserves in the Real-Time Market. ~~Generators Suppliers~~ shall be eligible for these payments in accordance with the eligibility requirements and formulas established in this Attachment C.~~under the circumstances described in Article 4 and Rate Schedule 15.4 of this ISO Services Tariff.~~

The Bid Production Cost guarantee payments described in this Attachment C are each calculated and paid independently from each other. A Customer's eligibility to receive one type of Bid Production Cost guarantee payment shall have no impact on the Customer's eligibility to be considered to receive another type of Bid Production Cost guarantee payment, in accordance with the rule set forth in this Attachment C.

~~Demand Side Resources that are committed to provide non-synchronized Operating Reserves shall be treated the same as Generators with respect to the determination of supplemental payments. Demand Reduction Providers that provide Demand Reductions in the Day Ahead Market shall be eligible for supplemental payments under Section 18.2, but not this Section 18.1. Demand Side Resources committed in the Day Ahead market to provide synchronized Operating Reserves shall be eligible for supplemental payments under Section 18.4.1. Demand Side Resources committed in the real time market to provide synchronized Operating Reserves or Regulation Service shall be eligible for supplemental payments under Section 18.4.2.~~

**18.1.12    ~~Day-Ahead Bid Production Cost Guarantee Formulas~~ Day-Ahead BPCG For Generators**

**18.2.1    Eligibility to Receive a Day-Ahead BPCG for Generators**

**18.2.1.1    Eligibility.**

A Supplier that bids on behalf of an ISO-Committed Fixed Generator or an ISO Committed Flexible Generator that is committed by the ISO in the Day-Ahead Market shall be eligible to receive a Day-Ahead Bid Production Cost guarantee payment.

**18.2.1.2    Non-Eligibility (includes both partial and complete exclusions).**

Notwithstanding Section 18.2.1.1:

18.2.1.2.1    a Supplier that bids on behalf of a Limited Energy Storage Resource shall not be eligible to receive a Day-Ahead Bid Production Cost guarantee payment;  
and

18.2.1.2.2    A Supplier that bids on behalf of an ISO-Committed Fixed Generator or an ISO-Committed Flexible Generator that is committed by the ISO in the Day-Ahead Market shall not be eligible to receive a Day-Ahead Bid Production Cost guarantee payment if that Generator has been committed in the Day-Ahead Market for any other hour of the day as a result of a Self-Committed Fixed or Self-Committed Flexible bid.

**18.2.2    Formulas for Determining Day-Ahead BPCG for Generators**

**18.2.2.1    Applicable Formula. A Supplier's BPCG for a Generator "g" shall be as follows:**

Day-Ahead Bid Production Cost Guarantee for Generator g =



$$\sum_{g \in G} \max \left[ \sum_{h=1}^{24} \left( \frac{EH_{gh}^{DA}}{MGH_{gh}^{DA}} + MGC_{gh}^{DA} MGH_{gh}^{DA} + SUC_{gh}^{DA} NSUH_{gh}^{DA} \right), 0 \right]$$

$$\max \left[ \sum_{h=1}^N \left( \frac{EH_{gh}^{DA}}{MGH_{gh}^{DA}} + MGC_{gh}^{DA} MGH_{gh}^{DA} + SUC_{gh}^{DA} NSUH_{gh}^{DA} \right), 0 \right]$$

$$- LBMP_{gh}^{DA} EH_{gh}^{DA} - NASR_{gh}^{DA}$$

**18.2.2.2 Variable Definitions. The terms used in this Section 18.2.2 shall be defined as follows:**

**Where:**

**G** = **set of Generators;**

**N** = **number of hours in the Day-Ahead Market day;**

**EH<sub>gh</sub><sup>DA</sup>** = Energy scheduled Day-Ahead to be produced by Generator g in hour h expressed in terms of MW**h**;

**MGH<sub>gh</sub><sup>DA</sup>** = Energy scheduled Day-Ahead to be produced by the minimum generation segment of Generator g in hour h expressed in terms of MW**h**;

**C<sub>gh</sub><sup>DA</sup>** = Bid cost submitted by Generator g, or when applicable the mitigated Bid cost curve for Generator g, in the Day-Ahead Market for hour h expressed in terms of \$/MWh;

**MGC<sub>gh</sub><sup>DA</sup>** = Minimum Generation Bid by Generator g, or when applicable the mitigated Minimum Generation Bid for Generator g, for hour h in the Day-Ahead Market, expressed in terms of \$/MW**h**.

**If Generator g was committed in the Day-Ahead Market, or in the Real-Time Market via Supplemental Resource Evaluation (“SRE”), on the day prior to the Dispatch Day and Generator g has not yet completed the minimum run time reflected in the accepted Bid for the hour in which it was scheduled to start on the day before the Dispatch Day (as mitigated, where appropriate), then Generator g shall have its minimum generation**

cost set equal to the revenues received for energy produced at its minimum operating level for purposes of calculating a Day-Ahead Bid Production Cost guarantee until Generator g completes the minimum run time reflected in the accepted Bid for the hour in which it was scheduled to start on the day before the Dispatch Day;

$SUC_{gh}^{DA}$  = Start-Up Bid by Generator g in hour h, or when applicable the mitigated Start-Up Bid for Generator g, in hour h ~~into~~ the Day-Ahead Market expressed in terms of \$/start; provided, however, that the Start-Up Bid for Generator g in hour h or, when applicable, the mitigated Start-Up Bid, for Generator g in hour h, may be subject to pro rata reduction in accordance with the rules set forth in Section 18.12 of this Attachment C. Bases for pro rata reduction include, but are not limited to, failure to be scheduled, and to operate in real-time to produce, in each hour, the MWh specified in the accepted Minimum Generation Bid that was submitted for the first hour of Generator g's Day-Ahead or SRE schedule, and failure to operate for the minimum run time specified in the Bid submitted for the first hour of Generator g's Day-Ahead or SRE schedule.

If Generator g was committed in the Day-Ahead Market, or in the Real-Time Market via SRE, on the day prior to the Dispatch Day, and Generator g has not yet completed the minimum run time reflected in the accepted Bid for the hour in which it was scheduled to start on the day before the Dispatch Day (as mitigated, where appropriate) plus the contiguous hour that follows the conclusion of such minimum run time, then Generator g shall have its Start-Up Bid set to zero for purposes of calculating a Day-Ahead Bid Production Cost guarantee.

For a long start-up time Generator (i.e., a Generator that cannot be scheduled by SCUC to start up in time for the next Dispatch Day) that is committed by the ISO and runs in real-time, the Start-Up Bid for Generator g in hour h shall be the Generator's Start-Up Bid, or when applicable the mitigated Start-Up Bid for Generator g, for the hour (as determined at the point in time in which the ISO provided notice of the request for start-up):

$NSUH_{gh}^{DA}$  = number of times Generator g is scheduled Day-Ahead to start up in hour h;

$LBMP_{gh}^{DA}$  = Day-Ahead LBMP at Generator g's bus in hour h expressed in \$/MWh;

$NASR_{gh}^{DA}$  = Net Ancillary Services revenue, expressed in terms of \$, paid to Generator g as a result of having been committed to produce Energy for the LBMP Market and/or Ancillary Services Day-Ahead ~~to operate~~ in hour h which is computed by summing the following: (1) Voltage Support Service payments received by that Generator for that hour, if it is not a Supplier of Installed Capacity and has been scheduled to operate in that hour; (2)

Regulation Service payments made to that Generator for all Regulation Service it is scheduled Day-Ahead to provide in that hour, less that Generator's Day-Ahead Bid to provide that amount of Regulation Service in that hour (unless the Bid exceeds the payments that Generator receives for providing Regulation Service that was committed to produce Energy for the LBMP Market and/or Ancillary Services Day-Ahead, in which case this component shall be zero); and (3) payments made to that Generator for providing Spinning Reserve and synchronized 30-Minute Reserve in that hour if it is committed Day-Ahead to provide such reserves in that hour, less that Generator's Day-Ahead Bid to provide Spinning Reserve and synchronized 30-Minute Reserve in that hour.

### **18.3 Day-Ahead BPCG For Imports**

#### **18.3.1 Eligibility to Receive a Day-Ahead BPCG for Imports**

A Supplier that bids an Import sale to the LBMP Market that is committed by the ISO in the Day-Ahead Market shall be eligible to receive a Day-Ahead Bid Production Cost guarantee payment.

#### **18.3.2 BPCG Calculated by Transaction ID**

For purposes of calculating a Day-Ahead Bid Production Cost guarantee payment for an Import under this Section 18.3, the ISO shall treat the Import as being from a single Resource for all hours of the Day-Ahead Market day in which the same Transaction ID is used, and the ISO shall treat the Import as being from a different Resource for all hours of the Day-Ahead Market day in which a different Transaction ID is used.

#### **18.3.3 Formula for Determining Day-Ahead BPCG for Imports**

Day-Ahead Bid Production Cost guarantee for Import t by Supplier =

$$\max \left[ \sum_{h=1}^N \left( \text{DecBid}_{th}^{\text{DA}} - \text{LBMP}_{th}^{\text{DA}} \right) \bullet \text{SchImport}_{th}^{\text{DA}}, 0 \right]$$

Where;

N = number of hours in the Day-Ahead Market day;

$\text{DecBid}_{th}^{\text{DA}}$  = Decremental Bid, in \$/MWh, supplied for Import t for hour h;

$\text{LBMP}_{th}^{\text{DA}}$  = Day-Ahead LBMP, in \$/MWh, for hour h at the Proxy Generator Bus that is the source of the Import t and

$\text{SchImport}_{th}^{\text{DA}}$  = total Day-Ahead schedule, in MWh, for Import t in hour h.

~~18.1.2~~**18.4 Real-Time BPCG For Generators In RTD Intervals Other Than Supplemental Event Intervals Bid Production Guarantee Formulas for All Imports and Real-Time Bid Production Guarantee Formulas for All Intervals With No Maximum Generation Pickups or Large Event Reserve Pickups for All Other Generators**

**18.4.1 Eligibility for Receiving Real-Time BPCG for Generators in RTD Intervals Other Than Supplemental Event Intervals**

**18.4.1.1 Eligibility.**

A Supplier shall be eligible to receive a real-time Bid Production Cost guarantee payment for intervals (excluding Supplemental Event Intervals) if it bids on behalf of:

18.4.1.1.1 an ISO-Committed Flexible Generator or an ISO-Committed Fixed Generator that is committed by the ISO in the Real-Time Market; or

18.4.1.1.2 a Self-Committed Flexible Generator if the Generator's minimum generation MW level does not exceed its Day-Ahead schedule at any point during the Dispatch Day; or

18.4.1.1.3 a Generator committed via SRE, or committed or dispatched by the ISO as Out-of-Merit generation to ensure NYCA or local system reliability for the hours of the day that it is committed via SRE or is committed or dispatched by the ISO as Out-of-Merit generation to meet NYCA or local system reliability without regard to the Bid mode(s) employed during the Dispatch Day, except as provided in Sections 18.4.2 and 18.12, below.

**18.4.1.2 Non-Eligibility (includes both partial and complete exclusions).**

Notwithstanding Section 18.4.1.1:

18.4.1.2.1 a Supplier that bids on behalf of a Limited Energy Storage Resource shall not be eligible to receive a real-time Bid Production Cost guarantee payment;

18.4.1.2.2 a Supplier that bids on behalf of an ISO-Committed Fixed Generator or an ISO-Committed Flexible Generator that is committed by the ISO in the real-time market shall not be eligible to receive a real-time Bid Production Cost guarantee payment if that Generator has been committed in real-time, in any other hour of the day, as the result of a Self-Committed Fixed bid, or a Self-Committed Flexible bid with a minimum operating level that exceeds its Day-Ahead schedule, *provided however*, a Generator that has been committed in real time as a result of a Self-Committed Fixed bid, or a Self-Committed Flexible bid with a minimum operating level that exceeds its Day-Ahead schedule will not be precluded from receiving a real-time Bid Production Cost guarantee payment for other hours of the Dispatch Day, in which it is otherwise eligible, due to these Self-Committed mode Bids if such bid mode was used for: (i) an ISO authorized Start-Up, Shutdown or Testing Period, or (ii) for hours in which such Generator was committed via SRE or committed or dispatched by the ISO as Out-of-Merit to meet NYCA or local system reliability.

#### **18.4.2 Formula for Determining Real-Time BPCG for Generators in RTD Intervals Other Than Supplemental Event Intervals**

Real-Time Bid Production Cost Guarantee for Generator g =

$$\sum_{g \in G} \max \left[ \sum_{i=1}^N \left( \left( \frac{\int_{EI_{gi}^{DA}}^{EI_{gi}^{RT}} C_{gi}^{RT} + MGC_{gi}^{RT} (MGI_{gi}^{RT} - MGI_{gi}^{DA})}{EI_{gi}^{RT} - EI_{gi}^{DA}} \right) * \frac{S_i}{3600} - LBMP_{gi}^{RT} (EI_{gi}^{RT} - EI_{gi}^{DA}) \right) + \sum_{j=1}^L (SUC_{gj}^{RT} (NSUI_{gj}^{RT} - NSUI_{gj}^{DA})) \right], 0 \right]$$

$$- (NASR_{gi}^{TOT} - NASR_{gi}^{DA}) - RRAP_{gi} + RRAC_{gi}$$

$$\max \left[ \sum_{i \in M} \left( \left( \frac{\max(EI_{gi}^{RT}, MGI_{gi}^{RT})}{\max(EI_{gi}^{DA}, MGI_{gi}^{RT})} \cdot \int C_{gi}^{RT} + MGC_{gi}^{RT} \cdot (MGI_{gi}^{RT} - MGI_{gi}^{DA}) \right) \cdot \frac{s_i}{3600} \right) - LBMP_{gi}^{RT} \cdot (EI_{gi}^{RT} - EI_{gi}^{DA}) - (NASR_{gi}^{TOT} - NASR_{gi}^{DA}) - RRAP_{gi} + RRAC_{gi} + \sum_{j \in L} SUC_{gj}^{RT} \cdot (NSUI_{gj}^{RT} - NSUI_{gj}^{DA}) \right], 0 \right]$$

where:

$s_i$  = number of seconds in RTD interval i;

$C_{gi}^{RT}$  = Bid cost submitted by Generator g, or when applicable the mitigated Bid cost for Generator g, in the RTD for the hour that includes RTD interval i expressed in terms of \$/MWh, except in intervals in which the dispatch of the Generator is constrained by its downward ramp rate for that interval, unless that Generator was scheduled to provide Regulation Service in that interval and its RTD basepoint was less than its AGC basepoint, and except in hours in which the NYISO has increased Generator g's minimum operating level, either (i) at the Generator's request, or (ii) in order to reconcile the ISO's dispatch with the Generator's actual output or to address reliability concerns that arise because the Generator is not following Base Point Signals, in which case  $C_{gi}^{RT}$  shall be deemed to be zero;

$MGI_{gi}^{RT}$  = metered Energy produced by minimum generation segment of Generator g in RTD interval i expressed in terms of MW;

$MGI_{gi}^{DA}$  = Energy scheduled Day-Ahead to be produced by minimum generation segment of Generator g in RTD interval i expressed in terms of MW;

$MGC_{gi}^{RT}$  = Minimum Generation Bid by Generator g, or when applicable the mitigated Minimum Generation Bid for Generator g, in the Real-Time Market for the hour that includes RTD interval i, expressed in terms of \$/MWh, which Bid or mitigated Bid may include costs pursuant to Section 4.1.8;

If Generator g was committed in the Day-Ahead Market, or in the Real-Time Market via Supplemental Resource Evaluation ("SRE"), on the day prior to the Dispatch Day and Generator g has not yet completed the minimum run time reflected in the accepted Bid for the hour in which it was scheduled to start on the day before the Dispatch Day (as mitigated, where appropriate), then Generator g shall have its minimum generation cost set equal to the revenues received for energy produced at its minimum

operating level for purposes of calculating a Real-Time Bid Production Cost guarantee until Generator g completes the minimum run time reflected in the accepted Bid for the hour in which it was scheduled to start on the day before the Dispatch Day;

$SUC_{gj}^{RT}$  = Start-Up Bid by Generator g, or when applicable the mitigated Start-Up Bid for Generator g, for ~~the~~ hour ~~that includes interval j~~ into RTD expressed in terms of \$/start, which Bid or mitigated Bid may include costs pursuant to Section 4.1.8;

~~-provided, however, except that~~

(i)  $SUC_{gj}^{RT}$  the Start-Up Bid shall be deemed to be zero in the cases of for  
(1) Self-Committed Fixed and Self-Committed Flexible Generators,  
(2) Generators that are economically committed by RTC or RTD that  
have 10-minute start-up times that are not synchronized and producing  
Energy within 20 minutes after their scheduled start time, and  
(3) Generators that are economically committed by RTC that have  
greater than 10-minute start-up times that are not synchronized and  
producing Energy within 45 minutes after their scheduled start time;  
~~Rules addressing the handling of Start-Up Bids submitted by Generators~~  
~~that are committed via SRE under particular factual circumstances are set~~  
~~forth below;~~

(ii) if a Generator has been committed via SRE and its SRE schedule  
immediately precedes or follows a real-time commitment that did not  
result from a Day-Ahead commitment, the Generator's Start-Up Bid  
included in its daily real-time Bid Production Cost guarantee calculation  
for this contiguous real-time commitment period shall be the Start-Up Bid  
submitted in response to the SRE request (subject to mitigation, where  
appropriate);

(iii) if a Generator has been committed via SRE and its SRE schedule  
immediately precedes or follows a real-time schedule that resulted from a  
Day-Ahead commitment, then the Generator's Start-Up Bid included in its  
daily real-time Bid Production Cost guarantee calculation for this  
contiguous real-time commitment period shall be set to zero;

(iv) the real-time Start-Up Bid for Generator g for hour j or, when  
applicable, the mitigated real-time Start-Up Bid, for Generator g for hour  
j, may be subject to pro rata reduction in accordance with the rules set  
forth in Section 18.12 of this Attachment C. Bases for pro rata reduction  
include, but are not limited to, failure to be scheduled and operate in real-  
time to produce, in each hour, the MWh specified in the accepted  
Minimum Generation Bid that was submitted for the first hour of  
Generator g's Day-Ahead or SRE schedule, and failure to operate for the



minimum run time specified in the Bid submitted for the first hour of Generator g's Day-Ahead or SRE schedule; and

(v) if Generator g was committed in the Day-Ahead Market, or in the Real-Time Market via SRE, on the day prior to the Dispatch Day, and Generator g has not yet completed the minimum run time reflected in the accepted Bid for the hour in which it was scheduled to start on the day before the Dispatch Day (as mitigated, where appropriate) plus the contiguous hour that follows the conclusion of such minimum run time, then Generator g shall have its Start-Up Bid set to zero for purposes of calculating a Real-Time Bid Production Cost guarantee.

$NSUI_{gj}^{RT}$  = number of times Generator g started up in ~~the hour that includes RTD interval~~ hour j;

$NSUI_{gj}^{DA}$  = number of times Generator g is scheduled Day-Ahead to start up in ~~the hour that includes RTD interval~~ hour j;

$LBMP_{gi}^{RT}$  = Real-Time LBMP at Generator g's bus in RTD interval i expressed in terms of \$/MWh;

$NM$  = ~~except for imports, the set of number of~~ except for imports, the set of eligible RTD intervals in the ~~Dispatch dDay consisting of all of the RTD intervals in the Dispatch Day except:~~

(i) excluding Supplemental Event Intervals in which there are any maximum generation pickups or large event reserve pickups and the three RTD intervals following the termination of the large event reserve pickup or maximum generation pickup (which are addressed separately in subSection 18.54.3 below);

(ii) and excluding any RTD intervals where  $EI_{gi}^{RT}$  is less than or equal to  $EI_{gi}^{DA}$ ; provided, however, for imports, the variable N is the number of eligible RTD intervals in the day excluding any RTD intervals where  $EI_{gi}^{RT}$  is less than or equal to  $EI_{gi}^{DA}$ ; intervals during authorized Start-Up Periods, Shutdown Periods, or Testing Periods for Generator g;

$L$  = ~~the set of all hours intervals~~ the set of all in the ~~Dispatch dDay~~

$EI_{gi}^{RT}$  = either, as the case may be:

(i) if  $EOP_{ig} > AEI_{ig}$  then  $\min(\max(AEI_{ig}, RTSen_{ig}), EOP_{ig})$ ; or and

(ii) if otherwise, then  $\max(\min(AEI_{ig}, RTSen_{ig}), EOP_{ig})$ ; otherwise

$EI_{gi}^{DA}$  = Energy scheduled in the Day-Ahead Market to be produced by

Generator g in the hour that includes RTD interval i expressed in terms of MW;

$RTSen_{ig}$  = Real-time Energy scheduled for Generator g in interval i, and calculated as the arithmetic average of the 6-second AGC Base Point Signals sent to Generator g during the course of interval i expressed in terms of MW;

$AEI_{ig}$  = average Actual Energy Injection by Generator g in interval i but not more than  $RTSen_{ig}$  plus any Compensable Overgeneration expressed in terms of MW;

$EOP_{ig}$  = the Economic Operating Point of Generator g in interval i expressed in terms of MW;

$NASR_{gi}^{TOT}$  = Net Ancillary Services ~~scheduled~~ revenue, expressed in terms of \$, paid to Generator g as a result of either having been committed Day-Ahead to operate in the hour that includes RTD interval i or having operated in interval i which is computed by summing the following: (1) Voltage Support Service payments received by that Generator for that RTD interval, if it is not a Supplier of Installed Capacity; (2) Regulation Service payments that would be made to that Generator for that hour based on a Performance Index of 1, less the Bid(s) placed by that Generator to provide Regulation Service in that hour at the time it was committed to produce Energy for the LBMP Market and/or Ancillary Services to do so (unless the Bid(s) exceeds the payments that Generator receives for providing Regulation Service, in which case this component shall be zero); (3) payments made to that Generator for providing Spinning Reserve or synchronized 30-Minute Reserve in that hour, less the Bid placed by that Generator to provide such reserves in that hour at the time it was scheduled to do so; and (4) Lost Opportunity Cost payments made to that Generator in that hour as a result of reducing that Generator's output in order for it to provide Voltage Support Service.

$NASR_{gi}^{DA}$  = The proportion of the Day-Ahead net Ancillary Services revenue, expressed in terms of \$, that is applicable to interval i calculated by multiplying the  $NASR_{gh}^{DA}$  for the hour that includes interval i by  $s_i/3600$ .

$RRAP_{gi}$  = Regulation Revenue Adjustment Payment for Generator g in RTD interval i expressed in terms of \$.

$RRAC_{gi}$  = Regulation Revenue Adjustment Charge for Generator g in RTD interval i expressed in terms of \$.

~~Time periods including reserve pickups, and time periods following a reserve pickup in which the dispatch of a given Generator is constrained by its downward ramp rate, will not be included in the above calculation of supplemental payments for that Generator.~~

~~If a Generator has been committed via SRE and its SRE schedule immediately precedes or follows a real-time commitment that did not result from a Day Ahead commitment, the Generator's Start-Up Bid included in its daily real-time Bid Production Cost guarantee calculation for this contiguous real-time commitment period shall be the Start-Up Bid submitted in response to the SRE request (subject to mitigation, where appropriate). If a Generator has been committed via SRE and its SRE schedule immediately precedes or follows a real-time schedule that resulted from a Day Ahead commitment, then the Generator's Start-Up Bid included in its daily real-time Bid Production Cost guarantee calculation for this contiguous real-time commitment period shall be set to zero.~~

~~Supplemental payments to Generators that trip before completing their minimum run-time (for Generators that were not scheduled to run Day Ahead) or before running for the number of hours they were scheduled to operate (for Generators scheduled to run Day Ahead) may be reduced by the ISO, per ISO Procedures.~~

~~In the event that the ISO re-institutes penalties for poor Regulation Service performance under Section 15.3.8 of Rate Schedule 3 such penalties will not be taken into account when calculating supplemental payments under this Attachment C.~~

### **18.4.3 Bids Used For Intervals at the End of the Hour**

For RTD intervals in an hour that start 55 minutes or later after the start of that hour, a Bid used to determine real-time BPCG in Section 18.4.2 will be the Bid for the next hour in accordance with ISO Procedures. For RTD-CAM intervals in an hour that start 50 minutes or

later after the start of that hour, a Bid used to determine real-time BPCG in Section 18.4.2 will be the Bid for the next hour, in accordance with ISO Procedures.

**18.1.35 BPCG For Generators In Supplemental Event Intervals Real-Time Bid Production Cost Guarantees for Intervals With Maximum Generation Pickups or Large Event Reserve Pickups**

**18.5.1 Eligibility for BPCG for Generators in Supplemental Event Intervals**

**18.5.1.1 Eligibility**

For intervals in which the ISO has called a large event reserve pick-up, as described in Section 4.4.4.1.1 of this ISO Services Tariff, or an emergency under Section 4.4.4.1.2 of this ISO Services Tariff, any Supplier who meets the eligibility requirements for a real-time Bid Production Cost guarantee payment described in subsection 18.4.1.1 of this Attachment C, shall be eligible to receive a BPCG under this Section 18.5.

**18.5.1.2 Non-Eligibility**

Notwithstanding subsection 18.5.1.1, a Supplier shall not be eligible to receive a Bid Production Cost guarantee payment for Supplemental Event Intervals if the Supplier is not eligible for a real-time Bid Production Cost guarantee payment for the reasons described in Section 18.4.1.2 of this Attachment C.

**18.5.1.3 Additional Eligibility**

Notwithstanding Section 18.5.1.2, a Supplier shall be eligible to receive a Bid Production Cost guarantee payment for a Generator, not a Limited Energy Storage Resource, producing energy during Supplemental Event Intervals occurring as a result of an ISO emergency under Section 4.4.4.1.2 of this ISO Services Tariff regardless of bid mode used for the day.

**18.5.2 Formula for Determining BPCG for Generators in Supplemental Event Intervals**

Real-Time Bid Production Cost Guarantee Payment for Generator g =

$$\sum_{i \in P} \left[ \max \left( \begin{aligned} & \left( \int_{\max(EI_{gi}^{DA}, MGI_{gi}^{RT})}^{\max(EI_{gi}^{RT}, MGI_{gi}^{RT})} C_{gi}^{RT} + MGC_{gi}^{RT} \cdot (MGI_{gi}^{RT} - MGI_{gi}^{DA}) \right) \cdot \frac{S_i}{3600}, 0 \\ & - LBMP_{gi}^{RT} \cdot (EI_{gi}^{RT} - EI_{gi}^{DA}) \\ & - (NASR_{gi}^{TOT} - NASR_{gi}^{DA}) - RRAP_{gi} + RRAC_{gi} \end{aligned} \right) \right]$$


---


$$\sum_{g \in G} \left[ \sum_{i=1}^M \max \left( \begin{aligned} & \left( \int_{EI_{gi}^{DA}}^{EI_{gi}^{RT}} C_{gi}^{RT} + MGC_{gi}^{RT} \cdot (MGI_{gi}^{RT} - MGI_{gi}^{DA}) \right) \cdot \frac{S_i}{3600} \right. \\ & \left. - LBMP_{gi}^{RT} \cdot (EI_{gi}^{RT} - EI_{gi}^{DA}) \right) \\ & - (NASR_{gi}^{TOT} - NASR_{gi}^{DA}) - RRAP_{gi} + RRAC_{gi} \end{aligned} \right) \cdot 0 \right]$$

where:

MP = ~~number the set of Supplemental Event i~~ Intervals in which there are maximum generation pickups or large event reserve pickups in the 24-hour day and the three RTD intervals following the termination of the large event reserve pickup or maximum generation pickup, in the Dispatch Day but excluding any intervals in which there are maximum generation pickups or large event reserve pickups where  $EI_{gi}^{RT}$  is less than or equal to  $EI_{gi}^{DA}$ ; and

$EI_{gi}^{RT}$  = (i) for any intervals in which there are maximum generation pickups, and the three intervals following, for Generators in the location for which the maximum generation pickup has been called -- the average Actual Energy Injections, expressed in MWh, for Generator g in interval i, and for all other Generators  $EI_{gi}^{RT}$  is as defined in Section 18.4.2 above.

(ii) for any intervals in which there are large event reserve pickups and the three intervals following,  $EI_{gi}^{RT}$  is as defined in Section 18.4.2 above.

$C_{gi}^{RT}$  = Bid cost submitted by Generator g, or when applicable the mitigated Bid cost for Generator g, in the RTD for the hour that includes RTD interval i expressed in terms of \$/MWh, except in hours in which the NYISO has increased Generator g's minimum operating level, either (i) at the Generator's request, or (ii) in order to reconcile the ISO's dispatch with the Generator's actual output or to address

reliability concerns that arise because the Generator is not following Base Point Signals, in which case  $C_{gi}^{RT}$  shall be deemed to be zero;

The definition of all other variables is identical to those defined in Section 18.~~41.2~~ above.

In the event that the ISO re-institutes penalties for poor Regulation Service performance under Section 15.3.8 of Rate Schedule 3 such penalties will not be taken into account when calculating supplemental payments under this Attachment C.

## **18.6 Real-Time BPCG For Imports**

### **18.6.1 Eligibility for Receiving Real-Time BPCG for Imports**

#### **18.6.1.1 Eligibility.**

A Supplier that bids an Import to sell Energy to the LBMP Market that is committed by the ISO in the Real-Time Market shall be eligible to receive a real-time Bid Production Cost guarantee payment for all intervals.

#### **18.6.1.2 Non-Eligibility.**

Notwithstanding Section 18.6.1.1:

18.6.1.2.1 when a Non-Competitive Proxy Generator Bus or the Interface between the NYCA and the Control Area in which the Non-Competitive Proxy Generator Bus is located is export constrained due to limits on available Interface Capacity or Ramp Capacity limits for that Interface in an hour, External Generators and other Suppliers scheduling an Import at such Non-Competitive Proxy Generator Bus in that hour shall not be eligible for a real-time Bid Production Cost guarantee payment for this Transaction; and

18.6.1.2.2 when a Proxy Generator Bus that is associated with a designated Scheduled Line is export constrained due to limits on available Interface Capacity in an hour, External Generators and other Suppliers scheduling an Import at such Proxy Generator Bus in that hour will not be eligible for a real-time Bid Production Cost guarantee payment for this Transaction.



### **18.6.2 BPCG Calculated by Transaction ID**

For purposes of calculating a real-time Bid Production Cost guarantee payment for an Import under this Section 18.6, the ISO shall treat the Import as being from a single Resource for all hours of the Dispatch Day in which the same Transaction ID is used, and the ISO shall treat the Import as being from a different Resource for all hours of the Dispatch Day in which a different Transaction ID is used.

### **18.6.3 Formula for Determining Real-Time BPCG for Imports**

Real-Time Bid Production Cost Guarantee for Import t by a Supplier =

$$\text{Max}\left(\sum_{i=1}^Q \left[ (\text{DecBid}_{ti}^{\text{RT}} - \text{LBMP}_{ti}^{\text{RT}}) \cdot \max(\text{SchImport}_{ti}^{\text{RT}} - \text{SchImport}_{ti}^{\text{DA}}, 0) \cdot S_i / 3600 \right], 0\right)$$

---

Where:

Q = number of intervals in the Dispatch Day;

DecBid<sub>ti</sub><sup>RT</sup> = Decremental Bid, in \$/MWh, supplied for Import t for interval i;

LBMP<sub>ti</sub><sup>RT</sup> = real-time LBMP, in \$/MWh, for interval i at Proxy Generator Bus-p which is the source of the Import t;

SchImport<sub>ti</sub><sup>RT</sup> = total real-time schedule, in MW, for Import t in interval i; and

SchImport<sub>ti</sub><sup>DA</sup> = total Day-Ahead schedule, in MW, for Import t in hour that contains interval i.

S<sub>i</sub> = number of seconds in RTD interval i.

**18.7. BPCG for Long Start-Up Time Generators Whose Starts are Aborted by the ISO Prior to their dispatch**

**18.7.1 Eligibility for BPCG for Long Start-Up Time Generators Whose Starts Are Aborted by the ISO Prior to their Dispatch**

A Supplier that bids on behalf of a long start-up time Generator (i.e., a Generator that cannot be scheduled by SCUC to start up in time for the next Dispatch Day) that is committed by the ISO for reliability purposes as a result of a Supplemental Resource Evaluation and whose start is aborted by the ISO prior to its dispatch, as described in Section 4.2.5 of the ISO Services Tariff, shall be eligible to receive a Bid Production Cost guarantee payment under this Section

18.7.

**18.7.2 Methodology for Determining BPCG for Long Start-Up Time Generators Whose Starts are Aborted by the ISO Prior to their Dispatch**

A Supplier whose long start-up time Generator's start-up is aborted shall receive a prorated portion of its Start-Up Bid submitted for the hour in which the ISO requested that the Generator begin its start-up sequence, based on the portion of the start-up sequence that it has completed prior to the signal to abort the start-up (e.g., if a long start-up time Generator with a seventy-two (72) hour start-up time has its start-up sequence aborted after forty-eight (48) hours, it would receive two-thirds (2/3) of its Start-Up Bid).

## **18.82 Supplemental Payments for Curtailment Initiation Costs BPCG For Demand Reduction In The Day-Ahead Market**

### **18.8.1 Eligibility for BPCG for Demand Reduction in the Day-Ahead Market**

A Demand Reduction Provider that bids a Demand Side Resource that is committed by the ISO in the Day-Ahead Market to provide Demand Reduction shall be eligible to receive a Bid Production Cost guarantee payment under this Section 18.8.

### **18.8.2 Formula for Determining BPCG for Demand Reduction in the Day-Ahead Market**

~~A supplemental payment for Curtailment Initiation Costs shall be made when the Curtailment Initiation Cost Bid and the Demand Reduction Bid price offered by a Demand Reduction Provider for any Demand Reduction committed by the ISO in the Day Ahead market over the [twenty-four (24) hour] day exceeds Day Ahead LBMP revenue, provided however that Supplemental payments made to Demand Reduction Providers that fail to complete their scheduled reductions may be reduced by the ISO, pursuant to ISO Procedures.~~

Day-Ahead BPCG for Demand Reduction Provider d =

$$\text{Max} \left[ \sum_{h=1}^N (\text{MinCurCost}_d^h + \text{IncrCurCost}_d^h - \text{CurRev}_d^h) + \text{CurInitCost}_d, 0 \right]$$

where:

$$\text{CurInitCost}_d = \left( \sum_{h=1}^N (\text{Min}(\text{ActCur}_d^h, \text{SchdCur}_d^h)) / \left( \sum_{h=1}^N \text{SchdCur}_d^h \right) \right) * \text{CurCost}_d$$

$$\text{MinCurCost}_d^h = \text{Min} \left[ (\text{max}(\text{ActCur}_d^h, 0), \text{MinCur}_d^h) \right] * \text{MinCurBid}_d^h$$

$$\text{IncrCurCost}_d^h = \int_{\text{MinCur}_d^h}^{\max(\text{MinCur}_d^h, \min(\text{SchdCur}_d^h, \text{ActCur}_d^h))} \text{IncrCurBid}_d^h]$$


---

$$\text{CurRev}_d^h = \text{LBMP}_{dh}^{\text{DA}} * \min(\max(\text{ActCur}_d^h, 0), \text{SchdCur}_d^h)$$


---

N = number of hours in the Day-Ahead Market day.

CurInitCost<sub>d</sub> = daily Curtailment Initiation Cost credit for Day-Ahead Demand Reduction Provider d;

MinCurCost<sub>d</sub><sup>h</sup> = minimum Curtailment cost credit for Day-Ahead Demand Reduction Provider d in hour h;

IncrCurCost<sub>d</sub><sup>h</sup> = incremental Curtailment cost credit for Day-Ahead Demand Reduction Provider d for hour h;

CurCost<sub>d</sub> = total bid Curtailment Initiation Costs for Day-Ahead Demand Reduction Provider d for the day;

CurRev<sub>d</sub><sup>h</sup> = actual revenue for Day-Ahead Demand Reduction Provider d in hour h;

ActCur<sub>d</sub><sup>h</sup> = actual Energy curtailed by Day-Ahead Demand Reduction Provider d in hour h expressed in terms of MWh;

SchdCur<sub>d</sub><sup>h</sup> = Energy scheduled Day-Ahead to be curtailed by Day-Ahead Demand Reduction Provider d in hour h expressed in terms of MWh;

MinCurBid<sub>d</sub><sup>h</sup> = minimum Curtailment initiation Bid submitted by Day-Ahead Demand Reduction Provider d for hour h expressed in terms of \$/MWh;

IncrCurBid<sub>d</sub><sup>h</sup> = Bid cost submitted by Day-Ahead Demand Reduction Provider d for hour h expressed in terms of \$/MWh;

MinCur<sub>d</sub><sup>h</sup> = Energy scheduled Day-Ahead to be produced by the minimum Curtailment segment of Day-Ahead Demand Reduction Provider d for hour h expressed in terms of MWh; and

LBMP<sub>dh</sub><sup>DA</sup> = Day-Ahead LBMP for Day-Ahead Demand Reduction Provider d for hour h expressed in \$/MWh.

## **18.93 ~~Supplemental Payments for Special Case Resources~~ BPCG For Special Case Resources**

### **18.9.1 Eligibility for Special Case Resources BPCG**

Any Supplier that bids a Special Case Resource that is committed by the ISO for an event in the Real-Time Market shall be eligible to receive a Bid Production Cost guarantee payment under this Section 18.9. Suppliers shall not be eligible for a Special Case Resource Bid Production Cost guarantee payment for the period over which a Special Case Resource is performing a test.

### **18.9.2 Methodology for Determining Special Case Resources BPCG**

A ~~supplemental payment for Minimum-Special Case Resource Bid Production Cost guarantee P~~ayment ~~Nominations~~ shall be made when the Minimum Payment Nomination for any Special Case Resource committed by the ISO over the period of requested performance or four (4) hours, whichever is greater, exceeds the LBMP revenue received for performance by that Special Case Resource; provided, however, that the ISO shall set to zero the Minimum Payment Nomination for Special Case Resource Capacity in each interval in which such capacity was scheduled Day-Ahead to provide Operating Reserves, Regulation Service or Energy.

**18.104 Supplemental Payments for Demand Side Resources providing Synchronized Operating Reserves—BPCG For Demand Side Resources Providing Synchronized Operating Reserves In The Day-Ahead Market**

**18.10.1 Eligibility for BPCG for Demand Side Resources Providing Synchronized Operating Reserves in the Day-Ahead Market**

Any Supplier that bids a Demand Side Resource that is committed by the ISO to provide synchronized Operating Reserves in the Day-Ahead Market shall be eligible to receive a Bid Production Cost guarantee payment under this Section 18.10.

**18.10.2 Formula for Determining BPCG for Demand Side Resources Providing Synchronized Operating Reserves in the Day-Ahead Market**

A. ~~—~~ A supplemental Bid Production Cost guarantee payment to a Demand Side Resource with a synchronized Operating Reserves ~~or Regulation Service~~ schedule in the Day-Ahead Market shall be calculated as follows: by setting to zero all terms provided in Section 18.1.1 of this Attachment C, with which Day-Ahead supplemental payments are calculated, with the exception of the term  $NASR_{gh}^{DA}$  which shall be calculated pursuant to its description.

BPCG for Demand Side Resource d Providing synchronized Operating Reserves Day-Ahead =

$$\max \left[ \left( - \sum_{h=1}^N NASR_{dh}^{DA} \right), 0 \right]$$

where:

N = number of hours in the Day-Ahead Market day.

$NASR_{dh}^{DA}$  = Net Ancillary Services revenue, in \$, paid to Demand Side Resource d as a result of having been committed to provide Ancillary Services Day-Ahead in hour h which is computed by summing the following: (1) Regulation Service payments made to that Demand Side Resource for all Regulation Service it is scheduled Day-Ahead to provide in that hour, less Demand Side Resource d's Day-Ahead Bid to provide that amount of Regulation Service in that hour (unless the Bid exceeds the payments that the Demand Side Resource receives for providing Regulation Service that was

committed to provide Ancillary Services Day-Ahead, in which case this component shall be zero); and (2) payments made to Demand Side Resource d for providing Spinning Reserve and synchronized 30-Minute Reserve in that hour if it is committed Day-Ahead to provide such reserves in that hour, less Demand Side Resource d's Day-Ahead Bid to provide Spinning Reserve and synchronized 30-Minute Reserve in that hour.

## **18.11 BPCG For Demand Side Resources Providing Synchronized Operating Reserves In The Real-Time Market**

### **18.11.1 Eligibility for BPCG for Demand Side Resources Providing Synchronized Operating Reserves in the Real-Time Market**

Any Supplier that bids a Demand Side Resource that is committed by the ISO to provide synchronized Operating Reserves in the Real-Time Market shall be eligible to receive a Bid Production Cost guarantee payment under this Section 18.11.

### **18.11.2 Formula for Determining BPCG for Demand Side Resources Providing Synchronized Operating Reserves in the Real-Time Market**

~~B. — A supplemental Bid Production Cost guarantee payment to a Demand Side Resource with a synchronized Operating Reserves schedule in the real-time Market shall be calculated as follows: by setting to zero all terms provided in Section 18.1.2 of this Attachment C, with which real-time supplemental payments are calculated, with the exception of the terms  $NASR_{gi}^{DA}$  and  $NASR_{gi}^{TOT}$ , which shall be calculated pursuant to their descriptions.~~

BPCG for Demand Side Resource d Providing synchronized Operating Reserves in Real-Time =

$$\max \left[ - \sum_{i \in L} \langle NASR_{di}^{TOT} - NASR_{di}^{DA} \rangle, 0 \right]$$

where:

L = set of RTD intervals in the Dispatch Day;

$NASR_{di}^{TOT}$  = Net Ancillary Services revenue, in \$, paid to Demand Side Resource d as a result of either having been scheduled Day-Ahead in the hour that includes RTD interval i or having been scheduled in real-time interval i which is computed by summing the following: (1) Regulation Service payments that would be made to Demand Side Resource d for that hour based on a Performance Index of 1, less the Bid(s) placed by Demand Side Resource d to provide Regulation Service in that hour at the time it was committed to provide Ancillary Services (unless the Bid(s) exceeds the payments that



Demand Side Resource d receives for providing Regulation Service, in which case this component shall be zero); and (2) payments made to Demand Side Resource d for providing Spinning Reserve or synchronized 30-Minute Reserve in that hour, less the Bid placed by Demand Side Resource d to provide such reserves in that hour at the time it was scheduled to do so; and

$NASR_{di}^{DA}$  = The proportion of the Day-Ahead net Ancillary Services revenue, in \$, that is applicable to interval i calculated by multiplying the  $NASR_{dh}^{DA}$  for the hour that includes interval i by the quotient of the number of seconds in RTD interval i divided by 3600.

~~Generators with start-up times of greater than twenty-four (24) hours will have their start-up cost Bids equally prorated over the course of each day included in their start-up period. Consequently, units whose start-ups are aborted will receive a prorated portion of those payments, based on the portion of the start-up sequence they have completed (e.g., if a unit with a seventy-two (72) hour start-up time has its start-up sequence aborted after forty-eight (48) hours, it would receive two-thirds (2/3) of its start-up cost Bid).~~

## **18.12 Proration Of Start-Up Bid For Generators That Are Committed In The Day-Ahead Market, Or Via Supplemental Resource Evaluation**

### **18.12.1 Eligibility to Recover Operating Costs and Resulting Obligations**

Generators committed in the Day-Ahead Market or via SRE that are not able to complete their minimum run time within the Dispatch Day in which they are committed are eligible to include in their Start-Up Bid expected net costs of operating on the day following the dispatch day at the minimum operating level specified for the hour in which the Generator is committed, for the hours necessary to complete the Generator's minimum run time.

Generators that receive Day-Ahead or SRE schedules that are not scheduled to operate in real-time, or that do not operate in real-time, at the MW level included in the Minimum Generation Bid for the first hour of the Generator's Day-Ahead or SRE schedule, for the longer of (a) the duration of the Generator's Day-Ahead or SRE schedule, or (b) the minimum run time specified in the Bid that was accepted for the first hour of the Generator's Day-Ahead or SRE schedule, will have the start-up cost component of the Bid Production Cost guarantee calculation prorated in accordance with the formula specified in Section 18.12.2, below. The rules for prorating the start-up cost component of the Bid Production Cost guarantee calculation apply both to operation within the Dispatch Day and to operation on the day following the Dispatch Day to satisfy the minimum run time specified for the hour in which the Generator was scheduled to start-up on the Dispatch Day.

Rules for calculating the reference level that the NYISO uses to test Start-Up Bids for possible mitigation are included in the Market Power Mitigation Measures that are set forth in Attachment H to the ISO Services Tariff. Proration of the start-up cost component of a

Generator's Bid Production Cost guarantee based on the Generator's operation in real-time is different/distinct from the mitigation of a Start-Up Bid.

**18.12.2 Proration of Eligible Start-Up Cost when a Generator Is Not Scheduled, or Does Not Operate to Meet the Schedule Specified in the Accepted Day-Ahead or SRE Start-Up Bid.**

The start-up costs included in the Bid Production Cost guarantee calculation may be reduced *pro rata* based on a comparison of the actual MWs delivered in real-time to an hourly minimum MW requirement. The hourly MWh requirement is determined based on the MW component of the Minimum Generation Bid submitted for the Generator's accepted start hour (as mitigated, where appropriate).

**18.12.2.1 Total Energy Required to be Provided in Order to Avoid Proration of a Generator's Start-Up Costs**

$$\text{TotMWReq}_{g,s} = \text{MinOpMW}_{g,s} * n_{g,s}$$

Where:

TotMWReq<sub>g,s</sub> = Total amount of Energy that Generator g, when started in hour s, must provide for its start-up costs not to be prorated

MinOpMW<sub>g,s</sub> = Minimum operating level (in MW) specified by Generator g in its hour s Bid

n<sub>g,s</sub> = The last hour that Generator g must operate when started in hour s to complete both its minimum run time and its Day-Ahead schedule. The variable n<sub>g,s</sub> is calculated as follows:

$$n_{g,s} = \max(\text{LastHrDASched}_{g,s}, \text{LastMinRunHr}_{g,s})$$

Where:

LastHrDASched<sub>g,s</sub> = The last date/hour in a contiguous set of hours in the Dispatch Day, beginning with hour s, in which Generator g is scheduled to operate in the Day-Ahead Market

LastMinRunHr<sub>g,s</sub> = The last date/hour in a contiguous set of hours in which Generator g would need to operate to complete its minimum run time if it starts in hour s

### **18.12.2.2 Calculation of Prorated Start-Up Cost**

$$\text{ProratedSUC}_{g,s} = \text{SubmittedSUC}_{g,s} \cdot \frac{\sum_{h=s}^{n_{g,s}} \text{MinOpEnergy}_{g,h,s}}{\text{TotalMWReq}_{g,s}},$$

---

Where:

ProratedSUC<sub>g,s</sub> = the prorated start-up cost used to calculate the Bid Production Cost guarantee for Generator g that is scheduled to start in hour s

SubmittedSUC<sub>g,s</sub> = the Start-Up Bid submitted (as mitigated, where appropriate) for Generator g that is scheduled to start in hour s

MinOpEnergy<sub>g,h,s</sub> = the amount of Energy produced during hour h by Generator g during the time required to complete both its minimum run time and its Day-Ahead schedule, if that generator is started in hour s.  
MinOpEnergy<sub>g,h,s</sub> is calculated as follows:

$$\text{MinOpEnergy}_{g,h,s} = \min(\text{MetActEnergy}_{g,h}, \text{MinOpMW}_{g,s}),$$

---

Where:

MetActEnergy<sub>g,h</sub> = the metered amount of Energy produced by Generator g during hour h

### **18.12.2.3 Additional Rules/Clarifications that Apply to the Calculation of Prorated Start-Up Cost**

- a. For any hour that a Generator is derated below the minimum operating level specified in its accepted Start-Up Bid for reliability, either by the ISO or at the request of a Transmission Owner, the Generator will receive credit for that hour as if the Generator had produced metered actual MWh equal to its MinOpMW<sub>g,s</sub>.
- b. A Generator must be scheduled and operate in real-time to produce Energy consistent with the MinOpMW<sub>g,s</sub> specified in the accepted Start-Up Bid for each hour that it is expected to run. See Section 18.12.2.1, above. These rules do not specify or require any particular bidding construct that must be used to achieve the desired commitment. However, submitting a self-committed Bid may

preclude a Generator from receiving a BPCG. See, e.g., Sections 18.2.1.2.2 and 18.4.1.2.3 of this Attachment C.

## **23.3 Criteria for Imposing Mitigation Measures**

### **23.3.1 Identification of Conduct Inconsistent with Competition**

Conduct that may potentially warrant the imposition of a mitigation measure includes the categories described in Section 23.2.4 above, which shall be detected through the use of indices and screens developed, adopted and made available as specified in Attachment O. The thresholds listed in Sections 23.3.1.1 to 23.3.1.3 below shall be used to identify substantial departures from competitive conduct indicative of an absence of workable competition.

#### **23.3.1.1 Thresholds for Identifying Physical Withholding**

23.3.1.1.1 The following initial thresholds will be employed by the ISO to identify physical withholding of a Generator or generation by a Market Party and its Affiliates:

23.3.1.1.1.1 Except for conduct addressed in Section 23.3.1.1.1.2: Withholding that exceeds (i) 10 percent of a Generator's capability, or (ii) 100 MW of a Generator's capability, or (iii) 5 percent of the total capability of a Market Party and its Affiliates, or (iv) 200 MW of the total capability of a Market Party and its Affiliates.

For a Generator or a Market Party in a Constrained Area for intervals in which an interface into the area in which the Generator or generation is located has a Shadow Price greater than zero, withholding that exceeds (i) 10 percent of a Generator's capability, or (ii) 50 MW of a Generator's capability, or (iii) 5 percent of the total capability of a Market Party and its Affiliates, or (iv) 100 MW of the total capability of a Market Party and its Affiliates.

23.3.1.1.1.2 Operating a Generator or generation in real-time at a lower output level than would have been expected had the Market Party's and its Affiliate's Generator or generation followed the ISO's dispatch instructions, resulting in a difference in output that exceeds (i) 15 minutes times a Generator's stated response rate per minute at the output level that would have been expected had the Generator followed the ISO's dispatch instructions, or (ii) 100 MW for a Generator, or (iii) 200 MW of the total capability of a Market Party and its Affiliates. For a Generator or a Market Party in a Constrained Area for intervals in which an interface into the area in which the generation is located has a Shadow Price greater than zero, operating a Generator or generation in real-time at a lower output level than would have been expected had the Market Party's and its Affiliate's Generator or generation followed the ISO's dispatch instructions, resulting in a difference in output that exceeds (i) 15 minutes times a Generator's stated response rate per minute at the output level that would have been expected had the Generator followed the ISO's dispatch instructions, or (ii) 50 MW of a Generator's capability, or (iii) 100 MW of the total capability of a Market Party and its Affiliates.

23.3.1.1.2 The amounts of generating capacity considered withheld for purposes of applying the thresholds in this Section 23.3.1.1 shall include unjustified deratings, and the portions of a Generator's output that is not bid or subject to economic withholding. The amounts deemed withheld shall not include generating output that is subject to a forced outage or capacity that is out of service for maintenance

in accordance with an ISO maintenance schedule, subject to verification by the ISO as may be appropriate that an outage was forced.

23.3.1.1.3 A transmission facility shall be deemed physically withheld if it is not operated in accordance with ISO instructions and such failure to conform to ISO instructions causes or contributes to transmission congestion. A transmission facility shall not be deemed withheld if it is subject to a forced outage or is out of service for maintenance in accordance with an ISO maintenance schedule.

#### **23.3.1.2 Thresholds for Identifying Economic Withholding**

23.3.1.2.1 The following thresholds shall be employed by the ISO to identify economic withholding that may warrant the mitigation of a Generator in an area that is not a Constrained Area, or in a Constrained Area during periods not subject to transmission constraints affecting the Constrained Area, and shall be determined with respect to a reference level determined as specified in Section 23.3.1.4:

23.3.1.2.1.1 Energy and Minimum Generation Bids: A 300 percent increase or an increase of \$100 per MWh, whichever is lower; provided, however, that Energy or Minimum Generation Bids below \$25 per MWh shall be deemed not to constitute economic withholding.

23.3.1.2.1.2 Operating Reserves and Regulation Service Bids: A 300 percent increase or an increase of \$50 per MW, whichever is lower; provided, however, that such bids below \$5 per MW shall be deemed not to constitute economic withholding.

23.3.1.2.1.3 Start-up costs Bids: A 200 percent increase.



23.3.1.2.1.4 Time-based bid parameters: An increase of 3 hours, or an increase of 6 hours in total for multiple time-based bid parameters. Time-based bid parameters include, but are not limited to, start-up times, minimum run times and minimum down times.

23.3.1.2.1.5 Bid parameters expressed in units other than time or dollars: A 100 percent increase for parameters that are minimum values, or a 50 percent decrease for parameters that are maximum values (including but not limited to ramp rates and maximum stops).

23.3.1.2.2 The following thresholds shall be employed by the ISO to identify economic withholding that may warrant the mitigation of a Generator in an area that is a Constrained Area, and shall be determined with respect to a reference level determined as specified in Section 23.3.1.4:

23.3.1.2.2.1 For Energy and Minimum Generation Bids for the Real-Time Market: for intervals in which an interface into the area in which a Generator is located has a Shadow Price greater than zero, the lower of the thresholds specified for areas that are not Constrained Areas or a threshold determined in accordance with the following formula:

$$\text{Threshold} = \frac{2 \% * \text{Average Price} * 8760}{\text{Constrained Hours}}$$

where:

Average Price = the average price in the Real-Time Market in the Constrained Area over the past 12 months, adjusted for fuel price changes, and adjusted for Out-of-Merit Generation dispatch as feasible and appropriate; and

Constrained Hours = the total number of minutes over the prior 12 months, converted to hours (retaining fractions of hours), in which the real-time Shadow

Price has been greater than zero on any Interface or facility leading into the Constrained Area in which the Generator is located. For the In-City area, “Constrained Hours” shall also include the number of minutes that a Storm Watch is in effect. Determination of the number of Constrained Hours shall be subject to adjustment by the ISO to account for significant changes in system conditions.

23.3.1.2.2.2 For so long as the In-City area is a Constrained Area, the thresholds

specified in subsection 23.3.1.2.2.1 shall also apply: (a) in intervals in which the transmission capacity serving the In-City area is subject to Storm Watch limitations; (b) to an In-City Generator that is operating as Out-of-Merit Generation; and (c) to a Generator dispatched as a result of a Supplemental Resource Evaluation.

23.3.1.2.2.3 For Energy and Minimum Generation Bids for the Day-Ahead Market:

for all Constrained Hours for the Generator being bid, a threshold determined in accordance with the formula specified in subsection 23.3.1.2.2.1 above, but where Average Price shall mean the average price in the Day-Ahead Market in the Constrained Area over the past twelve months, adjusted for fuel price changes, and where Constrained Hours shall mean the total number of hours over the prior 12 months in which the Shadow Price in the Day-Ahead Market has been greater than zero on any Interface or facility leading into the Constrained Area in which the Generator is located. Determination of the number of Constrained Hours shall be subject to adjustment by the ISO to account for significant changes in system conditions.

23.3.1.2.2.4 For Start-up costs Bids; a 50% increase.

23.3.1.2.2.5 The thresholds listed in Sections 23.3.1.2.1.2 and 23.3.1.2.1.4 through 23.3.1.2.1.5.

23.3.1.2.3 The following thresholds shall be employed by the ISO to identify economic withholding that requires the mitigation of a Generator that is committed outside the ISO's economic evaluation process to protect NYCA or local area reliability in an area that is not a designated Constrained Area. Whether the thresholds specified in Sections 23.3.1.2.3.3(i) through 23.3.1.2.3.3(v) below have been exceeded shall be determined with respect to a reference level determined as specified in Section 23.3.1.4 of these Mitigation Measures.

If provisions 23.3.1.2.3.1 and 23.3.1.2.3.2 below are met for a Generator in the New York Control Area that is not located in a designated Constrained Area, the ISO shall substitute a reference level for each Bid, or component of a Bid, for which the applicable threshold specified in provisions 23.3.1.2.3.3(i) through 23.3.1.2.3.3(vi) below is exceeded. Where mitigation is determined to be appropriate, the mitigated results will be used in all aspects of the NYISO's settlement process.

23.3.1.2.3.1 The Generator was committed outside the ISO's economic merit order selection process to protect or maintain New York Control Area or local system reliability as a Day-Ahead Reliability Unit ("DARU") or via a Supplemental Resource Evaluation ("SRE"), or was committed as a DARU or via SRE and was also dispatched Out-of-Merit above its minimum generation level to protect or maintain New York Control Area or local system reliability; and

23.3.1.2.3.2 One of the following three (i) – (iii) conditions in this Section 23.3.1.2.3.2 must be satisfied in order for mitigation to be applied:

- i the Market Party (including its Affiliates) that owns or offers the Generator is the only Market Party that could effectively solve the reliability need for which the Generator was committed or dispatched, or
- ii when evaluating an SRE that was issued to address a reliability need that multiple Market Parties' Generators are capable of solving, the NYISO only received Bids from one Market Party (including its Affiliates), or
- iii when evaluating a DARU, if the Market Party was notified of the need for the reliability commitment of its Generator prior to the close of the Day-Ahead Market.

23.3.1.2.3.3 The Bids or Bid components submitted for the Generator that were accepted outside the economic evaluation process to protect or maintain New York Control Area or local system reliability:

- i exceeded the Generator's Minimum Generation Bid reference level by the greater of 10% or \$10/MWh, or
- ii. exceeded the Generator's Incremental Energy Bid reference level by the greater of 10% or \$10/MWh, or
- iii. exceeded the Generator's Start-Up Bid reference level by 10%, or
- iv. exceeded the Generator's minimum run time, start-up time, and minimum down time reference levels by more than one hour in aggregate, or
- v. exceeded the Generator's minimum generation MW reference level by more than 10%, or
- vi. decreased the Generator's maximum number of stops per day below the Generator's reference level by more than one stop per day, or to one stop per day.

### **23.3.1.3 Thresholds for Identifying Uneconomic Production**

23.3.1.3.1 The following threshold will be employed by the ISO to identify

uneconomic production that may warrant the imposition of a mitigation measure:

23.3.1.3.1.1 Energy scheduled at an LBMP that is less than 20 percent of the

applicable reference level and causes or contributes to transmission congestion; or

23.3.1.3.1.2 Real-time output from a Generator or generation resulting in real-time

operation at a higher output level than would have been expected had the Market

Party's and the Affiliate's Generator or generation followed the ISO's dispatch

instructions, if such failure to follow ISO dispatch instructions in real-time causes

or contributes to transmission congestion, and it results in an output difference

that exceeds (i) 15 minutes times a Generator's stated response rate per minute at

the output level that would have been expected had the Generator followed the

ISO's dispatch instructions, or (ii) 100 MW for a Generator, or (iii) 200 MW of

the total capability of a Market Party and its Affiliates.

### **23.3.1.4 Reference Levels**

23.3.1.4.1 Except as provided in Sections 23.3.1.4.3 – 23.3.1.4.56 below, a reference

level for each component of a Generator's Bid shall be calculated on the basis of

the following methods, listed in the order of preference subject to the existence of

sufficient data:

23.3.1.4.1.1 The lower of the mean or the median of a Generator's accepted Bids or

Bid components, in hour beginning 6 to hour beginning 21 but excluding

weekend and designated holiday hours, in competitive periods over the previous

90 days, adjusted for changes in fuel prices consistent with Section 23.3.1.4.7.

below. To maintain appropriate reference levels (i) the ISO shall exclude all Incremental Energy and Minimum Generation Bids below \$15/MWh from its development of Bid-based reference levels, (ii) the ISO shall exclude Minimum Generation Bids submitted for a Generator that was committed on the day prior to the Dispatch Day for the hours during the Dispatch Day that the Generator needs to operate in order to complete the minimum run time specified in the Bid it submitted for the hour in which it was committed, and (iii) the ISO may exclude other Bids that would cause a reference level to deviate substantially from a Generator's marginal cost when developing Bid-based reference levels;

23.3.1.4.1.2 The mean of the LBMP at the Generator's location during the lowest-priced 25 percent of the hours that the Generator was dispatched over the previous 90 days, adjusted for changes in fuel prices consistent with Section 23.3.1.4.7,

below. To maintain appropriate reference levels (i) the ISO shall exclude all LBMPs below \$15/MWh from its development of LBMP-based reference levels, (ii) the ISO shall exclude LBMPs during hours when a Generator was scheduled via Supplemental Resource Evaluation or was Out-of-Merit Generation, from its development of that Generator's LBMP-based reference levels, (iii) for a Generator that was committed on the day prior to the Dispatch Day, the ISO shall exclude LBMPs for the hours during the Dispatch Day that the Generator needs to operate in order to complete the minimum run time specified in the Bid it submitted for the hour in which the Generator was committed from the ISO's development of that Generator's LBMP-based reference levels, and ~~(iiiv)~~ the ISO may exclude LBMPs that would cause a reference level to deviate substantially

below a Generator's marginal cost when developing LBMP-based reference levels; or

23.3.1.4.1.3 A level determined in consultation with the Market Party submitting the Bid or Bids at issue, provided such consultation has occurred prior to the occurrence of the conduct being examined by the ISO, and provided the Market Party has provided data on a Generator's operating costs in accordance with specifications provided by the ISO. The reference level for a Generator's Energy Bid is intended to reflect the Generator's marginal costs. The ISO's determination of a Generator's marginal costs shall include an assessment of the Generator's incremental operating costs in accordance with the following formula, and such other factors or adjustments as the ISO shall reasonably determine to be appropriate based on such data as may be furnished by the Market Party or otherwise available to the ISO:

$$((\text{heat rate} * \text{fuel costs}) + (\text{emissions rate} * \text{emissions allowance price}) + \text{other variable operating and maintenance costs})).$$

23.3.1.4.2 If sufficient data do not exist to calculate a reference level on the basis of either of the first two methods, or if the ISO determines that none of the three methods are applicable to a particular type of Bid component, or an attempt to determine a reference level in consultation with a Market Party has not been successful, the ISO shall determine a reference level on the basis of:

23.3.1.4.2.1 the ISO's estimate of the costs or physical parameters of an Electric Facility, taking into account available operating costs data, appropriate input from the Market Party, and the best information available to the ISO; or

23.3.1.4.2.2 an appropriate average of competitive bids of one or more similar Electric Facilities.

23.3.1.4.3 Notwithstanding the foregoing provisions, the reference level for Energy Bids for New Capacity for the three year period following commencement of its commercial operation shall be the higher of (i) the amount determined in accordance with the provision of Section 23.3.1.4.1 or 23.3.1.4.2, or (ii) the average of the peak LBMPs over the twelve months prior to the commencement of operation of the New Capacity in the zone in which the New Capacity is located during hours when Generators with operating characteristics similar to the New Capacity would be expected to run. For entities owning or otherwise controlling the output of capacity in the New York Control Area other than New Capacity, the provisions of this paragraph shall apply only to net additions of capacity during the applicable three year period.

23.3.1.4.4 Notwithstanding the foregoing provisions, a reference level for a Generator's start-up costs Bid shall be calculated on the basis of the following methods, listed in the order of preference subject to the existence of sufficient data:

23.3.1.4.4.1 If sufficient bidding histories under the applicable bidding rules for a given Generator's start-up costs Bids have been accumulated, the lower of the mean or the median of the Generator's accepted start-up costs Bids in competitive periods over the previous 90 days for similar ~~start~~down times, adjusted for changes in fuel prices consistent with Section 23.3.1.4.7 below. However, accepted Start-Up Bids that incorporate anticipated costs of operating on the day



after the Dispatch Day in which the Generator is committed in order to permit the Generator to satisfy its minimum run time shall not be used to develop Bid-based start-up reference levels;

23.3.1.4.4.2 A level determined in consultation with the Market Party submitting the Bid or Bids at issue and intended to reflect the costs incurred for a Generator to achieve its specified minimum operating level from an offline state, provided such consultation has occurred prior to the occurrence of the conduct being examined by the ISO, and provided the Market Party has provided data on the Generator's operating costs in accordance with specifications provided by the ISO; or

23.3.1.4.4.3 Generators committed in the Day-Ahead Market or via Supplemental Resource Evaluation that are not able to complete their minimum run time within the Dispatch Day in which they are committed are eligible to include in their Start-Up Bid expected net costs of operating on the day following the dispatch day at the minimum operating level (in MW) specified in the Generator's Bid for the commitment hour, for the hours necessary to complete the Generator's minimum run time. The NYISO will calculate a start-up reference level that incorporates the net costs the Generator is expected to incur on the day following the Dispatch Day as follows:

23.3.1.4.4.3.1 Calculation of a start-up reference level that includes expected net costs of operating on the day following the Dispatch Day

The NYISO will use the following calculation to develop a reference level that incorporates the costs that a Generator is expected to incur on the day following the Dispatch Day.

$$\text{LateDayAdjusted}_{g,i} = \text{StrtUpRef}_g + \max\left(0, \text{MinGenRef}_{g,i} \cdot \text{BidMinGen}_{g,i} \cdot \sum_{h=0}^{Z_{g,i}-1} \text{SR}_{g,h,i}\right),$$


---

Where:

LateDayAdjusted<sub>g,i</sub> = calculated start-up reference level for Generator g for hour i in \$ (reflects the applicable start-up reference level (StrtUpRef<sub>g</sub>), plus the expected net cost of operating on the day following the Dispatch Day)

StrtUpRef<sub>g</sub> = the start-up reference level for Generator g in \$ that is in effect at the time the calculation is performed (does not include the expected net cost of operating on the day following the Dispatch Day)

MinGenRef<sub>g,i</sub> = the minimum generation cost reference level for Generator g for hour i in \$/MW that is in effect at the time the calculation is performed

BidMinGen<sub>g,i</sub> = Generator g's Day-Ahead minimum operating level for hour i, in MW

Z<sub>g,i</sub> = the number of hours the Generator must operate during the day following the Dispatch Day in order to complete its minimum run time if it starts in hour i

SR<sub>g,h,i</sub> = shortfall ratio for Generator g that is bidding to start in hour i which must run during hour h in order to complete its minimum run time, calculated in accordance with Section 23.3.3.4.4.3.2, below

23.3.1.4.4.3.2 Calculation of the shortfall ratio for use in Section 23.3.1.4.4.3.1, above

SR<sub>g,h,i</sub> = the shortfall ratio calculated for Generator g that is bidding to start in hour i, and that must run during hour h to complete its minimum run time.

In all cases in which Generator g's Day-Ahead minimum operating level deviates from the average of the previous seven days' Day-Ahead minimum operating levels for the same hour by less than 5 MW (i.e., if  $|\text{AvgBidMinGen}_{g,h,i} - \text{BidMinGen}_{g,i}| < 5 \text{ MW}$ ) or by less than 10% (i.e., if both  $\text{BidMinGen}_{g,i} < 1.1 \times \text{AvgBidMinGen}_{g,h,i}$  and  $\text{BidMinGen}_{g,i} > 0.9 \times$

$\text{AvgBidMinGen}_{g,h,i}$ ),

Where:

AvgBidMinGen<sub>g,h,i</sub> = The average minimum operating level submitted in the Day-Ahead Market for hour h on the seven days preceding the day containing hour i, in MW,

excluding any days for which a minimum operating level was not submitted in the Day-Ahead Market for Generator g, for hour h; and

BidMinGen<sub>g,i</sub> = The minimum operating level submitted in the Day-Ahead Market for Generator g for hour i, in MW

and in all cases in which AvgBidMinGen<sub>g,h,i</sub> cannot be calculated because minimum operating levels were not submitted for Generator g in the Day-Ahead Market for hour h on any of the seven days preceding the day containing hour i, the SR<sub>g,h,i</sub> value will be calculated using the primary method. Otherwise, the SR<sub>g,h,i</sub> value will be calculated using the alternative method.

*Primary Method of Calculating the Shortfall Ratio*

$$SR_{g,h,i} = 1 - \frac{1}{7} \cdot \sum_{d=1}^7 \frac{LBMP_{g,h,i,d}}{MinGenRef_{g,h,i,d}},$$

Where:

LBMP<sub>g,h,i,d</sub> = Day ahead LBMP at the location of Generator g in hour h of the Day-Ahead Market for the Dispatch Day that precedes the day containing hour i by d days, and

MinGenRef<sub>g,h,i,d</sub> = minimum generation cost reference level for Generator g in hour h of the Day-Ahead Market for the Dispatch Day that precedes the day containing hour i by d days

*Alternative Method of Calculating the Shortfall Ratio*

$$SR_{g,h,i} = 1 - \frac{AvgLBMP_{g,h,i}}{\left( AvgRefRate_{g,h,i} \cdot \frac{RefRate2_{g,i}}{RefRate1_{g,h,i}} \right)}$$

Where:

AvgLBMP<sub>g,h,i</sub> = The average of the Day-Ahead LBMPs at the location of Generator g for hour h on the seven days preceding the day containing hour i, in \$/MWh, excluding any days for which a minimum operating level was not submitted in the Day-Ahead Market for Generator g for hour h

AvgRefRate<sub>g,h,i</sub> = The average of the minimum generation reference levels for Generator g in hour h on the seven days preceding the day containing hour i, in \$/MWh, excluding any days for which a minimum operating level was not submitted in the Day-Ahead Market for Generator g for hour h

RefRate1<sub>g,h,i</sub> = The minimum generation cost reference level in \$/MWh for Generator g for hour i, calculated using the most current reference data, and assuming that the minimum operating level submitted in the Day-Ahead Market for Generator g in hour i corresponds to the MWs reflected in the AvgBidMinGen<sub>g,h,i</sub>

RefRate2<sub>g,i</sub> = The minimum generation cost reference level in \$/MWh for Generator g for hour i, calculated using the most current reference data, and incorporating the minimum operating level submitted in the Day-Ahead Market for Generator g in hour i that corresponds to the MWs reflected in the BidMinGen<sub>g,i</sub>

Notwithstanding the above, in all cases where the denominator of the equation for calculating SR<sub>g,h,i</sub> is not greater than zero, SR<sub>g,h,i</sub> shall be set to zero, under both the primary and alternative methods.

23.3.1.4.4.4 The methods specified in Section 23.3.1.4.2.

23.3.1.4.5 Notwithstanding the foregoing provisions, the reference level for 10-Minute Non-Synchronized reserves shall be the lower of (i) the amount determined in accordance with the provisions of Section 23.3.1.4.1.1, or (ii) \$2.52.

23.3.1.4.6 The ISO is not required to calculate real-time reference levels for the three Operating Reserve products (Spinning Reserve, 10-Minute Non-Synchronized Reserves and 30-Minute Reserves) because Generators that are capable of providing these products and that are submitting Bids into the Real-Time Market are automatically assigned a real-time Operating Reserves Availability Bid of zero for the amount of Operating Reserves they are capable of providing. The ISO shall calculate Day-Ahead reference levels for the three Operating Reserves products in accordance with Sections 23.3.1.4.1.1, 23.3.1.4.1.3 or 23.3.1.4.2 of these Mitigation Measures.

23.3.1.4.7 The ISO shall use the best information available to it to adjust reference levels to reflect appropriate fuel costs.

23.3.1.4.7.1 Market Parties shall monitor Generator reference levels and shall endeavor to timely (as that term is defined in Section 23.3.1.4.7.7 below) contact the ISO to request an adjustment to a Generator's reference level(s) when the Generator's fuel type or fuel price change.

23.3.1.4.7.2 Screening of fuel type and fuel price information. The ISO may use automated processes and/or require manual review of fuel type and fuel price information submitted by Market Parties to test the accuracy of the information submitted in order to prevent market clearing prices and guarantee payments from being incorrectly calculated.

23.3.1.4.7.3 Consistent with the rules specified in this Section 23.3.1.4.7 of the Mitigation Measures and the procedures that the ISO develops to implement these rules, Market Parties shall notify the ISO of changes in fuel type or fuel price by (i) submitting revised fuel type or fuel price information to the ISO's Market Information System along with the Generator's Bid(s), or (ii) by directly contacting the ISO to request a reference level update consistent with ISO procedures, or (iii) by utilizing both of the available notification methods. Revised fuel type or fuel price information that exceeds, or is rejected based upon, the thresholds that the ISO uses to automatically screen fuel type or fuel price information that is submitted to the ISO's Market Information System along with a Generator's Bid(s) shall be submitted by directly contacting the ISO to request a reference level update, consistent with ISO procedures.

23.3.1.4.7.4 Following the completion of the ISO's automated and/or manual screening processes, the ISO shall use fuel type and fuel price information that Market

Parties or their representatives submit to develop Generator reference levels unless (i) the information submitted is inaccurate, or (ii) the information was not timely submitted, and the Market Party's failure to timely submit the information is not excused by the ISO in accordance with Section 23.3.1.4.7.7 below, or (iii) consistent with Section 23.3.1.4.7.8 below.

23.3.1.4.7.5 The ISO may not always have sufficient time to complete its screening of proposed fuel type or fuel price changes prior to the relevant Day-Ahead Market day or Real-Time Market hour. If fuel type or fuel price information (i) is timely submitted or, where untimely, the submission of fuel type or fuel price information is excused in accordance with Section 23.3.1.4.7.7 below, and (ii) the fuel type or fuel price information that the Market Party submitted is proven to have been accurate or to have understated the actual cost incurred for that component, and (iii) the Bid(s) were tested using reference levels that reflected outdated fuel type and/or fuel price information and the Bid(s) were mitigated or a sanction was imposed pursuant to Section 23.4.3 of these Mitigation Measures, then the ISO shall (a) re-perform any test(s) that resulted in a sanction being imposed pursuant to Section 23.4.3 of these Mitigation Measures, using the accurate fuel type and/or fuel price information and use the revised results to calculate the appropriate sanction (if any), and (b) determine if the Bids for the Generator would have failed the relevant conduct test(s) if accurate fuel type and/or fuel price information had been used to develop reference levels. The ISO shall then restore any original (as-submitted) Bid(s) that would not have failed the relevant conduct test(s) if accurate fuel type and/or fuel price information had

been used to develop the Generator's reference levels, and use the restored Bid(s) to determine a settlement. Otherwise the ISO shall use the Generator's correct or corrected reference level(s) to determine a settlement.

23.3.1.4.7.6 The ISO shall publicly post the thresholds it employs to automatically screen fuel type and fuel price information that is submitted to the ISO's Market Information System for potentially inaccurate fuel type and fuel price data inputs.

23.3.1.4.7.7 For purposes of this Section 23.3.1.4.7, "timely" notice or submission to the Real-Time Market shall mean the submission of fuel type and/or fuel price information using the methods specified in Section 23.3.1.4.7.3 of these Mitigation Measures prior to market close for the relevant Real-Time Market hour. For purposes of this Section 23.3.1.4.7, "timely" notice or submission to the Day-Ahead Market shall mean the submission of fuel type and/or fuel price information using the methods specified in Section 23.3.1.4.7.3 of these Mitigation Measures prior to the close of the Day-Ahead Market. Market Parties are not expected to submit invoices or other supporting data with their Day-Ahead Market or Real-Time Market fuel type and fuel price information, but are expected to retain invoices and other supporting data consistent with the data retention requirements set forth in the Plan, and to be able to produce such information within a reasonable timeframe when asked to do so by the ISO or by its Market Monitoring Unit.

It may not always be possible for a Market Party to timely update a Generator's fuel type or fuel price to reflect unexpected real-time changes or events in advance of the first affected market-hour. Upon a showing of extraordinary

circumstances, the ISO may retroactively reflect in Real-Time Market reference levels fuel type or fuel price information that was not timely submitted by a Market Party. While it should ordinarily be possible for a Market Party to timely submit updated fuel type and fuel price information for use in developing a Generator's Day-Ahead Market reference levels, the ISO may retroactively accept and utilize late-submitted Day-Ahead Market fuel type or fuel price information upon a showing of extraordinary circumstances.

23.3.1.4.7.8 If (i) the ISO determines, following consultation with the Market Party and review by the Market Monitoring Unit, that the Market Party or its representative has, over a time period of at least one week, submitted inaccurate fuel type or fuel price information that was, taken as a whole, biased in the Market Party's favor, or (ii) if a Market Party is subject to a penalty or sanction under Section 23.4.3.3.3 of these Mitigation Measures for submitting inaccurate fuel price or fuel type information, then the ISO may cease using the fuel type and fuel price information submitted to the ISO's Market Information System along with the Generator's Bid(s) to develop reference levels for the affected Generator(s) for a period of up to six months following the first identified occurrence, and for a period of up to one year following each subsequent occurrence. The six month or one year period shall be calculated from the date of the most recent instance in which inaccurate fuel type or fuel price information was submitted to the ISO. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.3 of the Plan.



23.3.1.4.7.9 In order to adjust (i) Bid-based incremental energy, minimum generation and start-up reference levels, and (ii) LBMP-based incremental energy and minimum generation reference levels to more accurately reflect fuel costs, the ISO may calculate distinct Bid- and LBMP-based reference levels for each fuel type or blend of fuel types that a Generator is capable of burning, and shall fuel index each of the distinct Bid- or LBMP-based reference levels that it calculates for fuel types that are amenable to fuel indexing. Where a Generator can draw on multiple natural gas sources that each have distinct, posted, market clearing prices, the ISO may calculate distinct Bid-Based or LBMP-based reference levels for each such available supply source.

23.3.1.4.8 Except as otherwise authorized in accordance with Section 23.3.1.4.7.7 above, Market Parties shall timely report significant changes to the cost components used to develop their Generator's reference levels to the ISO in order to permit the revised costs to be timely reflected in the Generator reference levels. However, if the ISO uses published index prices to fuel index a Generator's reference level when that Generator is burning a fuel type that is amenable to fuel indexing (which may include a blend of two indexed fuel types), the Market Party is not required to report fuel prices that are less than the published index price that the ISO relies on.

## **23.3.2 Material Price Effects or Changes in Guarantee Payments**

### **23.3.2.1 Market Impact Thresholds**

In order to avoid unnecessary intervention in the ISO Administered Markets, Mitigation Measures shall not be imposed unless conduct identified as specified above (i) causes or

contributes to a material change in one or more prices in an ISO Administered Market, or (ii) substantially increases guarantee payments to participants in the New York Electric Market.

Initially, the thresholds to be used by the ISO to determine a material price effect or change in guarantee payments shall be:

23.3.2.1.1 an increase of 200 percent or \$100 per MWh, whichever is lower, in the hourly Day-Ahead or Real-Time Energy LBMP at any location, or of any other price in an ISO Administered Market; or

23.3.2.1.2 an increase of 200 percent, or 50 percent for Generators in a Constrained Area in guarantee payments to a Market Party for a day; or

23.3.2.1.3 for a Constrained Area Generator subject to either a Real-Time Market or Day-Ahead Market conduct threshold, as specified above in Sections 23.3.1.1.1, 23.3.1.2.2.1, or 23.3.1.2.2.3: for all Constrained Hours (as defined in Section 23.3.1.2.2.1 for the Real-Time Market and in Section 23.3.1.2.2.3 for the Day-Ahead Market) for the unit being bid, a threshold determined in accordance with the formula specified in Section 23.3.1.2.2.1 for the Real-Time Market or Section 23.3.1.2.2.3 for the Day-Ahead Market.

#### **23.3.2.2 Price Impact Analysis**

23.3.2.2.1 When it has the capability to do so, the ISO shall determine the effect on prices or guarantee payments of questioned conduct through the use of sensitivity analyses performed using the ISO's SCUC, RTC and RTD computer models, and such other computer modeling or analytic methods as the ISO shall deem appropriate following consultation with its Market Monitoring Unit. The responsibilities of the Market Monitoring Unit that are addressed in this section of

the Mitigation Measures are also addressed in Section 30.4.6.2.4 of Attachment O.

23.3.2.2.2 Pending development of the capability to use automated market models, the ISO, following consultation with its Market Monitoring Unit, shall determine the effect on prices or guarantee payments of questioned conduct using the best available data and such models and methods as they shall deem appropriate. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.5 of Attachment O.

23.3.2.2.3 The ISO shall implement automated procedures within the SCUC for Constrained Areas, and within RTC for Constrained Areas. Such automated procedures will: (i) determine whether any Day-Ahead or Real-Time Energy Bids, including start-up costs Bids and Minimum Generation Bids but excluding Ancillary Services Bids, that have not been adequately justified to the ISO exceed the thresholds for economic withholding specified in Section 23.3.1.2 above; and, if so, (ii) determine whether such bids would cause material price effects or changes in guarantee payments as specified in Section 23.3.2.1.

23.3.2.2.4 The ISO shall forgo performance of the additional SCUC and RTC passes necessary for automated mitigation of bids in a given Day-Ahead Market or Real-Time Market if evaluation of unmitigated bids results in prices at levels at which it is unlikely that the thresholds for bid mitigation will be triggered.

### **23.3.2.3 Section 205 Filings**

The ISO shall make a filing under § 205 with the Commission seeking authorization to apply an appropriate mitigation measure to conduct that departs significantly from the conduct that would be expected under competitive market conditions but does not rise to the thresholds specified in Sections 23.3.1.1 through 23.3.1.3 above if that conduct has a significant effect on market prices or guarantee payments as specified below, unless the ISO determines, from information provided by the Market Party or Parties, including a Demand Side Resource participating in the Operating Reserves or Regulation Service Markets, that would be subject to mitigation or other information available to the ISO that the conduct and associated price or guarantee payments are attributable to legitimate competitive market forces or incentives. For purposes of this section, conduct shall be deemed to have an effect on market prices or guarantee payments that is significant if it exceeds one of the following thresholds:

23.3.2.3.1 an increase of 100 percent in the hourly day-ahead or real-time energy LBMP at any location, or of any other price in an ISO Administered Market; or

23.3.2.3.2 an increase of 100 percent in guarantee payments to a Market Party for a day.

### **23.3.3 Consultation with a Market Party**

#### **23.3.3.1 Consultation Process**

If through the application of an appropriate index or screen or other monitoring of market conditions, conduct is identified that (i) exceeds an applicable threshold, and (ii) has a material effect, as specified above, on one or more prices or guarantee payments in an ISO Administered Market, the ISO shall, as and to the extent specified in Attachment O or in Section 23.3.3.2 of these Mitigation Measures, contact the Market Party engaging in the identified conduct to

request an explanation of the conduct. If a Market Party anticipates submitting bids in a market administered by the ISO that will exceed the thresholds specified in Section 23.3.1 above for identifying conduct inconsistent with competition, the Market Party may contact the ISO to provide an explanation of any legitimate basis for any such changes in the Market Party's bids. If a Market Party's explanation of the reasons for its bidding indicates to the satisfaction of the ISO that the questioned conduct is consistent with competitive behavior, no further action will be taken. Market Parties shall ensure that the information they submit to the ISO, including but not limited to fuel price and fuel type information, is accurate. Except as set forth in Section 23.3.1.4.7.7, the ISO may not retroactively revise a reference level to reflect additional fuel costs if a Market Party or its representative did not timely submit accurate fuel cost information. Unsupported speculation by a Market Party does not present a valid basis for the ISO to determine that Bids that a Market Party submitted are consistent with competitive behavior, or to determine that submitted costs are appropriate for inclusion in the ISO's development of reference levels. Consistent with Sections 30.6.2.2 and 30.6.3.2 of the Plan, the Market Party shall retain the documents and information supporting its Bids and the costs it proposes to include in reference levels. A preliminary determination by the ISO shall be provided to the Market Monitoring Unit for its review and comment. Upon request, the ISO shall also consult with a Market Party with respect to the information and analysis used to determine reference levels under Section 23.3.1.4 for that Market Party. If cost data or other information submitted by a Market Party indicates to the satisfaction of the ISO that the reference levels for that Market Party should be changed, revised reference levels shall be determined by the ISO, reviewed by the Market Monitoring Unit and, following the ISO's consideration of the Market Monitoring Unit's recommendation, communicated to the Market Party, and implemented by the ISO as

soon as practicable. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.6 of Attachment O.

### **23.3.3.2 Consultation Requirements**

23.3.3.2.1 The ISO shall make a reasonable attempt to contact and consult with the relevant Market Party about the Market Party's reference level(s) before imposing conduct and impact mitigation, other than conduct and impact mitigation imposed through the automated procedures described in Section 23.3.2.2.3 of these Mitigation Measures. The ISO shall keep records documenting its efforts to contact and consult with the Market Party.

23.3.3.2.2 Consultation regarding both real-time guarantee payment mitigation and mitigation of Generators committed outside the economic evaluation process in the Day-Ahead or Real-Time Markets to protect or preserve system reliability in accordance with Section 23.3.1.2.3 of these Mitigation Measures is addressed in Section 23.3.3.3, below. Consultation regarding Day-Ahead guarantee payment mitigation of Generators, other than mitigation imposed through the automated procedures described in Section 23.3.2.2.3 of these Mitigation Measures, shall be conducted in accordance with Sections 23.3.3.1 and 23.3.3.2 of these Mitigation Measures.

### **23.3.3.3 Consultation Rules for Real-Time Guarantee Payment Mitigation**

#### **23.3.3.3.1 Real-Time Guarantee Payment Consultation Process**

23.3.3.3.1.1 For real-time guarantee payment mitigation determined pursuant to Sections 23.3.1.2.1 or 23.3.1.2.2, and 23.3.2.1.2 of these Mitigation Measures, the

ISO shall electronically post settlement results informing Market Parties of bid(s) that failed the real-time guarantee payment impact test. The settlement results posting shall include the adjustment to the guarantee payment and the mitigated bid(s). The initial posting of settlement results ordinarily occurs two days after the relevant real-time market day.

23.3.3.3.1.2 For real-time guarantee payment mitigation determined pursuant to Sections 23.3.1.2.1 or 23.3.1.2.2, and 23.3.2.1.2 of these Mitigation Measures, no more than two business days after new or revised real-time guarantee payment impact test settlement results are posted, the ISO will send an e-mail or other notification to all potentially impacted Market Parties that comply with Section 23.3.3.3.1.2.2 of these Mitigation Measures.

23.3.3.3.1.2.1 Although the ISO is authorized to take up to two business days to provide notification to all potentially impacted Market Parties that comply with Section 23.3.3.3.1.2.2 of these Mitigation Measures, the ISO shall undertake reasonable efforts to provide notification to such Market Parties within one business day after new or revised real-time guarantee payment impact test settlement results are posted.

23.3.3.3.1.2.2 A Market Party that desires to receive notification from the ISO must provide one e-mail address to the ISO for real-time guarantee payment mitigation notices. Each Market Party is responsible for maintaining and monitoring the e-mail address it provides, and informing the ISO of any change(s) to that e-mail address in order to continue to receive e-mail notification. E-mail will be the ISOs primary method of providing notice to Market Parties.

23.3.3.3.1.2.3            Regardless of whether a Market Party chooses to receive notification from the ISO, each Market Party is responsible for reviewing its posted real-time guarantee payment impact test settlement results and for contacting the ISO to request a consultation if and when appropriate.

23.3.3.3.1.3            The following notice rules apply to guarantee payment mitigation determined pursuant to Section 23.3.1.2.3 of these Mitigation Measures.

23.3.3.3.1.3.1            For mitigation of a Generator's Minimum Generation Bid, Start-Up Bid or Incremental Energy Bid resulting from its DARU or SRE commitment, the ISO shall send an e-mail or other notification to potentially impacted Market Parties that comply with Section 23.3.3.3.1.2.2 of these Mitigation Measures within ten business days after the relevant market day, and shall undertake reasonable efforts to provide notification to such Market Parties within two business days after the relevant market day. The e-mail shall identify the date of the proposed mitigation and the Bid(s) or Bid components that the NYISO proposes to mitigate for all or part of the relevant market day.

As soon as it is able to do so, the NYISO will commence electronically posting settlement results informing Market Parties of Bid(s) that failed the Section 23.3.1.2.3 test and sending an e-mail or other notification to potentially impacted Market Parties that comply with Section 23.3.3.3.1.2.2 of these Mitigation Measures. The settlement results posting shall include the mitigated bid(s). The posting of settlement results ordinarily occurs two days after the relevant real-time market day.



23.3.3.3.1.3.2 For mitigation of a Generator's Minimum Generation Bid, Start-Up Bid or Incremental Energy Bid resulting from an Out-of-Merit dispatch above the Generator's DARU or SRE commitment, the ISO shall send an e-mail or other notification to potentially impacted Market Parties that comply with Section 23.3.3.3.1.2.2 of these Mitigation Measures within 10 business days after the relevant market day. The e-mail shall identify the date of the proposed mitigation and the bid(s) or bid components that the NYISO proposes to mitigate for all or part of the relevant market day.

23.3.3.3.1.3.3 For mitigation based on a Generator's minimum run time, start-up time, minimum down time, minimum generation MWs, or maximum number of stops per day, the ISO shall send an e-mail or other notification to potentially impacted Market Parties that comply with Section 23.3.3.3.1.2.2 of these Mitigation Measures within 10 business days after the relevant market day. The e-mail shall identify the date of the proposed mitigation and the conduct failing Bid(s) or Bid components.

23.3.3.3.1.4 Market Parties that want to consult with the ISO regarding real-time guarantee payment impact test results, or regarding mitigation applied in accordance with Section 23.3.1.2.3 of these Mitigation Measures, for a particular market day must submit a written request to initiate the consultation process that specifies the market day and bid(s) for which consultation is being requested (for purposes of this Section 23.3.3.3.1, a "Consultation Request").

23.3.3.3.1.4.1 Consultation Requests must be received by the ISO's customer relations department within 15 business days after the ISO (i) posts new or revised real-

time guarantee payment impact test settlement results, or (ii) either posts new or revised real-time guarantee payment impact test settlement results or sends an e-mail informing a Market Party of the results of a test performed pursuant to Section 23.3.1.2.3 of these Mitigation Measures for the relevant market day. Consultation Requests received outside the 15 business day period shall be rejected by the ISO.

23.3.3.3.1.4.2 The ISO may send more than one notice informing a Market Party of the same instance of mitigation. Notices that identify real-time guarantee payment impact test or Section 23.3.1.2.3 mitigation settlement results that are not new (for which the Market Party has already received a notice from the ISO) and that do not reflect revised mitigation (for which the dollar impact of the real-time guarantee payment mitigation has not changed) shall not present an additional opportunity, or temporally extend the opportunity, for the Market Party to initiate consultation.

23.3.3.3.1.4.3 If consultation was timely requested and completed addressing a particular set of real-time guarantee payment impact test results, or addressing a particular instance of mitigation applied in accordance with Section 23.3.1.2.3 of these Mitigation Measures, a Market Party may not again request consultation regarding the same real-time guarantee payment impact test results, or the same application of Section 23.3.1.2.3 mitigation, unless revised settlement results, that are not due to the previously completed consultation and that change the dollar impact of the relevant instance of mitigation, are posted.

23.3.3.3.1.5 The Consultation Request may include: (i) an explanation of the reason(s) why the Market Party believes some or all of the reference levels used by the ISO for the market day(s) in question are inappropriate, or why some or all of the Market Party's bids on the market day(s) in question were otherwise consistent with competitive behavior; and (ii) supporting documents, data and other relevant information (collectively, for purposes of this Section 23.3.3.3.1, "Data"), including proof of any cost(s) claimed.

23.3.3.3.1.5.1 Market Parties shall ensure that the information they submit to the ISO, including but not limited to fuel price and fuel type information, is accurate. Except as set forth in Section 23.3.1.4.7.7, the ISO may not retroactively revise a reference level to reflect additional fuel costs if a Market Party or its representative did not timely submit accurate fuel cost information.

23.3.3.3.1.6 If the Market Party is not able to provide (i) an explanation of the reason(s) why the Market Party believes some or all of the reference levels used by the ISO for the market day(s) in question are inappropriate, or why some or all of the Market Party's bids on the market day(s) in question were otherwise consistent with competitive behavior, or (ii) all supporting Data, at the time a Consultation Request is submitted, the Market Party should specifically identify any additional explanation or Data it intends to submit in support of its Consultation Request and provide an estimate of the date by which it will provide the additional explanation or Data to the ISO.

23.3.3.3.1.7 Following the submission of a Consultation Request that satisfies the timing and bid identification requirements of Section 23.3.3.3.1.4, above,

consultation shall be performed in accordance with Section 23.3.3.1 of these Mitigation Measures, as supplemented by the following rules:

23.3.3.3.1.7.1 The ISO shall consult with the Market Party to determine whether the information available to the ISO presents an appropriate basis for (i) modifying the reference levels used to perform real-time guarantee payment mitigation for the market day in question, or (ii) determining that the Market Party's bid(s) on the market day in question were consistent with competitive behavior. The ISO shall only modify the reference levels used to perform mitigation, or determine that the Market Party's bid(s) on the market day that is the subject of the Consultation Request were consistent with competitive behavior, if the ISO has in its possession Data that is sufficient to support such a decision.

23.3.3.3.1.7.2 A preliminary determination by the ISO shall be provided to the Market Monitoring Unit for its review and comment, and the ISO shall consider the Market Monitoring Unit's recommendations in reaching its decision. The ISO shall inform the Market Party of its decision, in writing, as soon as reasonably practicable, but in no event later than (i) 50 business days after the new or revised real-time guarantee payment impact test settlement results for the relevant market day were posted, or (ii) 50 business days after the earlier of the posting of new or revised Section 23.3.1.2.3 mitigation settlement results for the relevant market day, or the issuance of an e-mail in accordance with Section 23.3.3.3.1.3, above. If the ISO does not affirmatively determine that it is appropriate to modify the bid(s) that are the subject of the Consultation Request within 50 business days, the bid(s) shall remain mitigated. The responsibilities of the Market Monitoring Unit

that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.7 of Attachment O.

23.3.3.3.1.7.3 The ISO may, as soon as practicable, but at any time within the consultation period, request Data from the Market Party. The Market Party is expected to undertake all reasonable efforts to provide the requested Data as promptly as possible, to inform the ISO of the date by which it expects to provide requested Data, and to promptly inform the ISO if the Market Party does not intend to, or cannot, provide Data that has been requested by the ISO.

23.3.3.3.1.8 This Section 23.3.3.3.1 addresses Consultation Requests. It is not intended to limit, alter or modify a Market Party's ability to submit or proceed with a billing dispute pursuant to Section 7.4 of the ISO Services Tariff or Section 2.7.4.1 of the ISO OATT.

**23.3.3.3.2 Revising Reference Levels of Certain Generators Committed Out-of-Merit or via Supplemental Resource Evaluation for Conducting Real-Time Guarantee Payment Conduct and Impact Tests and Applying Mitigation in Accordance with Section 23.3.1.2.3 of these Mitigation Measures**

23.3.3.3.2.1 Consistent with and subject to all of the requirements of Section 23.3.3.3.1 of these Mitigation Measures, Generators that (i) are committed Out-of-Merit or via a Supplemental Resource Evaluation after the DAM has posted, and (ii) for which the NYISO has posted real-time guarantee payment impact test settlement results, or identified possible mitigation under Section 23.3.1.2.3 of these Mitigation Measures may contact the ISO within 15 business days after new or revised impact test settlement results are posted, or possible mitigation under Section 23.3.1.2.3 of these Mitigation Measures is identified, to request that the

reference levels used to perform the testing and mitigation be adjusted to include any of the following verifiable costs:

23.3.3.3.2.1.1 procuring fuel at prices that exceed the index prices used to calculate the Generator's reference level;

23.3.3.3.2.1.2 burning a type of fuel or blend of fuels that is not reflected in the Generator's reference level;

23.3.3.3.2.1.3 gas balancing penalties;

23.3.3.3.2.1.4 compliance with operational flow orders; and

23.3.3.3.2.1.5 purchasing additional emissions allowances that are necessary to satisfy the Generator's Supplemental Resource Evaluation or Out-of-Merit schedule.

23.3.3.3.2.2 The five categories of verifiable costs specified above shall be used to modify the requesting Generator's reference level(s) subject to the following prerequisites:

23.3.3.3.2.2.1 the Generator must specifically and accurately identify and document the extraordinary costs it has incurred to operate during the hours of its Supplemental Resource Evaluation or Out-of-Merit commitment; and

23.3.3.3.2.2.2 the costs must not already be reflected in the Generator's reference levels or be recovered from the ISO through other means.

As soon as practicable after the Market Party demonstrates to the ISO's reasonable satisfaction that one or more of the five categories of extraordinary costs have been incurred, but in no event later than the deadline set forth in Section 23.3.3.3.1.7.2 of these Mitigation Measures, the ISO shall adjust the affected Generator's reference levels and re-perform the real-time guarantee payment conduct and impact tests, or the Section 23.3.1.2.3 test, as appropriate,

for the affected day. Only the reference levels used to perform real-time guarantee payment mitigation and/or mitigation pursuant to Section 23.3.1.2.3 of these Mitigation Measures, will be adjusted.

23.3.3.3.2.3 If, at some point prior to the issuance of a Close-Out Settlement for the relevant service month, the ISO or the Commission determine that some or all of the costs claimed by the Market Party during the consultation process described above were not, in fact, incurred over the course of the Out-of-Merit or Supplemental Resource Evaluation commitment, or were recovered from the ISO through other means, the ISO shall re-perform the appropriate test(s) using reference levels that reflect the verifiable costs that the Generator incurred and shall apply mitigation if the Generator's bids fail conduct and impact, or the Section 23.3.1.2.3 test, at the corrected reference levels.

23.3.3.3.2.4 Generators may contact the ISO to request the inclusion of costs other than the five types identified above in their reference levels. The ISO shall consider such requests in accordance with Sections 23.3.1.4, or 23.3.3.3.1 of these Mitigation Measures, as appropriate.

## **23.4. Mitigation Measures**

### **23.4.1. Purpose and Terms**

If conduct is detected that meets the criteria specified in Section 23.3, the appropriate mitigation measure described in this Section shall be applied by the ISO. The conduct specified in Sections 23.3.1.1 to 23.3.1.3 shall be remedied by (1) the prospective application of a default bid measure, or (2) the application of a default bid to correct guarantee payments, as further described in Section 23.4.2.2.4, below. If a Market Party or its Affiliates engage in physical withholding by providing the ISO false information regarding the derating or outage of an Electric Facility or does not operate a Generator in conformance with ISO dispatch instructions such that the prospective application of a default bid is not feasible, or if otherwise appropriate to deter either physical or economic withholding, the ISO shall apply the sanction described in Section 23.4.3.

Terms with initial capitalization not defined in Section 23.4 shall have the meaning set forth in the Open Access Transmission Tariff.

### **23.4.2 Default Bid**

#### **23.4.2.1 Purpose**

A default bid shall be designed to cause a Market Party to bid as if it faced workable competition during a period when (i) the Market Party does not face workable competition, and (b) has responded to such condition by engaging in the physical or economic withholding of an Electric Facility. In designing and implementing default bids, the ISO shall seek to avoid causing an Electric Facility to bid below its marginal cost.



#### **23.4.2.2 Implementation**

23.4.2.2.1 If the criteria contained in Section 23.3 are met, the ISO may substitute a default bid for a bid submitted for an Electric Facility. The default bid shall establish a maximum or minimum value for one or more components of the submitted bid, equal to a reference level for that component determined as specified in Section 23.3.1.4.

23.4.2.2.2 An Electric Facility subject to a default bid shall be paid the LBMP or other market clearing price applicable to the output from the facility. Accordingly, a default bid shall not limit the price that a facility may receive unless the default bid determines the LBMP or other market clearing price applicable to that facility.

23.4.2.2.3 If an Electric Facility is mitigated to a default bid for an Incremental Energy Bid other than a default bid determined as specified in Section 23.3.1.4, the Electric Facility shall receive an additional payment for each interval in which such mitigation occurs equal to the product of: (i) the amount of Energy in that interval scheduled or dispatched to which the incorrect default bid was applied; (ii) the difference between (a) the lesser of the applicable unmitigated bid and a default bid determined in accordance with Section 23.3.1.4, and (b) the applicable LBMP or other relevant market price in each such interval, if (a) greater than (b), or zero otherwise; and (iii) the length of that interval.

23.4.2.2.4 Except as may be specifically authorized by the Commission:

23.4.2.2.4.1 The ISO shall not use a default bid to determine revised market clearing prices for periods prior to the imposition of the default bid.

23.4.2.2.4.2 The ISO shall only be permitted to apply default bids to determine revised real-time guarantee payments to a Market Party in accordance with the provisions of Section 23.3.3.3 of these Mitigation Measures.

23.4.2.2.5 Automated implementation of default bid mitigation measures shall be subject to the following requirements.

23.4.2.2.5.1 Automated mitigation procedures shall not be applied to hydroelectric resources or External Generators. In addition, except as specified below the following shall not be mitigated on an automated basis: (i) bids by a Market Party or its Affiliates that together have bidding control over 50 MW or less of capacity; or (ii) bids by a Market Party or its Affiliates that together have bidding control over 50 MW or more of capacity if the bids by such entities that meet the applicable conduct test for mitigation are for an amount of capacity that totals 50 MW or less. The foregoing exemptions shall be reduced or discontinued for any Market Party or its Affiliates determined by the ISO, after consulting with the Market Party as specified in Section 23.3.3, to be submitting bids that constitute economic withholding that has a significant effect on prices or guarantee payments. The foregoing exemptions shall not apply to mitigation imposed pursuant to Sections 23.3.1.2.2 and 23.3.2.1.3 of this Attachment H.

23.4.2.2.5.2 Automated mitigation measures shall not be applied if the price effects of the measures would cause the average day-ahead energy price in the mitigated locations or zones to rise over the entire day.

23.4.2.2.5.3 Automated mitigation measures as specified in Section 23.3.2.2.3 shall be applied to Minimum Generation Bids and start-up costs Bids meeting the applicable conduct and impact tests. When mitigation of Minimum Generation

Bids is warranted, mitigation shall be imposed from the first hour in which the impact test is met to the last hour in which the impact test is met, or for the duration of the mitigated Generator's minimum run time, whichever is longer.

23.4.2.2.5.4 The posting of the Day-Ahead schedule may be delayed if necessary for the completion of automated mitigation procedures.

23.4.2.2.5.5 Bids not mitigated under automated procedures shall remain subject to mitigation by other procedures specified herein as may be appropriate.

23.4.2.2.5.6 The role of automated mitigation measures in the determination of market clearing prices are described in Section 17.1.1.5 of Attachment B of the ISO Services Tariff and Section 16.1.1.5 of Attachment J of the ISO OATT.

23.4.2.2.6 A Real-Time automated mitigation measure shall remain in effect for the duration of any hour in which there is an RTC interval for which such mitigation is deemed warranted.

23.4.2.2.7 A default bid shall not be imposed on a Generator that is not in the New York Control Area and that is electrically interconnected with another Control Area.

### **23.4.3 Sanctions**

#### **23.4.3.1 Types of Sanctions**

The ISO may impose financial penalties on a Market Party in amounts determined as specified below.

#### **23.4.3.2 Imposition**

The ISO shall impose financial penalties as provided in this Section 23.4.3, if the ISO determines in accordance with the thresholds and other standards specified in this Attachment H

that: (i) a Market Party has engaged in physical withholding, including providing the ISO false information regarding the derating or outage of an Electric Facility; or (ii) a Market Party or its Affiliates have failed to follow the ISOs dispatch instructions in real-time, resulting in a different output level than would have been expected had the Market Party's or the Affiliate's generation followed the ISO's dispatch instructions, and such conduct has caused a material increase in one or more prices or guarantee payments in an ISO Administered Market; or (iii) a Market Party has made unjustifiable changes to one or more operating parameters of a Generator that reduce its ability to provide Energy or Ancillary Services; or (iv) a Load Serving Entity has been subjected to a Penalty Level payment in accordance with Section 23.4.4 below; or (v) [RLS Penalty](#) Market Party has submitted inaccurate fuel type or fuel price information that is used by the ISO in the development of a Generator's reference level, where the inaccurate reference level that is developed, in turn, directly or indirectly impacts guarantee payments or market clearing prices paid to the Market Party; or (vi) [the opportunity to submit Incremental Energy Bids into the real-time market that exceed Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, has been revoked for a Market Party's Generator pursuant to Sections 23.4.7.2 and 23.4.7.3 of these Mitigation Measures.](#)

### **23.4.3.3 Base Penalty Amount**

23.4.3.3.1 Except for financial penalties determined pursuant to Sections [23.4.3.3.2, 23.4.3.3.3, and 23.4.3.3.4](#) below, financial penalties shall be determined by the product of the Base Penalty Amount, as specified below, times the appropriate multiplier specified in Section 23.4.3.4:

MW meeting the standards for mitigation during Mitigated Hours \* Penalty LBMP.

23.4.3.3.1.1 For purposes of determining a Base Penalty Amount, the term “Mitigated Hours” shall mean: (i) for a Day-Ahead Market, the hours in which MW were withheld; (ii) for a Real-Time Market, the hours in the calendar day in which MW were withheld; and (iii) for load bids, the hours giving rise to Penalty Level payments.

23.4.3.3.1.2 For purposes of determining a Base Penalty Amount, the term “Penalty LBMP” shall mean: (i) for a seller, the LBMP at the generator bus of the withheld resource; and (ii) for a Load Serving Entity, its zonal LBMP.

23.4.3.3.2 The financial penalty for failure to follow ISOs dispatch instructions in real-time, resulting in real-time operation at a different output level than would have been expected had the Market Party’s or the Affiliate’s generation followed the ISO’s dispatch instructions, if the conduct violates the thresholds set forth in Sections 23.3.1.1.1.2, or 23.3.1.3.1.2 of these Mitigation Measures, and if a Market Party or its Affiliates, or at least one Generator, is determined to have had impact in accordance with Section 23.3.2.1 of these Mitigation Measures, shall be:

One and a half times the estimated additional real time LBMP and Ancillary Services revenues earned by the Generator, or Market Party and its Affiliates, meeting the standards for impact during intervals in which MW were not provided or were overproduced.

23.4.3.3.3 ~~RLS Penalty~~ If inaccurate fuel type and/or fuel price information was submitted by or for a Market Party, and the reference level that the ISO developed based on that inaccurate information impacted guarantee payments or market clearing prices paid to the Market Party in a manner that violates the thresholds

specified in this Section 23.4.3.3.3, then, following consultation with the Market Party regarding the appropriate fuel type and/or fuel price, the ISO shall apply the penalty set forth below, unless: (i) the Market Party shows, to the satisfaction of the ISO, with review and comment by the Market Monitoring Unit, that its actions were consistent with competitive conduct (in which case no penalty is appropriate), or (ii) the total penalty calculated for a particular Day-Ahead or Real-Time Market day is less than \$10,000 (in which case the ISO may elect to apply a penalty calculated in the manner specified below). The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.8 of the Plan.

#### 23.4.3.3.3.1 Day-Ahead Conduct and Market Impact Tests

##### 23.4.3.3.3.1.1 Day-Ahead Conduct Test

Using the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information, test the Bids to determine if they violate the relevant conduct threshold in accordance with the appropriate provision(s) of Section 23.3.1.2 of these Mitigation Measures.

##### 23.4.3.3.3.1.2 Day-Ahead Impact Test

Using the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information, test the Bids for both LBMP and guarantee payment impact in

accordance with the appropriate provisions of Section 23.3.2.1 of these Mitigation measures.

#### 23.4.3.3.3.2 Real-Time Conduct and Market Impact Tests

##### 23.4.3.3.3.2.1 Real-Time Conduct Test

Using the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information, test the Bids to determine if they violate the relevant conduct threshold in accordance with the appropriate provision(s) of Section 23.3.1.2 of these Mitigation Measures

##### 23.4.3.3.3.2.2 Real-Time LBMP Impact Test

The Market Party's Bids for a Generator will be treated as having a Real-Time Market LBMP impact if the higher of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for a Market Party's submission of inaccurate fuel type and/or fuel price information, is less than or equal to the real-time LBMP at the PTID that represents the Generator's location, and the Generator's reference level that was actually used to test the Bid for LBMP impact in the Real-Time Market for that hour was greater than or equal to the LBMP at the Generator's location.

##### 23.4.3.3.3.2.3 Real-Time Guarantee Payment Impact Test

Using the greater of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price

information, test the Bids for guarantee payment impact in accordance with the appropriate provisions of Section 23.3.2.1 of these Mitigation Measures.

#### 23.4.3.3.3.3 Day-Ahead Market Penalty Calculation

If the results of the Day-Ahead Market impact test indicate that the Market Party's Bid had either LBMP or guarantee payment impact, and the Market Party is not able to show that its submission of inaccurate fuel price information was consistent with competitive conduct, then the ISO shall charge the Market Party a penalty, calculated for each penalized day, for each of its Generators, for each hour of the day, as follows:

Daily Penalty = max [(Multiplier \* [ $\sum_g \Delta$  Day-Ahead BPCG payment<sub>g</sub>] + (Multiplier)  $\sum_h \sum_g$  ([Market Party MWh<sub>gh</sub>] x [ $\Delta$  Day Ahead LBMP@PTID<sub>gh</sub>]) + max [ $\sum_h$  TCC Revenue Calc for Market Party<sub>h</sub>, 0]), 0]

Where:

g = an index running across all the Market Party's Generators

h = for purposes of this Section 23.4.3.3.3, h is an index running across all hours of the day

Multiplier = a factor that may range between 1.0 and 1.5. The ISO shall consider the facts and circumstances presented by the Market Party when determining the appropriate multiplier to use

$\Delta$  Day-Ahead BPCG payment<sub>g</sub> = the change in the Day-Ahead Market guarantee payment that the Market Party receives for Generator g determined when the ISO performs the Day Ahead Market guarantee payment impact test in accordance with Section 23.3.2.1.2 of these Mitigation Measures



Market Party MWh<sub>gh</sub> = the MWh of Energy scheduled in the Day-Ahead Market for Generator g in hour h

▲ Day Ahead LBMP@PTID<sub>gh</sub> = the change in the Day-Ahead Market LBMP for hour h at the location of Generator g, as determined when the ISO performs the relevant Day Ahead Market LBMP impact test in accordance with Section 23.3.2.1.1 or 23.3.2.1.3 of these Mitigation Measures

TCC Revenue Calc for Market Party<sub>h</sub> = the change in TCC Revenues that the Market Party receives for hour h, determined when the ISO performs the relevant Day Ahead Market LBMP impact test

#### 23.4.3.3.3.4 Real-Time Market Penalty Calculation

If the results of either of the Real-Time Market impact tests indicate that the Incremental Energy Bid submitted for a Market Party's Generator had either LBMP or guarantee payment impact, and the Market Party is not able to show that its submission of inaccurate fuel price information was consistent with competitive conduct, then the ISO shall charge the Market Party a penalty, calculated for each penalized day, for each of its Generators, for each hour of the day, as follows:

$$\text{Daily Penalty} = \text{Max} [(\text{Multiplier} * \sum_g [\text{▲ simplified guarantee payment}_g]) + \sum_h \sum_g (\text{Multiplier} * [\text{updated reference level}_{gh} - \text{original reference level}_{gh}]) * \text{max} [\text{MWh DAM}_{gh}, \text{MWh RT}_{gh}, \text{Market Party MWh}_{gh}, 0], 0]$$

Where

g = an index running across all the Market Party's Generators

h = an index running across all hours of the day in which inaccurate fuel type or fuel price information was supplied for any of the Market Party's Generators;

provided that one of the Bids in that hour “h” for at least one of the Market Party’s Generators must have had a Real Time Market LBMP or guarantee payment impact in accordance with Sections 23.4.3.3.2.2 or 23.4.3.3.2.3 of these Mitigation Measures

Multiplier = a factor that may range between 1.0 and 1.5. The ISO shall consider the facts and circumstances presented by the Market Party when determining the appropriate multiplier to use.

Updated reference level<sub>gh</sub> = greater of a revised reference level calculated using the actual fuel costs of Generator g in hour h, or the reference level that would have been in place for the Generator in hour h, but for the Market Party’s submission of inaccurate fuel type and/or fuel price information

Original reference level<sub>gh</sub> = the reference level for Generator g in hour h actually used in the Real-Time Market to perform conduct and impact testing of the Market Party’s Bids

MWh DAM<sub>gh</sub> = the MWh that Generator g was scheduled to produce in the Day-Ahead Market in hour h

MWh RT<sub>gh</sub> = the MWh that Generator g was scheduled to produce in the Real-Time Market in hour h

Market Party MWh<sub>gh</sub> = MWh produced by Market Party’s Generator g that was scheduled to produce energy in hour h in the Real-Time Market

▲ simplified guarantee payment<sub>g</sub> = the change in the Real-Time Market guarantee payment that the Market Party receives for Generator g, determined when the ISO performs a simplified Bid Production Cost guarantee payment impact test using the threshold specified in Section 23.3.2.1.2 of these Mitigation

Measures. The simplified guarantee payment shall be based upon actual Real-Time Bids, actual Real-Time Generator LBMPs, and reference levels that are the greater of (a) a revised reference level calculated using the Generator's actual fuel costs, or (b) the reference level that would have been in place for the Generator but for the submission of inaccurate fuel type and/or fuel price information

23.4.3.3.4 If the opportunity to submit Incremental Energy Bids into the real-time market that exceed Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, has been revoked on a Market Party's Generator pursuant to Sections 23.4.7.2 and 23.4.7.3 of these Mitigation Measures, then the following virtual market penalty may be imposed on the Market Party:

Virtual market penalty = (Virtual Load MWs) \* (Amount by which the hourly integrated real-time LBMP exceeds the day-ahead LBMP applicable to the Virtual Load MWs)

WHERE:

Virtual Load MWs are the scheduled MWs of Virtual Load bid by the Market Party in the hour for which an increased real-time Bid for the Market Party's Generator failed the test specified in Section 23.4.7.2 of these Mitigation Measures; and

LBMP is the LBMP at which the Virtual Load MWs settled in the Day-Ahead and real-time Markets.

23.4.3.3.5 Real-Time LBMPs shall not be revised as a result of the imposition of a financial obligation as specified in this Section 23.4.3.3, except as may be specifically authorized by the Commission.

#### **23.4.3.4 Multipliers**

The Base Penalty Amount specified in Section 23.4.3.3.1 shall be subject to the following multipliers:

23.4.3.4.1 For the first instance of a type of conduct by a Market Party meeting the standards for mitigation, the multiplier shall be one (1).

23.4.3.4.2 For the second instance within the current or the two immediately previous capability periods of substantially similar conduct in the same market by a Market Party or its Affiliates, the multiplier shall be one (1),

23.4.3.4.3 For the third instance within the current or the two immediately previous capability periods of substantially similar conduct in the same market by a Market Party or its Affiliates, the multiplier shall be two (2),

23.4.3.4.4 For the fourth or any additional instance within the current or immediately previous capability period of substantially similar conduct in the same market by a Market Party or its Affiliates, the multiplier shall be three (3).

#### **23.4.3.5 Dispute Resolution**

23.4.3.5.1 The exclusive means for the resolution of disputes arising from or relating to the imposition of a sanction under this Section 23.4.3 shall be the dispute resolution provisions of Attachment O and this Attachment H. The scope of any such proceeding shall include resolution of any dispute as to legitimate justifications, under applicable legal, regulatory or policy standards, for any conduct that is asserted to warrant a penalty. Any or all of the issues in any such proceeding may be resolved by agreement of the parties.

23.4.3.5.2 Payment of a financial penalty may be withheld pending conclusion of any arbitration or other alternate dispute resolution proceeding instituted pursuant to

the preceding paragraph and any petition to FERC for review under the Federal Power Act of the determination in such dispute resolution proceeding; provided, however, that interest at the ISO's average cost of borrowing shall be payable on the amount of any unpaid penalty from the date of the infraction giving rise to the penalty to the date of payment. The exclusive remedy for the imposition of a financial penalty, to the exclusion of any claim for damages or any other form of relief, shall be a determination that a penalty should not have been imposed, and a refund with interest of paid amounts of a penalty determined to have been improperly imposed, as may be determined in the applicable dispute resolution proceedings.

23.4.3.5.3 This Section 23.4.3 shall not be deemed to provide any right to damages or any other form of relief that would otherwise be barred by Section 30.11 of Attachment O or Section 23.6 of this Attachment H.

23.4.3.5.4 This Section 23.4.3 shall not restrict the right of any party to make such filing with the Commission as may otherwise be appropriate under the Federal Power Act.

#### **23.4.3.6 Disposition of Penalty Funds**

Except as specified in Section 23.4.4.3.2, amounts collected as a result of the imposition of financial penalties shall be credited against costs collectable under Rate Schedule 1 of the ISO Services Tariff.

#### **23.4.4 Load Bid Measure**

##### **23.4.4.1 Purpose**

As initially implemented, the ISO market rules allow loads to choose to purchase power in either the Day-Ahead Market or in the Real-Time Market, but provide other Market Parties less flexibility in opting to sell their output in the Real-Time Market. As a result of this and other design features, certain bidding practices may cause Day-Ahead LBMPs not to achieve the degree of convergence with Real-Time LBMPs that would be expected in a workably competitive market. A temporary mitigation measure is specified below as an interim remedy if conditions warrant action by the ISO until such time as the ISO develops and implements an effective long-term remedy, if needed. These measures shall only be imposed if persistent unscheduled load causes operational problems, including but not limited to an inability to meet unscheduled load with available resources. The ISO shall post a description of any such operational problem on its web site.

##### **23.4.4.2 Implementation**

23.4.4.2.1 Day-Ahead LBMPs and Real-Time LBMPs in each load zone shall be monitored to determine whether there is a persistent hourly deviation between them in any zone that would not be expected in a workably competitive market.

23.4.4.2.2 The ISO shall compute the average hourly deviation between day-ahead and real-time zone prices, measured as:  $(\text{Zone Price}_{\text{real time}} / \text{Zone Price}_{\text{day ahead}}) - 1$ .

1. The average hourly deviation shall be computed over a rolling eight week period or such other period determined by the ISO to be appropriate to achieve the purpose of this mitigation measure.

23.4.4.2.3 The ISO shall also estimate and monitor the average percentage of each Load Serving Entity's load scheduled in the Day-Ahead Market, using a

methodology intended to identify a sustained pattern of under-bidding as accurately as the ISO deems practicable. The average percentage will be computed over a specified time period determined by the ISO to be appropriate to achieve the purpose of this mitigation measure.

23.4.4.2.4 If the ISO determines that (i) the relationship between zonal LBMPs in a zone in the Day-Ahead Market and the Real-Time Market is not what would be expected under conditions of workable competition, (ii) one or more Load Serving Entities have been meeting a substantial portion of their loads with purchases in the Real-Time Market, and (iii) that this practice has contributed to an unwarranted divergence of LBMP between the two markets, then the following mitigation measure may be imposed. Any such measure shall be rescinded upon a determination by the ISO that any one or more of the foregoing conditions is not met.

#### **23.4.4.3 Description of the Measure**

23.4.4.3.1 The ISO may require a Load Serving Entity engaging in the purchasing practice described above to purchase or schedule all of its expected power requirements in the Day-Ahead Market. A Load Serving Entity subject to this requirement may purchase up to a specified portion of its actual load requirements (the “Allowance Level”) in the Real-Time Market without penalty, as determined by the ISO to be appropriate in recognition of the uncertainty of load forecasting.

23.4.4.3.2 Effective with the imposition of the foregoing requirement, all purchases in the Real-Time Market in excess of this Allowance Level (the “Penalty Level”) shall be settled at a specified premium over the applicable zone LBMP. Revenues from such premiums, if any, shall be rebated on a *pro rata* basis to the Market

Parties that scheduled energy for delivery to load within New York in the Day-Ahead Market for the day in which the revenues were collected.

23.4.4.3.3 The Allowance Level and the Penalty Level shall be established by the ISO at levels deemed effective and appropriate to mitigate the market effects described in this Section 23.4.4. In addition, the Penalty Level payments shall be waived in any hour in which the Allowance Level is exceeded because of unexpected system conditions.

#### **23.4.5 Installed Capacity Market Mitigation Measures**

23.4.5.1 If and to the extent that sufficient installed capacity is not under a contractual obligation to be available to serve load in New York and if physical or economic withholding of installed capacity would be likely to result in a material change in the price for installed capacity in all or some portion of New York, the ISO, in consideration of the comments of the Market Parties and other interested parties, shall amend this Attachment H, in accordance with the procedures and requirements for amending the Plan, to implement appropriate mitigation measures for installed capacity markets.

23.4.5.2 Offers to sell Mitigated UCAP in an ICAP Spot Market Auction shall not be higher than the higher of (a) the UCAP Offer Reference Level for the applicable ICAP Spot Market Auction, or (b) the Going-Forward Costs of the Installed Capacity Supplier supplying the Mitigated UCAP.

23.4.5.3 An Installed Capacity Supplier's Going-Forward Costs for an ICAP Spot Market Auction shall be determined upon the request of the Responsible Market Party for that Installed Capacity Supplier. The Going-Forward Costs shall be determined by the ISO after consultation with the Responsible Market Party,



provided such consultation is requested by the Responsible Market Party not later than 50 business days prior to the deadline for offers to sell Unforced Capacity in such auction, and provided such request is supported by a submission showing the Installed Capacity Supplier's relevant costs in accordance with specifications provided by the ISO. Such submission shall show (1) the nature, amount and determination of any claimed Going-Forward Cost, and (2) that the cost would be avoided if the Installed Capacity Supplier is taken out of service or retired, as applicable. If the foregoing requirements are met, the ISO shall determine the level of the Installed Capacity Supplier's Going-Forward Costs and shall seasonally adjust such costs not later than 7 days prior to the deadline for submitting offers to sell Unforced Capacity in such auction. A Responsible Market Party shall request an updated determination of an Installed Capacity Supplier's Going-Forward Costs not less often than annually, in the absence of which request the Installed Capacity Supplier's offer cap shall revert to the UCAP Offer Reference Level. An updated determination of Going-Forward Costs may be undertaken by the ISO at any time on its own initiative after consulting with the Responsible Market Party. Any redetermination of an Installed Capacity Supplier's Going-Forward Costs shall conform to the consultation and determination schedule specified in this paragraph. The costs that an Installed Capacity Supplier would avoid as a result of retiring should only be included in its Going-Forward Costs if the owner or operator of that Installed Capacity Supplier actually plans to mothball or retire it if the Installed Capacity revenues it receives are not sufficient to cover those costs.

23.4.5.4 Mitigated UCAP shall be offered in each ICAP Spot Market Auction in accordance with Section 5.14.1.1 of the ISO Services Tariff and applicable ISO procedures, unless it has been exported to an External Control Area or sold to meet Installed Capacity requirements outside the New York City Locality in a transaction that does not constitute physical withholding under the standards specified below.

23.4.5.4.1 An export to an External Control Area or sale to meet an Installed Capacity requirement outside the New York City Locality of Mitigated UCAP (either of the foregoing being referred to as “External Sale UCAP”) may be subject to audit and review by the ISO to assess whether such action constituted physical withholding of UCAP from the New York City Locality. External Sale UCAP shall be deemed to have been physically withheld on the basis of a comparison of the net revenues from UCAP sales that would have been earned by the sale in the New York City Locality of External Sale UCAP. The comparison shall be made for the period for which Installed Capacity is committed (the “Comparison Period”) in each of the shortest term organized capacity markets (the “External Reconfiguration Markets”) for the area and during the period in which the Mitigated UCAP was exported or sold. External Sale ICAP shall be deemed to have been withheld from the New York City Locality if: (1) the Responsible Market Party for the External Sale UCAP could have made all or a portion of the External Sale UCAP available to be offered in the New York City Locality by buying out of its external capacity obligation through participation in an External Reconfiguration Market; and (2) the net revenues over the Comparison Period from sale in the New York City Locality of the External Sale

UCAP that could have been made available for sale in that Locality would have been greater by 15% or more, provided that the net revenues were at least \$2.00/kilowatt-month more than the net UCAP revenues from that portion of the External Sale UCAP over the Comparison Period.

23.4.5.4.2 If Mitigated UCAP is not offered or sold as specified above, the Responsible Market Party for such Installed Capacity Supplier shall pay the ISO an amount equal to the product of (A) 1.5 times the difference between the Market-Clearing Price for the New York City Locality in the ICAP Spot Market Auction with and without the inclusion of the Mitigated UCAP and (B) the total of (1) the amount of Mitigated UCAP not offered or sold as specified above, and (2) all other megawatts of Unforced Capacity in the New York City Locality under common Control with such Mitigated UCAP. If the failure to offer was associated with the same period as the sale of External Sale UCAP, and the failure caused or contributed to an increase in UCAP prices in the New York City Locality of 15 percent or more, provided such increase is at least \$2.500/kilowatt-month, the Responsible Market Party for such Installed Capacity Supplier shall be required to pay to the ISO an amount equal to 1.5 times the lesser of (A) the difference between the average Market-Clearing Price for the New York City Locality in the ICAP Spot Market Auctions for the relevant Comparison Period with and without the inclusion of the External Sale UCAP in those auctions, or (B) the difference between such average price and the clearing price in the External Reconfiguration Market for the relevant Comparison Period, times the total of (1) the amount of Mitigated UCAP not offered or sold as specified above, and (2) all other megawatts of Unforced Capacity in the New York City Locality

under common Control with such Mitigated UCAP. The ISO will distribute any amounts recovered in accordance with the foregoing provisions among the LSEs serving Loads in regions affected by the withholding in accordance with ISO Procedures.

23.4.5.4.3 Reasonably in advance of the deadline for submitting offers in an External Reconfiguration Market the Responsible Market Party for External Sale UCAP may request the ISO to provide a projection of ICAP Spot Auction clearing prices for the New York City Locality over the Comparison Period for the External Reconfiguration Market. Such requests, and the ISO's response, shall be made in accordance with the deadlines specified in ISO Procedures. Prior to completing its projection of ICAP Spot Auction clearing prices for the New York City Locality over the Comparison Period for the External Reconfiguration Market, the ISO shall consult with the Market Monitoring Unit regarding such price projection. The Responsible Market Party shall be exempt from a physical withholding penalty as specified in Section 23.4.5.4.2, below, if at the time of the deadline for submitting offers in an External Reconfiguration Market its offers, if accepted, would reasonably be expected to produce net revenues from External UCAP Sales that would exceed the net revenues that would have been realized from sale of the External UCAP Sales capacity in the New York City Locality at the ICAP Spot Auction prices projected by the ISO. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.710 of Attachment O.

23.4.5.5 Control of Unforced Capacity shall be rebuttably presumed from (i) ownership of an Installed Capacity Supplier, or (ii) status as the Responsible

Market Party for an Installed Capacity Supplier, but may also be determined on the basis of other evidence. The presumption of Control from ownership can be rebutted by either: (1) the sale of Unforced Capacity from the Installed Capacity Supplier in a Capability Period Auction or a Monthly Auction, or (2) demonstrating to the reasonable satisfaction of the ISO; provided, however, that if the presumption has not been rebutted, and if two or more Market Parties each have rights or obligations with respect to Unforced Capacity from an Installed Capacity Supplier that could reasonably be anticipated to affect the quantity or price of Unforced Capacity transactions in an ICAP Spot Market Auction, the ISO may attribute Control of the affected MW of Unforced Capacity from the Installed Capacity Supplier to each such Market Party. Prior to reaching its decision regarding whether the presumption of control of Unforced Capacity has been rebutted, the ISO shall provide its preliminary determination to the Market Monitoring Unit for review and comment. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.[811](#) of Attachment O.

23.4.5.6 Any proposal or decision by a Market Participant to retire or otherwise remove an Installed Capacity Supplier from the In-City Unforced Capacity market, or to de-rate the amount of Installed Capacity available from such supplier, may be subject to audit and review by the ISO if the ISO determines that such action could reasonably be expected to affect Market-Clearing Prices in one or more ICAP Spot Market Auctions for the New York City Locality subsequent to such action. Such an audit or review shall assess whether the proposal or decision has a legitimate economic justification or is based on an effort to

withhold Installed Capacity physically in order to affect prices. The ISO shall provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment. If the ISO determines that the proposal or decision constitutes physical withholding, and would increase Market-Clearing Prices in one or more ICAP Spot Market Auctions for the New York City Locality by five percent or more, provided such increase is at least \$.50/kilowatt-month, for each such violation of the above requirements the Market Participant shall be assessed an amount equal to the product of (A) 1.5 times the difference between the Market Clearing Price for the New York City Locality in the ICAP Spot Market Auctions with and without the inclusion of the withheld UCAP in those auctions, and (B) the total of (1) the number of megawatts withheld in each month and (2) all other megawatts of Installed Capacity in the New York City Locality under common Control with such withheld megawatts. The requirement to pay such amounts shall continue until the Market Party demonstrates that the removal from service, retirement or de-rate is justified by economic considerations other than the effect of such action on Market-Clearing Prices in the ICAP Spot Market Auctions for the New York City Locality. The ISO will distribute any amount recovered in accordance with the foregoing provisions among the LSEs serving Loads in regions affected by the withholding in accordance with ISO Procedures. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.912 of Attachment O.

23.4.5.7 Unless exempt as specified below, offers to supply Unforced Capacity in an ICAP Spot Market Auction from an In-City Installed Capacity Supplier shall

equal or exceed the applicable Offer Floor. The Offer Floors shall apply to offers for Unforced Capacity from the Installed Capacity Supplier, if it is not a Special Case Resource, for a minimum of each of the six Capability Periods starting with the Capability Period for which the Installed Capacity Supplier first offers to supply UCAP (“Initial Capability Period”), or lesser of the number of Capability Periods if a positive number greater than six (6) that is determined in the following three ways: (a) the number determined by (1) the initial DMNC value of the Installed Capacity Supplier plus the amount of Surplus Capacity at the time the Installed Capacity Supplier first offers to supply UCAP, divided by (2) the forecast average annual growth in MW for the New York City Locality over the six Capability Periods beginning with the Initial Capability Period with such forecast growth as identified in the Load and Capacity Data (Gold Book), (b) thirty (30) Capability Periods (including the Initial Capability Period), and (c) the final Capability Period determined as the Capability Period in which the Total Cleared UCAP is greater than the Total Nominal UCAP, with Total Nominal UCAP determined using the MW value utilized in the Interconnection Facilities Study, or if an Interconnection Facilities Study is not required, the MW value the proposed Generator identified to the Transmission Owner to which it proposed to interconnect, multiplied by one minus the NERC class average Equivalent Demand Forced Outage Rate, to determine the initial nominal UCAP value for the Generator (“Nominal UCAP”), and then computing the product of twelve (12) and the Nominal UCAP, and Total Cleared UCAP equal to the cumulative amount of the Installed Capacity Supplier’s Cleared UCAP, with Cleared UCAP equal to the Installed Capacity

Supplier's offers of UCAP that are accepted in a New York City ICAP Spot Market Auction (in whole MW, rounded down), provided that each such amount is equal to or greater than fifty percent (50%) of the initial DMNC value of the Installed Capacity Supplier. If the foregoing calculation extends mitigation to part of a Capability Period, the entire Capability Period shall be subject an Offer Floor. The initial DMNC value of the Installed Capacity Supplier shall be determined as specified in the ISO's tariffs and ISO Procedures.

23.4.5.7.1      Unforced Capacity from an Installed Capacity Supplier that is subject to an Offer Floor may not be used to satisfy any LSE Unforced Capacity Obligation for In-City Load unless such Unforced Capacity is obtained through participation in an ICAP Spot Market Auction.

23.4.5.7.2      An Installed Capacity Supplier shall be exempt from an Offer Floor if: (a) the price that is equal to the (x) average of the ICAP Spot Market Auction price for each month in the two Capability Periods, beginning with the Summer Capability Period commencing three years from the start of the year of the Class Year (the "Starting Capability Period") is projected by the ISO to be higher, with the inclusion of the Installed Capacity Supplier, than (y) the highest Offer Floor based on the Mitigation Net CONE that would be applicable to such supplier in the same two (2) Capability Periods (utilized to compute (x)), or (b) the price that is equal to the average of the ICAP Spot Market Auction prices in the six Capability Periods beginning with the Starting Capability Period is projected by the ISO to be higher, with the inclusion of the Installed Capacity Supplier, than the reasonably anticipated Unit Net CONE of the Installed Capacity Supplier.



23.4.5.7.3 The ISO shall make such exemption and Unit Net CONE determination for each “Examined Facility” (collectively “Examined Facilities”) which term shall mean (I) each proposed new Generator and proposed new UDR project, and each existing Generator that has ERIS only and no CRIS, that is a member of the Class Year that requested CRIS, or that requested an evaluation of the transfer of CRIS rights from another location, in the Class Year Facilities Study commencing in the calendar year in which the Class Year Facility Study determination is being made (the Capability Periods of expected entry as further described below in this Section, the “Mitigation Study Period”), (II) (a) each (i) existing Generator that did not have CRIS rights, and (ii) proposed new Generator and proposed new UDR project, that (a) is an expected recipient of transferred CRIS rights at the same location regarding which the ISO has been notified by the transferor or the transferee of a transfer pursuant to OATT Attachment S Section 23.9.4 that will be effective on a date within the Mitigation Study Period, (III) each proposed new Generator that (a) is either (i) in the ISO Interconnection Queue, in a Class Year prior to 2009/10, and has not commenced commercial operation or been canceled, and for which the ISO has not made an exemption or Unit Net CONE determination, or (ii) not subject to a deliverability requirement (and therefore, is not in a Class Year) and (b) provides specific written notification to the ISO no later than the date identified by the ISO, that it plans to commence commercial operation and offer UCAP in a month that coincides with a Capability Period of the Mitigation Study Period.

23.4.5.7.3.1 The commercial operation date to be used by the ISO solely for purposes of identifying the Examined Facilities will be determined by the ISO at the time

of the Class Year Study as the date most-recently (A) identified by the project to the ISO in the Interconnection Facilities Study process or (B) reflected in the Interconnection Queue, or if neither of the foregoing is applicable, then the date identified by the project to the Transmission Owner to which it has proposed interconnecting.

23.4.5.7.3.2 The ISO shall compute the reasonably anticipated ICAP Spot Market Auction forecast price based on Expected Retirements (as defined in this subsection 23.4.5.7.3.2), plus each Examined Facility in 23.4.5.7.3 (I), (II), and (III).

Expected Retirements determined based on any Generator that provided written notice to the New York State Public Service Commission that it intends to retire, plus any UDR facility or Generator 2 MW or less that provided written notice to the ISO that it intends to retire.

The load forecast and Special Case Resources as set forth in the most-recently published Load and Capacity Data (Gold Book).

Before the commencement of the Initial Decision Period for the Class Year, the ISO shall post on its website the inputs of the reasonably anticipated ICAP Spot Market Auction forecast prices determined in accordance with 23.4.5.7.3.2, the Expected Retirements, and the Examined Facilities, before the Initial Project Cost Allocation.

When the ISO is evaluating more than one Examined Facility concurrently, the ISO shall recognize in its computation of the anticipated ICAP Spot Market Auction forecast price that Generators or UDR facilities will clear from lowest to

highest, using for each Examined Facility the lower of (i) its Unit Net CONE or (ii) the numerical value equal to 75% of the Mitigation Net CONE.

23.4.5.7.3.3 All developers, Interconnection Customers, and Installed Capacity

Suppliers for any Examined Facility that does not request CRIS shall provide data and information requested by the ISO by the date specified by the ISO. For any such Examined Facility that is in a Class Year but that only has ERIS rights after the Project Cost Allocation process is complete, the ISO shall utilize the data first provided in its analysis of the Unit Net CONE in its review of the project in any future Class Year in which the Generator or UDR facility requests CRIS. The ISO shall determine the reasonably anticipated Unit Net CONE less the costs to be determined in the Project Cost Allocation or Revised Project Cost Allocation, as applicable, prior to the commencement of the Initial Decision Period Class Year, and shall provide to the Examined Facility the ISO's determination of an exemption or the Offer Floor. On or before the three (3) days prior to the ISO's issuance of the Revised Project Cost Allocation, the ISO will revise its forecast of ICAP Spot Market Auction prices for the Capability Periods in the Mitigation Study Period based on the Examined Facilities that remain in the Class Year for CRIS and the Examined Facilities that meet 23.4.5.7.3 (II) or (III). When evaluating Examined Capacity pursuant to this Section 23.4.5.7, the ISO shall seek comment from the Market Monitoring Unit on matters relating to the determination of price projections and cost calculations. The ISO shall provide to each project its revised price forecast for a Subsequent Decision Period no later than the ISO's issuance of a Revised Project Cost Allocation. The ISO shall inform the project whether the Offer Floor exemption specified above in this

Section is applicable as soon as practicable after completion of the relevant Project Cost Allocation or Revised Project Cost Allocation, in accordance with methods and procedures specified in ISO Procedures. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.13 of Attachment O.

23.4.5.7.3.4 If an Examined Facility under the criteria in 23.4.5.7.3 (II) or (III) has not provided written notice to the ISO on or before the date specified by the ISO, or any Examined Facility required to be reviewed does not provide all of the requested data by the date specified by the ISO, the proposed Capacity shall be subject to the Net CONE Offer Floor for the period determined by the ISO in accordance with Section 23.4.5.7.

23.4.5.7.3.5 An Examined Facility for which an exemption or Offer Floor determination has been rendered may only be reevaluated for an exemption or Offer Floor determination if it meets the criteria in Section 23.4.5.7.3 (I) and either (a) enters a new Class Year for CRIS or (b) intends to receive transferred CRIS rights at the same location. An Examined Facility under the criteria in 23.4.5.7.3 (II) that did receive CRIS rights will be bound by the determination rendered and will not be reevaluated, and an Examined Facility under the criteria in 23.4.5.7.3 (III) will not be reevaluated.

23.4.5.7.3.6 If an Installed Capacity Supplier demonstrates to the reasonable satisfaction of the ISO that its Unit Net CONE is less than any Offer Floor that would otherwise be applicable to the Installed Capacity Supplier, then its Offer Floor shall be reduced to a numerical value equal to its Unit Net CONE.

23.4.5.7.4 Mitigation Net CONE for the each year after the last year covered by the most recent Demand Curves approved by the Commission shall be increased by the escalation factor approved by the Commission for such Demand Curves.

23.4.5.7.5 An In-City Installed Capacity Supplier that is a Special Case Resource shall be subject to an Offer Floor beginning with the month of its initial offer to supply Installed Capacity, and until its offers of Installed Capacity have been accepted in the ICAP Spot Market Auction at a price at or above its Offer Floor for a total of twelve, not necessarily consecutive, months. Special Case Resources shall be exempt from the Offer Floor if the ISO projects that the ICAP Spot Market Auction price will exceed the Special Case Resource's Offer Floor for the first twelve months that the Special Case Resource reasonably anticipated to offer to supply UCAP. If a Responsible Interface Party fails to provide Special Case Resource data that the ISO needs to conduct the calculations described in the two preceding sentences by the deadline established in ISO Procedures, the Special Case Resource will cease to be eligible to offer or sell Installed Capacity. The Offer Floor for a Special Case Resource shall be equal to the minimum monthly payment for providing Installed Capacity payable by its Responsible Interface Party, plus the monthly value of any payments or other benefits the Special Case Resource receives from a third party for providing Installed Capacity, or that is received by the Responsible Interface Party for the provision of Installed Capacity by the Special Case Resource. The Offer Floor calculation shall include any payment or the value of other benefits that are awarded for offering or supplying In-City Capacity, except for payments or the value of other benefits provided under programs administered or approved by New York State

or a government instrumentality of New York State. Offers by a Responsible Interface Party at a PTID shall be not lower than the highest Offer Floor applicable to a Special Case Resource providing Installed Capacity at that PTID. Such offers may comprise a set of points for which prices may vary with the quantity offered. If this set includes megawatts from a Special Case Resource(s) with an Offer Floor, then at least the quantity of megawatts in the offer associated with each Special Case Resource must be offered at or above the Special Case Resource's Offer Floor. Offers by a Responsible Interface Party shall be subject to audit to determine whether they conformed to the foregoing Offer Floor requirements. If a Responsible Interface Party together with its Affiliated Entities submits one or more offers below the applicable Offer Floor, and such offer or offers cause or contribute to a decrease in UCAP prices in the New York City Locality of 5 percent or more, provided such decrease is at least \$.50/kilowatt-month, the Responsible Interface Party shall be required to pay to the ISO an amount equal to 1.5 times the difference between the Market-Clearing Price for the New York City Locality in the ICAP Spot Auction for which the offers below the Offer Floor were submitted with and without such offers being set to the Offer Floor, times the total amount of UCAP sold by the Responsible Interface Party and its Affiliated Entities in such ICAP Spot Auction. If an offer is submitted below the applicable Offer Floor, the ISO will notify the Responsible Market Party and the notification will identify the offer, the Special Case Resource, the price impact, and the penalty amount. The ISO will provide the notice reasonably in advance of imposing such penalty. The ISO shall distribute any amounts recovered in accordance with the foregoing provisions among the entities, other

than the entity subject to the foregoing payment requirement, supplying Installed Capacity in regions affected by one or more offers below an applicable Offer Floor in accordance with ISO Procedures.

23.4.5.7.6 An In-City Installed Capacity Supplier that is not a Special Case Resource shall be exempt from an Offer Floor if it was an existing facility on or before March 7, 2008.

23.4.5.7.7 Mitigated UCAP that is subject to an Offer Floor shall remain subject to the requirements of Section 23.4.5.4, and if the Offer Floor is higher than the applicable offer cap shall submit offers not lower than the applicable Offer Floor.

## **23.4.6 Virtual Bidding Measures**

### **23.4.6.1 Purpose**

The provisions of this Section 23.4.6 specify the market monitoring and mitigation measures applicable to “Virtual Bids.” “Virtual Bids” are bids to purchase or supply energy that are not backed by physical load or generation that are submitted in the ISO Day-Ahead Market in accordance with the procedures and requirements specified in the ISO Services Tariff.

To implement the mitigation measures set forth in this Section 23.4.6, the ISO shall monitor and assess the impact of Virtual Bidding on the ISO Administered Markets.

### **23.4.6.2 Implementation**

23.4.6.2.1 Day-Ahead LBMPs and Real-Time LBMPs in each load zone shall be monitored to determine whether there is a persistent hourly deviation between them in any zone that would not be expected in a workably competitive market.

23.4.6.2.2 The ISO shall compute the average hourly deviation between day-ahead and real-time zone prices, measured as:  $(\text{Zone Price}_{\text{real time}} / \text{Zone Price}_{\text{day ahead}}) -$

1. The average hourly deviation shall be computed over a rolling four week period or such other period determined by the ISO to be appropriate to achieve the purpose of this mitigation measure.

23.4.6.2.3 If the ISO determines that (i) the relationship between zonal LBMPs in a zone in the Day-Ahead Market and the Real-Time Market is not what would be expected under conditions of workable competition, and that (ii) the Virtual Bidding practices of one or more Market Participants has contributed to an unwarranted divergence of LBMPs between the two markets, then the following mitigation measure may be imposed. Any such measure shall be rescinded upon a determination by the ISO that the foregoing conditions are not met.

#### **23.4.6.3 Description of the Measure**

23.4.6.3.1 If the ISO determines that the conditions specified in Section 23.4.6.2 exist, the ISO may limit the hourly quantities of Virtual Bids for supply or load that may be offered in a zone by a Market Participant whose Virtual Bidding practices have been determined to contribute to an unwarranted divergence of LBMPs between the Day-Ahead and Real-Time Markets. Any such limitation shall be set at such level that, and shall remain in place for such period as, in the best judgment of the ISO, would be sufficient to prevent any unwarranted divergence between Day-Ahead and Real-Time LBMPs.

23.4.6.3.2 As part of the foregoing determination, the ISO shall request explanations of the relevant Virtual Bidding practices from any Market Participant submitting such bids. Prior to imposing a Virtual Bidding quantity limitation as specified above, the ISO shall notify the affected Market Participant of the limitation.



#### **23.4.6.4 Limitation of Virtual Bidding**

If the ISO determines that such action is necessary to avoid substantial deviations of LBMPs between the Day-Ahead and Real-Time Markets, the ISO may impose limits on the quantities of Virtual Bids that may be offered by all Market Participants. Any such restriction shall limit the quantity of Virtual Bids for supply or load that may be offered by each Market Participant by hour and by zone. Any such limit shall remain in place for the minimum period necessary to avoid substantial deviations of LBMPs between the Day-Ahead and Real-Time Markets, or to maintain the reliability of the New York Control Area.

#### **23.4.7 Increasing Bids in Real-Time for Day-Ahead Scheduled Incremental Energy**

##### **23.4.7.1 Purpose**

This Section 23.4.7 specifies the monitoring applicable and the mitigation measures that may be applicable to a Market Party with submitted Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriated, for a portion of the Capacity of one or more of its Generators that has been scheduled in the Day-Ahead Market.

The purpose of the Services Tariff rules authorizing the submission of Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids made in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, of the portion of the Capacity of a Market Party's Generator that was scheduled in the Day-Ahead Market is to permit the inclusion of additional costs of providing incremental Energy in real-time Incremental Energy Bids for Generators scheduled in the Day-Ahead Market, where the additional costs of providing incremental Energy were not known prior to the close of the Day-Ahead Market.

#### **23.4.7.2 Monitoring and Implementation**

The ISO will monitor Market Parties for unjustified interactions between a Market Party's virtual bidding and the submission of real-time Incremental Energy Bids that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for the portion of a Generator's Capacity that was scheduled in the Day-Ahead Market.

If the Market Party has a scheduled Virtual Load Bid for the same hour of the Dispatch Day as the hour for which submitted real-time Incremental Energy Bids exceeded the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for a portion of its Generator's Capacity that was scheduled in the Day-Ahead Market, and any such real-time Incremental Energy Bids exceed the reference level for those Bids that can be justified after-the-fact by more than:

- (i) the lower of \$100/MWh or 300%
- (ii) If the Market Party's Generator is located in a Constrained Area for intervals in which an interface or facility into the area in which the Generator or generation is located has a Shadow Price greater than zero, then a threshold calculated in accordance with Sections 23.3.1.2.2.1 and 23.3.1.2.2.2 of these Mitigation Measures;

and a calculation of a virtual market penalty pursuant to the formula set forth in Section 23.4.3.3.4 of these Mitigation Measures for the Market Party would produce a positive number, then the ISO will ask the Market Party to demonstrate that the real-time Incremental Energy Bid(s) for that hour were submitted for reasons that are consistent with competitive behavior. If the Market Party is unable to show to the satisfaction of the ISO (with review and comment by the Market Monitoring Unit) that the submitted real-time Incremental Energy Bid(s) were

consistent with competitive behavior then the mitigation measure specified below in Section 23.4.7.3.1 shall be imposed for the Market Party's Generator, along with a penalty calculated in accordance with Section 23.4.3.3.4 of these Mitigation Measures which may be imposed. The application of a penalty under Section 23.4.3.3.4 of these Mitigation Measures shall not preclude the simultaneous application of a penalty pursuant to Section 23.4.3.3.3 of these Mitigation Measures. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Mitigation Measures are also addressed in Section 30.4.6.2.79 of the Plan.

### **23.4.7.3 Mitigation Measure**

23.4.7.3.1 If the ISO determines that the conditions specified in Section 23.4.7.2 exist, and the Market Party is unable to demonstrate that the real-time Incremental Energy Bid was consistent with competitive behavior, the ISO shall revoke the opportunity for any bidder of that Generator to submit Incremental Energy Bids in the real-time market that exceed the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for portions of that Generator's Capacity that were scheduled Day-Ahead.

23.4.7.3.2 In addition to the restrictions imposed under Section 23.4.7.3.1, the ISO may impose penalties on the Market Party calculated in accordance with Section 23.4.3.3.4 of these Mitigation Measures.

### **23.4.8 Duration of Mitigation Measures**

Except as specified in Section 23.4.5 of this Attachment H, any mitigation measure imposed as specified above shall expire not later than six months after the occurrence of the conduct giving rise to the measure, or at such earlier time as may be specified by the ISO.

## **23.5 Other Mitigation Measures**

### **23.5.1 Facilitation of Real-Time Mitigation in Constrained Areas**

To facilitate the application of the Real-Time mitigation measures specified in this Attachment H for Constrained Areas, all Generators located in a Constrained Area that are capable of doing so shall respond to RTD Base Point Signals, unless such a Generator is subject to contractual obligations in existence prior to June 1, 2002 that would preclude such operation.

### **23.5.2 Market Power Mitigation Measures Applicable to In-City Unit Commitments for Local Reliability**

23.5.2.1 If an In-City Generator is scheduled in any hour in the Day-Ahead Market to meet the reliability needs of a local system, the ISO will set the In-City Generator's Start-Up Bid to the lower of the Bid or the applicable reference level, which may include a Start-Up reference level calculated in accordance with Section 23.3.1.4.4.3 of these Mitigation Measures. In each hour an In-City Generator is scheduled in the Day-Ahead Market to meet the reliability needs of a local system, the ISO will set the In-City Generator's Minimum Generation Bid to the lower of the Bid or the applicable reference level.

### **23.5.3 Market Power Mitigation Measures Applicable to Sales of Spinning Reserves**

23.5.3.1 Local reliability rules require that specified amounts of Spinning Reserves be provided by In-City Generators. The Spinning Reserve-capable portion of each Generator located in New York City must be made available to the ISO for purposes of meeting the New York City Spinning Reserve requirement.

23.5.3.2 The market power mitigation measures applicable to Spinning Reserves will be implemented when the ISO's least-cost dispatch requires that one or more

of the Generators located in New York City be committed to meet the In-City Spinning Reserve requirement. For any day that an In-City Generator is committed to meet the In-City Spinning Reserve requirement under circumstances where the Generator would not otherwise have been committed under the ISO's least-cost dispatch, the market power mitigation measures applicable to unit commitments, as described in Section 23.5.2, would apply.

23.5.3.3 In addition, In-City generators must bid zero (\$0) for the availability portion of Day-Ahead Spinning Reserves Bids. The implementation of this mitigation measure will have no effect on the ability of a Generator located in New York City to recover the market-clearing price established by the ISO for the sale of Spinning Reserves.

#### **23.5.4 FERC-Ordered Measures**

In addition to any mitigation measures specified above, the ISO shall administer, and apply when appropriate in accordance with their terms, such other mitigation measures as it may be directed to implement by order of the FERC.

#### **23.5.5 Redetermination of 10-Minute Non-Synchronized Reserves Prices**

The following provisions shall be in effect for a period of twelve months from July 8, 2003: (i) if any 10-Minute Non-Synchronized Reserves prices are determined by the ISO, with the concurrence of the ISO Market Advisor, to reflect a significant abuse of market power, the ISO shall so notify the Market Parties within 24 hours of the initial posting of such prices (such prices being hereinafter referred to as "flagged prices"); (ii) the ISO shall determine, with the concurrence of the Market Advisor, within five business days of such notification whether a filing seeking the reimposition of a bid cap or some other market power mitigation measure for 10-Minute Non-Synchronized Reserves is warranted, and if such a filing is not warranted the

ISO shall notify the Market Parties that the flagged prices are final, subject to price correction procedures for other reasons if applicable; and (iii) if the ISO determines, with the concurrence of the Market Advisor, that a filing seeking reimposition of a bid cap or some other market power mitigation measure for 10-Minute Non-Synchronized Reserves is appropriate, such filing will request authorization from the Commission to redetermine the flagged prices in accordance with such bid cap or other mitigation measure as may be approved by the Commission.



## 25.1 ~~General Rule~~Introduction

If an ~~eligible~~ Supplier that is eligible pursuant to Section 25.2 of this Attachment J buys out of a Day-Ahead Energy, Regulation Service or Operating Reserve schedule in a manner that reduces its Day-Ahead Margin it shall receive a Day-Ahead Margin Assurance Payment, except as noted in Sections 25.4, and 25.5 of this Attachment J. The purpose of such payments is to protect Suppliers' Day-Ahead Margins associated with real-time reductions after accounting for:

(~~i~~) any real-time profits associated with offsetting increases in real-time Energy, Regulation Service, or Operating Reserve sSchedules; and (ii) any Supplier-requested real-time de-rate granted by the ISO. ~~Day Ahead Margin Assurance Payments payable to Limited Energy Storage Resources~~

In addition, a Supplier may be eligible to receive an Import Curtailment Guarantee Payment if its Import is curtailed at the request of the ISO as ~~shall be~~ determined pursuant to Section 25.6 of this Attachment J.



## 25.2 Eligibility for Receiving Day-Ahead Margin Assurance Payments

### 25.2.1 General Eligibility Requirements for Suppliers to Receive Day-Ahead Margin Assurance Payments

Subject to Section 25.2.2 of this Attachment J, ~~T~~the following categories of Resources bid by Suppliers shall be eligible to receive Day-Ahead Margin Assurance Payments: ~~provided~~ ~~however, that intermittent Power Resources depending on wind as their fuel shall not be eligible for Day-Ahead Margin Assurance Payments~~ (i) all Self-Committed Flexible and ISO-Committed Flexible Generators that are online and dispatched by RTD; (ii) Demand Side Resources committed to provide Operating Reserves or Regulation Service; (iii) any SupplierResource that is scheduled out of economic merit order by the ISO in response to an ISO or Transmission Owner system security need or to permit the ISO to procure additional Operating Reserves; (iv) any SupplierResource internal to the NYCA that is derated or decommitted by the ISO in response to an ISO or Transmission Owner system security need or to permit the ISO to procure additional Operating Reserves; and (v) Energy Limited Resources with ~~a total margin for the dispatch day that is less than its Day Ahead margin as a result of~~ an ISO-approved real-time reduction in scheduled output from its Day-Ahead schedule ~~for Energy limited reasons.~~

### 25.2.2 Exceptions

Notwithstanding Section 25.2.1 of this Attachment J, ~~N~~o Day-Ahead Margin Assurance Payment shall be paid to:

25.2.2.1 a Generator, Resource otherwise eligible for a Day-Ahead Margin

Assurance Payment; in hours in which the NYISO has increased the Generator's,

Resource's minimum operating level; either: (i) at the Generator's Resource's

request; or (ii) in order to reconcile the ISO's dispatch with the

Generator's Resource's actual output or to address reliability concerns that arise

because the Generator, Resource is not following Base Point Signals; or (iii) an

Intermittent Power Resource that depends on wind as its fuel.

25.2.2.2 a Generator, otherwise eligible for Day-Ahead Margin Assurance

Payments, for (i) any hour in which the Incremental Energy Bids submitted in the real-time market for that Generator exceed the Incremental Energy Bids submitted in the Day-Ahead Market, or the mitigated Day-Ahead Incremental Energy Bids where appropriate, for the portion of that Generator's Capacity that was scheduled in the Day-Ahead Market; and (ii) the two hours immediately preceding and the two hours immediately following the hour(s) in which the Incremental Energy Bids submitted in the real-time market for that Generator exceed the Incremental Energy Bids submitted in the Day-Ahead Market, or the mitigated Day-Ahead Incremental Energy Bids where appropriate, for the portion of that Generator's Capacity that was scheduled in the Day-Ahead Market.

## 25.3 Calculation of Day-Ahead Margin Assurance Payments

### 25.3.1 Formula for Day-Ahead Margin Assurance Payments for Generators, Except for Limited Energy Storage Resources

Subject to Sections 25.4 and 25.5 of this Attachment J, Day-Ahead Margin Assurance Payments for Generators, except for Limited Energy Storage Resources, shall be determined by applying the following equations to each individual Generator using the terms as defined in Section 25.3.34:

$$\text{DMAP}_{hu} = \max\left(0, \sum_{i \in h} \text{CDMAP}_{iu}\right) \text{ where:}$$

$$\text{CDMAP}_{iu} = \text{CDMAPen}_{iu} + \sum_p \text{CDMAPres}_{iup} + \text{CDMAPreg}_{iu}$$

$$\text{DMAP}_{hu} = \max\left(0, \sum_{i \in h} \text{CDMAP}_{iu}\right) \text{ where:}$$

$$\text{CDMAP}_{iu} = \text{CDMAPen}_{iu} + \sum_p \text{CDMA Pr es}_{iup} + \text{CDMA Pr eg}_{iu}$$

If the Supplier's Generator's real-time Energy schedule is lower than its Day-Ahead Energy schedule then:

$$\text{CDMAPen}_{iu} = \left\{ \begin{array}{c} [\text{DASen}_{hu} - \text{LL}_{iu}] \times \text{RTPen}_{iu} \\ - \int_{\text{LL}_{iu}}^{\text{DASen}_{hu}} \text{DABen}_{hu} \end{array} \right\} * \frac{\text{Seconds}_i}{3600},$$

If the Supplier's Generator's real-time Energy schedule is greater than or equal to its Day-Ahead Energy schedule then:

$$\text{CDMAPen}_{iu} = \text{MIN} \left( \left\{ \begin{array}{c} [\text{DASen}_{hu} - \text{UL}_{iu}] \times \text{RTPen}_{iu} \\ + \int_{\text{DASen}_{hu}}^{\text{UL}_{iu}} \text{RTBen}_{iu} \end{array} \right\} * \frac{\text{Seconds}_i}{3600}, 0 \right)$$

If the [Supplier's Generator's](#) real-time schedule for a given Operating Reserve product, p, is lower than its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[ (DASres_{hup} - RTSres_{iup}) \times (RTPres_{iup} - DABres_{hup}) \right] * \frac{Seconds_i}{3600}$$

If the [Supplier's Generator's](#) real-time schedule for a given Operating Reserve product, p, is greater than or equal to its Day-Ahead Operating Reserve schedule for that product then:

$$CDMAPres_{iup} = \left[ (DASres_{hup} - RTSres_{iup}) \times (RTPres_{iup}) \right] * \frac{Seconds_i}{3600}$$

If the [Supplier's Generator's](#) real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[ (DASreg_{hu} - RTSreg_{iu}) \times (RTPreg_{iu} - DABreg_{hu}) \right] * \frac{Seconds_i}{3600}$$

If the [Supplier's Generator's](#) real-time Regulation Schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = \left[ (DASreg_{hu} - RTSreg_{iu}) \times \text{MAX}((RTPreg_{iu} - RTBreg_{iu}), 0) \right] * \frac{Seconds_i}{3600} .$$

### **25.3.2 [Formula for Day-Ahead Margin Assurance Payments for Demand Side Resources](#)**

#### **[25.3.2.1 Formula for Day-Ahead Margin Assurance Payment for Demand Side Resources](#)**

[Subject to Section 25.5 of this Attachment J](#), Day-Ahead Margin Assurance Payments for Demand Side resources scheduled to provide Operating Reserves or Regulation Service shall be determined by applying the following equations to each individual Demand Side Resource using the terms as defined in [subSection 25.3.34, except for RPIiu, which is defined in Section 25.3.2.2](#):

$$\text{DMAP}_{\text{hu}} = \max\left(0, \sum_{i \in h} \text{CDMAP}_{\text{iu}}\right) \text{ where:}$$

$$\text{CDMAP}_{\text{iu}} = \sum_p \text{CDMAPres}_{\text{iup}} + \text{CDMAPreg}_{\text{iu}},$$

If the Demand Side Resource's real-time schedule for a given Operating Reserve product, p, is lower than its Day-Ahead Operating Reserve schedule for that product then:

$$\text{CDMAPres}_{\text{iup}} = \left[ \left( \text{DASres}_{\text{hup}} - \text{RTSres}_{\text{iup}} \right) \times \left( \text{RTPres}_{\text{iup}} - \text{DABres}_{\text{hup}} \right) \right] * \text{RPI}_{\text{iu}} * \frac{\text{Seconds}_i}{3600}$$

If the Demand Side Resource's real-time schedule for a given Operating Reserve product, p, is greater than or equal to its Day-Ahead Operating Reserve schedule for that product then:

$$\text{CDMAPres}_{\text{iup}} = \left[ \left( \text{DASres}_{\text{hup}} - \text{RTSres}_{\text{iup}} \right) \times \left( \text{RTPres}_{\text{iup}} \right) \right] * \text{RPI}_{\text{iu}} * \frac{\text{Seconds}_i}{3600}$$

If the Demand Side Resource's real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

$$\text{CDMAPreg}_{\text{iu}} = \left[ \left( \text{DASreg}_{\text{hu}} - \text{RTSreg}_{\text{iu}} \right) \times \left( \text{RTPreg}_{\text{iu}} - \text{DABreg}_{\text{hu}} \right) \right] * \frac{\text{Seconds}_i}{3600}$$

If the Demand Side Resource's real-time Regulation Schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$\text{CDMAPreg}_{\text{iu}} = \left[ \left( \text{DASreg}_{\text{hu}} - \text{RTSreg}_{\text{iu}} \right) \times \text{MAX} \left( \left( \text{RTPreg}_{\text{iu}} - \text{RTBreg}_{\text{iu}} \right), 0 \right) \right] * \frac{\text{Seconds}_i}{3600}.$$

#### **25.3.2.2 Reserve Performance Index for Demand Side Resource Suppliers of Operating Reserves**

The ISO shall produce a Reserve Performance Index for purposes of calculating a Day Ahead Margin Assurance Payment for a Demand Side Resource providing Operating Reserves.  
The Reserve Performance Index shall take account of the actual Demand Reduction achieved by

the Supplier of Operating Reserves following the ISO's instruction to convert Operating Reserves to Demand Reduction.

The Reserve Performance Index shall be a factor with a value between 0.0 and 1.0 inclusive. For each interval in which the ISO has not instructed the Demand Side Resource to convert its Operating Reserves to Demand Reduction, the Reserve Performance Index shall have a value of one. For each interval in which the ISO has instructed the Demand Side Resource to convert its Operating Reserves to Demand Reduction the Reserve Performance Index shall be calculated pursuant to the following formula, provided however when UAGi is zero or less, the Reserve Performance Index shall be set to zero:

$$\text{RPI}_{iu} = \text{Min} \left[ (\text{UAGi} / \text{ADGi} + .1), 1 \right]$$

Where:

RPI<sub>iu</sub> = Reserve Performance Index in interval i for Demand Side Resource u;

UAGi = average actual Demand Reduction for interval i, represented as a positive generation value; and

ADGi = average scheduled Demand Reduction for interval i, represented as a positive generation base point.

### **25.3.3 Formula for Day-Ahead Margin Assurance Payments for Limited Energy Storage Resources**

Day-Ahead Margin Assurance Payments for Limited Energy Storage Resources scheduled to provide Regulation Service shall be determined by applying the following equations to each Resource using the terms as defined in Section 25.3.4; provided, however, that a Day-Ahead Margin Assurance Payment is payable only for intervals in which the NYISO has reduced the real-time Regulation Service offer (in MWs) of a Limited Energy Storage Resource

and the NYISO is not pursuing LESR Energy Management for such Resource for such interval, pursuant to ISO Procedures:

If the LESR's real-time Regulation Service schedule is less than its Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = [ ( DASreg_{hu} - RTSreg_{iu} ) * ( RTPreg_{iu} - DABreg_{hu} ) ] * K_{PI} * \frac{Seconds_i}{3600}$$

---

If the LESR's real-time Regulation Service schedule is greater than or equal to the Day-Ahead Regulation Service schedule then:

$$CDMAPreg_{iu} = [ ( DASreg_{hu} - RTSreg_{iu} ) \times MAX((RTPreg_{iu} - RTBreg_{iu}), 0) ] * \frac{Seconds_i}{3600}$$

---

### **25.3.34 Terms Used in this Attachment J:**

The terms used in the formulas in this Attachment J shall be defined as follows:

$h$  is the hour that includes interval  $i$ ;

$DMAPh_u$  = the Day-Ahead Margin Assurance Payment attributable in any hour  $h$  to any Supplier  $u$ ;

$CDMAP_{iu}$  = the contribution of RTD interval  $i$  to the Day-Ahead Margin Assurance Payment for Supplier  $u$ ;

$CDMAPen_{iu}$  = the Energy contribution of RTD interval  $i$  to the Day-Ahead Margin Assurance Payment for Supplier  $u$ ;

$CDMAPreg_{iu}$  = the Regulation Service contribution of RTD interval  $i$  to the Day-Ahead Margin Assurance Payment for Supplier  $u$ ;

$CDMAPres_{iup}$  = the Operating Reserve contribution of RTD interval  $i$  to the Day-Ahead Margin Assurance Payment for Supplier  $u$  determined separately for each Operating Reserve product  $p$ ;

$DASen_{hu}$  = Day-Ahead Energy schedule for Supplier  $u$  in hour  $h$ ;

$DASreg_{hu}$  = Day-Ahead schedule for Regulation Service for Supplier  $u$  in hour  $h$ ;

$DASres_{hup}$  = Day-Ahead schedule for Operating Reserve product  $p$ , for Supplier  $u$  in hour  $h$ ;

$DABen_{hu}$  = Day-Ahead Energy bid curve for Supplier  $u$  in hour  $h$ ;

$DABreg_{hu}$  = Day-Ahead Availability Bid for Regulation Service for Supplier  $u$  in hour  $h$ ;

$DABres_{hup}$  = Day-Ahead Availability Bid for Operating Reserve product  $p$  for Supplier  $u$  in hour  $h$ ;

$RTSen_{iu}$  = ~~Real-time~~ Real-time Energy scheduled for Supplier  $u$  in interval  $i$ , and calculated as the arithmetic average of the 6-second AGC Base Point Signals sent to Supplier  $u$  during the course of interval  $i$ ;

$RTSreg_{iu}$  = ~~Real-time~~ Real-time schedule for Regulation Service for Supplier  $u$  in interval  $i$ .

$RTSres_{iup}$  = ~~Real-time~~ Real-time schedule for Operating Reserve product  $p$  for Supplier  $u$  in interval  $i$ .

$RTBreg_{iu}$  = ~~Real-time~~ Real-time Availability Bid for Regulation Service for Supplier  $u$  in interval  $i$ .

$RTBen_{iu}$  = ~~Real-time~~ Real-time Energy bid curve for Supplier  $u$  in interval  $i$ .

$AEI_{iu}$  = average Actual Energy Injection by Supplier  $u$  in interval  $i$  but not more than  $RTSen_{iu}$  plus Compensable Overgeneration;

$RTPen_{iu}$  = real-time price of Energy at the location of Supplier  $u$  in interval  $i$ ;

$RTPreg_{iu}$  = real-time price of Regulation Service at the location of Supplier  $u$  in interval  $i$ ;

$RTPres_{iup}$  = real-time price of Operating Reserve product  $p$  at the location of Supplier  $u$  in interval  $i$ ;

$LL_{iu}$  =  ~~$\max(RTSen_{iu}, \min(AEI_{iu}, EOP_{iu}))$ , but not more than  $DASen_{hu}$  if  $RTSen_{iu} < EOP_{iu}$  and  $\min(RTSen_{iu}, \max(AEI_{iu}, EOP_{iu}))$ , but not more than  $DASen_{hu}$  otherwise; either, as the case may be.~~

(a) if  $RTSen_{iu} < EOP_{iu}$ , then  $LL_{iu} = \min(\max(RTSen_{iu}, \min(AEI_{iu}, EOP_{iu})), DASen_{hu})$ ; or

(b) if  $RTSen_{iu} \geq EOP_{iu}$ , then  $LL_{iu} = \min(RTSen_{iu}, \max(AEI_{iu}, EOP_{iu}), DASen_{hu})$ .

$UL_{iu}$  =  ~~$\min(RTSen_{iu}, \max(AEI_{iu}, EOP_{iu}))$  but not less than  $DASen_{hu}$  if  $RTSen_{iu} \geq EOP_{iu}$  and  $\max(RTSen_{iu}, \min(AEI_{iu}, EOP_{iu}))$  but not less than  $DASen_{hu}$  otherwise; either, as the case may be.~~



(a) if  $RTSen_{iu} \geq EOP_{iu} \geq DASen_{hu}$ , then  $UL_{iu} = \max(\min(RTSen_{iu}, \max(AEI_{iu}, EOP_{iu})), DASen_{hu})$ ; or

(b) otherwise, then  $UL_{iu} = \max(RTSen_{iu}, \min(AEI_{iu}, EOP_{iu}), DASen_{hu})$ ;

$EOP_{iu}$  = the Economic Operating Point of Supplier  $u$  in interval  $i$  calculated without regard to ramp rates;

$Seconds_i$  = number of seconds in interval  $i$

~~$RPI_{iu}$  = the Reserves Performance Index in interval  $i$  for Demand Side Resource  $u$ . The Reserves Performance Index is calculated pursuant to Section 15.4.3.6 of Rate Schedule 4 of this Services Tariff.~~

$K_{PI}$  = the factor derived from the Regulation Service Performance index for Resource  $u$  for interval  $i$  as defined in Rate Schedule 3 of this Services Tariff which shall initially be set at 1.0 for LESRs.

#### **~~25.3.4 Other Provisions~~**

~~The AGC Base Point Signal for a Supplier that is not providing Regulation Service during a given RTD interval shall be initialized by either: (i) the Supplier's last AGC Base Point Signal from the prior RTD interval; or (ii) the Supplier's actual metered generation or calculated Demand Reduction at the time new RTD Base Point Signals are received by the ISO's AGC software, whichever is closer to the Supplier's new RTD Base Point Signal. AGC Base Point Signals for a Supplier that is not providing Regulation Service will ramp evenly over the course of the RTD interval starting at the initialized AGC Base Point Signal and ending at the level of its new RTD Base Point Signal. AGC Base Point Signals for Suppliers providing Regulation Service during a given RTD interval are determined based on the ISO's need to minimize the NYCA area control error.~~

#### **25.4 Exception for Generators Lagging Behind RTD Base Point Signals**

~~An otherwise eligible Generator that does not respond to, or that lags behind, the ISO's RTD Base Point Signals in a given interval, as determined below, shall not be eligible for Day-Ahead Margin Assurance Payments for that interval.~~ If an otherwise eligible such a Generator's average Actual Energy Injection in an RTD interval (*i.e.*, its Actual Energy Injections averaged over the RTD interval) is less than or equal to its penalty limit for under-generation value for that interval, as computed below, it shall not be eligible for Day-Ahead Margin Assurance Payments for that interval.

The penalty limit for under-generation value is the tolerance described in Section 15.3A.1 of Rate Schedule 3-A of this ISO Services Tariff, which is used in the calculation of the persistent under-generation charge applicable to Generators that are not providing Regulation Service.

## 25.5 Rules Applicable to Supplier Derates

Suppliers that request and are granted a derate of their real-time Operating Capacity, but that are otherwise eligible to receive Day-Ahead Margin Assurance Payments may receive a payment up to a Capacity level consistent with their revised Emergency Upper Operating Limit or Normal Upper Operating Limit, whichever is applicable. The foregoing rule shall also apply to a Generator<sub>g</sub> otherwise eligible for a Day-Ahead Margin Assurance Payment<sub>g</sub> in hours in which the ISO has derated the Generator's Operating Capacity in order to reconcile the ISO's dispatch with the Generator's actual output, or to address reliability concerns that arise because the Generator is not following Base Point Signals. If a Supplier's derated real-time Operating Capacity is lower than the sum of its Day-Ahead Energy Regulation Services and Operating Reserve schedules then when the ISO conducts the calculations described in Section 25.3 above, the DASen, DASeg and DASres<sub>p</sub> variables will be reduced by REDen, REDreg and REDres<sub>p</sub> respectively. REDen, REDreg and REDres<sub>p</sub> shall be calculated using the formulas below:

$$RED_{tot_{iu}} = \max(DASen_{hu} + DASreg_{hu} + \sum_p DASres_{hup} - RTUOL_{iu}, 0)$$

$$POTREDen_{iu} = \max(DASen_{hu} - RTSen_{iu}, 0)$$

$$POTREDreg_{iu} = \max(DASreg_{hu} - RTSreg_{iu}, 0)$$

$$POTREDres_{iup} = \max(DASres_{hup} - RTSres_{iup}, 0)$$

$$REDen_{iu} = ((POTREDen_{iu} / (POTREDen_{iu} + POTREDreg_{iu} + \sum_p POTREDres_{iup})) * RED_{tot_{iu}})$$

$$REDreg_{iu} = ((POTREDreg_{iu} / (POTREDen_{iu} + POTREDreg_{iu} + \sum_p POTREDres_{iup})) * RED_{tot_{iu}})$$

$$REDres_{iup} = ((POTREDres_{iup} / (POTREDen_{iu} + POTREDreg_{iu} + \sum_p POTREDres_{iup})) * RED_{tot_{iu}})$$

where:

- $RTUOL_{iu}$  = The real-time Emergency Upper Operating Limit or Normal Upper Operating Limit whichever is applicable of Supplier u in interval i
- $RED_{tot_{iu}}$  = The total amount in MW that Day-Ahead schedules need to be reduced to account for the derate of Supplier u in interval i;
- $RED_{en_{iu}}$  = The amount in MW that the Day-Ahead Energy schedule is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;
- $RED_{reg_{iu}}$  = The amount in MW that Supplier u's Day-Ahead Regulation Service schedule is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment in interval i;
- $RED_{res_{iup}}$  = The amount in MW that Supplier u's Day-Ahead Operating Reserve schedule for Operating Reserves product p is reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment in interval i;
- $POTRED_{en_{iu}}$  = The potential amount in MW that Supplier u's Day-Ahead Energy schedule could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;
- $POTRED_{reg_{iu}}$  = The potential amount in MW that Supplier u's Day-Ahead Regulation Service S schedule could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier u in interval i;
- $POTRED_{res_{iup}}$  = The potential amount in MW that Supplier u's Day-Ahead Operating Reserve Schedule for Operating Reserve product p could be reduced for the purposes of calculating the Day-Ahead Margin Assurance Payment for Supplier in interval;

All other variables are as defined above.

## 25.6 Import Curtailment Guarantee Payments

### 25.6.1 Eligibility for an Import Curtailment Guarantee Payment for an Import Curtailed by the ISO

In the event that the Energy injections scheduled by  $RTC_{15}$  at a Proxy Generator Bus are Curtailed at the request of the ISO, then the Supplier or Transmission Customer that is subjected to the Curtailment, in addition to the charge for Energy Imbalance, shall be eligible for an Import Curtailment Guarantee Payment as determined in Section 25.6.2 of this Attachment J.

### 25.6.2 Formula for an Import Curtailment Guarantee Payment for a Supplier Whose Import Was Curtailed by the ISO

A Supplier eligible under Section 25.6.1 of this Attachment J shall receive an Import Curtailment Guarantee Payment for its curtailed Energy injections that is equal to the sum for each hour of the interval payments determined in the formula below.

Import Curtailment Guarantee Payment to Supplier u in association with Import t=

$$\max \left[ \left( RTLBP_{ti} - \max(DecBid_{ti}, 0) \right) \cdot (RTCen_{ti} - RTDen_{ti}) \cdot \frac{S_i}{3600}, 0 \right].$$

Where

$i$  = the relevant interval;

$S_i$  = number of seconds in interval  $i$ ;

$RTLBP_{ti}$  = the real-time LBMP, in \$/MWh, for interval  $i$  at the Proxy Generator Bus which is the source of the Import  $t$ .

$DecBid_{ti}$  = the Decremental Bid, in \$/MWh, for Import  $t$  in hour  $h$  containing interval  $i$ ;

$RTCen_{ti}$  = the scheduled Energy injections, in MWh, for Import  $t$  in hour  $h$  containing interval  $i$  as determined by Real-Time Commitment ( $RTC_{15}$ ); and

$RTDen_{ti}$  = the scheduled Energy injections, in MWh, for Import  $t$  in interval  $i$  as determined by Real-Time Dispatch (RTD).

## ~~Day Ahead Margin Assurance Payments for Limited Energy Storage Resources~~

~~A. Day Ahead Margin Assurance Payments for Limited Energy Storage Resources scheduled to provide Regulation Service shall be determined by applying the following equations to each Resource using the terms as defined in subsection 25.3.3, provided however, DAMAP is payable only for intervals in which the NYISO has reduced the real time Regulation Service offer (in MWs) of a Limited Energy Storage Resource to account for the Energy storage capacity of such Resource and the NYISO is not pursuing LESR Energy Management for such Resource for such interval, pursuant to ISO Procedures:~~

~~If the Supplier's real time Regulation Service schedule is less than its Day Ahead Regulation Service schedule then:~~

$$\text{CDMAPreg}_{iu} = \left[ \left( \text{DASreg}_{hu} - \text{RTSreg}_{iu} \right) * \left( \text{RTPreg}_{iu} - \text{DABreg}_{iu} \right) \right] * K_{PI} * \frac{\text{Seconds}_i}{3600}$$

~~If the Supplier's real time Regulation Service schedule is greater than or equal to the Day Ahead Regulation Service schedule then:~~

$$\text{CDMAPreg}_{iu} = \left[ \left( \text{DASreg}_{hu} - \text{RTSreg}_{iu} \right) * \text{MAX} \left( \left( \text{RTPreg}_{iu} - \text{RTBreg}_{iu} \right), 0 \right) \right] * \frac{\text{Seconds}_i}{3600}$$

## **30.4 Market Monitoring Unit**

### **30.4.1 Mission of the Market Monitoring Unit**

The Market Monitoring Unit's goals are (1) to ensure that the markets administered by the ISO function efficiently and appropriately, and (2) to protect both consumers and participants in the markets administered by the ISO by identifying and reporting Market Violations, market design flaws and market power abuses to the Commission in accordance with Sections 30.4.5.3 and 30.4.5.4 below.

### **30.4.2 Retention and Oversight of the Market Monitoring Unit**

The Board shall retain a consulting or other professional services firm, or other similar entity, to advise it on the matters encompassed by Attachment O and to carry out the responsibilities that are assigned to the Market Monitoring Unit in Attachment O. The Market Monitoring Unit selected by the Board shall have experience and expertise appropriate to the analysis of competitive conditions in markets for electric capacity, energy and ancillary services, and financial instruments such as TCCs, and to such other responsibilities as are assigned to the Market Monitoring Unit under Attachment O, and must also have sufficient resources and personnel to be able to perform the Core Functions and other assigned functions.

The Market Monitoring Unit shall be accountable to the non-management members of the Board, and shall serve at the pleasure of the non-management members of the Board.

### **30.4.3 Market Monitoring Unit Ethics Standards**

The Market Monitoring Unit, including all persons employed thereby, shall comply at all times with the ethics standards set forth below. The Market Monitoring Unit ethics standards set forth below shall apply in place of the standards set forth in the ISO's OATT Attachment F Code

of Conduct, and/or the more general policies and standards that apply to consultants retained by the ISO.

30.4.3.1 The Market Monitoring Unit and its employees must have no material affiliation with any Market Party or Affiliate of any Market Party.

30.4.3.2 The Market Monitoring Unit and its employees must not serve as an officer, employee, or partner of a Market Party.

30.4.3.3 The Market Monitoring Unit and its employees must have no material financial interest in any Market Party or Affiliate of a Market Party. Ownership of mutual funds by Market Monitoring Units and their employees that contain investments in Market Parties or their Affiliates is permitted so long as: (a) the fund is publicly traded; (b) the fund's prospectus does not indicate the objective or practice of concentrating its investment in Market Parties or their Affiliates; and (c) the Market Monitoring Unit/Market Monitoring Unit employee does not exercise or have the ability to exercise control over the financial interests held by the fund.

30.4.3.4 The Market Monitoring Unit and its employees are prohibited from engaging in transactions in the markets administered by the ISO, other than in the performance of duties under the ISO's Tariffs. This provision shall not, however, prevent the Market Monitoring Unit, or its employees, from purchasing electricity, power and Energy as retail customers for their own account and consumption.

30.4.3.5 The Market Monitoring Unit and its employees must not be compensated, other than by the ISO, for any expert witness testimony or other commercial



services, in connection with any legal or regulatory proceeding or commercial transaction relating to the ISO or to the markets that the ISO administers.

30.4.3.6 The Market Monitoring Unit and its employees may not accept anything that is of more than *de minimis* value from a Market Party.

30.4.3.7 The Market Monitoring Unit and its employees must advise the Board in the event they seek employment with a Market Party, and must disqualify themselves from participating in any matter that could have an effect on the financial interests of that Market Party until the outcome of the matter is determined.

30.4.3.8 If the Market Monitoring Unit or any of its employees provide services to entities other than the ISO, the Market Monitoring Unit shall provide to the ISO's Board, and shall regularly update, a list of such entities and services. When the Market Monitoring Unit issues an opinion, report or recommendation to, for or addressing the ISO or the markets it administers that relates to, or could reasonably be expected to affect, an entity (other than the ISO) to which the Market Monitoring Unit or its employees provide services, the Market Monitoring Unit shall inform the ISO's Board of the opinion, report or recommendation it has issued, and that its opinion, report or recommendation relates to, or could reasonably be expected to affect, an entity to which the Market Monitoring Unit or its employees provide services.

#### **30.4.4 Duties of the Market Monitoring Unit**

The Market Monitoring Unit shall advise the Board, shall perform the Core Functions specified in Section 30.4.5 of Attachment O, and shall have such other duties and responsibilities

as are specified in Attachment O. The Market Monitoring Unit may, at any time, bring any matter to the attention of the Board that the Market Monitoring Unit may deem necessary or appropriate for achieving the purposes, objectives and effective implementation of Attachment O.

The Market Monitoring Unit shall not participate in the administration of the ISO's Tariffs, except for performing its duties under Attachment O. The Market Monitoring Unit shall not be responsible for performing purely administrative duties, such as enforcement of late fees or Market Party reporting obligations, that are not specified in Attachment O. The Market Monitoring Unit may (i) provide, or assist the ISO's efforts to develop, the inputs required to conduct mitigation, and (ii) assist the ISO's efforts to conduct "retrospective" mitigation (*see* Order 719 at PP. 369, 375) that does not change bids or offers (including physical bid or offer parameters) at or before the time such bids or offers (including physical bid or offer parameters) are considered in the ISO's market solution.

#### **30.4.5 Core Market Monitoring Functions**

The Market Monitoring Unit shall be responsible for performing the following Core Functions:

30.4.5.1 Evaluate existing and proposed market rules, tariff provisions and market design elements and recommend proposed rule and tariff changes to the ISO, to the Commission's Office of Energy Market Regulation staff, and to other interested entities, including the New York Public Service Commission, and participants in the ISO's stakeholder governance process. Provided that:

30.4.5.1.1 The Market Monitoring Unit is not responsible for systematic review of every tariff and market rule; its role is monitoring, not audit.

30.4.5.1.2 The Market Monitoring Unit is not to effectuate its proposed market design itself.

30.4.5.1.3 The Market Monitoring Unit's role in recommending proposed rule and Tariff changes is advisory in nature, unless a Tariff provision specifically concerns actions to be undertaken by the Market Monitoring Unit itself.

30.4.5.1.4 The Market Monitoring Unit must limit distribution of issues or concerns it identifies, and its recommendations to the ISO and to Commission staff in the event it believes broader dissemination could lead to exploitation. Limited distributions should include an explanation of why further dissemination should be avoided at that time.

30.4.5.2 Review and report on the performance of the wholesale markets to the ISO, the Commission, and other interested entities such as the New York Public Service Commission and participants in its stakeholder governance process on at least a quarterly basis, and issue a more comprehensive annual state of the market report. The Market Monitoring Unit may issue additional reports as necessary.

30.4.5.2.1 In order to perform the Core Functions, the Market Monitoring Unit shall perform daily monitoring of the markets that the ISO administers. The Market Monitoring Unit's daily monitoring shall include monitoring of virtual bidding.

30.4.5.2.2 The Market Monitoring Unit shall submit drafts of each of its reports to the ISO for review and comment sufficiently in advance of the report's issuance to provide an effective opportunity for review and comment by the ISO. The Market Monitoring Unit may disregard any suggestions with which it disagrees.

The ISO may not alter the reports prepared by the Market Monitoring Unit, nor dictate the Market Monitoring Unit's conclusions.

30.4.5.3 Identify and notify the Commission staff of instances in which a Market Party's or the ISO's behavior may require investigation, including, but not limited to, suspected Market Violations.

30.4.5.3.1 Except as provided in Section 30.4.5.3.2 below, in compliance with § 35.28(g)(3)(iv) of the Commission's regulations (or any successor provisions thereto) the Market Monitoring Unit shall submit a non-public referral to the Commission in all instances where it has obtained sufficient credible information to believe a Market Violation has occurred. Once the Market Monitoring Unit has obtained sufficient credible information to warrant referral to the Commission, the Market Monitoring Unit shall immediately refer the matter to the Commission and desist from further investigation of independent action related to the alleged Market Violation, except at the express direction of the Commission or Commission staff. The Market Monitoring Unit may continue to monitor for repeated instances of the reported activity by the same or other entities and shall respond to requests from the Commission for additional information in connection with the alleged Market Violation it has referred.

30.4.5.3.2 The Market Monitoring Unit is not required to refer the actions (or failures to act) listed in this Section 30.4.5.3.2 to the Commission as Market Violations, because they have: (i) already been reported by the ISO as a Market Problem under Article 3.5.1 of the ISO Services Tariff; and/or (ii) because they pertain to actions or failures that: (a) are expressly set forth in the ISO's Tariffs;

(b) involve objectively identifiable behavior; and (c) trigger a sanction or other consequence that is expressly set forth in the ISO Tariffs and that is ultimately appealable to the Commission. The actions (or failures to act) that are exempt from mandatory referral to the Commission are:

- 30.4.5.3.2.1 failure to meet a Contract or Non-Contract CRIS MW Commitment pursuant to Sections 25.7.11.1.1 and 25.7.11.1.2 of Attachment S to the ISO OATT that results in a charge or other a sanction under Section 25.7.11.1.3 of Attachment S of the ISO OATT;
- 30.4.5.3.2.2 Black Start performance that results in reduction or forfeitures of payments under Rate Schedule 5 to the ISO Services Tariff;
- 30.4.5.3.2.3 any failure by the ISO to meet the deadlines for completing System Impact Studies, or any failure by a Transmission Owner to meet the deadlines for completing Facilities Studies, under Sections 3.7 and 4.5 of the ISO OATT that results in the filing of a notice and/or the imposition of sanctions under those provisions;
- 30.4.5.3.2.4 failure of a Market Party to comply with the ISO's creditworthiness requirements set forth in Attachment K of the ISO Services tariff, or other action, that triggers sanctions under Section 7.5 of the ISO Services Tariff or Section 2.7.5 of the ISO OATT, specifically: (i) failure of a Market Party to make timely payment under Section 7.2.2 of the ISO Services Tariff or Section 2.7.3.2 of the ISO OATT that triggers a sanction under Sections 7.5.3(i) or 7.5.3(iv) of the ISO Services Tariff, or Sections 2.7.5.3(i), 2.7.5.3(iv), or 2.7.5.4 of the ISO OATT; (ii) failure of a Market Party to comply with a demand for additional credit support

under Article 26.5 of Attachment K of the ISO Services Tariff that triggers a sanction under Section 7.5.3(i) of the ISO Services Tariff or Section 2.7.5.3(i) of the ISO OATT; (iii) failure of a Market Party to cure a default in another ISO/RTO market under Sections 7.5.3(iii) of the ISO Services Tariff, or Section 2.7.5.3(iii) of the ISO OATT that triggers a sanction under either of those tariff provisions; (iv) failure of a Market Party that has entered into a Prepayment Agreement with the ISO under Appendix K-1 to Attachment K to the ISO Services Tariff to make payment in accordance with the terms of the Prepayment Agreement that triggers a sanction under the Prepayment Agreement or 7.5.3(i) of the ISO Services Tariff; and (v) failure of a Market Party to make timely payment on two occasions within a rolling twelve month period under Section 7.5.3(iv) of the ISO Services Tariff, or Section 2.7.5.3(iv) of the ISO OATT that triggers a sanction under either of those provisions.

To the extent the above list enumerates specific Tariff provisions, the exclusions specified above shall also apply to re-numbered and/or successor provisions thereto. The Market Monitoring Unit is not precluded from referring any of the activities listed above to the Commission.

30.4.5.4 Identify and notify the Commission staff of perceived market design flaws that could be effectively remedied by rule or tariff changes.

30.4.5.4.1 In compliance with § 35.28(g)(3)(v) of the Commission's regulations (or any successor provisions thereto) the Market Monitoring Unit shall submit a referral to the Commission when the Market Monitoring Unit has reason to

believe that a market design flaw exists, that the Market Monitoring Unit believes could effectively be remedied by rule or tariff changes.

30.4.5.4.1.1 If the Market Monitoring Unit believes broader dissemination of the possible market design flaw, and its recommendation could lead to exploitation, the Market Monitoring Unit shall limit distribution of its referral to the ISO and to the Commission. The referral shall explain why further dissemination should be avoided.

30.4.5.4.1.2 Following referral of a possible market design flaw, the Market Monitoring Unit shall continue to provide to the Commission additional information regarding the perceived market design flaw, its effects on the market, any additional or modified observations concerning the Market Monitoring Unit's proposed market rule or tariff change, any recommendations made by the Market Monitoring Unit to the ISO, its stakeholders, Market Parties or state public service commissions regarding the perceived market design flaw, and any actions taken by the ISO regarding the perceived market design flaw.

#### **30.4.6 Market Monitoring Unit Responsibilities Set Forth Elsewhere in the ISO's Tariffs**

##### **30.4.6.1 Supremacy of (Attachment O)**

Provisions addressing the Market Monitoring Unit, its responsibilities and its authority, have been centralized in Attachment O. However, provisions that address the Market Monitoring Unit can also be found in the Market Mitigation Measures that are set forth in Attachment H to the ISO Services Tariff, and elsewhere in the ISO's Tariffs. In the event of any inconsistency between the provisions of Attachment O and any other provision of the ISO

OATT, the ISO Services Tariff, or any of their attachments and schedules, with regard to the Market Monitoring Unit, its responsibilities and its authority, the provisions of Attachment O shall control.

**30.4.6.2 Market Monitoring Unit responsibilities set forth in the Market Mitigation Measures**

30.4.6.2.1 The ISO and its Market Monitoring Unit shall monitor the markets the ISO administers for conduct that the ISO or the Market Monitoring Unit determine constitutes an abuse of market power but that does not trigger the thresholds specified in the Market Mitigation Measures for the imposition of mitigation measures by the ISO. If the ISO identifies or is made aware of any such conduct, and in particular conduct exceeding the thresholds for presumptive market effects specified in Section 23.3.2.3 of the Market Mitigation Measures, it shall make a filing under § 205 of the Federal Power Act, 16 U.S.C. § 824d (1999) (“§ 205”) with the Commission requesting authorization to apply appropriate mitigation measures. Any such filing shall identify the particular conduct the ISO believes warrants mitigation, shall propose a specific mitigation measure for the conduct, shall incorporate or address the recommendation of its Market Monitoring Unit, and shall set forth the ISO’s justification for imposing that mitigation measure. The Market Monitoring Unit’s reporting obligations are specified in Sections 30.4.5.3 and 30.4.5.4 of Attachment O. *See* Market Mitigation Measures Section 23.1.2.

30.4.6.2.2 The ISO and the Market Monitoring Unit shall monitor the ISO Administered Markets for other categories of conduct, whether by a single firm or by multiple firms acting in concert, that have material effects on prices or



guarantee payments in an ISO Administered Market. *See* Market Mitigation Measures Section 23.2.4.4.

30.4.6.2.3 If (i) the ISO determines, following consultation with the Market Party and review by the Market Monitoring Unit, that the Market Party or its representative has, over a time period of at least one week, submitted inaccurate fuel type or fuel price information that was, taken as a whole, biased in the Market Party's favor, then the ISO may cease using the fuel type and fuel price information submitted to the ISO's Market Information System along with the Generator's Bid(s) to develop reference levels for the affected Generator(s) for a period of up to six months following the first identified occurrence, and for a period of up to one year following each subsequent occurrence. The six month or one year period shall be calculated from the date of the most recent instance in which inaccurate fuel type or fuel price information was submitted to the ISO. *See* Section 23.3.1.4.7.8 of the Market Mitigation Measures

30.4.6.2.~~34~~ When it has the capability to do so, the ISO shall determine the effect on prices or guarantee payments of questioned conduct through the use of sensitivity analyses performed using the ISO's SCUC, RTC and RTD computer models, and such other computer modeling or analytic methods as the ISO shall deem appropriate following consultation with its Market Monitoring Unit. *See* Market Mitigation Measures Section 23.3.2.2.1.

30.4.6.2.~~45~~ Pending development of the capability to use automated market models, the ISO, following consultation with its Market Monitoring Unit, shall determine the effect on prices or guarantee payments of questioned conduct using the best

available data and such models and methods as they shall deem appropriate. *See* Market Mitigation Measures Section 23.3.2.2.2.

30.4.6.2.56 If through the application of an appropriate index or screen or other monitoring of market conditions, conduct is identified that (i) exceeds an applicable threshold, and (ii) has a material effect, as specified above, on one or more prices or guarantee payments in an ISO Administered Market, the ISO shall, as and to the extent specified in Attachment O or in Section 23.3.3.2 of the Market Mitigation Measures, contact the Market Party engaging in the identified conduct to request an explanation of the conduct. If a Market Party anticipates submitting bids in a market administered by the ISO that will exceed the thresholds specified in Section 23.3.1 of the Market Mitigation Measures for identifying conduct inconsistent with competition, the Market Party may contact the ISO to provide an explanation of any legitimate basis for any such changes in the Market Party's bids. If a Market Party's explanation of the reasons for its bidding indicates to the satisfaction of the ISO that the questioned conduct is consistent with competitive behavior, no further action will be taken. Market Parties shall ensure that the information they submit to the ISO, including but not limited to fuel price and fuel type information, is accurate. Except as set forth in Section 23.3.1.4.7.7 of the Market Mitigation Measures, the ISO may not retroactively revise a reference level to reflect additional fuel costs if a Market Party or its representative did not timely submit accurate fuel cost information. Unsupported speculation by a Market Party does not present a valid basis for the ISO to determine that Bids that a Market Party submitted are consistent with

competitive behavior, or to determine that submitted costs are appropriate for inclusion in the ISO's development of reference levels. Consistent with Sections 30.6.2.2 and 30.6.3.2 of the Plan, the Market Party shall retain the documents and information supporting its Bids and the costs it proposes to include in reference levels. A preliminary determination by the ISO shall be provided to the Market Monitoring Unit for its review and the ISO shall consider the Market Monitoring Unit's recommendations in reaching its decision. Upon request, the ISO shall also consult with a Market Party with respect to the information and analysis used to determine reference levels under Section 23.3.1.4 of the Market Mitigation Measures for that Market Party. If cost data or other information submitted by a Market Party indicates to the satisfaction of the ISO that the reference levels for that Market Party should be changed, revised reference levels shall be determined by the ISO, reviewed by the Market Monitoring Unit and, following the ISO's consideration of the Market Monitoring Unit's recommendation, communicated to the Market Party, and implemented by the ISO as soon as practicable. *See* Market Mitigation Measures Section 23.3.3.1.

30.4.6.2.67 With regard to a Market Party's request for consultation that satisfies the requirements of Sections 23.3.3.3.1.4 and 23.3.3.3.1.7 of the Market Mitigation Measures, and consistent with the duties assigned to the ISO in Section 23.3.3.3.1.7.1 of the Market Mitigation Measures, a preliminary determination by the ISO regarding the Market Party's consultation request shall be provided to the Market Monitoring Unit for its review and the ISO shall consider the Market

Monitoring Unit's recommendations in reaching its decision. *See* Market

Mitigation Measures Section 23.3.3.3.1.7.1 and 23.3.3.3.1.7.2.

30.4.6.2.8 If inaccurate fuel type and/or fuel price information was submitted by or for a Market Party, and the reference level that the ISO developed based on that inaccurate information impacted guarantee payments or market clearing prices paid to the Market Party in a manner that violates the thresholds specified in the Market Mitigation Measures, then, following consultation with the Market Party regarding the appropriate fuel type and/or fuel price, the ISO shall apply the penalty set forth in the Market Mitigation Measures, unless: (i) the Market Party shows, to the satisfaction of the ISO, with review and comment by the Market Monitoring Unit, that its actions were consistent with competitive conduct (in which case no penalty is appropriate), or (ii) the total penalty calculated for a particular Day-Ahead or Real-Time Market day is less than \$10,000 (in which case the ISO may elect to apply a penalty calculated in the manner specified in the Market Mitigation Measures). *See* Section 23.4.3.3.3 of the Market Mitigation Measures.

30.4.6.2.79 If a Market Party has a scheduled Virtual Load Bid for the same hour of the Dispatch Day as the hour for which submitted real-time Incremental Energy Bids exceeded the Incremental Energy Bids submitted in the Day-Ahead Market or mitigated Day-Ahead Incremental Energy Bids where appropriate, for a portion of its Generator's Capacity that was scheduled in the Day-Ahead Market, and any such real-time Incremental Energy Bids exceed the reference level for those Bids that can be justified after-the-fact by more than:

(i) the lower of \$100/MWh or 300%

(ii) If the Market Party's Generator is located in a Constrained Area for intervals in which an interface or facility into the area in which the Generator or generation is located has a Shadow Price greater than zero, then a threshold calculated in accordance with Sections 23.3.1.2.2.1 and 23.3.1.2.2.2 of the Market Mitigation Measures;

and a calculation of a virtual market penalty pursuant to the formula set forth in Section 23.4.3.3.4 of the Market Mitigation Measures for the Market Party would produce a positive number, then the ISO will ask the Market Party to demonstrate that the real-time Incremental Energy Bid(s) for that hour were submitted for reasons that are consistent with competitive behavior. If the Market Party is unable to show to the satisfaction of the ISO (with review and comment by the Market Monitoring Unit) that the submitted real-time Incremental Energy Bid(s) were consistent with competitive behavior then the mitigation measure specified below in Section 23.4.7.3.1 of the Market Mitigation Measures shall be imposed for the Market Party's Generator, along with a penalty calculated in accordance with Section 23.4.3.3.4 of the Market Mitigation Measures which may be imposed. The application of a penalty under Section 23.4.3.3.4 of the Market Mitigation Measures shall not preclude the simultaneous application of a penalty pursuant to Section 23.4.3.3.3 of the Market Mitigation Measures. The responsibilities of the Market Monitoring Unit that are addressed in this section of the Plan are also addressed in Section 23.4.7.2 of the Market Mitigation Measures.

30.4.6.2.810 Reasonably in advance of the deadline for submitting offers in an External Reconfiguration Market and in accordance with the deadlines specified in ISO Procedures, the Responsible Market Party for External Sale UCAP may request the ISO to provide a projection of ICAP Spot Auction clearing prices for the New York City Locality over the Comparison Period for the External Reconfiguration Market. Prior to completing its projection of ICAP Spot Auction clearing prices for the New York City Locality over the Comparison Period for the External Reconfiguration Market, the ISO shall consult with the Market Monitoring Unit regarding such price projection. *See* Market Mitigation Measures Section 23.4.5.4.3.

30.4.6.2.~~8911~~ Prior to reaching its decision regarding whether the presumption of control of Unforced Capacity has been rebutted, the ISO shall provide its preliminary determination to the Market Monitoring Unit for review and comment. *See* Market Mitigation Measures Section 23.4.5.5.

30.4.6.2.~~9102~~ Any proposal or decision by a Market Participant to retire or otherwise remove an Installed Capacity Supplier from the In-City Unforced Capacity market, or to de-rate the amount of Installed Capacity available from such supplier, may be subject to audit and review by the ISO if the ISO determines that such action could reasonably be expected to affect Market-Clearing Prices in one or more ICAP Spot Market Auctions for the New York City Locality subsequent to such action. Such an audit or review shall assess whether the proposal or decision has a legitimate economic justification or is based on an effort to withhold Installed Capacity physically in order to affect prices. The ISO shall

provide the preliminary results of its audit or review to the Market Monitoring Unit for its review and comment. *See* Market Mitigation Measures Section 23.4.5.6.

30.4.6.2. ~~10113~~ When evaluating a request by a Developer or Interconnection Customer pursuant to Section 23.4.5.7 of the Market Mitigation Measures, the ISO shall seek comment from the Market Monitoring Unit on matters relating to the determination of price projections and cost calculations. *See* Market Mitigation Measures Section 23.4.5.7.

### **30.4.6.3 Market Monitoring Unit responsibilities set forth in the ISO Services Tariff**

30.4.6.3.1 The ICAP Demand Curve periodic review schedule and procedures shall provide an opportunity for the Market Monitoring Unit to review and comment on the draft request for proposals, the independent consultant's report, and the ISO's proposed ICAP Demand Curves. *See* ISO Services Tariff Section 5.14.1.2.5.

### **30.4.6.4 Market Monitoring Unit responsibilities set forth in the Rate Schedules to the ISO Services Tariff.**

#### **30.4.6.4.1 Responsibilities related to the Regulation Service Demand Curve**

In order to respond to operational or reliability problems that arise in real-time, the ISO may procure Regulation Service at a quantity and/or price point different than those specified in Section 15.3.7 of Rate Schedule 3 to the ISO Services Tariff. The ISO shall post a notice of any such purchase as soon as reasonably possible and shall report on the reasons for such purchases at the next meeting of its Business Issues Committee. The ISO shall also immediately initiate an investigation to determine whether it is necessary to modify the quantity and price points

specified above to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit when it conducts this investigation.

If the ISO determines that it is necessary to modify the quantity and/or price points specified above in order to avoid future operational or reliability problems it may temporarily modify them for a period of up to 90 days. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification.

After the first year the Regulation Service Demand Curve is in place, the ISO shall perform periodic reviews, subject to the scope requirement specified in Section 15.3.7 of Rate Schedule 3 to the ISO Services Tariff, and the Market Monitoring Unit shall be given the opportunity to review and comment on the ISO's periodic reviews of the Regulation Service Demand Curve. *See* Section 15.3.7 of Rate Schedule 3 to the ISO Services Tariff.

#### **30.4.6.4.2 Responsibilities related to the Operating Reserves Demand Curves**

In order to respond to operational or reliability problems that arise in real-time, the ISO may procure any Operating Reserve product at a quantity and/or price point different than those specified in Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff. The ISO shall post a notice of any such purchase as soon as reasonably possible and shall report on the reasons for such purchases at the next meeting of its Business Issues Committee. The ISO shall also immediately initiate an investigation to determine whether it is necessary to modify the quantity and price points specified above to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit when it conducts this investigation.



If the ISO determines that it is necessary to modify the quantity and/or price points specified in Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff in order to avoid future operational or reliability problems it may temporarily modify them for a period of up to 90 days. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification.

After the first year the Operating Reserves Demand Curves are in place, the ISO shall perform periodic reviews, subject to the scope requirement specified in Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff, and the Market Monitoring Unit shall be given the opportunity to review and comment on the ISO's periodic reviews of the Operating Reserve Demand Curves. *See* Section 15.4.7 of Rate Schedule 4 to the ISO Services Tariff.

#### **30.4.6.5 Market Monitoring Unit responsibilities set forth in the Attachments to the ISO Services Tariff (other than the Market Mitigation Measures).**

##### **30.4.6.5.1 Responsibilities related to Transmission Shortage Cost**

The ISO may periodically evaluate the Transmission Shortage Cost to determine whether it is necessary to modify the Transmission Shortage Cost to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit after it conducts this evaluation.

If the ISO determines that it is necessary to modify the Transmission Shortage Cost in order to avoid future operational or reliability problems the resolution of which would otherwise require recurring operator intervention outside normal market scheduling procedures, in order to avoid among other reliability issues, a violation of NERC Interconnection Reliability Operating

Limits or System Operating Limits, it may temporarily modify it for a period of up to 90 days, provided however the ISO shall file such change with the Commission pursuant to § 205 of the Federal Power Act within 45 days of such modification. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification and shall explain the reasons for the change. *See* Section 17.1.4 of Attachment B to the ISO Services Tariff.

**30.4.6.5.2 Responsibilities under Appendix 4 to the Operating Protocol for the Implementation of Commission Opinion No. 476 (the “Operating Protocol”)**

The ISO and PJM and their Market Monitoring Units shall, to the extent compatible with their respective tariffs and with any other market monitoring procedures that they have filed with the Commission:

30.4.6.5.2.1 Conduct such investigations as may be necessary to ensure that gaming, abuse of market power, or similar activities do not take place with regard to power transfers under the 600/400 MW contracts;

30.4.6.5.2.2 Conduct investigations that go into the region of the other ISO jointly with the ISO, PJM and both Market Monitoring Units;

30.4.6.5.2.3 Inform each other of any such investigations; and

30.4.6.5.2.4 Share information related to such investigations, as necessary to conduct joint investigations, subject to the requirements of Section C of Appendix 4 to the Operating Protocol and Section 30.6.6 of Attachment O.

*See* Section A of Appendix 4 to Attachment M-1 to the ISO Services Tariff.

**30.4.6.6 Market Monitoring Unit responsibilities set forth in the ISO OATT**

**30.4.6.7 Market Monitoring Unit responsibilities set forth in the Rate Schedules to the ISO OATT**

**30.4.6.8 Market Monitoring Unit responsibilities set forth in the Attachments to the ISO OATT**

**30.4.6.8.1 Responsibilities related to Transmission Shortage Cost**

The ISO may periodically evaluate the Transmission Shortage Cost to determine whether it is necessary to modify the Transmission Shortage Cost to avoid future operational or reliability problems. The ISO will consult with its Market Monitoring Unit after it conducts this evaluation.

If the ISO determines that it is necessary to modify the Transmission Shortage Cost in order to avoid future operational or reliability problems the resolution of which would otherwise require recurring operator intervention outside normal market scheduling procedures, in order to avoid among other reliability issues, a violation of NERC Interconnection Reliability Operating Limits or System Operating Limits, it may temporarily modify it for a period of up to 90 days, provided however the ISO shall file such change with the Commission pursuant to §205 of the Federal Power Act within 45 days of such modification. If circumstances reasonably allow, the ISO will consult with its Market Monitoring Unit, the Business Issues Committee, the Commission, and the PSC before implementing any such modification. In all circumstances, the ISO will consult with those entities as soon as reasonably possible after implementing a temporary modification and shall explain the reasons for the change. *See* Section 16.1.4 of Attachment J to the ISO OATT.

- 30.4.6.8.2 Following the Management Committee vote, the draft Reliability Needs Assessment (RNA), with working group, Operating Committee, and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrently, the draft RNA will be provided to the Market Monitoring Unit for its review and consideration of whether market rules changes are necessary to address an identified failure, if any, in one of the ISO's competitive markets. *See* Section 31.2.3.2 of Attachment Y to the ISO OATT.
- 30.4.6.8.3 Following the Management Committee vote, the draft Comprehensive Reliability Plan (CRP), with working group, Operating Committee, and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrently, the draft CRP will also be provided to the Market Monitoring Unit for its review and consideration of whether market rule changes are necessary to address an identified failure, if any, in one of the ISO's competitive markets. *See* Section 31.2.6.2 of Attachment Y to the ISO OATT.
- 30.4.6.8.4 Following the Management Committee vote, the draft Congestion Analysis and Resource Integration Study (CARIS), with Business Issues Committee and Management Committee input, will be forwarded to the ISO Board for review and action. Concurrently, the draft CARIS will be provided to the Market Monitoring Unit for its review and consideration. *See* Section 31.3.2.2 of Attachment Y to the ISO OATT.
- 30.4.6.9 Market Monitoring Unit responsibilities set forth in other documents that have been formally filed with the Commission.

### **30.4.7 Availability of Data and Resources to Market Monitoring Unit**

- 30.4.7.1 The ISO shall ensure that the Market Monitoring Unit has sufficient access to ISO resources, personnel and market data to enable the Market Monitoring Unit to carry out its functions under Attachment O. Consistent with Section 30.6.1 of Attachment O, the Market Monitoring Unit shall have complete access to the ISO's databases of market information.
- 30.4.7.2 Any data created by the Market Monitoring Unit, including but not limited to reconfiguration of the ISO's data, will be kept within the exclusive control of the Market Monitoring Unit. The Market Monitoring Unit may share the data it creates, subject to the limitations on distribution of and obligation to protect the confidentiality of Protected Information that are contained in Attachment O, the ISO Services Tariff, and the ISO's Code of Conduct.
- 30.4.7.3 Where data outside the ISO's geographic footprint would be helpful to the Market Monitoring Unit in carrying out its duties, the Market Monitoring Unit should seek out that data (with assistance from the ISO, where appropriate).

## 1.18 Definitions - R

**RCRR TCC:** A Load Zone-to-Load Zone TCC created when a Transmission Owner with a RCRR exercises its right to convert the RCRR into a TCC pursuant to Section 19.5.4 of Attachment M of this ISO OATT.

**Reactive Power (MVar):** The product of voltage and the out-of-phase component of alternating current. Reactive Power, usually measured in MVar, is produced by capacitors (synchronous condensers), over-excited Generators, and Qualified Non-Generator Voltage Support Resources, and absorbed by reactors or under-excited Generators and other inductive devices including the inductive portion of Loads.

**Ramp Capacity:** The amount of change in the Desired Net Interchange that generation located in the NYCA can support at any given time. Ramp Capacity may be calculated for all Interfaces between the NYCA and neighboring Control Areas as a whole or for any individual Interface between the NYCA and an adjoining Control Area.

**Real Power Losses:** The loss of Energy, resulting from transporting power over the NYS Transmission System, between the Point of Injection and Point of Withdrawal of that Energy.

**Real-Time Bid:** A Bid submitted into the Real-Time Commitment at least seventy-five minutes before the start of a dispatch hour, or at least eighty-five minutes before the start of a dispatch hour if the Bid seeks to schedule an External Transaction at the Proxy Generator Bus associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, or the Linden VFT Scheduled Line.

**Real-Time Commitment (“RTC”):** A multi-period security constrained unit commitment and dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves and Regulation Service on a least as-bid production cost basis over a two hour and fifteen minute optimization period. The optimization evaluates the next ten points in time separated by fifteen minute intervals. Each RTC run within an hour shall have a designation indicating the time at which its results are posted: “RTC<sub>00</sub>,” RTC<sub>30</sub>, and “RTC<sub>45</sub>”: post on the hour, and at fifteen, thirty, and forty-five minutes after the hour, respectively. Each RTC run will produce binding commitment instructions for the periods beginning fifteen and thirty minutes after its scheduled posting time and will produce advisory commitment guidance for the remainder of the optimization period, RTC<sub>15</sub> will also establish External Transaction schedules. Additional information about RTC’s functions is provided in Section 4.4.2 of the ISO Services Tariff.

**1.36d.3 Real-Time Dispatch (“RTD”):** A multi-period security constrained dispatch model that co-optimizes to solve simultaneously for Load, Operating Reserves, and Regulation Service

on a least-as-bid production cost basis over a fifty, fifty-five or sixty-minute period (depending on when each RTD run covers within an hour). The Real-Time Dispatch dispatches, but does not commit, Resources, except that RTD may commit, for pricing purposes, Resources meeting Minimum Generation Levels and capable of starting in ten minutes. Real-Time Dispatch runs will normally occur every five minutes. Additional information about RTD's functions is provided in Section 4.4.3 of the ISO Services Tariff. Throughout the ISO Services Tariff the term "RTD" will normally be used to refer to both the Real-Time Dispatch and to the specialized Real-Time Dispatch Corrective Action Mode software.

**Real-Time Dispatch-Corrective Action Mode ("RTD-CAM"):** A specialized version of the Real-Time Dispatch software that will be activated when it is needed to address unanticipated system conditions. RTD-CAM is described in Section 4.4.4 of the ISO Services Tariff.

**Real-Time LBMP:** The LBMPs established through the ISO Administered Real- Time Market.

**Real-Time Market:** The ISO Administered Markets for Energy and Ancillary Services resulting from the operation of the RTC and the RTD.

**Real-Time Scheduling Window:** The period of time within which the ISO accepts offers and Bids to sell and purchase Energy and Ancillary Services in the real-time market which period closes seventy-five (75) minutes before each hour, or eighty-five (85) minutes before each hour for Bids to schedule External Transactions at the Proxy Generator Buses associated with the Cross-Sound Scheduled Line, the Neptune Scheduled Line, or the Linden VFT Scheduled Line.

**Receiving Party:** The entity receiving the Capacity and Energy transmitted by the ISO to Point(s) of Delivery.

**Reconfiguration Auction:** The monthly auction administered by the ISO in which Transmission Customers may purchase and sell one-month TCCs.

**Reduction or Reduce:** The partial or complete reduction in non-Firm Transmission Service as a result of transmission Congestion (either anticipated or actual).

**Reference Bus:** The location on the NYS Transmission System relative to which all mathematical quantities, including Shift Factors and penalty factors relating to physical operation, will be calculated. The NYPA Marcy 345 kV transmission substation is designated as the Reference Bus.

**Regional Transmission Group (RTG):** A voluntary organization of transmission owners, transmission users and other entities approved by the Commission to efficiently coordinate transmission planning (and expansion), operation and use on a regional (and interregional) basis.

**Regulation Service Demand Curve:** A series of quantity/price points that defines the maximum Shadow Price for Regulation Service corresponding to each possible quantity of Resources that the ISO's software may schedule to satisfy the ISO's Regulation Service constraint. A single Regulation Service Demand Curve will apply to both the Day-Ahead Market and the Real-Time Market for Regulation Service. The Shadow Price for Regulation Service shall be used to calculate Regulation Service payments under Rate Schedule 3 of the Service Tariff.

**Reliability Rules:** Those rules, standards, procedures and protocols developed and promulgated by the NYSRC, including Local Reliability Rules, in accordance with NERC, NPCC, FERC, PSC and NRC standards, rules and regulations, and other criteria and pursuant to the NYSRC Agreement.

**Required System Capability:** Generation capability required to meet an LSE's peak Load plus Installed Capacity reserve obligation as defined in the Reliability Rules.

**Reserved Capacity:** The maximum amount of Capacity and Energy that the ISO agrees to transmit for the Transmission Customer over the NYS Transmission System between the Point(s) of Receipt and the Point(s) of Delivery under Part 3 of this Tariff. Reserved Capacity shall be expressed in terms of whole megawatts on a sixty (60) minute interval (commencing on the clock hour) basis.

**Residual Adjustment:** The adjustment made to ISO costs that are recovered through Schedule 1. The Residual Adjustment is calculated pursuant to Schedule 1.

**Residual Capacity Reservation Right ("RCRR"):** A megawatt of transmission capacity from one Load Zone to an electrically contiguous Load Zone, each of which is internal to the NYCA, that may be converted into an RCRR TCC by a Transmission Owner allocated the RCRR pursuant to Section 19.5 of Attachment M.

**Residual Transmission Capacity:** The transmission capacity determined by the ISO before, during and after the Centralized TCC Auction which is conceptually equal to the following:

$$\text{Residual Transmission Capacity} = \text{TTC} - \text{TRM} - \text{CBM} - \text{GTR} - \text{GTCC} - \text{ETCNL}$$

The TCCs associated with Residual Transmission Capacity cannot be accurately determined until the Centralized TCC Auction is conducted.



TTC is the Total Transfer Capability that can only be determined after the Residual Transmission Capacity is known.

GTR is the transmission capacity associated with Grandfathered Rights.

GTCC is the transmission capacity associated with Grandfathered TCCs.

ETCNL is the transmission capacity associated with Existing Transmission Capacity for Native Load.

TRM is the Transmission Reliability Margin.

CBM is the Capacity Benefit Margin.

## 1.19 Definitions - S

**Safe Operations:** Actions which avoid placing personnel and equipment in peril with regard to the safety of life and equipment damage.

**Scheduled Energy Injections:** Energy injections that are scheduled on a real-time basis by RTD.

**Scheduled Energy Withdrawals:** Energy withdrawals that are scheduled on a real-time basis by RTD.

**Scheduled Line:** A transmission facility or set of transmission facilities: (a) that provide a distinct scheduling path interconnecting the ISO with an adjacent control area, (b) over which Customers are permitted to schedule External Transactions, (c) for which the NYISO separately posts TTC and ATC, and (d) for which there is the capability to maintain the Scheduled Line actual interchange at the DNI, or within the tolerances dictated by Good Utility Practice. Each Scheduled Line is associated with a distinct Proxy Generator Bus. Transmission facilities shall only become Scheduled Lines after the Commission accepts for filing revisions to the NYISO's tariffs that identify a specific set or group of transmission facilities as a Scheduled Line. The following transmission facilities are Scheduled Lines: the Cross-Sound Scheduled Line, the Neptune Scheduled Line, the Dennison Scheduled Line, the Northport-Norwalk Scheduled Line, and the Linden VFT Scheduled Line.

**SCUC:** Security Constrained Unit Commitment, described in Attachment C of the Tariff.

**Second Contingency Design and Operation:** The planning, design and operation of a power system such that the loss of any two (2) facilities will not result in a service interruption to either native load customers or contracted firm Transmission Customers. Second Contingency Design and Operation criteria do not include the simultaneous loss of two (2) facilities, but rather consider the loss of one (1) facility and the restoration of the system to within acceptable operating parameters, prior to the loss of a second facility. These criteria apply to thermal, voltage and stability limits and are generally equal to or more stringent than NYPP, NPCC and NERC criteria.

**Second Settlement:** The process of: (1) identifying differences between Energy production, Energy consumption or NYS Transmission System usage scheduled in a First Settlement, and the actual production, consumption, or NYS Transmission System usage during the Dispatch Day; and (2) assigning financial responsibility for those differences to the appropriate Customers and Market Participants. Charges for Energy supplied (to replace Generation deficiencies or unscheduled consumption), and payments for Energy consumed (to absorb consumption

deficiencies or excess Energy supply) or changes in transmission usage will be based on the Real-Time LBMPs.

**Secondary Holder:** Entities that purchase TCCs and have not been certified as a Primary Holder by the ISO.

**Secondary Market:** A market in which Primary and Secondary Holders sell TCCs by mechanisms other than through the Centralized TCC Auction, Reconfiguration Auction, or by Direct Sale.

**Security Coordinator:** An entity that provides the security assessment and Emergency operations coordination for a group of Control Areas. A Security Coordinator must not participate in the wholesale or retail merchant functions.

**Self-Committed Fixed:** A bidding mode in which a Generator is self-committed and opts not to be Dispatchable over any portion of its operating range.

**Self-Committed Flexible:** A bidding mode in which a dispatchable Generator follows Base Point Signals within a portion of its operating range, but self-commits.

**Self-Supply:** The provision of certain Ancillary Services, or the provision of Energy to replace Marginal Losses by a Transmission Customer using either the Transmission Customer's own Generators or generation obtained from an entity other than the ISO.

**Service Agreement:** The initial agreement and any amendments or supplements thereto entered into by the Transmission Customer and the ISO for service under the Tariff or any unexecuted Service Agreement, amendments on supplements thereto, that the ISO unilaterally files with the Commission.

**Service Commencement Date:** The date the ISO begins to provide service pursuant to the terms of an executed Service Agreement, or the date the ISO begins to provide service in accordance with Section 3.3.3 or Section 4.2.1 under the Tariff.

**Settlement:** The process of determining the charges to be paid to, or by a Transmission Customer to satisfy its obligations

**Shadow Price:** The marginal value of relieving a particular Constraint which is determined by the reduction in system cost that results from an incremental relaxation of that Constraint.

**Shift Factor (“SF”):** A ratio, calculated by the ISO, that compares the change in power flow through a transmission facility resulting from the incremental injection and withdrawal of power on the NYS Transmission System.

**Short-Term Firm Point-To-Point Transmission Service:** Firm Point-to-Point Service, the price of which is fixed for a short term by a Transmission Customer acquiring sufficient TCCs with the same Points of Receipt and Delivery as its Transmission Service.

**Sink Price Cap Bid:** A Bid Price provided by an entity engaged in an Export to indicate the relevant Proxy Generator Bus LBMP below which that entity is willing to either purchase Energy in the LBMP Markets or, in the case of Bilateral Transactions, to accept Transmission Service.

**Special Test Transactions:** The revenues or costs from purchases and/or sales of Energy that may occur pursuant to virtual regional dispatch/intra-hour transaction pilot tests conducted by the ISO to analyze potential solutions for, or approaches to resolving inter-market “seams” issues with neighboring control area operators.

**Start-Up Bid:** A Bid parameter that may vary hourly and that identifies the payment a Supplier requires to bring a Generator up to its specified minimum operating level from an offline state or a Demand Side Resource from a level of no Demand Reduction to its specified minimum level of Demand Reduction.

Start-Up Bids submitted for a Generator that is not able to complete its specified minimum run time (of up to a maximum of 24 hours) within the Dispatch Day are expected to include expected net costs related to the hour(s) that a Generator needs to run on the day following the Dispatch Day in order to complete its minimum run time. The component of the Start-Up Bid that incorporates costs that the Generator expects to incur on the day following the Dispatch Day is expected to reflect the operating costs that the Supplier does not expect to be able to recover through LBMP revenues while operating to meet the Generator’s minimum run time, at the minimum operating level Bid for that Generator for the hour of the Dispatch Day in which the Generator is scheduled to start-up. Settlement rules addressing Start-Up Bids that incorporates costs related to the hours that a Generator needs to run on the day following the Dispatch Day on which the Generator is committed are set forth in Attachment C to the ISO Services Tariff.

**Storm Watch:** Actual or anticipated severe weather conditions under which region-specific portions of the NYS Transmission System are operated in a more conservative manner by reducing transmission transfer limits.

**Strandable Costs:** Prudent and verifiable expenditures and commitments made pursuant to a Transmission Owner’s legal obligations that are currently recovered in the Transmission Owner’s retail or wholesale rate that could become unrecoverable as a result of a restructuring of

the electric utility industry and/or electricity market, or as a result of retail-turned-wholesale customers, or customers switching generation or transmission service suppliers.

**Stranded Investment Recovery Charge (“SIRC”):** A charge established by a Transmission Owner to recover Strandable Costs.

**Sub-Auctions:** The set of rounds in a given Capability Period Auction in which TCCs of a given duration may be purchased.

**Subzone:** That portion of a Load Zone in a Transmission Owner’s Transmission District.

**Supplier:** A Party that is supplying the Capacity, Energy and/or associated Ancillary Services to be made available under the ISO OATT or the ISO Services Tariff, including Generators and Demand Side Resources that satisfy all applicable ISO requirements.

**Supplemental Event Interval:** Any RTD interval in which there is a maximum generation pickup or a large event reserve pickup or which is one of the three RTD intervals following the termination of the maximum generation pickup or the large event reserve pickup.

**Supplemental Resource Evaluation (“SRE”):** A determination of the least cost selection of additional Generators, which are to be committed, to meet: (i) changed or local system conditions for the Dispatch Day that may cause the Day-Ahead schedules for the Dispatch Day to be inadequate to meet the reliability requirements of the Transmission Owner’s local system or to meet Load or reliability requirements of the ISO; or (ii) forecast Load and reserve requirements over the six-day period that follows the Dispatch Day.

**System Impact Study:** An assessment by the ISO of (i) the adequacy of the NYS Transmission System to accommodate a request to build facilities in order to create incremental transfer capability, resulting in incremental TCCs, in connection with a request for either Firm Point-To-Point Transmission Service or Network Integration Transmission Service; and (ii) the additional costs to be incurred in order to provide the incremental transfer capability.